

# Index

## ⌘-P, 300

- agnostic learning, 379–382
- arithmetic coding, 294
- Azuma–Hoeffding inequality, 349
  
- balanced allocation, 433–442
- ballot theorem, 345
- balls and bins model, 99–111
- balls and bins with feedback, 216–218
- Bayes’ law, 10
- Bernoulli random variable, **28**
  - expectation, 28
  - variance, 51
- Bernoulli trials, 68
- binary erasure channel, 296
- binary symmetric channel, **282**
- binomial coefficients
  - bounds, 272–273
- binomial distribution, **28**, 176
- binomial identity, **29**
- binomial random variable, **28**, 31
  - expectation, 29
  - variance, 51
- binomial theorem, 51, 272
- birthday paradox, 97–99, 443
- Bit-fixing routing algorithm, 87
- bit-fixing routing algorithm, 81, 87, 95
- Bloom filter, **116**, 116–118, 407
- branching process, 32, **32**
- Bubblesort, 44, 63, 101
- Bucket sort, 101
- Buffon’s needle, 312
- burst errors, 186
- butterfly
  - wrapped, **85**
  - routing algorithm, 87
  
- Cauchy distribution, 268
- Cayley’s formula, 450, 461
- Central Limit Theorem, **249**
- chain hashing, 113–114
- channel, 282
  - binary symmetric, **282**
- Chebyshev’s inequality, 51–52, 61, 143
  - pairwise independent variables, 396–397
- Chernoff bound, **68**, 66–288
  - geometric random variables, 92
  - Poisson random variable, 104
  - Poisson trials, 68–72, 93
  - sum of  $\{-1, +1\}$  random variables, 73–75
  - weighted sum of Poisson trials, 93
- commute time, **190**
- complementary cumulative distribution function, 417
- compression, 158–159, 278–281
- compression function, **279**
- conditional density function, **210**
- conditional entropy, 291
- conditional expectation, **29**, 29–32, 140–142, 197
  - random variable, 31
- conditional expectation inequality, 145–147
- conditional probability, **6**, 30, 149, 174, 209
- confidence interval, **72**, 397
- connectivity algorithm, 192
- convergence in distribution, 249
- convex function, **27**
- Correlation Coefficient, 254
- count-min filter, 407–411
  - conservative update, 410
- coupling, 317–335
- coupon collector’s problem, 35–37, 53, 111–113, 125
  - expectation, 35
  - variance, 55
- covariance, **49**, 144, 396
- cover time, **190**, 191
- cuckoo graph, 444, 452

## INDEX

- cuckoo hashing, 442–462
- cuts, 394–395
- data stream model, 407
- decoding function, **282**
- delay sequence, **88**
- density function, **206**
  - conditional, 210
- dependency graph, **148**
- derandomization, 135
  - conditional expectations, 140–142
  - pairwise independence, 394–395
- discrete probability space, *see* probability space, discrete
- discrete random variable, *see* random variable, discrete
- distribution function, **206**
  - joint distribution, **208**
- DNF formula, **300**
  - approximating the number of satisfying assignment, 300–304
- Doob martingale, **342**, 422
- dynamic resource allocation, 442
- edge-disjoint paths, 150
- edge exposure martingale, **342**
- EM algorithm, 261
- embedded Markov chain, 227
- empirical, 13
- empirical Rademacher average, **384**
- empirical Rademacher complexity, **384**
- encoding function, **282**
- entropy, **269**, 269–290, 419
- entropy function, binary, **269**
- $(\epsilon, \delta)$ -approximation, **298**, 299
- $\epsilon$ -net, **369**, 369–373
- $\epsilon$ -sample, **370**, 369–370, 377–379
- $\epsilon$ -uniform sample, **304**
- event, **3**
  - set notation, 3
  - simple, **3**
- expectation, **24**, 23–29, 137–140
  - Bernoulli random variable, 28
  - binomial random variable, 29
  - conditional, *see* conditional expectation
  - continuous random variable, 207
  - coupon collector’s problem, 35
  - exponential random variable, 214
  - geometric random variable, 34
  - linearity of, *see* linearity of expectations
  - Poisson random variable, 103
  - product of random variables, 49
  - uniform random variable, 211
- exponential distribution, **213**, 221
  - density, 214
  - distribution function, 213
  - memoryless property, 214
  - minimum, 215
- exponential random variable
  - expectation, 214
  - variance, 214
- extracting random bits, 274–278
- extraction function, **274**, 292
- factorial bounds, 100, 109, 166
- fully polynomial almost uniform sampler (FPAUS), **304**, 304–308
- fully polynomial randomized approximation scheme (FPRAS), **299**, 302–308, 312
- gambler’s ruin, 181–182, 344–345
- geometric distribution, **33**, 67
- geometric random variable, **33**, 67
  - expectation, 34
  - memoryless property, 33
  - variance, 53
- girth, 143
- Hamiltonian cycle, 121
  - algorithm, 123
- harmonic number, **36**
- hashing, 113–119, 441–442
  - fingerprint, 115
  - perfect hashing, 404–406
  - universal hash functions, 399–406
- heavy hitters, 411
- heavy hitters algorithm, 407
- hitting time, **190**
- Hoeffding Bound, 77
- hypercube, **80**
  - routing algorithm, 82
- inclusion-exclusion principle, **4**, 4, 19
- independence, **6**, 24, 208
  - $k$ -wise, **393**
  - mutual, **6**, 24, 147, 392
  - pairwise, **393**
- independent set, 142–143
  - approximate counting, 304
  - sampling, 323–324, 332–335
- indicator random variable, **28**, 29
- Jensen’s inequality, 26–27, 57
- Kraft inequality, 294
- $k$ -SAT, 151–155, 158–161, 171
- large cuts, 138–139
- Las Vegas algorithm, **62**, 137, 139
- law of total probability, 9
- leader election, 119
- linear insertion sort, 44, 101
- linearity of expectations, **25**, 29, 36, 102, 146, 173, 197
- Little’s result, 232
- log–log plot, 417

## INDEX

- log-likelihood, 259
- lognormal distribution, 427
- Lovász Local Lemma, 147–157
  - algorithmic, 158–162
  - general case, 155, 157
  - explicit constructions, 152
  - symmetric version, 148–150
- marginal distribution function, **208**
- Markov chain, **168**, 168–226
  - aperiodic, **180**
  - communicating states, **179**
  - coupling, **320**, 317–335
  - directed graph representation, 170
  - embedded, 227
  - equilibrium distribution, **182**
  - ergodic, **181**
  - irreducible, **179**
  - Markov property, 169
  - memoryless property, 169
  - mixing time, **320**
  - null recurrent, **180**
  - path coupling, 332–335
  - periodic, **180**
  - positive recurrent, **180**
  - rapidly mixing, **320**
  - recurrent, **179**
  - skeleton, 227
  - state, **168**
  - stationary distribution, **182**, 182–187
  - time-reversible, 187, 200, 310, 311
  - transient, **179**
  - transition matrix, **169**
  - transition probability, **169**
  - $n$ -step, **169**
- Markov chain Monte Carlo method, **308**
- Markov processes, **227**
- Markov's inequality, 47–48, 174, 287
- martingale, **341**, 341–355
  - Azuma–Hoeffding inequality, 349
  - edge exposure, 342
  - stopping theorem, 344
  - vertex exposure, 343
- Matthews' theorem, 191
- maximum a posteriori estimation, 258
- maximum cut, 140–142
- maximum likelihood, **259**
- maximum log-likelihood, 259
- maximum satisfiability, 139–140
- mean, **24**
- median, **55**, 55–57
- median algorithm, 57–62
- memoryless property, 33, 214
- Metropolis scheme, **310**
- min-cut algorithm, 15–17
- minimum cut-set, **15**
- moment generating function, **66**, 66–68
  - Poisson distribution, 103
- moments, **48**
- monkeys typing randomly, 420, 430
- monotone graph properties, 448
- monotone graph property, **120**
- Monte Carlo algorithm, **62**, 137, 413
- Monte Carlo method, 297–312
- Naïve Bayesian Classifier, 12–15
- negative binomial random variable, **42**
- normal Distribution, **242**
- normal distribution, bivariate normal 254
- order statistics, **224**
  - uniform random variables, 224
- packet routing, 79–90
  - hypercube, 82
  - wrapped butterfly, 87
- pairwise independence, **393**
  - constructions, 393–396
  - sampling, 397–399
- Pareto distribution, **416**
  - moments, 416
- Parrondo's paradox, 193
- PASTA principle, 232
- perfect hashing, 404–406
- permutation, 43
- Poisson approximation, 107–112, 118
- Poisson distribution, **102**, 219
  - moment generating function, 103
- Poisson process, **218**, 218–226
  - combining, 222–224
  - interarrival distribution, 221
  - splitting, 222–224
- Poisson random variable, 68, **102**
  - Chernoff bound, 104
  - expectation, 103
  - sums, 103
  - variance, 104
- Poisson trial, 68
- power law, 416
  - with exponential cutoff, 428
- power law distribution, **417**
  - asymptotic, 417
- preferential attachment, 420–425
- prefix code, 279, 294
- principle of deferred decisions, 9, 124
- priority queue, 241
- probabilistic analysis, xviii
- probabilistic method, 135–157, 286
  - counting argument, 135–137
  - expectation argument, 137–140
  - Lovász local lemma, 147–157
  - sample and modify, 142–143
  - second moment method, 143–145
- probability function, **3**
- probability space, **3**
  - discrete, **3**

## INDEX

- Probably Approximately Correct (APC) learning, **374**, 374–377
- quantum mechanics, xvii
- queues, 188–189, 229–235  
 $M/M/1$ , 230–233  
 $M/M/1/K$ , 233  
 $M/M/\infty$ , 233–235  
 notation, 229
- Quicksort, 37–40  
 pivot, **37**
- Rademacher average, **385**
- Rademacher complexity, 382, **385**
- random graphs, 119–121, 342, 443  
 threshold function, **144**, 144–147
- random variable, **23**, 23–29  
 continuous, **206**, 205–210  
 discrete, **23**
- random walk, **189**, 189–193, 430  
 cover time, **190**, 190  
 stationary distribution, 190
- randomized algorithms, xvii–xviii
- randomized routing, 79–90  
 hypercube, 82  
 wrapped butterfly, 87
- range space, **363**  
 projection, 364
- reservoir sampling, **43**
- Riemann zeta function, 418
- sample space, **3**
- sampling, **5**  
 pairwise independence, 397–399  
 with replacement, **5**  
 without replacement, **5**
- satisfiability, **139**, 151–155
- second moment method, 143–145
- set balancing, **76**
- set membership problem, **115**
- Shannon’s theorem, 281–290
- skeleton Markov chain, 227
- standard deviation, **48**
- stationary distribution, 196, 227  
 continuous time Markov processes, 227–228
- s-t connectivity algorithm, 192
- Stirling’s formula, 177, 291
- stochastic counting process, **218**
- stochastic domination, **448**
- stochastic process, **168**  
 stopping time, 343–346  
 symmetry breaking, 118–119
- 2-SAT, 171  
 algorithm, 171–174
- 3-SAT, 174  
 algorithm, 176
- tail index, 416
- training, 12–15
- triangle listing, 425
- unbiased estimator, 260
- uniform convergence property, **370**
- uniform distribution, **210**, 224  
 conditional probability, 211  
 density function, 211  
 distribution function, 211
- uniform random variable, **210**  
 expectation, 211  
 variance, 211
- union bound, **4**, 55, 136
- universal hash functions, 399–406
- Vapnik–Chervonenkis (VC) Dimension, 363, **364**
- variance, **48**  
 Bernoulli random variable, 51  
 binomial random variable, 51  
 continuous random variable, 207  
 exponential random variable, 214  
 geometric random variable, 53  
 sum, 49  
 sum of pairwise independent variables, 396  
 uniform random variable, 211
- variation distance, **318**, 324
- verifying  
 matrix multiplication, 8–12  
 polynomial identities, 1–8
- vertex coloring  
 sampling, 328–332
- vertex exposure martingale, **343**
- Wald’s equation, 346–349
- weak law of large numbers, 65
- zeta distribution, 418
- Zipf’s law, 418
- Zipf–Mandelbrot law, 418