



Index

- A horizon in soil, **348**
 aa, **257**, **257**, **259**, **294**
 abrasion of sedimentary grains, 358–60
 in glacial ice, 364
 relative resistance of common minerals, 359
 absolute age
 calculation of, 232
 concordant, 233
 discordant, 233
 of metamorphic rocks, 469
 absolute age determination
 blocking temperature, 234
 by fission track, 234
 by K–Ar, 232
 by Rb–Sr, 231
 by Sm–Nd, 234
 by U–Pb, 233
 concordia curve, 233
 fission track, 234
 initial isotopic ratio, 231, 234
 isochron, 231
 potassium–argon, 232
 rubidium–strontium, 231
 uranium–lead, 233
 absorption spectrum, 44, **44**, **44**
 absorption, optical, 145
 Acadian Orogeny, 441
 acceleration of gravity, 249
 accessory plates. *See* microscope
 accretionary wedge, 375
 acicular mineral, **39**, **39**
 acid mine drainage (AMD), **335**, 508
 actinolite, 422
 activated state, 227
 activation energy 228, 234
 activity. *See* water activity
 of water in magma, 251
 of water in metamorphic rock, 445
 adiabatic
 cooling due to decompression, 249
 rise of asthenosphere, 246
 rise of magma, 249
 Adirondack anorthosite,
 New York, 325
 aegirine, 176
 in alkaline igneous rocks, 315
 Afar, Ethiopia
 birth of new volcano in, 255
 possible plume beneath, 314
 Afar region, Ethiopia, 255
 agate, 346
 aggregate. *See* construction materials
 aggregation
 banded, **39**
 botryoidal, **40**
 compact, **39**
 granular, **39**
 mammillary, **39**
 oolitic, **40**
 pisolitic, **40**
 reniform, **40**
 stalactitic, **40**
 state of, 39
 albite
 congruent melting of, 214
 melting of at 0.2 GPa, 218
 albite twin, **114**, **116**
 Aleutian arc, 318, **319**, 320
 algae in carbonate sediment, 360
 alkali feldspar
 melting relations, 218
 allanite, 184
 source of rare earth elements, 509
 Allende. *See* meteorite
 allochems, 399
 alluvial deposits, 367, 369
 alluvial fan, 376
 deposit, 377
 almandine. *See* garnet
 alpha particle, 229
 amalgam, 479
 amazonite, 21, 169
 amber, **14**
 AMD, acid mine drainage, **335**
 amorphous, 21
 amosite (asbestiform amphibole), 529
 amphibole, **178**
 amphibolite facies. *See* metamorphic facies
 amygdale (amygdule), 251, **251**, **252**, 252
 andalusite, 418
 stability of during metamorphism, 443
 stability range, 207
 andesite, 30, 242
 formed at convergent plate boundaries,
 248
 product of hydrous melting of
 mantle, 248
 andradite. *See* garnet
 angular unconformity, 354
 anhydrite, 345
 in evaporite deposits, 410
 precipitation from brine, 363
 anion, **14**, **63**, **63**
 anisodesmic bond, **70**
 anisotropic, optically, 140
 ankerite, 338
 in banded iron-formation (BIF), 364
 anorthite, 166
 melting of, 212
 anorthosite. *See* igneous rocks
 anthophyllite, 420
 antidunes, 367
 antigorite, 425
 apatite, 192
 fission tracks in, 235
 hydroxylapatite in bones and teeth, 524
 in phosphorites, 410
 refractive index of, 139
 apex, 72
 aphyric. *See* texture (igneous)
 aquamarine (beryl), 22
 aquifer, 27, 28
 aragonite, 339
 in biogenic sediment, 360
 in high-pressure metamorphic rocks, 471
 precipitation from brine, 363
 arkose. *See* sandstone, feldspathic arenite
 Arrhenius equation, **227**, 443
 arsenic
 in groundwater in Southeast Asia, 531
 in pressure treated lumber (CCA), 531
 in the general environment, 530–31
 removal from water supplies, 255
 use in insecticides and weed killer, 531

Bold numbers indicate pages that give the primary definition of a term; italicized numbers indicate references to figures.

- arsenopyrite, 487, 531
 asbestos, 16, 427, 523, 528. *See also* health hazards posed by Earth materials
 crocidolite and mesothelioma, 529
 health hazards posed by, 528–30
 in ophiolite suites, 313
 uses of, 529
 ash. *See* volcanic ash
 aspect ratio, 528
 assimilation by magma, 270
 asterism, 46, 46
 asthenosphere, 6
 possible melting in, 242, 245, 248
 atom, 62
 atomic radii, 63, 63
 effective, 63
 augite, 175
 Auguste Bravais, 117
 authigenic mineral, 337
 azimuthal quantum number, 74
- B horizon in soil, 348
 back-arc basin, 9
 igneous rocks of, 320
 back-arc spreading, 320
 banded aggregation, 39, 40
 banded iron-formation (BIF), 364
 Hamersley Range, Western Australia, 364
 bar diagram, 80, 161
 barite, 489
 basalt, 26, 242, 304
 amygdaloidal Tahitian, 252
 eruption from Pu'u Ō'ō, Hawaii, 27
 eruption, Hawaii, 241
 formed at hot spot, 246
 formed beneath divergent plate boundaries, 246
 Giant's Causeway, Antrim, Ireland, 141
 inclusions in granite, 286, 289
 inclusions in rhyolite, 321
 Kilauea Iki lava lake, 25
 ophitic texture in, 23
 partial melt of mantle peridotite, 245
 porphyritic olivine, 267
 product of decompression melting of mantle, 246
 source of magma, 243
 vesicular Hawaiian, 252
 bastnasite, source of rare earth elements, 509
 batholith, 32, 242, 243, 261, 286, 323
 cm-scale analogue of, 290
 diapiric shape of, 288
 bauxite, 488
 Becke line, 139
 bed, sedimentary, 372
 bedding. *See also* layering in sedimentary rocks
 cross, 369, 370
 fissility, 441
 graded, 32, 371
 USGS animations of formation of, 368
 Benioff seismic zone
 composition of magma relative to depth to, 321
 magma source depth, 318
 bentonite, 505
 Bernoulli's principle, 367
 Bertrand lens, 137, 146, 149
 beryl, 493
 beta particle, 229
 BIF. *See* banded iron-formation
 Big Bang (origin of Universe), 2
 binary, 161
 biopersistence, 529
 biotite, 180
 absorption of light by, 146
 bioturbation of sediment, 387
 birefringence, 140
 black smoker (ocean-floor hydrothermal vent), 313, 313
 bladed mineral, 39, 39
 blocking temperature, 234
 metamorphic age, 469
 blocky lava, 257, 295
 blue asbestos, 423, 423
 blueschist. *See* metamorphic facies
 Bohr model of the atom, 74
 Bohr, Niels, 74
 Boltzmann, 203
 bomb, volcanic, 290, 291
 bond
 anisodesmic, 70
 covalent, 75
 ionic, 75
 isodesmic, 70
 mesodesmic, 71
 metallic, 77
 strength, 69
 van der Waals, 78
 borax
 precipitation in saline lakes, 363
 bornite, 484
 bort, 480
 botryoidal aggregation, 40, 40
 Bragg equation, 53
 Bragg, W, L. 117
 Bravais lattice, 116
 listing of the 14 types, 118
 Bravais, Auguste, 117
 breccia
 diatrema, 244, 284
 meteorite impact, 329
 sedimentary, 396
 bridging oxygen, 72
 brittle mineral, 49
 Bronze Age, 500
 bryozoans in carbonate sediment, 360
 buoyant pressure gradient, 260
 Bushveld Complex, South Africa, 284, 287
 cooling of, 266
- C horizon in soil, 350
 C.N., coordination number, 63
 calcalkaline
 plutonic rocks, 322–23
 volcanic rocks, 320–22
 calcareous green algae (*Penicillus*), 360, 361
 calcite, 338
 high-magnesium in organisms, 360
 in carbonatite, 272, 317, 318
 in limestone, 360, 399
 precipitation from brine, 363
 solubility with depth in ocean, 363
 calcsilicate, 451, 452, 455
 caldera, 254, 284, 298–99
 above batholith, 288
 at summit of Kilauea, Hawaii, 294
 at Yellowstone National Park, Wyoming, 254
 beneath summit of shield volcano, 293
 depth of subsidence of, 254
 Ngorongoro, Tanzania, 254, 254
 calorie, definition of, 6
 Canada balsam, RI of, 139
 cancer
 caused by erionite (fibrous zeolite), 528
 cap rock (for petroleum), 363
 capillary mineral, 39
 carat, 480
 carbon dioxide
 reaction with rainwater to form carbonic acid, 355
 reduction in atmosphere caused by coal formation, 363
 release during photosynthesis of cyanobacteria, 405
 release in cement manufacture, 28, 504
 role in weathering, 355–56
 sequestration, 356, 533
 solubility in magma, 251
 carbon fourteen, ¹⁴C, half-life, 232
 carbonate compensation depth, 363
 carbonate mineral, 338
 carbonatite. *See* igneous rocks
 formation through liquid immiscibility, 272
 carbonic acid, 355

- Carlsbad twin, 115
cation, **14**, **63**
cancer, 529
cave, 27
 Harrison's Cave, Barbados, 27
CCP, cubic closest packing, **68**
cement. *See also* construction materials
 binding sedimentary grains, 379
 in limestone (spar), 399
 in Roubidoux Sandstone, Missouri, 393
 in sandstone, 391
 in Tuscarora Sandstone, Pennsylvania, 393
center of symmetry, **89**
chabazite, 435, 510
chain silicate, **166**
chalcocite, 485
chalcocite blanket, **485**
Chalcolithic Age, 500
chalcophile elements
 transport in hydrous solutions, 251
chalcopyrite, 192
chalk. *See* sedimentary rocks
Charles Lyell, 324
chatoyancy, **46**
chemical elements, 62. *See also* elements
chemical potential, **206**
chemical precipitate, **334**
chert, 169, 346
 in banded iron-formation (BIF), 364, 410
 in ophiolite suite, 310
 Neanderthal projectile point, 501
 nodules in limestone, 363, 403, 404
 use for stone tools, 501
Chicxulub, Mexico, meteorite impact
 structure, 326
china clay, **338**
chlorite, 425
 in graywacke, 396
 in metamorphic rocks, 448
 interference color of, 145
 polytypes, 425
chloritoid
 in schist, 462
chondrite. *See* meteorite
chondrule. *See* meteorite
chromite, 186, 216
 in Merensky Reef, Bushveld Complex,
 South Africa, 286
 in peridotite, Stillwater, Montana, 216
chromitite
 in layered igneous intrusion, 285
 in ophiolite suite, 313
chromophore elements, **43**
chrysotile, 16, 18, 425, 426
 health hazards associated with, 528
 in asbestos deposits, 313
 transmission electron microscope image
 of, 18
CIPW norm, **301**
 USGS software program for calculation
 of, 331
Clapeyron equation, 207, 249
clay mineral, **334**
clay minerals, 505–7
 commercial uses of bentonite, 507
 commercial uses of vermiculite, 507
 in mudrocks, 387
 uses of, 506
claystone, 386
cleavage, **47**. *See also* slaty cleavage
 cubic, **48**
 in halite, 15
 octahedral, 48
 planar, **47**
 prismatic, **47**
 rhombohedral, **48**
clinoamphibole, **177**
clinographic projection, **104**
clinopyroxene, **173**
closed form, **97**
closest packing, **65**
 cubic, 68
 hexagonal, 67
coal, 28, 408, 511–12
 cyclothem, 408
 formation in deltaic sands, 408
 in Pennsylvania syncline, 29
 rank (lignite, bituminous, anthracite,
 cannel), 408
coccoliths, 362
coesite, 169
 in ultrahigh-pressure metamorphic rocks,
 445, 471
colonnade, **292**
color
 centers, **44**
 diagnostic, **40**
 reasons for, **43**
color index of igneous rocks, **305**
columnar joints, **141**, **292**
 at Giant's Causeway, Antrim, Northern
 Ireland, 140
 in basalt at Aldeyjarfoss, Iceland, 293
 in pyroclastic flow, 298, 300
columnar mineral, 39, 39
compact aggregation, **39**
compaction
 of crystal mush in magma chamber, 270
 of crystal mush in mantle, 261
 of igneous cumulates, 270
 of sediment, 378
complete solid solution, 80
component, 209
component (thermodynamic), 209
composite volcano, **295**
compressive stress
 formation of slaty cleavage, 448
 in regional metamorphism, 441
 orientation of dikes and sills, 261, 281
 shape of metamorphic grains, 450
conchoidal fracture, **48**, 49
conglomerate. *See* siliciclastic sedimentary
 rocks
congruent melting, 214
construction materials, 500–4
 aggregate, 6, 22, 504
 asphalt, 504
 basalt, 504
 bricks, 502
 building stones, 501–2
 cement and concrete, 504
 cement production from limestone, 28,
 503
 crushed stone, sand, gravel (aggregate),
 504
 granite building stone, 502
 granite quarry, Barre, Vermont, 503
 kames, eskers, deltas, source of sand and
 gravel, 504
 limestone building stone, 501
 limestone in the Roman Pont du Gard,
 France, 501, 502
 Neolithic stone buildings, Khirrokita,
 Cyprus, 501
 Pompeii bricks, 502, 503
 Pompeii paving stones, 502
 Portland cement, 503
 reinforced concrete in Millau viaduct,
 France, 502, 503
 steel reinforced concrete, 503
 trap rock, 504
 value of US annual production, 504
 worldwide production of concrete, 28, 503
contact twin, **113**, **114**
continental crust
 formation of, 245, 273
 pressure at base of, 249
 underplating of, 261
continuous reaction, **217**
convection
 effect on mantle temperature gradient, 245
 in lava lake, 279
 in magma chamber, 268, 315
 in mantle, 245
 in mantle wedge above subduction zone,
 320
 in the mantle, 7
convection of magma, 218

- cooling
 adiabatic, 249
 by circulating water beneath midocean ridge, 251
 by conduction, 7, 262, **262–66**
 by convection, 5, 262, **262**
 by radiation, 262, **262**, 266
 Fourier's law (conductive cooling), **263**
 of Kilauea Iki lava lake, 264
 of magma, 262–66
 of magma by convection, 266
- coordination
 cubic, 65
 linear, 65
 number (C.N.), **65**
 octahedral, 65
 polyhedron, **65**, 66, 69
 principle, **66**
 tetrahedral, 65
 triangular, 65
- copper, 480
- copper ore, 507–9
 at Skouriotissa, Cyprus, 311
 Bingham Canyon Mine, Utah, 507
 environmental remediation at Bingham Canyon Mine, Utah, 507
 mined in Cyprus since 2000 BCE, 313
 porphyry copper deposit, 507
 Superfund site at Butte Montana, 509
 world's major producers, 507
- coquina, 338
- corals, 361
 forming reef, Aruba, southern Caribbean, 404
 in boundstone, 403
 in carbonate sediment, 360
- cordierite, 429
 in hornfels, 449
- core
 formation of, 5
 inner core, 5
 outer core, 5, 242
 temperature and pressure in, 5
- corundum, 433, 492
- cotectic, 220, 224
- coupled substitution, **80**
- covalent bond, 75
- covellite in supergene enriched copper ore, 508
- creep of regolith, 371
- Cretaceous–Tertiary boundary (K–T boundary), 326
- crevasse splay, 394
- cristobalite, 169
 melting point, 204
- crocidolite (blue asbestos), 529
 cause of mesothelioma, 529
- crust, **6**
 lower crust magma source, 243
- cryoscopic equation, 210
- cryoscopic equation (lowering of melting point), 210
- crystal, **20**
 anhedral, 20
 aquamarine, 22
 euhedral, **20**
 gypsum, 22
 ruby (corundum), 22
 subhedral, 20
 tourmaline, 22
- crystal-mush compaction, 270
 in partly melted mantle, 261
- crystal chemistry, 66
- crystal class, **90**
- crystal field transitions, **43**
- crystal projection, 98
- crystal system, **91**
 hexagonal, **91**
 isometric, **91**
 monoclinic, **91**
 orthorhombic, **91**
 tetragonal, **91**
 triclinic, **91**
- crystalline state, 20
- crystallographic axes, **91**, 93
- crystallography, **87**
- crystal-mush compaction, 270
- cube, 105
- cubic cleavage, **48**, 48
- cubic closest packing, **68**
- cubic coordination, **65**
- cubic zirconia, CZ, 18, 481
- cummingtonite, 421
- cumulate, igneous, 268
- cyclosilicates, **166**
- cyclothem, 408
- Cyprus, 313
 copper deposit, 311
 Neolithic stone buildings at Khirokitia, 501
 satellite image of, 311
- D'' (D double prime) layer, 5
- Darcy's law, **227**, 261, 443
 flow of melt on grain boundaries, 247, 261
- Dauphiné twinning, 127
- decompression melting, 246
- defect structure, **82**
- deformation twin, **115**
- degrees of freedom, 209
- degrees of freedom (variance), 209
- delamination, 33, 374
- deltas
 deposition of sediment in, 376
 source of construction aggregate, 504
- dendritic mineral, 39, 39
- detrital mineral, **334**
- detritus, **355**, 357
- diagenesis, **343**, 377, 440
- diagenetic mineral, **343**
- diagnostic color, 40
- diamond, 123, 127, 480
 first discovery in rock, 284
 formed by meteorite impact, 328
 in kimberlite, 317
 in mantle xenolith, 243
 in ultrahigh-pressure metamorphic rocks, 445, 471
 point group, 123
 source depth of, 243
 space group, **123**
 stability of, 199
- diatreme, **244**, **284**
- diffraction, **53**
 in precious opal, 46
- diffraction angle, 54
- diffusion
 blocking temperature, 234
 blocking temperature for absolute age determination, 234
 coefficient, 227
 distance in metamorphic rock, 441, 443
 effect on crystal growth in magma, 258, 443
 effect on crystal growth in metamorphic rocks, 441
 effect on grain size of igneous rocks, 258
 Fick's law, 227
 in magma, 258
 in metamorphic rocks, 441, 443
 in plagioclase, 218
 rate of, 228
 role in forming igneous layering, 270
 through liquid on grain boundary, 247
- dihexagonal dipyrmaid, **107**
- dihexagonal prism, **106**
- dike, 30, 243, 261, **281**
 basaltic, 26
 composite, **282**
 en echelon set, **281**
 multiple, **282**
 radial swarm, **282**
 sheeted dike complex, **282**, 310, 311
 swarm, **282**
- dilation during intrusion of magma, 282
- dinosaur extinction, link to meteorite impact, 326, 538

- dioctahedral sheet, **178, 179**
 diopside, **420**
 in metamorphosed carbonate rocks, **463**
 space group derivation, **125**
 diorite. *See also* igneous rocks
 plagioclase composition in, **305**
 discontinuous reaction, **217**
 disequilibrium
 during crystallization from melt, **217**
 disilicates, **166**
 displacive polymorphism, **127**
 ditetragonal dipyramid, **107**
 ditetragonal prism, **108**
 dodecahedron, **105**
 dolomite, **341**
 in carbonate sedimentary rocks, **399**
 precipitation from brine, **363**
 dolomitization, **380**
 dolostone. *See* sedimentary rocks
 dome (diapir)
 of granitic magma, **261**
 dome, volcanic, **297**
 drilling mud, **490**
 Dry Valleys region, Antarctica, sills in, **284**
 ductile mineral, **49**
 dunes, **367**
 dunite, **285, 305**
 dust rings in sedimentary grains, **378**
- e.v., bond strength, **69**
 Earth
 accretion to form, **5**
 age of, **2**
 bulk composition of, **4**
 dimensions of, **5**
 early atmosphere of, **405**
 early history of, **5**
 internal structure of, **5, 5–6**
 lack of excess heat in, **212**
 pressure in, **249**
 temperature in. *See* geothermal gradient
 earthenware
 examples of, **499**
 manufacture of, **506**
 East African Rift, **32, 314**
 alkaline igneous rocks associated
 with, **315**
 East Pacific Rise, magma chambers
 beneath, **311**
 echinoderms, **361**
 in carbonate sediment, **360**
 effervescence, **51**
 electromagnetic spectrum, **42**
 electron beam techniques, **54**
 electron capture by nucleus, **230**
 electron configurations, **76**
 electron microprobe, **37**
 analysis, **56, 56**
 electrostatic valency principle, **69**
 electrum, **478**
 elements, **62**
 chalcophile, **251**
 common, naturally occurring, **62**
 formation of, **2**
 in human body, **523–24**
 macronutrients in soil, **527**
 major, minor, and trace, **160, 305**
 most common, **160**
 US Dept. of Agriculture recommended
 daily intake of, **524**
 emery, **433**
 EMPA, electron microprobe analysis, **56**
 enantiomorphous pair, **118**
 end member, **79, 161**
 endothermic, **202**
 energy
 geothermal, **516–17, 517**
 Gibbs free, **204**
 internal, **200**
 nuclear, **516**
 resources, **510–17**
 enstatite, **173**
 incongruent melting of, **214**
 entablature, **292**
 enthalpy, **201**
 of formation, **202**
 entropy, **202, 203**
 epeiric seas, **33, 375**
 epidote, **429**
 interference color of, **145**
 pleochroism of, **146**
 equilibrium, **202, 204, 207**
 during crystallization from melt, **217**
 during metamorphism, **443**
 thermodynamic, in metamorphic rocks,
 443, 445
 equilibrium constant for a reaction, **467**
 erionite, **528**
 erosion
 by ice, **356**
 rates of, **355**
 Erwin Schrödinger, **74**
 esker, **365**
 source of construction aggregate, **504**
 eutectic **210**
 alkali feldspar, **220**
 basalt, **212**
 between albite and nepheline, **214**
 between enstatite and cristobalite, **214**
 between plagioclase and pyroxene, **211**
 between quartz and albite, **214**
 composition of magma, **245**
 granite, **214**
 intergrowth, **212**
 nepheline syenite, **214**
 ternary, **220**
 eutectic intergrowth. *See* texture (igneous)
 evaporite. *See* sedimentary rocks
 exothermic, **202**
 explosive nature of volcanoes
 Hawaiian, **288**
 Peléan, **290**
 Plinian, **290**
 Strombolian, **288**
 Vulcanian, **290**
 exsolution, **81, 219**
 lamellae, **169, 174**
 extinction, optical, **143**
 extinction angle, **144**
 parallel and inclined, **144**
- face pole, **99**
 fancy color of diamonds, **480**
 fault
 gouge, **453**
 normal, **9**
 thrust, mylonite in, **454**
 Fedorow, F., **117**
 feldspar
 K-feldspar, **168**
 plagioclase, **166**
 feldspathoids, **171, 172, 431**
 fertilizer, **526–28**
 composition of (NPK), **527, 527**
 mixing and spreading by computer-
 operated vehicle, **527**
 fiamme, **299**
 fibrous mineral, **39, 39**
 Fick's Law, **227**
 fire of gemstones, **480**
 first order red interference
 color, **143**
 filter (accessory plate), **143**
 fissility, bedding, **372, 373, 386, 441**
 fission track, **230, 230, 234**
 fission, nuclear, **230**
 flint. *See* chert
 flood basalt, **31, 32, 291–93**
 in large igneous province (LIP), **314–15**
 flow
 laminar, **267, 366**
 Reynolds number (Re), **366**
 turbulent, **267, 298, 366**
 fluorescence, **46**
 fluorite, **489**
 fluorspar, **489**
 flux, **226**
 foliated mineral, **39, 39**

- foraminifera as source of sediment, 362
 forearc basin, 9, 32, 376
 form, **96**
 closed, **97**
 open, 97
 form expressions, 97, 100
 formula recalculations
 olivine, 161
 plagioclase feldspar, 161
 quartz, 161
 forsterite
 in metamorphosed carbonate
 rocks, 463
 melting of, 217
 fossil fuel, 28, 408–9, 511–12
 Fourier's law, 227, 263
 Fourier's law (conductive cooling), **263**
 fractional crystallization, 225
 fracture
 brittle, **49**
 conchoidal, **48**
 conchoidal, stone tool knapping, 501
 framework structures, **165**
 free energy. *See* Gibbs free energy
 of surface, 447
 Friedrich, W., 117
- G** (specific gravity), 50
 gabbro. *See also* igneous rocks
 in ophiolite suite, 311
 plagioclase composition in, 305
 subdivisions of, 305
 Galapagos
 Bartholomew Island spatter cone, 291
 magma chambers beneath spreading
 axis, 311
 galena, 482
 gangue, **477**
 garnet, 16, 416
 almandine, 17
 andradite, 17
 atomic structure of, 19
 composition diagram, 416
 dodecahedral crystals of, 19
 grossular, 17
 in jewelry, 19
 in mantle perridotite, 244
 in mantle xenoliths, 244
 in pelitic schist, 441
 porphyroblast, 454
 pyrope, 17
 spessartine, 17
 uvarovite, 17
 gases
 composition of in magmas, 251
 solubility in magmas, 251, 276
- gemstone, **478**, 491
 general form, **96**
 geode, **40**, 40
 geotherm, 245, **245**, 245
 geothermal gradient, **6**, 245
 geothermometers and geobarometers, 446,
 468
 GARB, **468**
 GRAIL, **468**
 geyser, Old Faithful, Wyoming, 298, 299
 Giant's Causeway basalt, 140, 141
 Gibbs free energy, 203–5
 and metamorphic change, 442
 effect of pressure on, 205
 effect of temperature on, 205
 variation with composition, 205
 variation with temperature and
 pressure, 205
 Gibbs phase rule, **209**, 443–44
 application to metamorphic
 rocks, 443–44
 applied to Oslo contact metamorphic
 rocks, 445
 glacial striations, 364
 glacial till. *See* till, glacial
 glass shards in volcanic ash, 299
 glaucophane, 33, 422
 in schist, 451
 glide plane, **119**
 symbols, 121
Globigerina as source of sediment, 362
 gneiss, 29, 449
 goethite, 336
 gold, 478
 in Witwatersrand Conglomerate, South
 Africa, 397
 resistance to abrasion, 359
 Gondwanaland, breakup of, 282, 292
 Gorges du Verdon, France, 353
 gossan, **335**
 graded bedding, 32, 371, 372
 in graywacke, 395
 graded layers in igneous rocks, 269
 grain shape of sedimentary particles
 pitting of wind-blown particles, 359
 rounding of particles, 358–60
 textural maturity, **359**
 grain size of igneous rocks, **260**
 diffusion controlled, 258
 distinction between extrusive, hypabyssal,
 and plutonic, 280
 fine, medium, and coarse, 260
 giant crystals in anorthosite, 325
 increased by presence of water, 260
 grain size of sedimentary particles, 359
 degree of sorting, 358
- distribution, 358
 lack of sorting in glacial till, 365
 of sedimentary particles, 358
 role in settling velocity, 267
 Udden–Wentworth scale, **358**, 358
 Grand Canyon, Arizona, 373
 granite, 25, 32, 242. *See also* igneous rocks
 eutectic, 214
 eutectic composition of, 214
 formation by melting of lower
 crust 214
 hypersolvus, 220
 in Bushveld Complex, South
 Africa, 285
 melting at high pressure
 (anhydrous), 249
 melting at high pressure (hydrous), 250
 orbicular, 23
 rapakivi, 25, 26, 323
 rise of magmatic bodies of, 261
 source of magma, 243
 subsolvus, 220
 weathering of, 356, 357
 granophyre
 differentiation product of basalt, 315
 granophyric intergrowth. *See* texture
 (igneous)
 granular aggregation, **39**, 40
 graphic granite. *See* texture (igneous)
 graphite, 428
 in metamorphic rocks, 441
 stability of, 199
 structure of, 78, 426
 Great Dike of Zimbabwe, 268
 Green Revolution, 526
 greenalite
 in banded iron-formation (BIF), 364
 greenhouse gas, 28
 carbon dioxide sequestration, 356
 removal of CO₂ from atmosphere by
 weathering, 356
 greenschist facies. *See* metamorphic facies
 greenstone belts, Archean, 324
 grossular. *See* garnet
 groundmass, **24**. *See* texture (igneous)
 in Hawaiian basalt, 25
 groundwater
 cell near cooling igneous body, 251
 Darcy's law, 227
 growth twin, 113
 grunerite, 421
 Gulf of Aden Rift, 314
 gypsum, 22, 344
 in Castile Formation, New Mexico, 364
 in evaporite deposits, 410
 precipitation from brine, 363

- H** (hardness), 49
 half-life, 232
 halide, 15
 halite, 15, 343
 atomic structure of, 15
 precipitation from brine, 363
 hard mineral, 49
 hardness (**H**), 49
 Mohs scale, 50
 hardpan. *See* limestone: caliche
 harzburgite, 305
 Hawaii
 black beach sand, 360
 mantle plume beneath, 246
 volcanic rocks of, 25, 27, 241, 252, 257, 258, 259, 264, 265, 266, 291, 294, 295
 HCP, hexagonal closest packing, 67
 health hazards posed by Earth materials
 arsenic, 530–31
 asbestos, 528–30
 carbon dioxide (greenhouse gas), 533
 crocidolite (blue asbestos), 529
 erionite (fibrous zeolite), 528
 radioactive waste disposal, 532–33
 radon gas, 531–32
 silica, 530
 silicosis, 530
 heat
 flow from Earth, 226
 flow of (Fourier's law), 227
 generated by radioactive decay, 229, 440
 latent heat of crystallization, 266
 latent heat of fusion, 210, 245
 thermodynamic, 198, 200
 transport by fluids during metamorphism, 442
 heat flow
 from cooling igneous body, 263
 from Earth, 7, 7
 resulting from fluids during metamorphism, 442, 471
 helium
 generated by radioactive decay, 229
 hematite, 187
 in banded iron-formation (BIF), 364
 Henry Sorby, 136
 Hermann–Mauguin notation, 90, 91
 for point groups, 92
 in the tetragonal system, 95
 of a cube, 94
 heulandite, 510
 hexagonal (trigonal) forms, 108
 rhombohedron, 107
 scalenoedron, 107
 hexagonal closest packing, 67
 hexagonal crystal system, 91
 hexagonal forms, 107
 dihexagonal dipyrmaid, 107
 dihexagonal prism, 106
 hexagonal dipyrmaid, 107
 hexagonal prism, 106
 pinacoid, 106
 hexoctahedron, 105
 high resolution transmission electron microscopy, 57
 hornblende, 177
 in calcalkaline igneous rocks, 322
 phenocrysts of in lamprophyre, 317
 hornfels, 448
 sillimanite–cordierite–K-feldspar–biotite–quartz, 462
 hot spot, 8, 9
 Hawaiian track, 319
 Yellowstone, 298
 hot springs, deposition of limestone from, 406
 HRTEM, high resolution transmission electron microscopy, 57
 hydraulic fracturing
 propagation of dikes by, 282
 recovery of natural gas from mudrocks, 512
 hydraulic conductivity, 227
 hydraulic radius, 366
 hydrolysis reactions, 356
 hydrostatic pressure, 249
 hydrothermal alteration
 at Bisbee, Arizona, 252
 at midocean ridge, 30, 248, 470
 hydroxide mineral, 334
 ice, 335
 lowering of melting point, 208
 stability range, 204
 Idaho batholith, 322
 igneous bodies, 243
 batholith, 242, 261, 288, 323
 Bjerkreim–Sokndal Intrusion, southwest Norway, 269
 Brome Mountain gabbro, 270
 Bushveld Complex, South Africa, 269
 chilled margins of, 282, 310
 composite volcano, 295, 296
 concordant, 281
 cone sheet, 283
 diatrema, 284
 dike (dyke), 242, 261 281
 discordant, 281
 dome, 297, 297
 extrusive, 288–99
 flood basalts, 291–93
 intrusive, 262
 Isle of Rum, Scotland, 269
 laccolith, 242, 243, 282, 285
 lopolith, 284
 plutonic, 284–88
 ring dike, 283
 shallow intrusive, 280–84
 shield volcano, 293, 294
 sill, 242, 281, 284
 Skaergaard Intrusion, southeast Greenland, 269
 spatter cone, 290, 291
 stock, 288
 strato-volcano, 295
 igneous cumulate, 268
 igneous differentiation, 210, 309
 in lopolith, 285
 igneous rocks
 alkali olivine basalt, 309, 314, 315
 alkaline, 214, 302, 308
 andesite, 304, 320, 320
 anorthosite, 305, 324–25
 anorthosite, age of massif type, 326
 associated with continental rift, 315–18
 basalt, 304. *See also* basalt
 calcalkaline, 309, 320
 calcalkaline plutonic, 322–23
 calcalkaline volcanic, 320–22
 carbonatite, 272, 317, 318
 chemical composition of, 305
 chromitite, 287
 color index of, 305
 composition of common plutonic rocks, 308
 dacite, 304, 320, 321
 diabase (dolerite), 315
 diorite, 304, 305, 320, 322, 323
 dunite, 305, 311
 formed at convergent plate boundaries, 318–23
 formed at divergent plate boundaries, 310–13
 gabbro, 304, 305, 311, 320, 322
 grain size of, 258
 granite, 214, 304, 320, 323, 323
 granodiorite, 304, 320, 322, 323
 harzburgite, 305, 311
 high-alumina basalt, 309, 320
 hypabyssal and plutonic, 280
 intrusive and extrusive, 280
 Irvine–Baragar classification of volcanic, 309
 IUGS classification of, 301–5
 IUGS classification of volcanic, 308
 kimberlite, 317, 317
 komatiite, 305, 324

- igneous rocks (cont.)
 lamprophyre, 315
 latite, **304**
 layering in, 268
 lherzolite, 305
 midocean-ridge basalt, MORB, 214
 monzodiorite, **304**
 monzonite, **304**
 nepheline gabbro, 315
 nepheline syenite, 214, 304, **315**
 obsidian, 321
 of oceanic islands, 313
 pegmatite, 260
 peralkaline, 308
 peridotite, 244, 305
 phonolite, 304, **315**
 picrite, 324
 plate tectonic associations, 310–23
 porphyry, 212
 rhyolite, 304, 320, **321**
 spilite, 310
 subalkaline, **214**, 308
 syenite, 304, **314**
 tephrite, **304**
 tholeiitic, **214**, 302, 309
 tonalite, 304
 trachyte, 304, 314, **315**
 tuff, 321
 ultramafic, 305, 311
- ignimbrite, **298**
- ilmenite, 187
- immiscible liquids
 formation of sulfide deposits in
 komatiite, 324
 formation of sulfide ore at Sudbury,
 Ontario, 328
 in basalt, 271, 315
 role in formation of carbonatite, 272
- incongruent melting, **215**
- industrial mineral, **477**
- initial isotopic ratio
 in absolute age determination, 231
 in determining source of
 magma, 273, 274
- inosilicates, **166**
- InSAR. *See* interferometric synthetic
 aperture radar
- intercept, 95
 of planes, 95
- intercumulus minerals, 268
- interference color, 140, 142
 anomalous, 144–45, 314
 determination of order of, 143
- interference figures
 acute bisectrix (BXA), 151
 biaxial, 151–53
 determination of optic sign from, 151
 flash figure, 151
 obtuse bisectrix (BXO), 151
 uniaxial, 149–51
 uniaxial optic axis, 150
- interferometric synthetic aperture radar
 (InSAR), 255
 image of Afar, Ethiopia, 255
 use in monitoring active volcanoes, 537
- interlayer cation, 179
- internal energy, **200**
- international notation, **90**, **93**
- interplanar spacing, 54
- interstitial solid solution, **82**
- intrusion of magma, 260–62, 282
- inversion, **89**
- inversion twin, **115**
- inverted pigeonite, 135, 315
- ion, **62**
- ionic bond, 75
- ionic radii, 65
- iridescence. *See also* labradorescence
 in plagioclase, 327
- iridium, anomalous concentration linked to
 meteorite impact, 326, 538
- Iron Age, 500
- iron ore, 504–5
 banded iron-formation (BIF), 364, 410
 hematite, 187
 magnetite, 186
 major producers of, 504
 open-pit mines, Mount Newman,
 Hamersley Range, Western
 Australia, 505
 role of supergene enrichment, 505
- islinglass, **179**
- island arc volcanoes, 318
- isobaric, 208
- isochromatic lines, 150, 152
- isochron, 231
- isodesmic bond, **70**
- isogonal screw motion, **117**
- isogyres, optical, 150
- isometric crystal system, **91**
- isometric forms, 106
 cube, **105**
 dodecahedron, **105**
 hexoctahedron, **105**
 octahedron, **105**
 tetrahexahedron, **105**
 trapezohedron, **105**
 trisoctahedron, **105**
- isostasy, **6**, 374
- isostructural minerals, **51**, **338**
- isotherm, 33
- isothermal, 208
- isotherms in ternary phase
 diagram, 221, 223
- isotope
 evolution of $^{143}\text{Nd}/^{144}\text{Nd}$ in mantle and
 crust, 272
 evolution of $^{87}\text{Sr}/^{86}\text{Sr}$ in mantle and
 crust, 273
 reservoirs in mantle, 272–74
- isotopes, **74**
- isotropic, optically, 140
- Jack Hills, Western Australia, 233
- jade, 494
- jadeite, 374, 446
 in blueschist, 451
- James Hutton, 354
- jasper in banded iron-formation
 (BIF), 364
- Jolly balance, **50**, 256
- joule, SI unit of energy, 201
- Kamchatka arc, 318
- kame, 366
 source of construction aggregate, 504
- kaolin, **338**
- kaolinite, 337, 505
 open-pit mine, Washington County
 Georgia, 506
 weathering product from feldspar, 356
- karat (k), **478**
- karst topography, 27
 Cirque de Mourèze, France, 27
- Kerguelen (LIP), southern Indian
 Ocean, 314
- kerogen, in mudrocks, 387
- K-feldspar, 168
- Kilauea Iki lava lake, Hawaii, 265
 cooling of, 264
 settling of olivine in, 266
- kimberlite, 284
- Knipping, P. 117
- komatiite, 305, 324
- kyanite, 419
 stability of during metamorphism, 443
 stability range, 207
- labradorescence, **46**, **46**, **166**, 327. *See also*
 iridescence
- laccolith. *See* igneous bodies
- lahar (mud flow), 295, **296**, 536
- lapilli, **290**
- large igneous province (LIP), **9**, 314
 typical rocks associated with, 316
- latent heat of crystallization
 effect on cooling rate of magma, 266
 release at inner–outer core boundary, 5

- latent heat of fusion, 210, 213, **245**, 246, 246, 445
- limiting size of magma batches, 280
- limits rise of metamorphic temperatures, 466
- lava
- aa, 257
 - blocky, 257
 - pahoehoe, 257
- lava lake
- Erte'ale, Ethiopia, 279
 - Kilauea Iki, Hawaii, 265
- lava tube, **294**, 295
- law of superposition, **372**
- lawsonite, 432
- layering
- graded, in igneous rocks, 268
 - in evaporites, 364
 - in igneous rocks, 268, 269, 269, 285, 287, 315
 - in mylonites, 454
 - in sedimentary rocks, 372–75
- leachate, **335**
- left-handed screw motion, **117**
- lens, optical
- history of, 136
 - mineral grain acting as, 139
- lens, sedimentary, 372
- lepidolite, 491
- leucite, 171
- in alkaline igneous rocks, 322
- level of neutral buoyancy, **261**. *See* magma
- lever rule, 213
- in ternary phase diagram, 221
- herzolite, 305
- lichens, role of in weathering, 356
- limestone, 27, 353, 399–407, **401**
- allochems, 399
 - biogenic origin of, 399
 - boundstone, 403
 - caliche, 407
 - cement in (spar), 399
 - chalk, 362, **403**, **404**
 - chemical origin of, 399
 - crinoids in, 400
 - cross-bedding in, 399, **401**
 - deposition in epeiric seas, 402
 - dolomitic, 27
 - Dunham and Folk classifications of, 399
 - echinoderm plates in, **402**
 - grainstone, 399, **401**
 - in the Sphinx and Pyramid of Khafre at Giza, Egypt, 402, **403**
 - lacustrine, 405, **406**
 - marl, 405
 - mudstone, 402
- oooids in, 402, **403**
- oolitic, 361
- Ordovician, 26
- packstone, 402, **408**
- stromatolites, 405
- tectonic setting of, 407
- travertine, 406
- travertine in Yellowstone National Park, Wyoming, 406, **407**
- travertine, use as building material, 406
- tufa, 405, **406**
- linear coordination, **65**
- Linus Pauling, 63, 66
- liquid immiscibility, 271
- role in formation of carbonatite, 272
 - role in igneous differentiation, 271
- liquid immiscibility in magma, 271
- liquidus, **210**
- of upper mantle peridotite, 244
- liquidus (total melting), 245
- lithification, 377
- lithium ore, 509
- commercial uses of, 509
 - in saline lake deposits, 509
- lithosphere, 6, 7
- lithospheric plates, 7
- absolute and relative velocities of, 8
 - movement on asthenosphere, 242
- lithostatic pressure, 249, 440
- luster, 40
- nonmetallic, **41**
 - resinous, **41**
 - vitreous, **41**
- maar, **284**
- Mackenzie dike swarm, northwestern Canada, 282
- magma, **24**
- ascent of, 260–62
 - assimilation and fractional crystallization process, 270
 - assimilation by, 270
 - buoyant rise of, 256, 260–62
 - calculation of density from composition, 256
 - chamber, 243
 - convection, 268
 - convective cooling of, 262
 - cooling of, 262–66. *See* cooling
 - cotectic composition, basalt, 225
 - density of, 256
 - density of, due to gas bubbles, 254
 - depolymerization by dissolved water, 250
 - desilication by reaction with carbonates, 270
 - differentiation, 262
 - differentiation by crystal settling, 266–69
 - differentiation by crystal settling in Kilauea Iki lava lake, 267
 - differentiation by crystal-mush compaction, 270
 - differentiation of, **262**, 315
 - eutectic composition of, 245
 - eutectic composition, basalt, 212
 - eutectic composition, granite, 214, 224
 - eutectic composition, nepheline syenite, 214
 - exsolution of gas from, 251
 - flow velocity in dike, 261
 - fractional crystallization of, 270
 - intrusion of, 260–62
 - level of neutral buoyancy, 261
 - liquid immiscibility in, 271
 - mixing, 286, 320, 322
 - ocean on early Earth, 24
 - parental, **309**
 - peritectic composition of, 216, 245
 - physical properties of, 256–60
 - plug flow of, 258
 - processes in, 263
 - solubility of gases in, 251
 - solubility of water in, 250
 - source in lower crust, 243
 - source in upper mantle, 243
 - velocity in dike, 261
 - viscosity, 256
 - viscosity control over volcanic forms, 288
 - viscosity lowering by H₂O, 250
 - viscosity in hydrous, 250
 - viscosity of, 256
 - viscosity of basaltic and granitic magma, 256
 - yield strength of, 257, 267, 270
- magnesite, 341
- magnetic field of Earth
- generation in core, 5
 - reversals of, 8
- magnetic quantum number, **74**
- magnetism, **51**
- magnetite, 185
- in banded iron-formation (BIF), 364
- major elements, **160**
- malleable mineral, **49**
- mammillary aggregation, **39**
- mantle, **5**
- cause of melting in, 245–48
 - composition of, 243
 - convection, 245
 - convection in, 5

- mantle (cont.)
 mineralogical composition of upper mantle, 244
 nodule of, in diatreme, 244
 peridotite, 244, 244
 temperature in upper mantle, 245
 transition zone, 6
 upper mantle, composition of, 243
 upper mantle melting range, 244–45
 xenolith (nodule), 244
- mantle plume, 9, 32
 heating above, 246
 igneous activity associated with, 314
- marble, 26, 30, 338, 440, 455
 Carrara, 28, 30
- marcasite, 485
- Marcellus black shale, New York and Pennsylvania, 389
 photomicrograph of, 387
 recovery of natural gas from, 512
- marine transgression and regression, 375
- massive mineral, 39
- Max von Laue, 117
- melilite, 182
 in alkaline igneous rocks, 315
 interference color of, 145
- melting
 above mantle plume (hot spot), 246
 beneath convergent plate boundaries, 248
 beneath divergent plate boundaries, 246
 cause of, in mantle, 245–48
 congruent, 214
 due to decreasing pressure, 242, 246
 due to fluxing with water, 242, 246, 248
 due to rising temperature, 246
 due to rising temperature over hot spot, 246
 effect of pressure on, 248–55
 effect of pressure on (anhydrous), 249
 effect of pressure on (hydrous), 244, 250
 eutectic, at grain boundaries, 247
 incongruent (peritectic), 214
 of solid solutions, 217
 of upper mantle peridotite, 244
 partial, 245, 248
 water undersaturation, 251
- melting point
 lowering by water, 30
- MELTS, 225
- MELTS (software program), 276
 calculation of density using, 256
- Merensky Reef Cr and Pt deposit in Bushveld Complex, South Africa, 286
- mesodesmic bond, 71
- mesothelioma, 528
- metallic bond, 77
- metallic luster, 43
- metallic mineral, 41
- metamict state, 182
- metamorphic
 change from black shale to muscovite schist, 440–42
 diagnostic minerals, 440
 field gradient, 458
 foliation, 24, 441
 grade, 444–46
 index minerals (Barrow's), 444
 isograd, 444
 petrogenetic grid, 446
 petrogenetic grid for impure carbonate rocks, 462
 petrogenetic grid for metapelites, 462
 protolith, 440, 441
 reaction, graphical representation of, 457
 reaction rate, 443
 Thompson projection for metapelites, 459
- metamorphic facies, 445, 445
 albite–epidote hornfels, 445, 446
 amphibolite, 445, 446, 471
 blueschist, 445, 446, 451, 471
 common minerals of each facies, 447
 eclogite, 445, 446, 471
 granulite, 445, 446
 greenschist, 445, 446, 471
 hornblende hornfels, 445, 446
 prehnite–pumpellyite, 445, 446, 471
 pumpellyite–actinolite, 446
 pyroxene hornfels, 445, 446
 sanidinite hornfels, 445, 446
 series, 445
 zeolite, 445, 446, 470
- metamorphic rock, descriptive classification of, 455
- metamorphic texture, 446–55
 augen gneiss, 454
 boudinage, 452
 coarsening by recrystallization, 448
 crenulation schistosity, 453
 crystalloblastic series, 448
 foliation, 439, 448, 453
 garbenschiefer, 451
 gneiss, 449, 451
 grain-size reduction due to shear, 448
 helicitic, 453, 454
 hornfels, 448, 449
 mylonite, 453, 454
 of contact metamorphic rocks, 448
 of regional metamorphic rocks, 448–55
 phyllite, 448, 450
 porphyroblast, 441, 454
 porphyroclastic, 453
 pseudotachylite, 454, 455
- schistosity, 439, 441, 449, 451
 slaty cleavage, 441, 448, 450
 solution cleavage, 452
- metamorphism, 440, 440
 associated with rifting and delamination, 471
 contact, 24, 440, 440, 445
 effect of fluid composition on temperature of reaction, 463
 high-temperature high-pressure, 33
 high-temperature low-pressure, 33, 471
 loss of volatiles during, 442, 471
 low-temperature high-pressure, 33, 471
 low-temperature low-pressure, 470
 of impure dolomitic limestone, 465
 paired metamorphic belts, 471
 plate tectonic settings of, 470–72
 pressure–temperature–time paths (P – T – t), 470
 prograde, 440
 prograde and retrograde, 440, 454
 prograde, loss of volatiles during, 442
 rate of metamorphic reaction, 443
 regional, 24, 440, 440
 retrograde, 440, 443
 temperature range of, 440
 thermodynamic equilibrium, 443
 thermodynamic explanation for, 442
 transfer of heat and chemicals by fluids during, 442
 transport of heat and chemicals by fluids during, 442
 ultrahigh-pressure (UHP), 445
 ultrahigh-temperature (UHT), 445
- metasomatism, 440
- metastable, 204
- Meteor Crater, Arizona, 327, 328
- meteorite, 3
 age of, 4
 Allende, 1
 chondrite, 1, 4, 4
 chondrule, 1, 4, 4
 correlation of impacts with mass extinctions, 538
 global climate change resulting from impact, 538
 hazards from impact explosion, 537–38
 impact breccia at Sudbury, Ontario, 329
 impact structures, 326–28
 iridium anomaly on K–T boundary, evidence of impact, 538
 Manicouagan impact structure, Quebec, 538
- microcline, 21, 169
 in feldspathic sandstone, 393, 394
 in granite, 323

- in pegmatite, 260
- microlite, 297
- microscope
 - accessory plates, 137, 143–44
 - Bertrand lens, 137
 - centering lenses, 137
 - cross-hairs, 137
 - eyepiece (ocular), 137
 - objective lenses, 137
 - polarizers, upper and lower, 137
 - polarizing petrographic, 136–38
- midocean ridge, **8**. *See also* tectonic plates, divergent boundary
 - annual worldwide production of MORB at, 310
 - basalt (MORB), 30, 310, 313, 320. *See* igneous rocks
 - hydrothermal alteration at, 248
- migmatite, 29, 440, 466
 - in kitchen counter top, 29
 - leucosome, 466
 - melanosome, 466
- Milankovitch cycles, 373, 374
- Millau viaduct, France, constructed with reinforced concrete, 502, 503
- Miller–Bravais index, **98**
- Miller index, **95**
 - general symbol, **96**
 - notation, **96**
 - notation for a general form, 96
 - notation for forms, 96
 - of an octahedron, **97**
 - of unit face, **96**
- mineral
 - acicular, **39**
 - bladed, **39**
 - brittle, **49**
 - capillary, **39**
 - classification of, 19
 - columnar, 39
 - common, 161
 - definition, **14**
 - dendritic, **39**
 - diagenetic, **343**
 - diagnostic properties, **38**
 - ductile, **49**
 - economic, 477
 - familiar examples, 15–18
 - fibrous, **39**
 - foliated, **39**
 - gangue, 477
 - habit, **38**
 - hard, **49**
 - hydrothermal, **478**
 - igneous, 164
 - industrial, 477
 - isostructural, **51, 338**
 - malleable, **49**
 - massive, **39**
 - metallic, **41**
 - metamorphic, 416
 - naming of, 19–20
 - nonmetallic, **41**
 - opaque, **41**
 - ore, 477
 - physical properties, **38**
 - prismatic, **39**
 - rock-forming, **19, 159**
 - sedimentary, 334
 - tabular, **39**
 - translucent, **41**
- mineral deposit, 499
- mineral formula recalculations, 160
- minimum (in phase diagram), 218
- minor elements, **160**
- mirror, **89**
- miscibility gap, **81, 174, 175**. *See also* solvus
- modal analysis, 153–54
 - digital image analysis, 153
 - point counting, 153
- mode (mineral abundance), 153, **301**
 - chart for estimation of, 153
- Moenkopi Formation
 - feldspathic arenites in, 394, 395
 - in Capitol Reef National Park, Utah, 388
- Mohorovičić discontinuity (Moho), **6**
 - in ophiolite suites, 313
- Mohs hardness scale, **49**
- molecular orbital transitions, **44**
- molecular sieves, 435, 510. *See also* chabazite
- mollusks in carbonate sediment, 360
- molybdenite, 486
- monazite
 - source of rare earth elements, 509
- monoclinic crystal system, **91**
- monoclinic forms, 111
 - pinacoid, **110**
 - prism, **109**
- montmorillonite, 505
- Moon
 - anorthosite in lunar highlands, 324
 - formation by bombardment of Earth, 5
- MORB. *See* midocean ridge basalt
- mud cracks, 370, 370
- mudflow. *See* sediment
- mudrocks. *See* siliciclastic sedimentary rocks
- mullite, formation in bricks, 503
- muscovite, 178
 - acute bisectrix figure of, 153
 - growth in metamorphic rocks, 441, 448
 - in graywacke, 396
 - in metapelites, 455
 - in schist, 451
- mylonite, 453
- native elements, **478**
- natrolite, 510
- natural gas, 511–12
 - temperature of formation, 363
- natural levee, 394
- nebula, 3, 3
- nepheline, 170
 - formation through desilication of magma, 270
 - melting of, 214
 - phenocrysts of, **215**
- nepheline syenite, **304**. *See* igneous rocks
 - eutectic, 214
 - eutectic composition of, 214
- nesosilicates, **166**
- neutral screw motion, **118**
- Ngorongoro caldera, Tanzania, 254
- nickel deposit at Sudbury, Ontario, 328
- Niels Bohr, 74
- NIH ImageJ software program, **154, 157, 331**
- niobium ore in carbonatite, 318
- nonmetallic luster, 41
- norm. *See* CIPW norm
- Nuclear Age, 500
- nuclear fusion in stars, 2
- nucleation of crystals
 - in magma, 258
 - in metamorphic rock, 441
- nucleus (crystal), 258
- nugget, **478**
- obduction, 310
- obsidian, 257, 297, 322
 - use for stone tools, 501
- ocean floor
 - depth as function of age, 265
- ocean-floor depth versus age, 265
- octahedral cleavage, **48, 49**
- octahedral coordination, **65**
- octahedron, **105**
- oil window, **363, 441**
- Old Red Sandstone at Siccar Point, Scotland, 354, 354
- Olduvai Gorge, Tanzania
 - volcanic ash at, 254
- olivine, **1, 182, 214, 494**
 - density of, relative to magma, 256
 - in komatiite, 325
 - in mantle peridotite, 244, 244
 - in peridotite, Stillwater, Montana, **216**
 - melting of, 217

- olivine (cont.)
 optical properties of, 149
 phenocrysts in basalt, 25
 settling velocity in Kilauea Iki
 lava lake, 267
 solid solution, 217
 weathering of, 356
- omission solid solution, **82, 191**
- Ontong-Java Plateau (LIP), southwest Pacific, 314
- oid (oolith), **361, 362**
- oolitic aggregation, **40, 40**
- opal, 494
- opaque mineral, 41
- open form, **97**
- ophiolite suite, 310, 310
- ophitic texture. *See* texture (igneous)
- optic angle (2V), 148
 estimating value from isogyres, 151
- optic axis
 biaxial, 148
 uniaxial, 148
- optic sign
 determination from BXA figure, 151
 determination from uniaxial interference figure, 151
- optical indicatrix, **146**
 biaxial, 148–49
 positive and negative sign of, 147
 uniaxial, 146–48
- optical properties of minerals, **145**
- orbicular granite. *See* granite
- order–disorder polymorphism, **127**
- ordering types
 partial order, **127**
 perfect order, **127**
 total disorder, **127**
- ore
 hematite in iron, 187
 iron, banded iron-formation (BIF), 364, 410
 magnetite in iron, 186
- ore deposit, **161, 499**
 in layered igneous intrusions, 286
 Ni–Cu deposit, Sudbury, Ontario, 328
 of copper, Cyprus, 311
- ore deposits (sulfide)
 role of liquid immiscibility in formation of, 272
- ore mineral, **477**
- orthoclase, 169
 melting of at 0.2 GPa, 218
- orthopyroxene, 173
 in andesite, 320
 in anorthosite, 325
- orthorhombic crystal system, **91**
 orthorhombic forms, 111
 pinacoid, **109**
 rhombic dipyramid, **109**
 rhombic prism, **109**
- orthosilicates, **166**
- osteoporosis, 524
- outer core
 composition of, 242
 generation of magnetic field in, 5
- outwash plain, 366
- oxide mineral, **334**
- oxygen factor, **161**
- pahoehoe, **257, 259, 294**
- Palisades sill, NJ, 268, 281
 crystal settling in, 268
- Pangea, breakup of, 291
- partial melting, 242
 formation of basalt from peridotite by, 245
 in xenolith, 271
- partial order, **127**
- pascal, SI unit of pressure, 249
- Pauling, Linus, 66
- Pauling's rules, **66**
 coordination principle, **66**
 electrostatic valency principle, **69**
 principle of parsimony, **72**
 sharing polyhedral elements, 71
- pegmatite, 20, 214, 260, 260, 285, **478**
 in metamorphic rock, 439, 442, 443
- pelites, 440
 metamorphism of, 455
- pelitic schist, 416
- penetration twin, **113, 115**
- perfect order, **127**
- pericline twin law, **115**
- peridotite, 305
 anhydrous and hydrous melting of, 244
 in mantle xenoliths, 244
- peristerite gap, **166**
- peritectic, **215**
 composition of magma, 245
- permeability, 227, 378, 409
- perthite, **219**
- perthitic texture, **169**
- petrogeny's residua system, 223
- petroleum and natural gas, 363
 cap rock, 409
 hydrocarbons in cross-bedded sandstone, 409
 kerogen in mudrocks, 387
 oil window, **363, 441**
 reservoir rock, 409
 source in mudrocks, 387, 409
- pH (hydrogen ion concentration scale), 355
- phase, 209
- phase diagram, 207–25
 anorthite–albite, 218
 diopside–albite–anorthite, 224
 diopside–anorthite, 210
 forsterite–cristobalite, 214
 forsterite–fayalite, 217
 H₂O–NaCl, 208
 isobaric, 463
 nepheline–quartz, 214
 orthoclase–albite at 0.2 GPa hydrous, 218
 quartz–albite–orthoclase, 223
- phenocrysts, **24**. *See* texture (igneous)
 of hornblende in lamprophyre, 317
 of olivine in basalt, 25, 266
 of olivine in Kilauea Iki lava lake, 266, 267
 of plagioclase in calcalkaline volcanic rocks, 321
 of sanidine in pumice, 253
 of titanite in nepheline basalt, 314
- origin of, 212
 resorption of, 249
- phlogopite, 179
 in carbonatite, 318
 in kimberlite, 317, 317
- phosphate, **192**
- phosphorite, **346**
- phyllite, 448
- phyllosilicates, **166**
- pigeonite, 173
- pillows, **30, 293**
 in ophiolite suite, 310, 311
 of basalt in Cyprus, 31
- pinacoid, 107, **109**
 hexagonal, **106**
- pisolitic aggregation, **40, 41**
- placer deposit, 189, **360, 478**
- plagioclase, 166
 density of relative to magma, 256
 in anorthosite, 324, 327
 melting relations, 218
 phenocrysts of in andesite, 321
 solid solution, 218
- planar cleavage, **47**
- planets
 gas giant planets, **3**
 terrestrial planets, **3**
- plankton, role of in formation of deep-sea sediment, 361
- plate tectonics, **6**
 igneous rock associations with, 310–23
 result of mantle convection, 7
- play of color, **44, 45**
- pleochroic halo, **183, 229, 229**
- pleochroism, **145**
- Pliny the Elder, 136
 death of at Pompeii, 290

- Pliny the Younger, 290
 plug flow, 258
 plug flow of magma, 258
 plume. *See* mantle plume
 point bar, 368, 394
 point group, **90**
 of diamond, 119
 polarized light, 139, 140
 fast and slow vibration directions of, 143
 polymorphism, **122**
 polymorphs
 andalusite, sillimanite, kyanite, 207, 443
 diamond and graphite, 199
 polymorphism types
 displacive, **127**
 order–disorder, **127**
 polytypism, **130**
 reconstructive, **126**
 polymorphs, **122**
 of Al_2SiO_5 , 129, 455
 of K-feldspar, 130
 of quartz, 128
 of several minerals, 133
 polysynthetic twin, **114**
 polytype and polytypism, **130**
 Pompeii
 basalt paving stones in, 502
 destruction of in 79 CE, 298, 299, 302
 use of bricks in, 502, 503
 porosity, 227
 Pont du Gard, France
 use of limestone in its construction, 501, 502
 porosity, 378
 porphyritic texture. *See* texture (igneous)
 evidence for lack of superheating in magma, 213
 porphyroblast, 441
 porphyry. *See* igneous rocks
 porphyry copper deposit, **484**. *See also* copper ore
 Portland cement. *See* construction materials
 potassium feldspar, weathering of, 356
 pressure
 at base of crust, 249
 directed, 440
 fluid, 443
 in Earth, 249
 lithostatic, 249, 440, 441, 443
 pressure solution, **379**
 pressure, hydrostatic and lithostatic, 249. *See also* compressive stress
 pressure–temperature–time paths (P – T – t), 470
 primary twin, 113
 primitive circle, **102**
 principal quantum number, **74**
 principle of parsimony, 72
 prism, **105**
 prismatic cleavage, 47, **48**
 prismatic mineral, **39**, 39
 prograde metamorphism. *See* metamorphism
 projection
 clinographic, **104**
 spherical, **99**
 stereographic, 98
 Thompson projection for metapelites, 459
 protolith, 440. *See* metamorphic, protolith
 pseudotachylite, 454
 pull-apart basin, 9, 376
 pumice, 251, **251**, 253, 255
 pumpellyite, 432
 pyramid, **106**
 Pyramid of Khafre, Giza, Egypt, numulitic limestone, 403, 501
 pyrite, 190
 in mudrocks, 388
 pyrochlore in carbonatite, 318
 pyroclastic deposit, **295**
 pyroclastic flow. *See* volcanic ash, ashflow
 pyrope. *See* garnet
 pyroxene, **175**
 density of, relative to magma, 256
 in mantle peridotite, 244
 in mantle xenoliths, 244
 nomenclature, 173
 pyroxenoid, **173**, **423**
 pyrrhotite, 191
 quartz, 15, 169, 494
 atomic structure of, 16
 carcinogenic, 530
 crystals of, 16
 in banded iron-formation (BIF), 364
 optical interference figure of, 150
 planar features caused by shock in, 328, 329
 space group derivation, 124
 quartz wedge optical filter, 143
 quartzite, 455
 quicklime, **339**
 radii
 atomic, 63
 ionic, 65
 radioactive decay, 229–35
 absolute dating by, 230
 calculation of absolute age, 232
 decay constant, 230
 generation of heat by, 5, 440
 generation of heat in thickened crust, 471
 rate of, 230
 radioactive waste disposal, 532–33
 radioactivity, **52**
 radiolaria, 30
 in chert, 310, 310
 radius ratio, **68**
 radon gas, 531–32
 rapakivi granite. *See* granite
 rare earth elements, 461
 associated with carbonatite, 272
 environmental problems with mining, 510
 in carbonatite, 318
 ore deposits of, 509–10
 uses in high-technology products, 510
 rates of geologic processes, 225–29
 Rayleigh–Taylor instability, 261, 262
 regular spacing of batholiths, 262, 286
 spacing of salt domes, 410
 spacing of volcanoes in island arc, 318
 reaction
 continuous, **217**
 discontinuous, **217**
 equilibrium constant, **467**
 irreversible, **202**
 prograde metamorphic, 440
 rate of metamorphic, 443
 retrograde metamorphic, 440, 441
 reversible, **202**
 terminal, 462
 tie-line switching, 461
 reconstructive polymorphism, **126**
 Red Sea Rift, 255, 314
 reef (coral), 361
 refraction of light, 138
 angle of incidence, 138
 angle of refraction, 138
 Snell's law, 138
 refractive index (RI), **138**
 positive and negative relief, **139**
 refractometer, 138
 regolith, 371
 reniform aggregation, **40**, **40**
 replacement, 380
 reservoir rock, 28, 363
 resinous luster, **41**
 retardation of polarized light, 141
 retrograde metamorphism. *See* metamorphism
 Reynolds number (Re), **366**
 rhodochrosite, 343
 rhodonite, 424
 rhombic dipyramid, **109**
 rhombic prism, **109**
 rhombohedral cleavage, **48**, **48**
 rhombohedron, **107**

- rift valley, 9, 32
 decompression melting beneath, 246
 East African, 241, 254, 314
 Gulf of Aden, 314
 Red Sea, 314
- right-handed screw motion, **117**
- ring silicates, **166**
- ripple marks, 368
- rip-up clast, 369
- rock factory, **30**
 at continental rift valley, 32
 at convergent plate boundary, 30
 at mantle plume hot spot, 32
 at midocean ridge, 30
 at passive margins, 32
 in epeiric seas, 32
- rock-forming mineral, 159, **160**
- rocks, **21**
 classification of, 23–25
 familiar examples, 25–30
 igneous, 2, 24
 metamorphic, 2, 24
 sedimentary, 2, 24
- Röntgen, W. C. 117
- ropy lava, 257
- rotation axis, **89**
- rotoinversion axis, **89**
- rubidium–strontium absolute dating, 234
- ruby (corundum), 22
- rutile, 189
- salt. *See also* halite
 dome, **344**, 410
 table salt, 15
- sand dunes, 369
- sand waves, 367
- sandstone, 28, 390–96. *See also* sedimentary rocks
 aquifers in, 392
 Cambrian Potsdam sandstone, New York, 31, 392, 392
 carbonate cement in Roubidoux sandstone, Missouri, 393
 cement in, 391, **392**
 classification of, 390
 compositional maturity, 391
 cross-bedding in, 369, 370, 391, 394
 eolian, 392
 feldspathic arenite, 31, 32, 370, 377, 393–94, 395
 graded bedding in graywacke, 372
 grain size of, 390
 in thin section, 25
 lithic arenite, 394
 maturity of, 392
 mud cracks in, 370
 of Triassic Chinle Group, Abiquiu, New Mexico, 385
 porosity of, 392
 quartz arenite, 392
 quartz cement in Tuscarora sandstone Pennsylvania, 393
 rounding of grains in eolian, 392
 Table Mountain Sandstone, South Africa, 392, 394
 textural maturity, **359**, 391
 wacke (graywacke), 396
 wind blown, Canyon de Chelly, Arizona, 391
- sanidine, 169, 223
 phenocryst in pumice, 253
 phenocrysts of in obsidian, 322
- scalenohedron, **107**
- scanning electron microscopy, **54**
- scapolite, 431
- schist, 25, 29, 439, **441**, 449
 chloritoid–muscovite–chlorite–quartz, 462
 garnet–staurolite–muscovite, 441
 glaucophane, 451
 muscovite, 25, 440, 441
 staurolite–garnet–muscovite–biotite–quartz, 462
- Schönflies, Artur, 117
- Schrödinger, Erwin, 74
- sclerometer, **49**
- scoria, 251, **251**
- screw axis, **117**
 symbols and motions, 120
- screw motion
 left-handed, 118
 neutral, **118**
 right-handed, **118**
- sea-level fluctuations
 due to glaciation, 374
 due to variable sea-floor spreading rates, 374
 in coal measures, 408
 transgressions and regressions, 375
- secondary twin, 113
- sediment
 alluvial deposits, **367**
 beach sand, 16, 360
 bedload, **367**
 biogenic carbonate, 360
 black beach sand, Hawaii, 360
 calcareous green algae (*Penicillus*), 360
 calcareous ooze, 362
 carbonate beach sand, Bahamas, 360
 carbonate mud, 360
 chemical, 363–64
 debris flow, 371
 detritus, **355**
 fecal pellets, **361**
 formation of carbonate and siliceous, 363
 glacial, 364–66
 hydrocarbons, 363
 in forearc basins, 32
 in suspension in Verdon River, France, 353
 lag deposit, 396
 layering in, 24
 load cast, 395
 loess, 367, 525
 mélange, **375**
 mudflow, 32, **371**
 ooid (oolith), **361**, 362
 organically produced, 360–63
 overbank deposits, **394**
 pelagic, **9**
 river sand, 360
 sand and gravel, use in construction, 500, 504
 siliceous ooze, 363
 siliciclastic, **354**
 stratified meltwater deposits, 365
 suspended load, 367
 transport by ice, 364
 transport by rolling in fluid, 367
 transport by saltation in fluid, 367
 transport by suspension in fluid, 367
 transport in rivers, 367
 turbidite, **371**
 turbidity current, 32, 370–71, 395
 varved silt and clay, 365
 wind-blown particles, surface of, 359
- sedimentary basins
 at convergent plate boundaries, 375
 forearc, 375
 in rift valleys and transform fault zones, 376
 of passive continental margins, 376
- sedimentary rocks, 27
 banded iron-formation (BIF), 364, 410
 black shale, 374, 377, 440, 441
 chalk, 362
 coal, 363, 408
 conglomerates. *See* siliciclastic sedimentary rocks
 dolostone, 401, 407
 evaporites, 363, 410
 evaporites on floor of Mediterranean, 410
 ironstones, 364
 limestone, 399–407. *See also* limestone mudrocks, 367
 oil shales, 512
 oolitic limestone, 362
 phosphorites, 410
 recrystallization, 380
 red beds, 377

- sandstone, 28, 32, 367, 377
 shale, 27, 32
 siliciclastic, 386–89. *See also* siliciclastic sedimentary rocks
 travertine, 28
 seismic waves
 passage through liquid, 242
 related to rise of magma, 243
 transmission through Earth's interior, 5
 SEM image of opal, 46
 SEM, scanning electron microscopy, 54
 serpentinite, 311
 settling velocity, 267. *See also* Stokes' law
 shale, 386. *See also* sedimentary rocks
 Ordovician Martinsburg shale, 31
 sharing polyhedral elements, 71
 shatter cones, 327, 328
 sheet silicates, 166
 sheeted dike complex. *See* dike
 shield volcano, 243, 293
 Shiprock, New Mexico, volcanic neck, 283
 Siccar Point, Scotland, angular unconformity at, 354, 354
 siderite, 343
 in banded iron-formation (BIF), 364
 Sierra Nevada batholith, 322
 photomicrographs of rocks in, 323
 sieves, use in measuring sediment grain size, 358
 sign of elongation (length slow or fast), 144
 silica tetrahedron, 15, 16
 silicate structure types, 165
 siliceous ooze, 363
 siliciclastic sedimentary rocks, 386–89
 breccia, 396
 clast-supported conglomerate, 397
 conglomerates, 29, 367, 377, 377, 396–97
 geologic record preserved by, 388
 gold in Witwatersrand Conglomerate, South Africa, 397
 matrix-supported conglomerate, 397
 mudrocks, 386–90
 mudrocks, depositional sites of, 388
 mudrocks, grain size of, 386
 oligomict and polymict conglomerate, 397
 placer deposits in conglomerates, 397
 polymict clast-supported conglomerate, 398
 porosity of conglomerates, 397
 sandstones, 390–96. *See also* sandstone
 uranium in Shinarump Conglomerate, Utah, 397, 398
 silicified fossil tree in volcanic ash, 378
 silicosis, 530
 sill, 243, 281
 sillimanite, 419, 447, 461, 462, 468
 in hornfels, 462
 stability of during metamorphism, 443
 stability range, 207
 siltstone, 386
 silver, 479
 Skaergaard intrusion, Southeast Greenland, 268, 269, 315
 photomicrographs of rocks in, 316
 skarn, 455
 skarn deposit, 184
 slaked lime, 339
 slate, 24, 29
 Welsh slate quarry, 29
 slaty cleavage, 31, 441, 449
 refraction of, through graded bed, 372
 Snell's law. *See* refraction of light
 soapstone, 424, 455
 sodalite, 172
 in alkaline igneous rocks, 315
 soil, 348
 A horizon, 348
 B horizon, 348
 C horizon, 350
 depletion of nutritional elements in, 526
 effect on human health, 524–28
 fertility, 524
 from glaciated regions, 525
 from young tectonic regions, 525
 horizon, 348
 loess, 525
 macronutrients in, 527
 production of crops from, 525–26
 volcanic, 524
 Solar System
 bulk composition of, 3
 formation and age of, 3
 solid solution, 72, 79
 complete, 80
 interstitial, 82
 limited, 80
 melting of, 217–20
 omission solid solution, 82
 substitutional, 82
 solidus, 212
 of upper mantle peridotite, 244
 solidus (beginning of melting), 244
 of mantle peridotite, 245
 solifluction of regolith, 371
 solubility in acid, 51
 solubility of water in magma, 250
 solvus, 219
 sorosilicates, 166
 source rock (petroleum), 363
 space group, 115, 119
 examples, 122
 of diamond, 123
 space lattice, 116
 spatter cone. *See* igneous bodies
 specific gravity (G), 50
 spessartine. *See* garnet
 sphalerite, 483
 sphene (titanite), 431
 spherical projection, 99, 100
 spilite, 310
 spinel
 group, 185, 186
 in mantle peridotite, 244, 244
 twin, 113, 114
 spodumene, 490
 sponge spicules, 363
 in chert, 403
 sponges in carbonate sediment, 360
 stable, 204
 stacking polymorph, 130
 stalactite, 27
 stalactitic aggregation, 40
 stalagmite, 27
 standard temperature and pressure, 202
 state
 metastable, 204, 228, 443
 stable, 204
 unstable, 204
 state of aggregation, 39
 state variable, 199
 staurolite, 419
 in pelitic schist, 441
 in schist, 441, 441, 462
 stability field in a petrogenetic grid, 461
 steam
 stability range, 204
 stereogram, 102
 stereographic net, 103
 stereographic projection, 98, 102
 stilbite, 510
 Stillwater Complex, Montana
 chromite in, 216
 platinum mineralization in, 286
 stishovite, 169
 stock, 288
 Stokes' law, 267, 367
 Stone Age, Paleolithic and Neolithic, 500
 stoping, 286, 288
 strata-bound sulfide deposit, 313
 stratified glacial deposits, 364
 strato-volcano, 241, 295
 streak, 46
 stylolite, 379, 401, 402, 452
 subduction, 9, 31. *See also* tectonic plates,
 convergent boundary
 and formation of rocks, 30
 release of fluids during, 33
 submarine canyon, 371

- substitution, **72**
 coupled, **80**
 substitutional solid solution, **82**
 Sudbury, Ontario
 lopolith, **285**
 meteorite impact structure, **328**
 sulfide, **478**
 sulfide ore deposits
 associated with komatiites, **324**
 formed as immiscible liquids, **272**
 sulfur, **481**
 supergene origin, **485**
 supernova, **2, 3**
 surface free energy, **447**
 surface tension
 retention of liquid on grain boundaries,
242, 248
 sylvite, **15, 344**
 in evaporite deposits, **410**
 symmetry element, **89, 90, 91**
 symmetry operation, **89**
 syncline, **29**
 system, **198**
 closed, **198, 233**
 isolated, **198, 202**
 open, **198**
- tabular mineral, **39, 39**
 talc, **15, 17, 424**
 atomic structure of, **17**
 in metamorphosed carbonate rocks, **463**
 tar sands, **512**
 tectonic plates
 absolute and relative velocities of, **8, 355**
 back-arc spreading, **320**
 convergent boundary, **8, 9**
 divergent boundary, **8, 8**
 failed rift, **9, 314**
 transform boundary, **8, 9**
 triple junction, **9, 314**
 USGS animations of, **11**
 tectosilicates, **165**
 tektite, **327**
 TEM, transmission electron microscopy, **56**
 temperature-composition diagram, **81**
 tephra, **288**
 tephrochronology, **296**
 ternary diagram, **163**
 feldspars, **164**
 pyroxenes, **164**
 ternary phase diagram, **220–23**
 tetragonal crystal system, **91**
 tetragonal forms, **109**
 basal pinacoid, **107**
 ditetragonal dipyramid, **107**
 ditetragonal prism, **108**
 tetragonal dipyramid, **108**
 tetragonal prism, **108**
 tetrahedral coordination, **65**
 tetrahedron, **105**
 texture, **22**
 texture (igneous)
 aphyric, **213**
 cumulus, **268, 268**
 cumulus phase, **268**
 eutectic intergrowth, **212, 223**
 granophyric, **214**
 granophyric intergrowth, **214**
 graphic granite, **214, 215**
 groundmass, **212**
 intercumulus, **268**
 intercumulus phase, **268**
 ophitic, **23, 211, 213, 225**
 perthite, **219**
 phenocryst, **211, 212, 223**
 poikilitic, **268**
 porphyritic, **212, 267**
 reaction (peritectic), **216**
 reaction texture, **216**
 sieve, **320**
 spinifex, **324, 325**
 trachytic, **321**
 texture (sedimentary)
 allochems, **399**
 oolitic in ironstones, **364**
 oolitic in limestone, **361**
 spar, **399**
 textural maturity, **359**
 thermal conductivity, **6, 227, 263**
 of rocks and magma, **263**
 thermal expansion, coefficient of, **256**
 thermodynamics, **198, 442**
 first law of, **200**
 second law of, **202**
 third law of, **203**
 thin section, **136**
 mounting medium and RI, **139**
 thickness of, **142**
 tie line, **213, 223**
 tie line in compositional plot, **460**
 tie triangle, **223**
 tie triangle in compositional plot, **460**
 till, glacial, **364**
 ablation, **365**
 lack of sorting in, **365**
 lodgement, **365**
 titanagite, **314**
 phenocrysts in nepheline basalt, **314**
 titanite (sphene), **431**
 in alkaline igneous rocks, **315**
 topaz, **433, 492**
 total disorder, **127**
 tourmaline, **22, 183, 493**
 absorption of light by, **146**
 trace elements, **160**
 transformation twinning, **127**
 transition elements, **43**
 translation, **95, 118**
 translational elements
 glide plane, **116**
 screw axis, **116**
 translation, **116**
 translucent mineral, **41**
 transmission electron microscopy, **56, 57**
 transport laws, **226**
 trap rock, **22, 23, 26**
 trapezohedron, **105**
 travertine, **28**
 tremolite, **422**
 in metamorphosed carbonate rocks, **463**
 triangular coordination, **65**
 triangular diagram, **163**
 triclinic crystal system, **91**
 triclinic forms, **112**
 pinacoid, **110**
 tridymite, **169**
 stability limit of, **214**
 trioctahedral sheet, **179, 181**
 triple point of Al_2SiO_5 polymorphs, **444**
 trisoctahedron, **105**
 Troodos massif, Cyprus, **310, 313**
 tsunamis and submarine landslides, hazards
 of, **537**
 tsunami deposits, **537**
 tuff, **288**
 in Yellowstone National Park, Wyoming,
298
 tungstate, **19**
 turbidity current. *See* sediment
 turquoise, **494**
 twin, **112**
 twin axis, **112, 113, 113**
 twin classification
 contact twin, **113**
 cyclic twin, **115**
 multiple twin, **113**
 penetration twin, **113**
 polysynthetic twin, **114**
 twin elements
 inversion, **112**
 mirror plane, **112**
 rotation axis, **112**
 twin law, **112**
 twin plane, **112, 113, 113**
 twinned crystals, **112**
 twinning
 primary (or growth), **113**
 secondary, **113**

- Udden–Wentworth scale (sediment grain size), 358
- ultramafic rock, **305**
- unconformity
at Chapman's Peak, South Africa, 394
at Siccar Point, Scotland, 354
in Grand Canyon, Arizona, 374
- underplating of continental crust, 261
- underplating of crust, 261
- uniformitarianism, 229, 354
- unit cell, **117**
- unit face, **96**
- universal microscope stage, 146
- unstable, **204**
- uraninite, 189
- uranium in Shinarump Conglomerate, Utah, 397
- uvarovite. *See* garnet
- valence electrons, **75**
- van der Waals bond, **78**
- variable
extensive, **200**, 202, 206
intensive, **200**, 202, 206, 207
state, **199**, 200
- variation diagram, **80**
- varves
in evaporites, 364
in Glacial Lake Hitchcock, Connecticut, 365
- vein
hydrothermal near igneous body, 251
- veins, 20, 379
in metamorphic rocks, 443
of calcite in limestone, 379
product of metamorphism, 442
quartz, in low-grade metamorphic rocks, 442
- velocity of light
in a mineral, 138
in a vacuum, 136
in air, 138
- vermiculite, 505
- vesicle, 251, 251, **252**, 252, 267
- vesuvianite, 430
- viscosity, **256**
control over volcanic forms, 288
effect of temperature on, 256
effect of water in magma on, 250
of basaltic and granitic magma, 256
of magmas and common substances, 256
relation to silica content of magma, 256
variation with temperature, 228
yield strength, 257
- vitreous luster, **41**
- VMS, volcanogenic massive sulfides, **484**
- volcanic arc, 318
- volcanic ash, 253, 253, 254, **290**, 299, 321
ash-fall deposit, 254, 298, 300, 301
ashflow, 254
ashflow deposit (nuée ardente), 298, 300
ashflow, velocity of, 298, 299
glass shards in, 299
- volcanic bomb, 291
- volcanic crater, 294, **295**
marr, **284**
Pu'u 'Ō'ō, Hawaii, 27
- volcanic explosion, 32, 254
- volcanic explosivity index (VEI), **290**
- volcanic hazards, 533–36
death toll from 1815 eruption of Tambora, Indonesia, 535
dependent on the explosivity of volcanoes, 533
flood basalts as possible cause of mass extinctions, 535
global cooling caused by ash and SO₂ in stratosphere, 534
human fossil cast of Pompeii casualty, 534
lahars (mudslides), 536
monitoring active volcanoes, 535–36
noxious gases, 533
submarine slumps and debris avalanches, and tsunamis, 537
supervolcanoes, 534
Tambora volcano, Sumbawa, Indonesia, 535
the year without a summer, 535
Toba volcano, Sumatra, 535
use of InSAR in monitoring volcanoes, 537
- volcanic explosivity index (VEI), 534
- volcanic neck, 283
- volcanic rock classification (IUGS), 308
- volcanoes
active, dormant, extinct, **296**
Aleutian arc, 319
Bartholomew Island, Galapagos, 291
Columbia River flood basalts, Washington and Oregon, 292
Da'ure, Afar, Ethiopia, 253, 253, 297
Dabbahu, Ethiopia, 255
Deccan flood basalts, India, 292
diatrema, 244
Erte'ale, Afar, Ethiopia, 279
Etna, Sicily, 252
Gabho, Ethiopia, 255
Glass Mountain, Medicine Lake Highlands, California, 259
Katmai, Alaska, 300
Keweenawan flood basalts, Michigan, 292
Kilauea Iki crater, Hawaii, 265, 266
Kilauea Iki, cooling of lava lake, 264
Kilauea Iki, crystal settling in lava lake, 267
Kilauea Iki, Hawaii, 264, 265
Kilauea, Hawaii, 294
Kilimanjaro, Tanzania, 241, 254, 315
Krafla, Iceland, 292, 292
Krakatoa, Indonesia, 290
Lakagigar, Iceland, 281, 292, 534
Lassen Peak, California, 297
Masaya, Nicaragua, 296
Mauna Loa, Hawaii, 294
Mont Pelée, Martinique, eastern Caribbean, 298
Mount St. Helens, Washington, 290, 291, 296, 296
Nevado del Ruiz, Columbia, 536
Ngorongoro caldera, Tanzania, 254, 254
Ol Doinyo Lengai, Tanzania, 272
Osorno, Chile, 31, 296
Pu'u 'Ō'ō, Hawaii, 27, 295, 534
Puy de Sarcoui, Auvergne, France, 297
regular spacing of, 262
Shiprock, New Mexico, 283
Siberia flood basalts, Russia, 292
Sierra Negra volcano, Isabela Island, Galapagos, 536
Tambora volcano, Sumbawa, Indonesia, 535
Toba volcano, Sumatra, 535
Valley of Ten Thousand Smokes, Alaska, 300
Vesuvius, Italy, 298, 302, 322
world map of, 276
Yellowstone calderas, 254
Yellowstone National Park, Wyoming, 299
- volcanogenic massive sulfides (VMS), **484**, 508
- vug, 21
- Walther's law, 375
- water
activity in magma, 251
solubility in magma, 250
stability range, 204
- water activity (relative humidity), **251**
effect on melting, 251
effect on metamorphic reactions, 455
- wave action
importance in reef growth, 361
on Aruba, 13
role in producing biogenic sediment, 360
role in transport of sediment, 376
- wave base, 387
formation of BIF below, 364

- weathering
 by carbonation reaction, 356
 by hydrolysis reaction, 356
 by oxidation reaction, 356
 of granite, 356
 physical and chemical, 355
 products of, 356–58
 rates of, 357
 role of lichens, 356
- Weiss intercept, 95
- welded ashflow tuff, **298**, 300
- Whin sill, northern England, 281
- white asbestos, **427**. *See also* asbestos
- white light, **40**
- Wilhelm Conrad Röntgen, 117
- Witwatersrand Conglomerate, South Africa,
 gold deposit, 397
- wollastonite, 423
 in metamorphosed carbonate rocks, 463
- work
 of expansion, **199**, 199
- thermodynamic, **198**, 200
- Wulff net, **103**
- xenolith, 271
 assimilation of, 270
 mantle, 243
- xenotime, source of rare earth elements, 509
- X-ray powder diffraction, **53**
- X-ray powder diffractometer, 54
 mineral diffraction patterns, 54
 powdered sample, 54
- X-ray spectrum, 53
- Yellowstone National Park, Wyoming,
 calderas in, 298
- yield strength, 257
 yield strength of magma, 257
- zeolite facies. *See* metamorphic facies
- zeolites, **435**
 commercial uses of, 510
- health hazard from erionite, 528
 in metamorphic rocks, 470
- zircon, 182
 in alkaline igneous rocks, 315
 pleochroic halo around, 229
 U–Pb absolute dating of, 233
 use in absolute dating, 233
 use in absolute dating of metamorphic
 rocks, 469
 zoning in, 233
- zone, 98
 axis, **98**
- zoning
 in metamorphic
 porphyroblasts, 443
 in plagioclase, 320
 in plagioclase phenocryst, 218
 in zircon, 233, 233
 normal, 217
 oscillatory, 218, 314
 reverse, 218