
Index

- 1-cocycle, 28, 79
- 2-cocycle, 50, 79
- absolute Galois group, 106
 - of finite field, 108
 - of Laurent series field, 108
- acyclic complex, 71
- affine closed set, 367
- affine variety, 367
- Albert form, 14
- Albert's cyclicity problem, 243
- Albert's theorem
 - on algebras in characteristic p , 322
 - on algebras of degree four, 17
 - on biquaternion algebras, 15
- Albert–Brauer–Hasse–Noether theorem, 189
- Albert–Hochschild theorem, 318
- Amitsur's conjecture, 152
- Amitsur's counterexample, 27
- Amitsur's theorem, 152
- Amitsur–Rowen–Tignol counterexample, 17
- ample divisor, 376
- Artin–Schreier theorem, 137
- Artin–Schreier theory, 122
- Artin–Schreier–Witt theory, 123
- Ax's counterexample, 171
- Bass–Tate lemma, 226
- biquaternion algebra, 13
- birational invariant, 191
- Bloch–Gabber–Kato theorem, 341
- Bloch–Kato conjecture, 132, 247
- blowup, 371
- Bockstein homomorphism, 248
- Bogomolov's theorem, 194
- Brauer equivalence, 35
- Brauer group, 35
 - m -torsion part of, 125
 - p -torsion of, 295
 - and differential forms, 328
 - and purely inseparable base extension, 213
 - as first cohomology group, 36
 - as second cohomology group, 125
 - inverse of an element in, 35
 - is a torsion group, 54, 125
 - of \mathbf{R} , 137
 - of $\mathbf{F}(C)$, 187, 189
 - of a number field, 189
 - of cyclic extension, 126, 135
 - of local field, 180
 - relative, 35
 - unramified, 192
- C_1 -field, 170
- C_2 -field
 - cohomological dimension of, 313
- C_r -field, 170
- C'_r -field, 170
- Cartier isomorphism, 338
- Cartier operator, 339, 366
 - inverse, 326
 - over rings, 339
- Castelnuovo's theorem, 190
- central algebra over a field, 5
- central simple algebra, 19
 - as twisted form of matrix algebra, 23
 - base change of, 23
 - dimension of, 24
 - of prime degree, 242
 - over $\mathbf{F}(C)$, 173
 - over a complete discretely valued field, 59

- over a Laurent series field, 180
- over a number field, 190
- over algebraically closed field, 22
- product of, 24
- Châtelet's theorem, 141, 151
- chain lemma, 250
 - for quaternion algebras, 18, 251
 - over number fields, 253
- Chevalley's theorem, 171
- Chow group, 264
- closed point, 368
- co-induced module, 82, 83
 - for cohomology of profinite groups, 114
- coboundary, 78
- coboundary map, 72
 - in group cohomology, 79
- cochain, 78
 - continuous, 137
 - inhomogeneous, 78
 - normalized, 79
- cocycle, 78
- codimension, 372
- Cohen structure theorem, 377
- cohomological dimension
 - of \mathbb{Z} , 164
 - of a field, 166
 - of a finite field, 169
- cohomology group, 75
 - of profinite group, 112
- completion of ring, 376
- complex of modules, 71
- conic
 - as Severi–Brauer variety, 145, 156
 - associated with quaternion algebra, 7
- conjugation action on cohomology, 86
- connecting homomorphism, 72
- connection, 330
- coordinate ring, 367
- coresidue map, 211
- corestriction map, 83
 - and coresidue map, 211
 - and Galois symbol, 245
 - for cohomology of profinite groups, 114
 - for purely inseparable extensions, 209
- crossed product, 27
- cup-product, 96
 - and conjugation, 100
 - and inflation maps, 100
 - and long exact sequences, 97, 98
 - and restriction maps, 100
 - associativity of, 97
 - for cohomology of profinite groups, 117
 - functoriality of, 96
 - graded-commutativity of, 97
- cyclic algebra, 36
 - Brauer class of, 133, 134
 - in characteristic p , 40, 317
 - presentation of, 37, 40
 - splitting of, 135, 136
- cyclic group, cohomology of, 81, 101
- d -uple embedding, 143, 370
- de Rham complex, 392
 - decomposition of, 337
- degree
 - of central simple algebra, 24
 - of divisor class on Severi–Brauer variety, 153
 - of divisor on curve, 182, 376
- derivation, 383
- descent for inseparable extensions of height one, 334
- differential forms, 387
 - higher, 392
 - logarithmic, 331
- differential symbol, 341
 - and norm map, 344
 - injectivity of, 351
 - surjectivity of, 345
- dimension of variety, 372
- dimension shifting, 92
- direct limit, 112
 - of cohomology groups, 118
 - of exact sequences, 118
- direct system, 112
- discrete valuation, 379
 - ring, 379
- division algebra, 2
- divisor, 374
 - exceptional, 372
 - of rational function, 374
 - positive, 375
 - support of, 374
- dlog map, 326
- double complex, 92
- elementary matrix, 44
- excellent
 - local ring, 377
- Faddeev's exact sequence, 185
 - for Brauer groups, 187

- with finite coefficients, 208
- Fischer's theorem, 193
- flat connection, 331
- Florence's theorem, 324
- free module, 73
- Frobenius's theorem, 137
- function field, 370
 - of conic, 10
- G -module, 70
 - continuous, 111
- Galois cohomology, 112
 - is torsion, 113
 - of \mathbf{Q} -vector space is trivial, 113
- Galois descent, 29
 - for central simple algebras, 33
 - for quadratic forms, 30
 - for Severi–Brauer varieties, 143
- Galois symbol, 132
 - and specialization map, 244
 - and tame symbol, 244
 - and transcendental extensions, 245
 - over number fields, 249
 - surjectivity of, 246
- Galois theory for infinite extensions, 110
- generic point, 368
 - of conic, 10
- Gersten complex in Milnor K -theory, 259
 - localization property of, 263
 - Mayer–Vietoris property of, 263
- Gersten conjecture, 267
- graded-commutative, 92
- Greenberg's approximation theorem, 174
- group extension, 80
 - and alternating forms, 197
 - cohomology class of, 80
 - pullback of, 86
 - pushforward of, 81
- $H^1(G, A)$ for noncommutative A , 29
- Hasse invariant, 180
- height of prime ideal, 372
- height of purely inseparable extension, 320
- Hensel's lemma, 378
 - refined, 378
- Hilbert's Theorem 90, 29
 - for K_2 , 276, 315
 - for Galois cohomology, 121
 - for the additive group, 122
 - generalization of, 49
 - original form of, 30, 82
- Hochschild's formula, 383
- homogeneous coordinate ring, 369
- index
 - of central simple algebra, 53
 - and base extension, 127
 - and degrees of splitting fields, 127
 - of Brauer class, 53
 - of Severi–Brauer variety, 151
- inertia group, 382
- inflation map, 85
 - for cohomology of profinite groups, 114
- inflation–restriction sequence, 88, 90
 - for cohomology of profinite groups, 120
- inverse Cartier operator, 326
- inverse limit, 106
- inverse system, 106
- irreducible component, 368
- Izhboldin's theorem, 359
- Jacobson correspondence, 335
- Jacobson polynomial, 385
- Jacobson's formula, 385
- Jacobson–Cartier theorem, 327, 331, 339, 366
- K_1 of a ring, 62
- Künneth formula, 337
- Kang's construction, 143
- K^M -homology, 264
 - and Zariski cohomology, 268
 - homotopy invariance of, 265
 - of projective space, 266
- Krull dimension
 - of ring, 372
 - of variety, 372
- Kummer theory, 120
- Lüroth's theorem, 190
- Lang's theorem
 - on abelian varieties over finite fields, 188
 - on Laurent series fields, 174
- Lichtenbaum's theorem, 157
- Lie algebra of derivations, 386
- linear system, 375
- linearly equivalent divisors, 374
- local parameter, 379
- local ring, 369
 - of subvariety, 369
- long exact sequence, 71
 - for cohomology of profinite groups, 118
 - for noncommutative H^1 , 47, 50

- matrix algebra
 - automorphism group of, 33
 - is simple, 20
 - left ideals in, 20
- maximal prime to p extension, 228
- maximal unramified extension, 382
- Merkurjev's theorem, 17
- Merkurjev–Suslin theorem, 41, 132, 133, 293
- Milnor K-theory, 132
 - p -torsion in, 282
 - functoriality of, 216
 - graded-commutativity of, 216
 - of a field of cohomological dimension one, 255
 - of a finite field, 217
 - of algebraically closed field, 255
 - products in, 216
 - torsion in, 282
- Milnor's exact sequence, 222
 - and Faddeev's exact sequence, 245
- morphism of varieties, 370

- No-name lemma, 214
- Noether's problem, 201
- norm group, 162
- norm map
 - on K_1 , 225
 - and Galois symbol, 245
 - for Milnor K-theory, 224, 229, 255
 - for Milnor K-theory and base extension, 230
 - on the cohomology of a subgroup, 103

- opposite algebra, 24

- p -basis, 390
- p -cohomological dimension, 164
 - and the Brauer group, 167
 - of a field, 166
 - of a pro- p group, 166
 - of fields of characteristic p , 168
 - strict, 164
- p -Lie algebra, 387
- p -connection, 331
- period
 - of central simple algebra, 54
 - of Severi–Brauer variety, 143
- period and index
 - over a local field, 181
- period-index questions, 56
- Picard group, 374
 - of affine space, 375
 - of projective space, 375
- point
 - rational, on conic, 8
- pointed set, 29
- primary decomposition of central simple algebra, 57
- pro- p -Sylow subgroup, 116
- profinite completion, 107
- profinite group, 107
 - cohomology of, 112
 - has torsion cohomology groups, 113
 - topology of, 109
- projection formula
 - in group cohomology, 100
 - in Milnor K-theory, 226
- projective
 - module, 73
 - resolution, 74
- projective closed set, 369
- projective variety, 369
- pure quaternion, 3

- quaternion, 1
 - conjugate of, 2
- quaternion algebra, 2
 - has period two, 14
 - over finite field, 9
 - split, 3
- quaternion norm, 2, 3
 - as reduced norm, 6

- ramification
 - tame, 381
 - wild, 381
- ramification index, 381
- rational function, 370
- rational map, 370
- rational point, 368
- rational variety, 190
- reduced norm, 42
 - and norm group of Severi–Brauer variety, 162
 - cokernel of, 49
 - for K_1 , 66
 - on division algebra, 42
- reduced trace, 42
- residue field of a point, 369
- residue map
 - and cup-products, 204
 - for Milnor K-theory, 218
 - for the Brauer group, 177

- for the cohomology of function fields, 183
 - with finite coefficients, 205
- Residue Theorem, 184, 214
- restriction map, 83
 - for cohomology of profinite groups, 114
- Rieffel's lemma, 21
- Rosset–Tate reciprocity law, 241
- Rosset–Tate symbol, 240

- Saltman's example, 200
- Saltman's theorem, 159
- scheme-theoretic point, 368
- Schur's lemma, 21
- separably generated field, 373
- Severi–Brauer variety, 140
 - Brauer class of, 150
 - minimal, 151
- Shafarevich's example, 197
- Shapiro's lemma, 82
 - for cohomology of profinite groups, 114
- simple algebra, 19
- singular
 - locus, 370
 - point, 369
- Skolem–Noether theorem, 48
- smooth
 - point, 369
 - variety, 370
- snake lemma, 72
- specialization map
 - and Galois symbol, 244
 - and norm map, 238
 - for Galois cohomology, 206
 - for Milnor K-theory, 218
- Speiser's lemma, 31
- splitting field, 24
 - Galois, 26, 142
 - of Severi–Brauer variety, 140
 - separable, 25, 26, 142
 - solvable, 41
- stably birational, 152
- standard resolution, 77
- Steinberg relation
 - for cyclic algebras, 69
 - for Galois symbol, 130
 - for Milnor K-theory, 215
 - for quaternion algebras, 8
 - for the Galois symbol, 214
- Suslin invariant, 311
- symbol
 - in Milnor K-theory, 132
 - of length one, 250
 - splitting of, 136
- tame symbol, 218, 219
 - and base extension, 220
 - and Galois symbol, 244
 - and norm map, 237
 - and specialization map, 219
 - kernel and cokernel of, 220
- Tate's theorem on the Galois symbol, 249
- Teichmüller's theorem, 320, 329
- tensor product of complexes, 92
- trace map for differential forms, 344
- transcendence basis, 372
- transcendence degree, 372
- transgression map, 90
- Tsen's theorem, 172
- twisted form, 28
- twisted-linear subvariety, 140
 - Brauer class of, 147, 148
- twisting by a cocycle, 30

- unirational variety, 190
- unramified Brauer group, 192
- unramified extension, 381

- Voevodsky's theorem, 132

- Wang's theorem, 67
- Wedderburn's theorem
 - on algebras of degree 3, 256
 - on finite fields, 25, 172
 - on simple algebras over a field, 20
- Weil reciprocity law, 224, 239
- Whitehead's lemma, 62
- Witt's theorem
 - on quaternion algebras, 10, 157
 - on the Brauer group of a complete discretely valued field, 179
- Zariski topology, 368