

---

## Contents

<i>Preface</i>	<i>page ix</i>
<b>1 Quaternion algebras</b>	<b>1</b>
1.1 Basic properties	1
1.2 Splitting over a quadratic extension	4
1.3 The associated conic	7
1.4 A theorem of Witt	10
1.5 Tensor products of quaternion algebras	13
<b>2 Central simple algebras and Galois descent</b>	<b>19</b>
2.1 Wedderburn's theorem	19
2.2 Splitting fields	22
2.3 Galois descent	27
2.4 The Brauer group	33
2.5 Cyclic algebras	36
2.6 Reduced norms and traces	42
2.7 A basic exact sequence and applications	47
2.8 Index and period	52
2.9 Central simple algebras over complete discretely valued fields	59
2.10 $K_1$ of central simple algebras	61
<b>3 Techniques from group cohomology</b>	<b>70</b>
3.1 Definition of cohomology groups	70
3.2 Explicit resolutions	77
3.3 Relation to subgroups	82
3.4 Cup-products	92
<b>4 The cohomological Brauer group</b>	<b>105</b>
4.1 Profinite groups and Galois groups	105
4.2 Cohomology of profinite groups	111

vi	<i>Contents</i>	
	4.3 The cohomology exact sequence	118
	4.4 The Brauer group revisited	123
	4.5 Another characterization of the index	127
	4.6 The Galois symbol	130
	4.7 Cyclic algebras and symbols	133
<b>5</b>	<b>Severi–Brauer varieties</b>	139
	5.1 Basic properties	140
	5.2 Classification by Galois cohomology	142
	5.3 Geometric Brauer equivalence	147
	5.4 Amitsur’s theorem	152
	5.5 An application: making central simple algebras cyclic	159
<b>6</b>	<b>Residue maps</b>	163
	6.1 Cohomological dimension	163
	6.2 $C_1$ -fields	170
	6.3 Cohomology of complete discretely valued fields	177
	6.4 Cohomology of function fields of curves	182
	6.5 Application to class field theory	187
	6.6 Application to the rationality problem: the method	190
	6.7 Application to the rationality problem: the example	197
	6.8 Residue maps with finite coefficients	202
	6.9 The Faddeev sequence with finite coefficients	208
<b>7</b>	<b>Milnor K-theory</b>	215
	7.1 The tame symbol	215
	7.2 Milnor’s exact sequence and the Bass–Tate lemma	222
	7.3 The norm map	228
	7.4 Reciprocity laws	237
	7.5 Applications to the Galois symbol	243
	7.6 The Galois symbol over number fields	249
<b>8</b>	<b>The Merkurjev–Suslin theorem</b>	258
	8.1 Gersten complexes in Milnor K-theory	259
	8.2 Properties of Gersten complexes	263
	8.3 A property of Severi–Brauer varieties	268
	8.4 Hilbert’s Theorem 90 for $K_2$	275
	8.5 The Merkurjev–Suslin theorem: a special case	283
	8.6 The Merkurjev–Suslin theorem: the general case	288
	8.7 Reduced norms and $K_2$ -symbols	296
	8.8 A useful exact sequence	302
	8.9 Reduced norms and cohomology	310

<i>Contents</i>		vii
<b>9</b>	<b>Symbols in positive characteristic</b>	316
9.1	The theorems of Teichmüller and Albert	317
9.2	Differential forms and $p$ -torsion in the Brauer group	325
9.3	Logarithmic differentials and flat $p$ -connections	329
9.4	Decomposition of the de Rham complex	336
9.5	The Bloch–Gabber–Kato theorem: statement and reductions	340
9.6	Surjectivity of the differential symbol	345
9.7	Injectivity of the differential symbol	351
9.8	Application to $p$ -torsion in Milnor K-theory	359
	<b>Appendix: a breviary of algebraic geometry</b>	367
	<i>Bibliography</i>	394
	<i>Index</i>	413