

Index

- activity budget
 of colobus, 131, 135
 effect of provisioning, 208
 of howler monkey, 245
 of spider monkey, 245–50
 response to habitat disturbance,
 9, 131, 135, 201
 response to natural
 disaster, 245, 251
 response to temperature
 increase, 272
- Africa
 bushmeat, 7
 deforestation, 122
 habitat suitability and shifting,
 270–1
- agriculture
 cacao, 205
 cocoa, 53
 conservation and, 187, 190
 deforestation, 8
 inclusion in primate diets, 202
 Madagascar, 168
 nutrition in primate diets, 202,
 205
 oil palm, 190
 pesticides, 205
 rubber, 190
- Alouatta*. See howler monkey
- Amazonia. See also South America
 bushmeat, 77
 interactions between human and
 non-human primates, 76
 pet trade in, 78
 primate hunting in, 76–8
 primate population decline, 76
- Ankoatsifaka Research Station, 219
- anthromes, 5
- Anthropocene, 5–6. See also
 anthromes, bushmeat, climate
 change, conservation,
 deforestation, extinction,
 habitat disturbance, hunting,
 interactions between human
 and non-human primates,
 logging, natural disaster,
 primatologists' role and
 shifting priorities,
 provisioning, temperature
 changes, viability
 arboreality and species
 viability, 258
Ateles. See spider monkey
 Ateline hunting, 78
Avahi. See lemur
- baboon
 crop-raiding by, 205
 provisioning, diet and nutrition,
 208
 response to provisioning, 208
- Balikpapan Bay
 ecotourism, 193
 environmental monitoring, 189
 land prices, 187
- Belize, 240
- benefits, economic of primates to
 locals, 66
- biodiversity
 in Cambodia, 102
 conservation, 82
 Ernst Mayr quote, 158
 fragmentation and, 69
 in indigenous reserves, 82
 of parasites, 144, 157
 in Southeast Asia, 102
 threats to, 219
- biomass, primate in Neotropics, 77
- body mass and size, primate
 effects of provisioning, 207–8
 habitat disturbance and, 123
 parasite species richness and, 154
 population viability and, 239
- Borneo and oil palm
 plantations, 190
- Brachyteles*. See spider monkey
- bushmeat. See also hunting
 in Amazonia, 77
 in Congo Basin, xiv, 7
 as an industry, 7
- Bwindi Impenetrable National Park,
 203
- Cagar Alam Leuweung Sancang, 20
 habitat disturbance, 25
- Callicebus*. See titi monkey
- Cambodia
 biodiversity in, 102
 conservation in, 102
 deforestation in, 102
 enforcement of laws, 102
 logging in, 101–2, 110–12
 canopy use and logging, 107, 112
- captive breeding of proboscis
 monkey, 191
- capuchin
 crop-raiding by, 205
 hunting of, 77, 87
- Cebus*. See capuchin
- Cercocebus*. See mangabey
- Cercopithecus*. See guenon
- Cheirogaleus*. See lemur
- chimpanzee
 crop-raiding by, 205
 crop-raiding nutrition, 205
 dispersal, 36
 exposure to hunting, 66
 fragmentation and genetic
 diversity, 69
 habitat loss, xiv
 hunting of, 60, 66, 68
 interactions with humans, 66
 locals' feelings towards, 69
 nesting, 60–1, 68
 pesticide exposure, 206
 population decline, xiv
 population size, 55
 reproduction, 36
 response to habitat disturbance,
 70
 threat status and population size,
 54
 vulnerability to habitat
 disturbance, 123
- Chiropotes*. See saki

286 Index

- Chlorocebus*. See *vervet monkey*
- climate change, 208. See also temperature changes, deforestation
- disease and, 143
- effects on nutrition and food, 208–9, 261
- extinction risk, 122, 258–9
- gelada habitat, 209
- habitat shifting and suitability, 262, 273
- modelling of, 259, 266
- natural disaster, 218, 238
- phenology and, 209
- collaboration with local researchers, 4, 174, 178
- in Africa, xvi
- changing priorities, xvi
- in Madagascar, 177–8
- in Tanzania, 46
- Waiwai, 92–3
- colobine. See also *colobus*, *langur*, *proboscis monkey*, *snub-nosed monkey*
- crop-raiding by, 205
- diet, 260
- population decline at Udzungwa Scarp Nature Reserve, 44
- response to habitat disturbance, 103, 111, 123
- colobus*
- activity budget, 131, 135–6
- diet of, 132–3, 203
- distribution, 124, 261
- extinction, xiv
- gut physiology, 260
- habitat suitability and shifting, 268, 271, 274
- hunting of, 123
- nutrition of, 209
- parasite susceptibility, 201
- population decline at Lake Nabugaboo, 134
- population viability, 210
- protein-to-fibre ratio, 201
- ranging, 203
- response to habitat disturbance, 103, 123, 133, 135, 201
- social groups and dispersal, 124, 131, 260
- threat status, 124
- Colobus*. See *colobus*
- conservation. See *ecotourism*, education programmes, reforestation and rehabilitated habitat
- as an academic discipline, 3
- agriculture, 190
- biodiversity and indigenous reserves, 82
- buying land, 187
- in Cambodia, 102
- collaboration with private sector, 187, 191
- comparison between sites, 176
- compromise, 173–4
- at conferences, 4
- cultural context, 173
- early policy, 167
- economic development, 172
- environmental education programme, 175
- evidence of efficacy, 174
- ex-situ*, 191
- in Indonesia, 193
- keys to success, 175
- logging compatibility with, 113
- in Madagascar, 168
- oil palm agriculture, 190
- proboscis monkey, 191–2
- reforestation, 173
- research–conservation balance, 176
- researcher role, 166–7
- resiliency definition, 28
- role of zoos, 191
- in Sabah, 192
- Sabah Proboscis Monkey Action Plan, 193
- social benefits and goals, 173
- socioeconomic surveys, 175–6
- trust and, 173
- Conservation Fusion, 172, 177–8
- conservation, challenges to
- baseline data, 175
- communication, 166, 177
- conflicting goals, 93, 173
- enforcement. See *enforcement*, failure and lack of
- many interacting variables, 176
- research focus, 166, 176
- crop-raiding, 202, 205
- conflict, 70
- dietary breadth and, 205
- feeding benefits for primates, 205
- food availability and, 205
- by gorilla, 61–2, 205
- Udzungwa Mountains National Park, 34
- by *vervet monkey*, 121
- crops. See *agriculture*
- cultural beliefs, 28
- hunting and, 78, 89, 121
- primates, 89, 92
- Waiwai, 89
- cyclone. See *natural disaster*
- Daubentonia*. See *lemur*
- deforestation
- Africa, 122
- agriculture, 8
- Borneo, 190
- Cagar Alam Leuweung Sancang, 7
- Cambodia, 102
- extinction risk and debt, 122
- Ghana, 120
- genetic diversity and, 36
- Java, 19
- Kianjavato, 168
- logging, 8, 122
- Madagascar, 168, 219
- prevention in indigenous reserves, 82
- tropics, 122
- worldwide, xiv, 8
- diet. See also *nutrition*, *crop-raiding*
- baboon, 208
- chimpanzee, 205
- colobus, 132, 203, 260
- crop-raiding and, 205
- gelada, 209
- gorilla, 203, 205
- guenon, 202, 260
- habitat disturbance and, 123, 239
- habitat disturbance and species viability, 239, 250, 258
- howler monkey, 202, 246, 248, 252
- langur, 35
- lemur, 202, 230
- macaque, 205, 208

- nutrition and, 201
 proboscis monkey, 185
 spider monkey, 247, 252
 response to habitat disturbance, 9, 132, 134
 response to natural disaster, 239, 246, 248, 251, 253
 response to temperature increase, 272
 sodium, 204
 diet, flexibility and breadth
 crop-raiding and, 205
 digestive flexibility, 260
 habitat disturbance, 123, 200
 habitat shifting and suitability, 209
 nutrition, 209
 dipterocarp logging, 112
 disease
 African apes, 143
 climate change and, 143
 effect on primates, 158
 extinction risk and, 122
 human–non-human primate interactions, 143
 population decline due to, 143, 156
 reservoir hosts, 143
 dispersal
 costs and risks, 36, 45
 fragmentation and, 36, 44
 genetic diversity and, 36, 45
 habitat suitability and shifting, 273
 hierarchy and, 45
 lemur, 219
 mangabey, 41, 44–5
 population growth, 36
 population viability and, 36
 reproduction, 45
 distribution, population. *See* population size and survey
 distribution, species
 colobus, 261
 gorilla, 69
 guenon, 261
 modelling, 259–60
 ecologically noble savage, 79
 ecotourism
 Balikpapan Bay, 193
 disadvantages of, 172
 proboscis monkey, 185, 190, 192
 EDGE of Existence programme, 146
 education
 community-based, 54
 environmental education programme, 34, 46–7, 172
 elephant, local extinction of, 67
 enforcement of logging laws, 101, 106, 110
 enforcement of rules, failure and lack of
 Cambodia, 101–2, 104–5
 Java, 19
 proboscis monkey conservation, 188
 ethnoprimateology, 2, 5, 53, 70
Eulemur. *See* lemur
 exotic plants, 202. *See* agriculture
 eucalyptus, 203
 extinction. *See* genetic diversity;
 habitat disturbance; hunting;
 viability, population and species
 in Africa, 122
 colobus, xiv
 debt, 122, 186
 elephant, 67
 parasite host range and, 156
 platyrrhine in Amazonia, 76
 primate vulnerability to, 53, 143
 proboscis monkey, 186
 rates, xiv
 result of hunting, 78
 risk, 122. *See* also threat status
 in South America, 82
 feeding. *See* activity budget
 feelings towards primates by locals, 64–6
 chimpanzee, 66, 69
 gorilla, 64, 69
 fertility. *See* reproduction, life history
 fires. *See* natural disasters
 fission–fusion
 frugivory and, 239
 response to natural disaster, 252
 flagship species
 gorilla, 70
 proboscis monkey, 185
 folivory. *See* also diet
 crop-raiding and, 205
 resiliency to natural disasters, 231, 239
 response to habitat disturbance, 103, 135
 response to natural disaster, 218
 social stability, 239
 species viability and habitat disturbance, 123
 food availability
 crop-raiding and, 205
 dietary and social flexibility as adaptations to, 239
 effect on colobus, 201
 effect on nutritional regulation, 201
 for proboscis monkeys, 188
 habitat disturbance and, 112, 200
 immune response and, 201
 infant survival and, 134, 231
 interactions with parasites and immunity, 201
 forest conversion, exploitation, degradation, and extraction.
 See habitat disturbance, deforestation, natural disasters
 forest structure and phenology
 changes in response to natural disaster, 217–18, 223, 230, 232, 239
 frugivory. *See* also diet
 crop-raiding and, 205
 habitat disturbance and species viability, 123, 231, 239
 population growth, 134
 response to habitat disturbance, 103, 135
 response to natural disaster, 239
 social flexibility, 239
 gelada
 diet of, 209
 habitat shifting and suitability, 209
 modelling distribution and climate change, 259
 parasite effect in, 159
 genetic diversity
 chimpanzee, 69
 dispersal and, 36, 45

288 Index

- genetic diversity (cont.)
 effect on population growth, 36
 gorilla, 69
 habitat disturbance and, 36, 44, 69
 infant mortality and, 36
 lemur, 170
 mangabey, 45
 spider monkey, 36
- Ghana, deforestation and hunting in, 120
- gibbon
 distribution, 19
 group size and composition, 23
 illegal trade of, 27
 population size, 19
 ranging, 23
 response to logging, 135
 threat status, 1
 threats to, 28
 vocalisations, 21
- Global Mammal Parasite Database, 144–5
- gorilla
 crop-raiding by, 61, 69, 205
 diet of, 203
 distribution, 69
 exposure to hunting, 66
 feelings towards by locals, 69
 as a flagship species, 70
 fragmentation and genetic diversity, 69
 hunting of, 62, 66
 interactions with humans, 64
 life-history of, 35
 nesting, 60–1, 64, 68
 pesticide exposure, 206
 population growth, 35
 population size, 52, 55
 ranging, 68, 204
 reproduction, 35
 response to habitat disturbance, 70
 threat status and population size, 54
- Gorilla*. *See* gorilla
- Gorilla Guardian programme, 55, 64, 66
- group density calculation, 128
- group size and composition
 colobus, 131
- gibbons, 23
- lemur, 219
- mangabey, 38
- group size, structure, flexibility. *See* social grouping
- Guaja hunting, 78
- guenon
 crop-raiding by, 205
 diet of, 202, 260
 distribution, 261
 gut physiology, 260
 habitat suitability and shifting, 267–71, 274
 population decline, 44
 social groups and dispersal, 260
- habitat disturbance. *See also* agriculture, deforestation, habitat suitability and shifting, hunting, logging, natural forests and behaviour
- behavioural response to, 131, 201, 259
- biodiversity and, 69
- body size and resiliency to, 123
- Cagar Alam Leuweung Sancang, 25
- chimpanzee, xiv
- coping strategies, 233, 239
- dietary flexibility and species viability, 103, 123, 135, 239, 250
- dietary response to, 132, 200, 202
- dispersal and, 36, 44
- folivory and, 123
- food availability and, 200
- frugivory and, 123, 230
- genetic diversity and, 44, 69
- immune response and, 201
- infant recruitment and, 134, 231
- nesting response to, 70
- non-timber forest product collection, 25
- pesticides and toxins, 206
- phenotypic plasticity and, 18
- population decline in mangabey, 44
- proboscis monkey, 184, 192
- ranging response to, 24, 68–9, 107, 201
- response by chimpanzee, 70
- response by colobine, 111, 123, 186, 188, 190, 201
- response by gorilla, 70
- response by sifaka, 202, 231
- sacred sites, 25
- social flexibility and, 239
- social grouping response, 18
- species viability and, 250, 258
- habitat loss. *See* deforestation
- habitat quality and population viability, 44
- habitat suitability and shifting
 Africa, 268–71
 climate change, 209, 262, 273
 colobus, 268–71, 274
 dispersal limitations and, 273
 gelada, 209
 guenon, 267–71, 274
 modelling of, 266, 275
- Hapalemur*. *See* lemur
- health consequences of provisioning, 208
- helminths. *See* parasite
- hierarchy effects on dispersal and reproduction in mangabey, 45
- home range. *See* ranging
- Honorary Wildlife Wardens, 189
- Hoolock*. *See* gibbon
- howler monkey
 activity budget, 245
 diet of, 202, 240, 246, 248, 252
 group structure, 250, 252
 hunting of, 78, 88
 Hurricane Iris in Belize, 240
 infant survival and natural disaster, 251
 natural disasters and evolution, 238
 parasites and mortality, 158
 response to natural disaster, 245, 250–1
 social grouping, 239–40
 toxin exposure, 206
- human and non-human primate interactions
 conflict, 187
 niche construction, 18, 27
- human population and hunting sustainability, 79–80, 82, 91, 93

- hunting. *See also* hunting, primate
 Amazonia, 78
 by indigenous groups, 83, 88
 by non-indigenous groups, 77
 cultural beliefs and, 66, 90, 92
 ecologically noble savage, 79
 effect on chimpanzee and gorilla
 nesting, 68
 enforcement of rules, 66
 extinction risk and, 122
 Ghana, 120
 logging and, 123, 136
 nearby chimpanzee and gorilla,
 66–7
 pet trade, 7, 78
 self-monitoring programme, 84,
 91
 social group response to, 18
 species viability and, 19
 sustainability, 78–80, 92
 weapon technology and, 79–80,
 82, 86, 88
 hunting, primate. *See also* hunting
 Atelines, 77
 biomass, 86
 by indigenous groups, 76–80, 88,
 91–2. *See also* Ka'apor,
 Kayapo, Matis, Matsigenka,
 Shuar, Waimiri-Atorai,
 Waiwai, Waorani
 by Waiwai, 86, 89
 capuchin, 77, 87
 chimpanzee, 60, 68
 colobus, 123
 cultural beliefs and, 78, 89, 92,
 121, 189
 gibbon, 23, 28
 gorilla, 62
 howler monkey, 78, 88
 population decline and
 extinction, 78
 prehistoric, 76
 proboscis monkey, 189
 saki, 77, 86, 87
 seasonality, 88, 92
 South America, 76–9
 spider monkey, 77, 86, 90
 squirrel monkey, 88
 sustainability, 7, 76, 78–80,
 91–2
 tamarin, 78, 87
 titi monkey, 78
 woolly monkey, 77
 weapon technology and, 88, 91
 hurricane. *See* natural disasters
Hylobates. *See* gibbon
 illegal trade of gibbon, 27
 immune response interactions
 with food availability,
 fragmentation and
 parasites, 201
 inactivity. *See* activity budget
 inbreeding. *See* genetic diversity
 indigenous reserves
 biodiversity and, 82
 conservation and, 93
 deforestation in, 82
 Konashen Community Owned
 Conservation Area, 82
 population density in, 82
 South America, 76, 80, 82
 Indonesia, conservation in, 19, 187,
 190, 192–3
Indri. *See* lemur
 infant survival, recruitment and
 mortality
 food availability and, 231
 in langur, 112
 in lemur, 230
 in mangabey, 40
 phenology and, 226–31
 rainfall and, 209
 response to logging, 103, 134
 response to natural disaster,
 225–8, 232, 251
 infanticide, minimising the risk of
 deceptive sexual swellings, 43
 dispersal, 45
 interactions between human and
 non-human primates. *See also*
 feelings towards primates by
 locals, crop-raiding, disease,
 parasites
 Amazonia, 76
 chimpanzee, 66
 conflict, 34, 70, 121
 disease transmission, 143
 gorilla, 64
 niche construction, 53
 parasite transmission, 143
 vervet monkey, 121
 inter-birth interval. *See*
 reproduction, life-history
 Java, 19
 deforestation in, 19
 primates of, 19
 Javan Primates Rehabilitation
 Centre, 28
 Ka'apor primate hunting, 77
 Kayapó primate hunting, 77
 Kianjavato Ahmanson Field Station,
 168
 Kianjavato Commune, 168, 173
 Kibale National Park
 eucalyptus, 203
 logging in, 136
 protein-to-fibre ratio, 201
 Kirindy Mitea National Park, 219
 deforestation, 219
 fires, 233
 rainfall, 221
 Konashen Community Owned
 Conservation Area, 82–3
 Konashen Ecosystem Health Project,
 93
Lagothrix. *See* woolly monkey
 Lake Nabugabo, 124
 langur
 diet of, 35
 dispersal, 36
 infant recruitment and mortality,
 112
 life-history, 35
 reproduction, 35–6
 response to logging, 103,
 111–12, 135
 social group, 104
 lemur, 219
 conservation efforts, 174
 Cyclone Fanele, 218
 diet of, 201, 230
 dispersal, 219
 distribution, 170, 219
 genetic diversity in, 170
 group size and
 composition, 219
 infant survival, 231
 nutrient balancing, 201
 pesticide exposure, 206

290 Index

- lemur (cont.)
 reproduction, 220, 223–7,
 230–1
 resiliency to natural disaster, 230
 response to natural disaster, 218,
 232
 Sifaka Research Project, 220
 threat status, 1, 168
- Lemur*. *See* lemur
- life-history, 35
 bet hedging, 231
 chimpanzee, 36
 collection of data, 36
 effect of natural disasters, 218
 effect of nutrition, 35
 effect of phenology, 209, 226
 effect of provisioning, 35
 gorilla, 35
 langur, 36
 lemur, 220
 spider monkey, 35
- local community. *See* education
 programmes, stakeholder
 collaboration
 employment of, 34, 172
 involvement in conservation,
 167–8, 171–3, 189
- logging. *See also* habitat
 disturbance
 behavioural response to, 9, 103,
 107, 111, 113, 123, 130–3, 135
 Cambodia, 101–2, 110–12
 canopy use and, 107, 112, 135
 consequences to forest, 110,
 112–13, 122, 129–30, 133–6
 conservation compatibility, 113
 deforestation due to, 8, 122
 dietary flexibility and viability,
 123
 dietary response to, 132–4
 enforcement of laws, 104–6, 110
 folivory and, 123
 hunting and, 123, 136
 infant mortality and, 103
 Madagascar, 168
 Malaysia, 113
 Manwa Forest Reserve, 125
 Nabugabo, 133
 population response to, 112, 123,
 130, 134
 population viability and, 113
- ranging response to, 103, 107,
 135
 response by colobine, 103, 123,
 133, 135
 response by gibbon, 135
 selective, 122
 species selected for, 107, 110–12,
 130
 the tropics, 122
 Uganda, 122
 Veun Sai-Siem Pang National
 Park, 106
- Macaca*. *See* macaque
- macaque
 crop-raiding by, 205
 diet of, 208
 nutrition and provisioning,
 208
 provisioning of, 207–8
 response to logging, 103
 toxin exposure, 206
- Madagascar
 climate change modelling, 230
 conservation in, 168, 178
 Cyclone Fanele, 218
 folivory and natural disasters,
 231
 habitat disturbance in, 168,
 219
 primate population decline, 1
- Madagascar Biodiversity
 Partnership, 168, 170, 172–3
 reforestation, 174
 sustainability, 178
- Malaysia, conservation and
 reforestation in, 187, 190
- mangabey
 discovery of new, 37
 dispersal, 41–6
 distribution, 37
 genetic diversity in, 45
 group size and composition,
 38
 hierarchy, 45
 life-history, 36
 population changes, 44
 population survey, 37
 reproduction, 38, 40–5
 threat status, 37
- Manwa Forest Reserve, 124
- Matis hunting, 78
- Matsigenka hunting, 77, 80
- Microcebus*. *See* lemur
- modelling
 biodemographic, 85
 climate change, habitat suitability
 and species distributions,
 259–60, 266, 275
 conservation, 35
 gelada, 259
 habitat suitability and shifting,
 266, 268–71
 hunting sustainability, 79–80,
 90–2
 settlement spread, 91
 socioecological, 26
 spider monkey local extinction
 risk, 91
 weapon technology, 91
- Mone-Oku Forest complex, 54, 67
 human population in, 55
- Monkey River, 252, 254
- mortality. *See* infant survival,
 recruitment and mortality
- mortality from natural disasters,
 217
- muriqi. *See* spider monkey
- Nabugabo
 forest structure, 129
 logging in, 133
- Nasalis*. *See* proboscis monkey
- natural disaster
 behavioural response to, 238,
 245–9, 251
 Belize, 240
 climate change and, 238
 conservation and, 233
 Cyclone Fanele, 218
 dietary response to, 246–9, 251,
 253
 dietary specialisation and
 viability following, 231, 239
 effect on forest and phenology,
 217–18, 223, 230, 232,
 239–42
 effect on life-history, 218
 energy conservation and, 251
 grouping response to, 252
 Hurricane Iris, 240
 Hurricane Richard, 240–1

- infant survival, recruitment and mortality, 225, 230, 232, 251
 Madagascar, 230
 mortality from, 217
 Neotropics, 238
 population response to, 245, 250–1
 population viability, 218
 reproduction and, 232
 response by howler monkey, 238, 245–6, 250–1
 response by lemur, 218, 232
 response by spider monkey, 245–51
 social structure and resiliency to, 252–3
 species evolution and, 238
 natural forests and behaviour, 3, 19, 53, 75, 93, 284
 Neotropics. *See* South America
 nesting
 chimpanzee, 60–1, 68
 gorilla, 60–4, 68
 great apes, 56
 response to hunting, 68
 sites, 56
 niche
 construction between human and non-human primates, 27
 realised versus fundamental, 260
 non-governmental organisations.
 See conservation, stakeholder collaboration
 North Atlantic Hurricane Basin, 240
 nutrition. *See also* diets
 agriculture and, 205
 climate change and, 208–9, 261
 colobus, 209
 exotic plants and, 202
 food availability and, 201
 habitat disturbance and, 202
 lemur, 201
 life-history and, 35
 pesticides and toxins and, 206
 provisioning and, 35, 208
 quality and balance, 201, 209
 sodium, 204
 orangutan
 discovery of new, xiv
 threat status, 1
 vulnerability to habitat disturbance, 123
Pan. *See* chimpanzee
 PanTHERIA database, 146
 parasite
 co-infection, 156
 colobus, 201
 distribution, 146
 diversity in, 144, 157–8
 effect on primates, 144, 158
 generalist. *See* primate host range and
 Global Mammal Parasite Database, 144
 human–non-human primate interactions, 143
 interactions with food availability and immunity, 201
 primate body mass and, 154
 primate group structure and, 158
 primate host range and, 144–5, 149–57
 primate population viability and, 156
 primate threat status and, 144–5, 149–56
 specialist. *See* primate host range and
 pesticides
 effect on primates, 205
 exposure and presence in primate foods, 206
 nutritional consequences, 206
 Uganda, 206
 phenology
 climate change and, 209
 effect on lemur, 209, 226
 infant survival, recruitment and mortality and, 227–30
 life-history and, 209
 natural disaster effect on, 230–1, 241
 primate reproduction and, 226, 230–1
 philopatry. *See* dispersal
Ptilocolobus. *See* colobus
Pithecia. *See* saki
Pongo. *See* orangutan
 population change
 Amazonia, 76
 chimpanzee, xiv
 colobine, 10, 44, 134, 186, 188, 210
 dispersal and, 36
 due to disease, 142–3, 156
 due to habitat disturbance, 44, 102, 112, 122–3, 131, 134, 143
 due to hunting, 78
 due to natural disaster, 245
 due to provisioning, 207
 extinction debt and, 122
 genetic diversity effect on, 36
 gorilla, 35
 guenon, 44
 howler monkey, 245
 interaction of food availability, immunity, parasites, 201
 mangabey, 44
 Madagascar, 1
 Neotropics, 1
 parasites, 156
 primates, 1
 Southeast Asia, 102
 spider monkey, 35
 parasites and, 144, 157
 population size and survey
 chimpanzee, 55
 gibbon, 22
 gorilla, 55
 importance of, 20
 lemur, 174
 mangabey, 37
 vocalisation methods, 21
 postpartum amenorrhoea. *See* reproduction
Presbytis. *See* langur
 primatologists' role and shifting priorities, 1–2, 4, 47, 166, 183, 283
 proboscis monkey, 183
 conservation, 187–8, 190–2
 diet of, 185
 distribution, 184, 186–7
 early research of, 184–6
 ecotourism and, 185, 190, 192
 ex-situ conservation, 191
 flagship species, 184
 food availability for, 188
 habitat disturbance to, 192
 habitat preference, 183, 187–8

292 Index

- proboscis monkey (cont.)
 hunting of, 189
 media attention, 185
 population and species viability of, 184, 186
 population decline, 188
 population density, 188
 protected areas of, 187
 response to habitat disturbance, 190
 social groups, 186
 threat status, 183
Procolobus. See colobus
Prolemur. See lemur
Propithecus. See lemur
 protein-to-fibre ratio
 effect on colobus, 201, 210
 Kibale National Park, 201, 209
 regenerating forests, 201
 protists. See parasite
 provisioning
 behavioural response to, 207–8
 direct and indirect, 206
 health consequences of, 208
 in Asia, 207
 life-history effects, 35
 nutrition and, 35, 208
 of baboon, 208
 of macaque, 207–8
- ranging
 colobus, 204
 effect of habitat disturbance, 24
 gibbon, 22, 24
 gorilla, 68–9, 204
 parasites and, 157
 response to habitat disturbance, 68–9, 103, 130, 201
- rank. See hierarchy
 reforestation and rehabilitated habitat
 green-washing, 190
 Indonesia and Malaysia, 190
 proboscis monkey, 189
- reproduction. See also life-history
 bet-hedging life-history, 231
 chimpanzee, 36
 dispersal and, 45
 effect of natural disaster, 226, 230, 232
 effect of phenology, 209, 226, 230–1
 effect of provisioning, 207–8
 gorilla, 35
 hierarchy and, 45
 langur, 35–6
 lemur, 220, 223–7, 230–1
 mangabey, 40–3, 45
 resilience framework, 28
Rhinopithecus. See snub-nosed monkey
 Runaway Creek Nature Reserve, 241, 252
Rungwecebus. See mangabey
- Sabah, conservation in, 192
 sacred sites, 24, 28
 Sangang forest, 24
Saguinus. See tamarin
Saimiri. See squirrel monkey
 saki, hunting of, 77, 86, 87
 Sangang forest, 24
Sapajus. See capuchin
Semnopithecus. See langur
 sexual maturity. See life-history, reproduction
 sexual swelling. See reproduction
 Shuar hunting, 77
 sifaka. See lemur
 Sifaka Research Project, 220
 snub-nosed monkey response to logging, 103
 social grouping
 colobus, 133, 260
 folivorous species, 239
 guenon, 260
 howler monkey, 250
 langur, 104
 spider monkey, 250
 parasite exposure and, 158
 population viability and, 239
 response to habitat disturbance, 18
 social flexibility, population viability and habitat disturbance, 239
 sociobiology and socioecology, 2, 18
 sodium in primate diets, 204
 South America. See also Amazonia
 indigenous reserves in, 76, 80, 82
 natural disasters in, 238
 primate population decline, 1
 Southeast Asia
 biodiversity in, 102
 primate provisioning in, 207
 spider monkey
 activity budget, 245–9
 demography, 35
 diet of, 240, 247, 252
 genetic diversity of, 36
 hunting of, 77, 86, 88, 90–1
 Hurricane Richard and, 240
 infant survival and natural disaster, 251
 ranging, 242
 response to natural disaster, 245–51
 social grouping, 240, 242, 250
 social structure and natural disaster, 252
 vulnerability to habitat disturbance, 123
 squirrel monkey, hunting of, 88
 stakeholder
 collaboration, 4, 9, 22, 54, 75–6, 82–3, 91–3, 166–8, 170–5, 189, 191, 193, 210
 compromise, 173
 conflict, 34, 66, 93, 167
 storms. See natural disasters
- tamarin, hunting of, 78, 87
 temperature changes
 climate change and, xv
 effect on primate behaviour and diet, 272
 tenure. See dispersal
 terrestriality and species viability, 258
Theropithecus. See gelada
 threat status
 lemur, 168
 parasites and primate, 144–5, 149–56
 primates, 1
 proboscis monkey, 183
 titi monkey
 hunting of, 78
 response to logging, 103

		Index	293
toxins, exposure and presence	interactions with humans,	proboscis monkey, 186, 188	
in primate foods and	121	social structure and, 239, 252	
nutritional consequences, 206	Veun Sai-Siem Pang National Park,		
<i>Trachypithecus</i> . <i>See</i> langur	104	Waimiri-Atorai primate hunting,	
traditional medicine, 7	logging in, 106	77	
training of locals, 127, 167, 172, 174	viability, population and species	Waiwai, 83	
transfer. <i>See</i> dispersal	arboreality versus terrestriallism,	human population, 83	
	258	hunting, 90	
Udzungwa Mountains National	climate change and habitat	land rights, 75, 82	
Park, 33, 38	disturbance, 258	primate hunting by, 86, 88–9,	
Udzungwa Scarp Forest/Nature	dispersal and, 36	91–2	
Reserve, 37, 44	effect of body size, 239	weapons used in hunting, 88	
Uganda	effect of diet, 239, 258	Waorani primate hunting, 77	
logging in, 122	effect of habitat features, 44, 123	weapon technology and hunting	
pesticides, 206	logging and, 113	sustainability, 93	
<i>Varecia</i> . <i>See</i> lemur	gibbon, 26	Wildlife Conservation Society	
vervet monkey	natural disaster and, 218, 238,	and Mone-Oku Forest	
crop-raiding by, 121, 205	253	complex, 55	
	parasites and, 156	woolly monkey, hunting of, 77	