

Index

- 1D chain, 13, 184, 186, 218, 228, 352
 1D crystal, *see* crystal, 1D
 1D insulator, *see* insulator, 1D
 1D parameter space, *see* parameter space, 1D
 2-torus, *see* torus
 2D crystal, *see* crystal, 2D
 2D insulator, *see* insulator, 2D
 2D parameter space, *see* parameter space, 2D
 3-torus, 36, 45, 46, 110, 112, 215, 297–299
 3D crystal, *see* crystal, 3D
 3D insulator, *see* insulator, 3D
 3D parameter space, *see* parameter space, 3D
- ABINIT (code package), 73, 200
 adiabatic approximation, 39, 84, 98, 101
 adiabatic charge pump, 14, 16, 21, 35, 156, 191–193, 202, 208, 311, 312, 345
 adiabatic charge transport, 3, 16, 22, 36, 99, 117, 156, 170, 193, 202
 quantized, 17, 190, 207
 adiabatic current, 11, 35
 adiabatic cycle, 15, 17, 18, 20, 21, 35, 75, 76, 79, 80, 85, 95, 106, 117, 129, 153–157, 190–192, 202, 207, 208, 217, 300, 305, 345
 adiabatic dynamics, 75
 adiabatic evolution, 6, 9, 14–16, 21, 22, 34, 84, 97, 101, 102, 117, 142, 143, 146, 150, 156, 157, 164, 170, 172, 182, 200, 202, 205, 206, 223, 230, 244, 272, 273
 adiabatic parameter, 22, 36, 208
 adiabatic path, 7, 153, 159, 225, 230, 238, 268, *see also* adiabatic cycle
 adiabatic perturbation theory, 99–101, 146, 149, 150
 Aharonov–Bohm, 1, 86, 95
 AHC, *see* anomalous Hall conductivity (AHC)
 algebraic topology, 93, 300, 326
 alignment, optimal, 125, 126, 129, 130, 319, 320
 alternating site chain model, 66, 108, 111, 156, 190, 191, 333, 345
 angle-resolved photoemission spectroscopy (ARPES), 250
- anomalous Hall conductivity (AHC), 1, 2, 6, 30–33, 35, 36, 44, 209, 211, 212, 216, 218–226, 267, 283, 300, 302, 303, 305, 309–313
 intrinsic, 218–222
 surface, 276, 288–291, 297, 300, 302, 303, 313
 anomalous Nernst effect, *see* Nernst effect, anomalous
 anomalous velocity, 211, 220–222, 264, 265
 anomaly, 217, 218, 247, 263
 chiral, *see* chiral anomaly
 antibonding orbitals, 56, 65, 66
 antiferromagnetic topological insulator, *see* topological insulator (TI), antiferromagnetic
 antiferromagnetism, 44, 212, 277, 286
 antiunitary operator, 52
 ARPES, *see* angle-resolved photoemission spectroscopy (ARPES)
 asynchronicity, 160, 178, 179
 atomic basis, choice of, 19, 180
 atomic displacement, 72, 170, 173, 286
 atomic limit, 202, 205
 atomic orbitals, 53, 54, 63, 202
 axion coupling, 3, 276, 290, 292, 293, 296, 299, 301–303, 307, 308, 315, 321, 323, 326
 Chern–Simons, 3, 37, 276, 292–305, 321–326
 quantum of, 287, 289, 291
 axion electrodynamics, 37, 292, 305–315
 axion insulator, 269, 302, 303
- band gap, 31, 65, 171, 205, 223, 237, 247, 250, 251, *see also* band inversion, band structure
 band inversion, 204, 205, 212, 233, 242, 247, 250, 347, 356
 band structure, 18, 38, 67, 68, 106, 108, 116, 119, 122, 123, 167, 204, 218, 220, 222, 224, 233, 234, 237, 247–249, 252, 256, 258, 270, 331, 333, 335, 347, 350, 355, 356
 band subspace, 66, 120, 125, 299
 band-projected position operator, 135
 bands, composite group of, 123, 125, 135, 154–156, 162

- BaTiO₃, 5, 7, 21
 bcc, *see* body-centered cubic (bcc) crystal structure
 BCS theory, 273
 benzene molecule, 56, 57, 59, 68, 86, 330
 benzene.py (PYTHTB program), 330, 335
 Berry connection, 2, 52, 70, 74, 81, 82, 87–90, 98, 99, 101, 103–105, 107, 115–117, 121, 127, 132, 136–138, 140, 152, 154, 160, 171, 221, 236, 274, 276, 278, 291, 292, 294, 296, 304, 321, 323
 Berry curvature, 2, 35, 36, 57, 75, 85, 87–92, 95–97, 103–106, 136–138, 152, 153, 158, 160, 161, 202, 205–207, 209, 210, 212, 215, 220–223, 225, 236, 256–258, 261, 264, 268, 274, 276, 282, 283, 290, 311, 327, 336, 337, 349
 Berry flux, 88, 90, 91, 94–96, 153, 155, 205, 206, 211, 212, 248, 253, 255, 257, 258, 268, 337
 Berry phase, 1–3, 35–37, 48, 57, 60, 63, 75–97, 99, 101, 103–111, 116, 117, 120, 122, 129–131, 134–137, 141, 145, 150, 153–163, 165–168, 171, 172, 189, 192, 194, 195, 199, 200, 202, 206, 211, 213, 215, 220, 221, 241, 248, 258, 271, 272, 274, 275, 285, 290, 291, 296–300, 302, 304, 324, 327, 329, 336, 337, 340
 multiband, 130, 131, 135, 195, 235, 342, *see also* Wilson loop eigenvalue
 open path, 16, 17, 82, 98
 path dependence of, 82, 83, 99, 105
 Berry-phase polarization, 3, 162, 167, 171, 172, 174, 175, 188, 200, 293, 298, *see also* electric polarization, formal
 Berry-phase theory of polarization, 3, 37, 145, 154, 166, 170, 177, 198, 279, *see also* modern theory of polarization
 Berry potential, 81, 89, *see also* Berry connection
 Bi₂Se₃, 2, 105, 213, 247, 248, 250, 251, 271, 302, 303, 313
 Bi₂Te₃, 250
 BiFeO₃, 163, 177, 178
 Bloch bands, 64, 65, 124, 187, 202
 Bloch functions, 1–3, 5, 21, 36, 37, 48, 49, 51, 52, 60–62, 103–107, 111, 113, 114, 116, 118–120, 122, 124, 126, 136, 137, 145, 147, 149, 151, 152, 158, 164, 165, 168, 194, 200, 201, 215, 227, 228, 233, 235, 236, 244, 269, 278, 283
 cell-periodic, 48, 49, 51, 62, 103, 107, 113, 136, 142, 143, 146, 293
 Bloch Hamiltonian, 273
 Bloch oscillations, 210
 Bloch representation, 157, 278, 282, 294
 Bloch sphere, 85, 89, 93, 97, 248, *see also* unit sphere
 Bloch's theorem, 18, 26, 37, 38, 45–47, 199, 273
 Bloch-like functions, 60, 61, 124, 126, 136, 194, 273, 274
 BN (boron nitride), 203
 body-centered cubic (bcc) crystal structure, 64, 201, 222, 223, 258, 261, 271, 331, 332
 Bogoliubov–de Gennes equation, 273
 Boltzman electron dynamics, *see* semiclassical dynamics
 Boltzmann transport theory, 209, 219
 bonding orbitals, 65, 66
 Born effective charge, 148, 170, 177
 bound charge, 10, 14, 29, 33, 144, 181, 187, 197, 198, 307, 308, 310, 311
 bound current, 25, 29, 307–311
 branch, choice of, 12, 13, 16, 78, 87, 96, 140, 159, 163, 169, 170, 173–178, 190, 197, 290, 297, 298
 Brillouin zone (BZ)
 as closed manifold, 46, 47
 defined, 46
 broadening function, 183–185, 187
 broken TR symmetry, 34, 43, 44, 105, 212, 216, 225, 226, 277
 bulk–boundary correspondence, 193, 208, 234, 245, 262, 269
 bulk Hamiltonian, *see* Hamiltonian, bulk
 Cd₃As₂, 271
 CdTe, 237
 cell area, 12, 13, 19, 182, 281
 cell-periodic Bloch functions, *see* Bloch functions
 cell volume, 8, 9, 13, 45, 47
 centers of charge, *see* Wannier centers
 centrosymmetric crystal, 9, 105, 150, 151, 175–179, 230, 268, 286, 302
 centrosymmetric reference structure, 175, 177, 178, 181
 chain_3_cycle.py (PYTHTB program), 157
 chain_3_cycle.py (PYTHTB program), 156, 158, 343
 chain_3_site.py (PYTHTB program), 134, 140, 156, 341–343
 chain_alt.py (PYTHTB program), 333
 chain_alt_bp.py (PYTHTB program), 108, 112, 340
 chain_alt_surf.py (PYTHTB program), 190, 191, 199, 345
 change of polarization, *see* electric polarization, change of
 charge carriers, 30
 charge conservation, 10, 25, 28, 33, 34, 36, 143, 193, 208, 209, 264, 279
 charge density
 bulk, 11, 184, 185, 278
 definition of, 41
 macroscopic, 9, 22
 surface, 11, 12, 144, 184, 185, 196, 288, 310, in terms of Bloch functions, 48
 see also surface charge
 charge-density wave, 14, 134, 156, 342
 charge pump, *see* adiabatic charge pump
 charge quantum, 6, 12, 14, 165, 188, 279
 charge transport, 36, 101, 157, 191, *see also* adiabatic charge transport
 charged defects, 11, 14

- checkerboard lattice, 10
- checkerboard model, 223, 239, 355
- checkerboard.py (PYTHTB program), 223, 239, 355
- Chern class, 300, 301
- Chern index, 110, 217, 229, 230, 240, 269, 297, *see* Chern number
- Chern insulator, *see* quantum anomalous Hall (QAH) insulator
- Chern number, 2, 32, 35, 91, 93–96, 104, 109, 110, 136, 154–156, 158, 192, 193, 202, 203, 205–209, 211, 215, 216, 223–226, 238, 253–256, 258, 260–263, 265, 267, 269, 278, 289, 300, 313, 314, 327, 349, 353
 - second, *see* second Chern number
- Chern–Simons (CS)
 - action, 36
 - field theory, 36, 292
- Chern theorem, 36, 91–93, 97, 155
- Chern vector, 216, 314, 315
- Chern wrapper, 309–312, 314
- chiral anomaly, 262–266
- chiral edge states, *see* energy bands, edge states, chiral
- chiral magnetic effect, 262, 265, 266, 308
- chirality, 28, 32, 35, 209, 211, 255–257, 260–264, 268, 270
- choice of atomic basis, 189, 190, *see* atomic basis, choice of
- choice of branch, *see* branch, choice of
- choice of gauge, *see* gauge, choice of
- choice of unit cell, 8, 142, 143, 145, 277
- circulatory conductance, 27, 29
- classical point charge, 19
- classical point particle, 19
- closed cycle, *see* adiabatic cycle
- closed manifold, 36, 46, 95, 109, 155, 262, 265
- Co (cobalt), 222
- codimension, 255, 256, 271
- cold-atom lattice, 274
- collinear, *see* magnetism, collinear order
- complex hopping, 95, 108, 204, 212, 223, 224
- composite group, *see* bands, composite group of
- conduction bands, 12, 26, 54, 61, 66, 200, 205, 208, 228, 251, 253, 258, 260, 261, 270, 275
 - bulk, 12
- conductivity, 30, 219, 220, 237
 - anomalous Hall, *see* AHC
 - longitudinal, 210, 213, 219
 - transverse, 6, 213, 219
- conical intersection, 96, 253–256, 260
- conservation of charge, *see* charge conservation
- continuous gauge, *see* gauge, continuous
- continuum limit, 80, 81, 86, 91, 98, 104, 168
- correlated systems, *see* interacting systems, strongly correlated
- Coulomb interaction, 7, 38, 40, 170
- covariant curvature, *see* gauge covariance, of Berry curvature
- Cr₂O₃, 286, 287, 290, 303
- crystal
 - 1D, 14, 103, 106, 115, 134
 - 2D, 109, 118, 223, 277
 - 3D, 44, 47, 60, 110, 129, 136, 160, 178, 183, 228, 256, 261, 270, 282, 327
- crystalline insulator, 8–10, 12, 14, 17, 35, 36, 141, 182, 196, 202, 274
- crystallite, 144, 280, 281, 302
- CS, *see* Chern–Simons (CS)
- Cu (copper), 105
- current, 9, 11, 13, 18, 21, 23, 25, 27–33, 35, 44, 100, 102, 143, 144, 146, 150, 157, 159, 164, 172, 174, 175, 198, 210, 211, 214, 222, 226, 227, 231, 232, 265, 266, 277, 279–281, 284, 286, 288, 307–313, 315, 327
 - bulk, 24, 35
 - dissipationless, 25, 26, 30, 311
 - edge, 24–29, 31, 32, 35, 204, 279, 281, 312
 - macroscopic, 9, 11, 12, 143
 - orbital, 5, 44, 276–278
 - sheet, 13, 30–32, 35, 210, 279, 310, 312
 - surface, *see* surface current
- current density, 9, 13, 100, 142, 146, 276
- current distribution, 5, 310
- current operator, 42, 101, 102, 150
- cyclic evolution, 14, 20, 99, 108, 109, 111, 112
- cyclic parameter, 14, 94, 300, 343
- cylinder, 84, 93, 94, 106, 153–155, 260, 262, 263, 311, 312, 315
- defect scattering, *see* scattering, by defects
- defects, 66, 172, 182, 197
- density functional perturbation theory, 73
- density-functional theory (DFT), 2, 7, 21, 40, 41, 54, 73, 142, 167, 170, 171, 173–175, 182, 200, 222
- density matrix, 72, 74, 284, 352, 353
- density of states, 27, 47, 48, 248, 259, 261, 264, 267
- density-of-states factor, 282, 283
- DFT, *see* density-functional theory (DFT)
- diabolical point, *see* conical intersection
- differential geometry, 79, 93
- dimensional reduction, 292
- dimerization, 64–66, 245
- dipole moment
 - electric, 8, 9, 57, 102, 141, 142, 144, 145, 147, 172, 186, 187, 281, 312
 - magnetic, 1, 39, 44, 212, 276, 280–284, 303, 312, 315
- dipole operator, 42, 102, 149
- Dirac cone, 247–251, 270
- Dirac crossing, 248, 258, 270
- Dirac equation, 43, 257, 270
- Dirac fermion, 257
- Dirac semimetal, *see* semimetal, Dirac
- disorder, 7, 11, 16, 25, 26, 34, 36, 172, 182
- dissipationless current, *see* current, dissipationless
- divergence theorem, 143

- double slit experiment, 1
- dynamical effective charge, *see* Born effective charge
- edge channels, 27–30, 32–34, 216, 217, 232, 237, 245, 284, 312–315, *see also* energy bands, edge states
- edge current, *see* current, edge
- edge Hamiltonian, *see* Hamiltonian, edge
- edge states, 26–29, 32, 33, 205, 207–209, 214, 223, 224, 228, 229, 231, 233–235, 237, 238, 350, 352, 353, 358
 - chiral, 28, 32–35, 211, 291, 302, 311, 313
- effective mass, 116
- effective polarization, *see* electric polarization, effective
- electric dipole moment, *see* dipole moment, electric
- electric enthalpy, 200
- electric field, 11, 30–34, 39, 44, 65, 68, 141, 142, 148–150, 158, 163, 174, 175, 182, 198–200, 209, 210, 218, 219, 226, 232, 266, 276, 285, 288, 291, 293, 295, 301, 307, 309–315
 - macroscopic, 182, 198, 199
- electric polarization, 1–3, 5, 6, 8–10, 12, 13, 15–21, 23, 24, 33, 35, 57, 63, 107, 117, 123, 141–148, 150–152, 154, 156–158, 160, 163–167, 169–182, 192, 195, 196, 198, 218, 243, 277–279, 281, 283, 285–287, 289–291, 297, 298, 301, 303, 307, 309, 310
 - bulk, 21, 182, 187, 192, 196, 199, 288, 289, 310
 - change of, 14, 17, 143, 146, 148, 150–155, 170, 173–176, 178, 198
 - effective, 176, 177, 181
 - formal, 177, 180–182, 188, 189, 198, 199, *see also* Berry-phase polarization
 - ionic contribution, 163, 165, 169
 - lattice-valued, 176, 180, 181, 199
 - linear response of, 148
 - macroscopic, 5, 8, 187
 - origin dependence of, 163, 165
 - quantum of, 2, 6, 10, 14, 16–21, 23, 25, 91, 141, 145, 151, 158–160, 162–164, 167, 169, 170, 173–180, 182, 189, 197, 199, 287, 288
 - in reduced coordinates, 160, 164, 166, 179, 195, 198, 230
 - reversal, 163, 174, 175, 178
 - single-point formula, 171, 172
 - spontaneous, 23, 150, 163, 173–175
- electric potential, 29
- electromagnetism, 5, 8, 23, 24, 36, 78, 81
- electron–electron interactions, *see* interacting systems
- electron kinetic energy, 38
- electron-phonon scattering, *see* scattering, electron-phonon
- electron pocket, *see* pocket, electron or hole
- electron spin, *see* spinors
- electrostatic potential, 7, 27, 33, 35, 43, 44, 283
- elementary particle physics, 257, 308
- empirical tight binding, *see* tight binding (TB), empirical
- end charge, 13
- energy bands, 1, 115, 191, 278, 282
 - bulk, 26, 192, 195, 229, 242, 249
 - edge, *see* edge states
 - surface, 12, 14, 195, 197, 217, 246–248, 251, 288–290
- energy functional, 40, 200
- energy gap, 30, 122, 226, 233, 237, 244
 - closure of, 68, 170, 202, 205–207, 215, 216, 225, 227, 230, 233, 244, 254, 268, 271
 - surface, *see* surface energy gap
- entanglement entropy, 353, *see also* entanglement spectrum
- entanglement spectrum, 208, 235, 239, 352, 353
- exchange-correlation functional, 40, 41, 43
- exchange-correlation potential, 41, 43, 73, 222, 303
- expectation value, 1, 31, 42, 49, 71, 74, 101, 104, 105, 125, 138, 145, 147, 149, 152, 158, 195, 200, 210, 248, 278, 281, 350
- exponential localization, 11, 27, 115, 183, 194
- exponentially localized Wannier functions, 124
- face-centered cubic (fcc) crystal structure, 105, 123, 179, 180
- Faraday induction, 33, 310, 311
- Faraday rotation, 313
- fcc, *see* face-centered cubic (fcc) crystal structure
- Fe (iron), 222, 223, 258, 261, 271
- Fermi arc, 262–267
- Fermi energy, 7, 26, 27, 29, 31, 56, 192, 197, 209, 217, 219, 222, 238, 247, 258, 261–263, 278, 283, 284, 292
- Fermi level, 6, 11, 12, 27, 63, 64, 182, 198, 224, 245, 247, 248, 253, 266, 270, 312
 - equilibration of, 265, 266, 312, 315
- Fermi loop, 216–218, 221, 245–248, 262, 263, 290, 302
- Fermi occupation function, 48, 218, 219
- Fermi sea, 219, 220, 283, 290
- Fermi sheet, *see* Fermi surface
- Fermi surface, 22, 63, 110, 217, 218, 245, 257–259, 261, 263, 265, 266, 271, 273
- Fermi velocity, 28, 217, 256, 257
- ferrimagnetism, 212
- ferroelectricity, 5, 150, 163, 167, 169, 173, 174, 176, 177
- ferromagnetism, 24–27, 30, 44, 179, 201, 203, 212, 213, 218, 219, 277, 284, 286, 312–314
- fiber bundle, 75
- fine structure constant, 289, 306, 314
- first-order perturbation theory, 69, 100
- `fk.m.py` (PYTHTB program), 249, 360
- Floquet state, 274
- formal polarization, *see* electric polarization, formal
- Fourier transform, 62, 112, 113, 115, 119, 120, 123, 127, 132, 194, 316, 317
- fractional charge, 218, 273, 292

- fractional quantum anomalous Hall state, *see* quantum anomalous Hall (QAH) insulator, fractional
- fractional quantum Hall state, *see* quantum Hall effect, fractional
- fractional statistics, 273
- free charge, 10, 14, 29, 144, 307, 309
- free current, 25, 29, 287
- frozen-lattice response, 286, 287
- Fu–Kane–Mele model, 249, 250, 252, 268, 360
- g-factor, 44
- GaAs, 21, 126, 177, 179, 180, 199
- gap, *see* energy gap
- GaSb, 237
- gauge
- choice of, 78, 80, 89, 91–93, 105, 121, 153, 172, 236, 298
 - continuous, 89, 92, 93
 - Hamiltonian, 285, 294
 - parallel-transport, 79, 80, 82, 86, 99, 130–132, *see also* twisted parallel-transport gauge
 - periodic, 46, 48, 52, 68, 94, 95, 107, 110, 125, 153
 - smooth, 89, 93, 95, 110, 168, 236, 244, 304, 305, 322
 - smooth and periodic, 110, 112, 113, 122, 125, 126, 136, 140, 195, 215, 297
- gauge change, *see* gauge transformation
- gauge covariance, 137–139, 295
- of Berry connection, 139
 - of Berry curvature, 136, 139, 300
 - of derivative, 138, 295
 - of matrix, 137
 - of vector, 137, 138
- gauge dependence, 74, 89, 104, 126, 160, 297, 324
- gauge discontinuity, 80, 305
- gauge field theory, 36, 81
- gauge freedom, 52, 89, 104, 120
- gauge invariance, 52, 78, 79, 81–83, 88, 91, 104, 110, 119–121, 128, 137–140, 153, 154, 168, 236, 284, 285, 291, 299, 304
- multiband, 172, 285, 294, 295, 324, *see also* gauge covariance
- gauge potential, 101, 292, *see also* Berry connection
- gauge transformation, 52, 78, 81–84, 88, 92, 119, 121, 124, 126, 137, 140, 291, 296–299, 305, 323–326
- infinitesimal, 325
 - multiband, 126–128, 140, 297, 321
 - progressive, 83, 84, 119–121, 128, 140, 297–299, 325, 326
 - radical, 83, 84, 92, 119, 128, 140, 297–299, 325
- Gauss–Bonnet theorem, 91
- GAUSSIAN (code package), 54
- Gaussian curvature, 91
- Gaussian units, 24, 39, 43, 44, 220, 276, 287, 288, 306, 314
- Ge (germanium), 11, 180
- generalized gradient approximation (GGA), 362
- genus, 91, 202
- geometric phase, 1, 35, 36, 75, 99, 158
- GGA, *see* generalized gradient approximation (GGA)
- glide mirror, 140, 181
- global phase, 1, 75, 107
- graphene, 47, 60, 67, 68, 203, 212, 238, 248, 270, 335
- Green’s function, 171
- group of occupied bands, *see* bands, composite
- group of
- group velocity, 27, 28, 220, 265
- gyromagnetic ratio, 44, 84, 253
- h2o.py (PYTHTB program), 329–330
- Haldane model, 34, 50, 203–209, 211, 212, 225, 232, 233, 239, 256, 347, 349, 350, 352, 353
- Haldane spin chain, 273
- haldane_bcurv.py (PYTHTB program), 205, 349
- haldane_bsr.py (PYTHTB program), 204, 347
- haldane_entang.py (PYTHTB program), 208, 352–354
- haldane_topo.py (PYTHTB program), 207, 224, 350
- Hall conductivity, 30
- Hamiltonian
- bulk, 12, 191, 192, 231, 345
 - edge, 231, 235, 238
 - interacting, 7, 21, 22, 40, 170, *see also* interacting systems
 - surface, 11, 22, 196, 208
- Hamiltonian gauge, *see* gauge, Hamiltonian
- Hamiltonian matrix, 54, 56, 60–62, 115, 118, 127
- Hartree–Fock approximation, 7, 54, 170
- Hartree potential, 41, 43, 73
- HgTe, 237
- hole pocket, *see* pocket, electron or hole
- homotopy theory, 298, 299
- hopping matrix element, 15, 54, 56, 59, 60, 63, 65–67, 69, 86, 87, 95, 116, 118, 119, 122, 134, 140, 190, 191, 203, 204, 225, 232, 237–239, 249, 252, 328, 329, 334, 336, 342, 356
- HWF, *see* hybrid Wannier function (HWF)
- hybrid Wannier function (HWF), 194, 195, 207, 215, 228, 229, 243, *see also* Wannier functions
- centers, 196, 206, 207, 209, 211, 224, 227–229, 234, 235, 239, 241–243, *see also* Wannier centers
 - flow of centers, 207, 208, 224, 227, 230, 231, 233, 235, 241–243, 249, 275, 352, 353, 358, 360
 - representation, 167, 193–197, 305
 - sheets, 195–197, 243, 244, 249
- hysteresis loop, 174
- IC, *see* itinerant circulation (IC)
- InAs, 237
- insulating path, 32, 178, 270
- insulating surface, 12, 31, 195, 197, 288, 291, 302, 303

- insulator
 1D, 36, 111, 117, 152, 154, 156, 158, 296, 300
 2D, 32, 36, 139, 206, 211, 225, 226, 230, 279, 280, 285, 300
 3D, 216, 217, 239, 247, 248, 263, 268, 297, 300
 magnetic, 226, 245, 270, 353
 multiband, 209, 222, 285
 nonmagnetic, 201, 225, 268
 interacting systems, 2, 6, 7, 22, 25, 38, 40–42, 171, 182, 216, 274, 353
 strongly correlated, 6, 22, 42, 170, 171, 213, 272, 274, 353
 interactions, *see* many-body interactions
 interface charge theorem, 197–198
 interference, 1, 82, 99, 102
 International System of units (SI), 287
 inversion center, 9, 111, 239, 269
 inversion operator, 50, 51, 180
 inversion symmetry, *see* symmetry, inversion
 inverted band, *see* band inversion
 inverted gap, *see* band inversion
 ionic crystal, 10
 ionic model, 175, 177, 180
 isolated band, 46, 110, 112, 122, 124, 140, 155, 261, 285, 324
 isotropic ME coupling, *see* magnetoelectric (ME), coupling, isotropic
 itinerant circulation (IC), 280–285, 294–295

 Jacobean matrix, 326
 Jahn–Teller effect, 76
 Josephson junction, 6

 Kane–Mele model, 232–234, 237–239, 356, 358
`kanemele_bsr.py` (PYTHTB program), 225, 233, 356
`kanemele_topo.py` (PYTHTB program), 233, 358
 Karplus–Luttinger anomalous Hall conductivity, *see* anomalous Hall conductivity (AHC), intrinsic
 Kerr rotation, 313
 KNbO_3 , 23, 173, 175, 176
 Kohn–Sham equation, *see* Kohn–Sham theory
 Kohn–Sham Hamiltonian, *see* Kohn–Sham theory
 Kohn–Sham potential, 41, 167
 Kohn–Sham theory, 40–43, 53, 171, 172, 200
 Kramers degeneracy, 228–230, 233, 234, 236, 238–240, 242, 243, 245, 247–249, 270
 Kramers theorem, 51, 52, 228
 Kubo–Greenwood formula, 218, 295

 Lagrangian, 36, 292, 306, 308
 Landau level, 6, 264
 Landau theory, 2
 lattice constant, 13, 14, 17, 63, 103, 106, 115, 117, 134, 152, 156, 169, 183, 188–190, 244, 281, 331, 333
 lattice coordinates, *see* reduced coordinates
 lattice displacement, 146, 148, 150

 lattice-mediated response, 286, 287, 306
 lattice-valued quantity, 13, 17, 20, 21, 160, 176, 178, 179, 182, 192, 199, 301, *see also* electric polarization, lattice-valued
 lattice-valued scalar, 178
 lattice vector, 13, 15, 19, 21, 23, 45, 46, 60, 63, 67, 112, 114, 118–120, 128, 130, 132, 135, 139, 140, 164, 166, 171, 172, 179, 181, 193, 195, 199, 206, 207, 215, 216, 223, 286
 real-space, 119, 162, 167, 194, 203, 216, 331
 reciprocal-space, 45, 46, 51, 109, 119, 129, 140, 162, 193, 204, 210, 216, 228, 240, 244, 298, 332
 LC, *see* local circulation (LC)
 LCAO, *see* linear combination of atomic orbitals (LCAO)
 LDA, *see* local-density approximation (LDA)
 Li, 63, 64, 331–333
`li.py` (PYTHTB program), 331–333
 linear combination of atomic orbitals (LCAO), 54
 linear response theory, 3, 31, 38, 69, 71–74, 151, 209, 210, 295
 Liouville’s theorem, 264
 local circulation (LC), 280–285, 294–295
 local density of states, 12
 local spin-density approximation (LSDA), 23, 43, 44, 50, 212, 226
 localization, 124, 125, 171, 215, 305, *see also* exponential localization, maximal localization
 localized molecular orbitals, 133, 136
 localized orbitals, 38, 53
 Lorentz invariance, 257
 low-energy excitations, 28, 30, 66
 LSDA, *see* local spin-density approximation (LSDA)

 macroscopic average, 146, 183, *see also* charge density, current, electric field, electric polarization, magnetic field, magnetization, surface charge
 magnetic dipole moment, *see* dipole moment, magnetic
 magnetic field, 6, 9, 23, 33, 34, 39, 44, 76, 84, 85, 89, 90, 102, 213, 214, 218, 220, 245, 253, 263, 264, 282, 284, 285, 293, 301, 302, 307, 310–312, 314, 315
 macroscopic, 25
 magnetic flux, 1, 6, 87, 95, 96
 magnetic impurities, 213, 238
 magnetic insulator, *see* symmetry, magnetic
 magnetic ion, 277
 magnetic material, 23, 43, 105, 222, 270, 276, 284, 286, 304
 magnetic moment, orbital, 277, 280, 283
 magnetic monopole, 25, 292, 308, 315
 magnetic point group, 105, 301
 magnetic proximity, 313
 magnetic susceptibility, 213, 284, 287
 magnetic symmetry, *see* symmetry, magnetic

- magnetic Weyl semimetal, *see* semimetal, Weyl, magnetic
- magnetically doped topological insulator, *see* topological insulator (TI), magnetically doped
- magnetism, 5, 6, 23, 28, 44, 93, 105, 149, 178, 201, 202, 212, 214, 221, 226, 265, 277, 280, 308, 313, 314, *see also* antiferromagnetism, ferrimagnetism, ferromagnetism
- collinear order, 212
- noncollinear order, 42, 212, 213, 284, 286
- magnetization, 5, 23, 25, 29, 149, 178, 179, 201, 212, 213, 218, 219, 277, 279, 280, 285, 286, 288, 301, 303, 307, 309, 311, 313
- macroscopic, 5
- orbital, 1–3, 6, 24, 28, 29, 33, 35, 37, 203, 276–286, 288, 293, 294, 296
- spin, 276, 286
- spontaneous, 23
- magnetoelectric (ME)
- coupler, 214, 312–315
- coupling, 2, 3, 37, 57, 276, 285–296, 301–315
- isotropic, 288, 289, 292, 295, 301, 305, 309
- material, 290, 308–312, 314
- many-body interactions, 7, 11, 23, 34, 36, 39, 44, 170, 240, 272–274, *see also* interacting systems
- many-body wave function, 40, 171
- MATLIB (PYTHON module), 328
- maximally localized Wannier function (MLWF), 120, 121, 128, 129, 131–135, 169, 180, 195, 235, 304, 342
- centers, 134, 135, 140, 342
- Maxwell relation, 33, 285
- Maxwell's equations, 273, 274, 306–309, 314
- ME, *see* magnetoelectric (ME)
- mean-field approximation, 7, 21, 22, 40
- MgO, 7
- Miller indices, 216, 244
- miraculous cancellation, 323
- mirror symmetry, *see* symmetry, mirror
- MLWF, *see* maximally localized Wannier function (MLWF)
- mobility gap, 6, 7
- modern theory of polarization, 9, 10, 16, 145, 150, 154, *see also* Berry-phase theory of polarization
- molecule, 5, 8, 38, 40, 41, 47, 53, 56, 57, 64, 71, 72, 76, 84, 96, 97, 100, 101, 145, 253, 276, 278, 330
- triatomic, *see* trimer molecule
- MoS₂, 47
- MoTe₂, 267
- multiband formalism, 111, 122, 124–131, 136, 137, 140, 158, 165, 167, 168, 172, 173, 195, 215, 239, 284, 296–299, 324, 325, 341
- multiband gauge invariance, *see* gauge invariance, multiband
- multiband gauge transformation, *see* gauge transformation, multiband
- multivalued quantity, 20
- Na₃Bi, 271
- NaCl, 10
- nearsightedness, 11
- Nernst effect, anomalous, 223
- Ni (nickel), 222
- Nielsen–Ninomiya theorem, 259, 261, 263–266
- nodal-loop semimetal, *see* semimetal, nodal-loop
- noncollinear, *see* magnetism, noncollinear order
- noninteracting systems, 6, 7, 21, 22, 34, 182, 272, 273
- nonmagnetic insulator, *see* insulator, nonmagnetic
- nonsymmorphic symmetry, *see* symmetry, nonsymmorphic
- normalization convention, 103, 113
- nuclear coordinates, 39, 57, 76, 101, 167
- nuclear kinetic energy, 38
- NUMPY (PYTHON module), 58, 86, 328, 329, 337, 360
- occupied band subspace, *see* bands, composite group of
- Ohm's law, 25
- one-particle density matrix, 73, 101, 200, 293, 352
- one-particle operators, 6
- optical phonon, 9
- orbital angular momentum, 23, 43
- orbital magnetic moment, *see* magnetic moment, orbital
- orbital magnetization, *see* magnetization, orbital
- orbital response, 286
- order parameter, 2, 23, 201, 202
- orthogonal tight binding, *see* tight binding (TB), orthogonal
- orthogonality relation, 316, 318
- overlap matrix, 54, 125, 130, 131, 235, 319, 320
- Pancharatnam phase, *see* Berry phase
- parallel transport, 78, 79, 82, 90, 129, 130, 168
- multiband, 129, 130
- parallel-transport gauge, *see* gauge, parallel-transport
- parameter space, 2, 14, 34, 36, 76, 82, 83, 87, 88, 93, 94, 97, 99, 103, 112, 117, 205, 206, 253–256
- 2D, 83, 111, 152, 202
- 3D, 88, 97, 254
- parity, 50, 51, 57, 233, 234, 239, 268, 269, 271, 303, *see also* symmetry
- Pauli matrices, 43, 50, 66, 84, 225, 232, 254, 255, 259, 298, 325, 356
- Pb_{1-x}Sn_xTe, 269
- PbTiO₃, 150, 163
- periodic boundary conditions, 47, 48, 103, 171, 172
- twisted, 48, 171
- periodic gauge, *see* gauge, periodic
- Periodic Table, 24, 42, 169, 212, 213
- perturbation theory, 69, 146, 284, 293
- Pfaffian, 235
- phase angle, 45, 51, 75, 78, 82, 289, 290
- phase evolution, 2, 36, 76, 80, 98, 99, 131
- phase transition, 7, 201

- phonon, 12, 170, 220, 273, 306
 photonic crystal, 273
 piezoelectric tensor, 148
 PIP (PYTHON package manager), 327
 pocket, electron or hole, 198, 217, 246–248, 251, 257–259, 261, 263, 265, 266, 272, 308
 point group, 179–181
 polarization, *see* electric polarization
 polarization current, 307, 308, 310, 311
 polyacetylene, 64, 65
 polymer, 47, 57, 60, 64, 182, 183, 240, 327
 position matrix, 56, 60, 115, 127, 129, 133–135, 188, 215, 342
 position operator, 49, 116, 117, 127, 132–134, 143, 145–147, 149, 157, 171, 188, 195
 progressive gauge transformation, *see* gauge transformation, progressive
 projection method, *see* Wannier projection method
 projection operator, 70, 114, 134, 138
 pseudopotential, 42, 164, 166, 168
 pseudorotation, 76, 96, 253
 pseudoscalar, 178, 279, 280, 301
 pseudoscalar-symmetric crystal, 301–303
 pseudospin, 256, 271
 pseudovector, 89, 104, 137, 178, 179, 221, 225, 279
 PYPLOT (PYTHON module), 332, 337, 349, 350
 pyrochlore crystal structure, 267, 303
 PYTHON (programming language), 327, 328
 PYTHTB (code package), 3, 57–59, 62, 63, 67–69, 86, 87, 95–97, 108, 122, 134, 135, 140, 156, 158, 188, 190–193, 204, 207, 208, 225, 233, 239, 249, 252, 267, 268, 327, 328, 337, 342, 343, 350
- QAH, *see* quantum anomalous Hall (QAH) effect
 QSH, *see* quantum spin Hall (QSH)
 quantized adiabatic charge transport, *see* adiabatic charge transport, quantized
 quantum anomalous Hall (QAH) effect, 32, 37, 51, 110, 201–218, 222, 225, 235, 244, 268, 272, 289, 297, 311
 quantum anomalous Hall (QAH) insulator, 3, 32–36, 110, 201–209, 211–218, 223, 224, 226, 227, 230, 236, 238, 240, 247, 268, 284, 285, 289, 290, 294, 309, 312–314, 322
 3D, 215–218, 269, 297, 314, 315
 fractional, 273
 quantum chemistry, 40, 54
 QUANTUM ESPRESSO (code package), 73, 200
 quantum Hall effect, 6, 7, 34, 201, 211, 302
 fractional, 22, 34, 273
 quantum of axion coupling, *see* axion coupling, quantum of
 quantum of edge charge, 13
 quantum of polarization, *see* electric polarization, quantum of
 quantum of surface charge, *see* surface charge, quantum of
 quantum spin Hall (QSH), 3, 201, 231, 232, 235, 244, 268, 274
 insulator, 236–240, 244, 245, 252, 268, 272
- radical gauge transformation, *see* gauge transformation, radical
 raising and lowering operators, 56
 ramp-function broadening approach, 192, 199, 345
 real-space lattice vector, *see* lattice vector, real-space
 reciprocal lattice, 45, 47, 104, 332
 reciprocal lattice vector, *see* lattice vector, reciprocal-space
 reduced coordinates, 161, 166, 193–195, 331
 reduced polarization, *see* electric polarization, in reduced coordinates
 reduced wavevector, 51, 104, 109, 160, 196, 206, 228, 240
 reference structure, *see* centrosymmetric reference structure
 relativistic effects, 24, 43, 250
 relaxation time, 219
 ribbon geometry, 35, 47, 57, 207, 208, 233, 234, 239, 327, 350, 352, 353, 358
 robustness against disorder, 23, 25, 34, 36
 robustness against interactions, 7, 16, 21–23, 25, 34, 36, 170, 182, 272
 rotational symmetry, *see* symmetry, rotational
- Sb₂Se₃, 2, 250
 Sb₂Te₃, 250
 scalar electrons, 15, 43, 50, 51, 105, 212, 225–228, 271, 275
 scalar potential, 43, 44, 52
 scalar quantity, 50, 178, 301
 scattering, 28, 218–221, 266
 by defects, 219, 222
 electron-phonon, 66, 219
 side-jump, 219, 220
 skew, 219, 220
- Schrödinger equation, 5, 53, 98, 166, 273
 second Chern number, 300, 301
 second-order perturbation theory, 73
 secular equation, 55, 61, 66, 127
 semiclassical dynamics, 220, 221, 264, 265, 278, 282–284, 293
 semi-infinite chain, 184, 186, 188
 semimetal, 2, 3, 68, 201, 237, 272
 Dirac, 237, 253, 270–271
 nodal-loop, 253, 270–272, 275
 Weyl, 3, 252–268, 270
 magnetic, 262, 266, 267
 sheet current, *see* current, sheet
 SI, *see* International System of units (SI)
 Si (silicon), 7, 11, 21, 105, 123, 126, 128, 129, 142, 143, 180, 270

- side-jump scattering, *see* scattering, side-jump
 sign convention, 32, 77, 94, 255, 258
 singular value decomposition, 125, 126, 130, 319–320
 site energy, 15, 54, 56, 59, 63, 65–69, 86, 116, 119, 122, 134, 140, 190, 191, 224, 232, 328, 329, 334, 342, 345
 skew scattering, *see* scattering, skew
 slab geometry, 57, 194–196, 216–218, 247, 252, 263, 300, 327
 Slater determinant, 7, 21, 40
 sliding window average, 184, 185
 slow spatial variation, 9, 17, 18, 102, 293
 smooth gauge, *see* gauge, smooth
 SnTe, 269
 SOC, *see* spin-orbit coupling (SOC)
 solid angle, 85, 89, 90, 97, 248
 space group, 139, 269, 270
 nonsymmorphic, 139, 181, *see also* symmetry, nonsymmorphic
 speed of light, 24, 257, 276
 spin angular momentum, 43
 spin chirality, 213, 247, 248
 spin current, 226, 227, 232
 spin degeneracy, 43, 47, 52, 105, 169, 180, 192
 spin-dependent hopping, 239, 356, 360
 spin filter, 237
 spin-Hall conductivity, 231, 232, *see* conductivity, spin Hall
 spin Hall effect, 223, 226
 spin liquid, 22
 spin magnetization, *see* magnetization, spin
 spin-orbit coupling (SOC), 23, 24, 42–44, 51, 52, 105, 106, 147, 212–214, 218, 219, 221, 222, 226, 228, 232, 237, 238, 248–251, 270, 276, 286, 303, 304
 diagonal approximation to, 226–228
 spin-paired electrons, 12, 193
 spin response, 286, 287
 spinless electrons, 42, 51, 203, *see* scalar electrons
 spinors, 7, 39, 42, 43, 50, 51, 76, 84–86, 89, 90, 93, 97, 106, 155, 224, 225, 228, 239, 243, 248, 253, 258, 271, 328, 356, 360
 spontaneous magnetization, *see* magnetization, spontaneous
 Středa formula, 33, 34, 264, 310, 311, 315
 Sternheimer equation, 70, 72, 100, 149
 stoichiometric variation, 14
 Stokes' theorem, 88–93, 137, 153, 215, 220, 221, 236, 248, 290
 strong correlations, *see* interacting systems, strongly correlated
 strong index, *see* topological index, strong $\mathbb{Z}_2$
 strong topological insulator, *see* topological insulator (TI), strong
 strongly correlated materials, 22
 sum over unoccupied states, 73, 152, 154
 supercell, 17, 18, 20, 23, 47, 171, 172
 superconductor, 6, 7, 68, 214, 273
 topological, *see* topological superconductor
 surface anomalous Hall conductivity, *see* anomalous Hall conductivity (AHC), surface
 surface band, *see* energy bands, surface
 surface band structure, 245–248, 250, 262, 263, 275
 surface cell area, 197
 surface charge, 3, 11, 21, 24, 25, 35, 141, 182–184, 186, 187, 189, 193, 196–198, 218, 279, 288–291, 300, 310, 315, 345
 macroscopic, 10, 20–22, 181, 183–187, 189, 192, 199
 quantum of, 13, 20, 25, 189, 197
 surface charge theorem, 181–199
 surface current, 24–26, 28, 35, 288, 309, 311, 315
 surface energy gap, 22, 289
 surface facet, 13
 surface Hamiltonian, *see* Hamiltonian, surface
 surface integral, 109, 137, 143, 266
 surface relaxation, 10
 surface states, 27, 28, 192, 193, 208, 209, 213, 214, 216, 227, 245, 247, 248, 250, 251, 262, 263, 269, 302, *see also* energy bands, surface
 surface termination, 24
 symmetry, 2, 9, 139, 178–181, *see also* parity
 axis of, 167, 258, 271
 broken, 201
 inversion, 50–53, 105, 111, 142, 175–177, 179, 180, 205, 221, 230, 233, 234, 239, 249, 258, 259, 261, 262, 266, 268–271, 275, 279, 286, 293, 295, 301–303, 313
 magnetic, 105
 mirror, 27, 56, 64, 66, 139, 142, 180, 181, 227, 232, 233, 262, 269, 271, 286
 nonsymmorphic, 139, 181
 rotational, 105, 224, 246, 249, 258, 269, 270
 translational, 60, 268, 270, 274, 284
 symmetry-induced degeneracies, 284
 symmetry-protected topological phase, 273
 TaAs, 267
 TB, *see* tight binding (TB)
 thermodynamic limit, 144
 three-site model, 156, 157, 341
 TI, *see* topological insulator (TI)
 tight binding (TB), 2, 3, 15, 37, 38, 53, 55–57, 59–69, 116, 118, 119, 126, 134, 192, 203, 224, 235, 237, 243, 249, 275, 327–362
 empirical, 38, 54, 56, 57
 orthogonal, 54
 PYTHTB, *see* PythTB
 tiling approach, 187, 188, 199
 time-dependent Schrödinger equation, 97, 100, 274
 time-reversal invariant momenta (TRIM), 51, 228, 233–235, 239, 240, 242, 243, 245–249, 268, 269, 303
 time-reversal polarization, 235
 time-reversal symmetric insulator, 228, 229, 231, 236, 238–243, 246, 249, 250, 268, 292

- time-reversal symmetric line, 240
 time-reversal symmetric plane, 240, 241, 244, 245, 303
 time-reversal (TR) symmetry, 27–29, 44, 50–53, 77, 105, 108, 111, 179, 203, 205, 212, 213, 218, 221, 225–229, 233–236, 238–241, 244–249, 258, 259, 261, 262, 266, 268–271, 273, 275, 279, 286, 293, 295, 297, 301–304, 312, 313, 336
 broken, 95, 96, 203, 226, 230, 235, 240, 267, 268, 278, 291, 293, 297, 302
 topological classification, 30, 83, 202, 205, 225–227, 229, 230, 244, 250, 268, 269, 273–275
 $\mathbb{Z}$ (integer), 211, 225–227, 230, 231, 235, 326
 $\mathbb{Z}_2$ (integer mod 2), 230, 231, 235, 301, 302
 topological crystalline insulator, 3, 201, 268–270, 275, 303
 topological Hall effect, 213
 topological index, 6, 83, 91, 93, 207, 211, 215, 230, 236, 241, 244, 245, 247, 251, 252, 268, 269, 273
 strong $\mathbb{Z}_2$, 241, 242, 248
 $\mathbb{Z}$ (integer), 208, 235
 $\mathbb{Z}_2$ (integer mod 2), 230–237, 239–242, 244, 245, 249, 269, 272, 303
 topological insulator (TI), 2, 3, 6, 36, 37, 43, 57, 126, 193, 201–252, 263, 268, 269, 276, 283, 285, 291, 292, 302, 303, 313, 314
 antiferromagnetic, 270
 crystalline, *see* topological crystalline insulator
 magnetically doped, 213
 strong, 201, 242–250, 252, 266–268, 271, 291, 301–304, 312, 313
 weak, 201, 242–246, 252, 268, 297, 304
 $\mathbb{Z}_2$, 272, 274
 topological invariant, *see* topological index
 topological magnetoelectric effect, 312
 topological obstruction, 93, 110, 126, 214, 236, 244, 297, 322
 topological phase, 22, 201, 207, 224, 234, 249, 272, 273, 352
 topological phase transition, 205, 256, 267
 topological superconductor, 201, 273
 topologically ordered phase, 273
 torus, 36, 45, 92–95, 104, 109, 110, 154, 155, 202, 204, 206, 215, 217, 253, 254, 260, 262, 300, *see also* 3-torus
 TR, *see* time-reversal (TR) symmetry
 translation operator, 45
 translational symmetry, *see* symmetry, translational
 trial function, *see* Wannier trial function
 triatomic molecule, *see* trimer molecule
 TRIM, *see* time-reversal invariant momenta (TRIM)
 trimer model, 96, 97, 253
 trimer molecule, 76, 77, 86, 95, 108, 336
`trimer.py` (PYTHTB program), 95, 96, 253, 336–340
 twisted parallel-transport gauge, 79, 80, 82, 86, 121, 131–133
 twisted periodic boundary conditions, *see* periodic boundary conditions, twisted
 uniform electron gas, 41–43
 unit sphere, 76, 85, 89, 90, 93, 215, *see also* Bloch sphere
 unitary approximant, 168, 320
 unitary matrix, 124, 130, 131, 140, 294, 296, 299, 304, 319, 320
 unitary operator, 50
 unitary rotation, 62, 72, 113, 124–126, 133, 168, 172, 280, 298, 299, 320, 323
 global, 130, 131
 valence bands, 12, 27, 54, 61, 66, 122–124, 126, 138, 200, 205, 208, 214, 215, 228, 251, 253, 258, 260, 261, 270, 274, 275
 bulk, 12, 26
 van der Waals interaction, 105
 vector bundle, 93
 vector potential, 44, 52, 81, 89, 150, 158, 221, 293
 vector quantity, 178
 velocity operator, 49, 52, 102, 147, 151, 210, 278
 volume current, 311
 Wannier centers, 57, 107, 115–118, 120, 122, 127, 128, 132, 135, 140, 141, 155–158, 165–167, 169, 180, 188–196, 199, 202, 207, 208, 228, 233, 239, 250, 280, 342, 343, 345, 350, *see also* hybrid Wannier function (HWF), centers
 flow of, 208, 210, 225, 229, 231, 233, 235, 238, 243–245, 249, 252
 Wannier functions, 37, 110, 112–126, 128, 129, 132–136, 140, 156, 165, 167, 172, 180, 181, 187–194, 214, 215, 235–237, 239, 270, 280, 281, 297, 304, 305, 341, 342, 352, *see also* hybrid Wannier function (HWF)
 hybrid, *see* hybrid Wannier function (HWF)
 maximally localized, *see* maximally localized Wannier function (MLWF)
 multiband, 123
 spread of, 120, 121, 128, 133, 139
 Wannier interpolation, 116, 222
 Wannier projection method, 125, 126
 Wannier representability, 214–215, 236, 239
 Wannier representation, 111, 127, 237, 278–282, 305
 Wannier sheets, 195–197, 243, 249
 Wannier trial function, 126
 Wannier-like functions, 133, 136, 195, 280
 WANNIER90 (code package), 128, 169, 328
 water molecule, 54, 55, 57, 86, 100, 329
 wave packet, 210, 220, 222, 264, 282
 weak index, *see* topological index, weak $\mathbb{Z}_2$
 weak topological insulator, *see* topological insulator (TI), weak
 Weyl cone, 247, 259

384

Weyl Hamiltonian, 257
Weyl point, 252–268, 274, 308
 Type I, 259
 Type II, 259, 267
Weyl semimetal, *see* semimetal, Weyl
Wilson loop eigenvalue, 130, 235, *see also* Berry
 phase, multiband

Index

winding number, 83, 95, 119, 272, 297, 299, 300
WTe₂, 267

Z2PACK (code package), 235
Zak phase, 106, 157, *see also* Berry phase
Zeeman field, 44, 286, 303
Zener tunneling, 200