

Index

- p -adic integers and rationals, 295
- p -modular system, 167
- p -nilpotent, 145, 265, 288
- p -radical subgroup, 269
- p -regular, 165
- p -singular, 165

- adjoint, 222
- algebra, 5
 - G -algebra, 270
 - Frobenius, 155
 - interior G -algebra, 271
 - local, 215
 - Nakayama, 144, 218
 - self-injective, 149
 - simple, 17, 20
 - symmetric, 149
- algebraic integer, 42
- Artin's Induction Theorem, 79
- Artin–Wedderburn Theorem, 17
- augmentation, 102

- bimodule, 66
- block, 47, 258
 - belongs to, 259, 263
 - cyclic defect, 248
 - defect, 267, 274, 275, 277, 280
 - defect zero, 182, 264, 266, 275
 - principal, 264, 275
- Brauer
 - character, 193
 - character table, 195
 - correspondence, 283
 - first main theorem, 284
 - morphism, 277, 279
 - orthogonality relations, 200, 203
 - quotient, 276
 - theorem of Brauer–Nesbitt on decomposition, 173, 180
 - theorem on number of modular simples, 166
 - theorem on splitting fields, 163
- Burnside's Theorem, 22, 49, 111
- Burry–Carlson–Puig Theorem, 244

- Cartan
 - invariant, 131
 - map, 178
 - matrix, 131, 197
 - matrix, invertibility, 202
 - matrix, symmetry, 151, 181
- cde triangle, 178, 207
- character, 24
 - p -group, 89
 - Brauer, 193
 - Brauer table, 195
 - degree, 25
 - table, 27
 - virtual, 178
- class function, 31
- Clifford's Theorem, 88
- completely reducible, 8

- decomposition
 - map, 178
 - matrix, 174, 197, 207
- defect, 267
 - cyclic, 248
- degree, 2, 25
- discrete valuation ring, 292
- divided power, 72
- double coset, 82

- essential morphism, 122, 152
- exact, 116

- extending scalars, 159
- exterior power, 71
- fixed points, 30, 63, 150, 190
- fixed quotient, 109, 150, 190
- fractional ideal, 293
- free module, 115
 - relatively, 220
- Frobenius, 145, 155
 - group, 289
 - reciprocity, 68
- Green
 - correspondence, 240
 - indecomposability theorem, 248
- Grothendieck group, 177, 205
- group
 - A_4 , 76, 93, 99, 153, 157, 181, 189, 300
 - A_5 , 76, 287, 309
 - $C_5 \times C_4$, 40, 55
 - $C_7 \times C_3$, 145, 219, 302
 - $GL(2, 3)$, 154
 - $GL(3, 2)$, 208, 253, 287, 312
 - $PSL(2, p)$, 113, 209, 243, 252, 253, 309
 - $SL(2, 3)$, 306
 - $SL(2, 3)$, 154, 288
 - $SL(2, p)$, 113, 227, 243
 - S_3 , 2, 19, 27, 54, 77, 81, 120, 133, 174, 181, 188, 195, 212, 264, 266, 280, 285, 298
 - S_4 , 35, 93, 133, 154, 196, 242, 287, 304
 - S_5 , 76, 312
 - p -group, 89, 95–98, 106
 - abelian, 19, 59, 89, 219, 297
 - cyclic, 3, 22, 56, 95, 97, 104, 113, 143, 160, 187, 219, 231, 236, 297
 - dihedral, 69, 76, 91, 107, 112, 157, 188, 209, 219, 234, 236, 299, 301, 318
 - McLaughlin, 185
 - quaternion, 76, 91, 236, 299, 301
 - semidihedral, 91, 236, 302
- group algebra, 4
- Heller operator, 245
- idempotent, 21, 45
 - central, 45
 - lifting, 125
 - orthogonal, 21, 45
 - primitive, 21, 45
- indecomposable
 - absolutely, 162, 187
 - module, 21, 96, 214
- induction, 60
 - character formula, 63
- inflation, 59
- injective module, 118
 - hull, 152
- integral, 42
- irreducible, 8
- Jennings's Theorem, 106
- Krull–Schmidt Theorem, 217
- lattice, 170
 - R -form, 172
 - full, 172
- lifting
 - idempotent, 125
 - module, 159, 170
- local ring, 215
- Loewy
 - length, 106
 - series, 104
- M -group, 90
- Mackey's Theorem, 85
- Maschke's Theorem, 7
- module
 - cyclic, 96
 - diagram, 249
 - free, 115
 - injective, 118
 - projective, 118
 - string and band, 234
- Molien's Theorem, 80, 211
- Nakayama
 - algebra, 144, 218
 - Nakayama's Lemma, 122
- Noether–Deuring Theorem, 163
- normal p -complement, 145, 265
- orthogonality relations
 - Brauer, 200, 203
 - ordinary, 33, 40
- permutation
 - matrix, 5
 - representation, 5, 52, 62, 78, 86, 91, 109, 279
- product
 - direct, 57, 59, 138, 166
 - semidirect, 99, 140, 141, 146, 154, 282
 - tensor, 27, 60, 67, 137, 138
- projective module, 118
 - cover, 124
 - relatively, 220
 - resolution, 247
- radical, 100, 101
 - series, 104
 - subgroup, 269

- reduction, 170
- regular representation, 5
- relative trace map, 220
- representation, 2
 - p -group, 89
 - coinduced, 65, 67
 - completely reducible, 8
 - conjugate, 84
 - contragredient, 28
 - cyclic, 96
 - degree of, 2
 - divided power of, 72
 - dual, 28
 - exterior power of, 71
 - faithful, 13
 - indecomposable, 21, 96, 214
 - induced, 60
 - inflated, 59
 - irreducible, 8
 - monomial, 90
 - permutation, 5, 52, 62, 78, 86, 91, 109, 279
 - regular, 5
 - restricted, 65
 - semisimple, 8
 - sign, 2
 - simple, 8, 89, 166
 - symmetric power of, 70
 - trivial, 2
 - trivial source, 252
 - uniserial, 97, 143, 144
- representation type
 - finite, 228
 - tame and wild, 235
- restriction, 65

- Schur algebra, 77
- Schur's Lemma, 15

- semisimple
 - representation, 8
 - ring, 16
- sign representation, 2
- simple
 - absolutely, 160
 - algebra, 17, 20
 - representation, 8
- socle, 11
 - socle series, 104
- source, 238
- split
 - epimorphism, 116
 - monomorphism, 116
 - short exact sequence, 117
- splitting field, 16, 160
- subrepresentation, 5
- symmetric power, 70

- tensors
 - skew-symmetric, 72
 - symmetric, 72
- trace map, 220
- trivial
 - representation, 2
 - source, 252
- uniserial, 97, 143, 144
- unit and counit, 223

- valuation, 291
 - p -adic, 294
 - discrete, 292
 - non-Archimedean, 292
 - ring, 292
- vertex, 238

- Wedderburn's Theorem, 17
- written in R , 159