

Synchrotron Radiation and Free-Electron Lasers

Principles of Coherent X-Ray Generation

Learn about the latest advances in high-brightness X-ray physics and technology with this authoritative text. Drawing upon the most recent theoretical developments, preeminent leaders in the field guide you through the fundamental principles and techniques of high-brightness X-ray generation from both synchrotron and free-electron laser sources. A wide range of topics is covered, including high-brightness synchrotron radiation from undulators, self-amplified spontaneous emission, seeded high-gain amplifiers with harmonic generation, ultra-short pulses, tapering for higher power, free-electron laser oscillators, and X-ray oscillator and amplifier configuration. Novel mathematical approaches and numerous figures accompanied by intuitive explanations enable easy understanding of key concepts, while practical considerations of performance improving techniques and discussion of recent experimental results provide the tools and knowledge needed to address current research problems in the field.

This is a comprehensive resource for graduate students, researchers, and practitioners who design, manage, or use X-ray facilities.

Kwang-Je Kim is a Distinguished Fellow at the Argonne National Laboratory, Illinois, USA, and a Professor of Physics at the University of Chicago. He is also a Fellow of the American Physical Society.

Zhirong Huang is an Associate Professor at the SLAC National Accelerator Laboratory and in the Department of Applied Physics at Stanford University, and a Fellow of the American Physical Society.

Ryan Lindberg is a Staff Scientist at the Argonne National Laboratory, where he works on free-electron laser physics, and on analyzing and predicting collective effects in light-source storage rings.



Synchrotron Radiation and Free-Electron Lasers

Principles of Coherent X-Ray Generation

KWANG-JE KIM

Argonne National Laboratory, Illinois

ZHIRONG HUANG

SLAC National Accelerator Laboratory, California

RYAN LINDBERG

Argonne National Laboratory, Illinois







Shaftesbury Road, Cambridge CB2 8EA, United Kingdom

One Liberty Plaza, 20th Floor, New York, NY 10006, USA

477 Williamstown Road, Port Melbourne, VIC 3207, Australia

314-321, 3rd Floor, Plot 3, Splendor Forum, Jasola District Centre, New Delhi - 110025, India

103 Penang Road, #05-06/07, Visioncrest Commercial, Singapore 238467

Cambridge University Press is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

We share the University's mission to contribute to society through the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9781107162617

DOI: 10.1017/9781316677377

© Cambridge University Press & Assessment 2017

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press & Assessment.

First published 2017

A catalogue record for this publication is available from the British Library

ISBN 978-1-107-16261-7 Hardback

Cambridge University Press & Assessment has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.



Contents

	Prej	^c ace		page ix
	Con	vention	s and Notation	xii
1	Prel	iminary	Concepts	1
	1.1	Partic	le (Electron) Beams	1
		1.1.1	Electron Beam Phase Space	2
		1.1.2	Beam Transport and Linear Optics	3
		1.1.3	Beam Emittance and Envelope Functions	4
		1.1.4	Beam Properties under Simple Transport	6
		1.1.5	Electron Distribution Function on Phase Space	9
	1.2	Radia	tion Beams	12
		1.2.1	Diffraction of Paraxial Beams	13
		1.2.2	The Paraxial Wave Equation and Energy Transport	16
		1.2.3	Phase Space Methods in Wave Optics	18
		1.2.4	Transverse Coherence	22
		1.2.5	Temporal Coherence	26
		1.2.6	Bunching and Intensity Enhancement	29
	Refe	erences		31
2	Syn	chrotror	n Radiation	33
	2.1	Radia	tion by Relativistic Electrons	35
	2.2	The D	Oriven Paraxial Wave Equation	37
	2.3	Bendi	ng Magnet Radiation	40
	2.4	Undul	lator Radiation	43
		2.4.1	Electron Trajectory and a Qualitative Discussion of Undulator	
			Radiation	44
		2.4.2	Paraxial Analysis of Undulator Radiation	48
		2.4.3	Frequency Integrated Power	52
		2.4.4	Polarization Control	53
		2.4.5	Undulator Brightness and the Effects of the Electron Beam	
			Distribution	56
		2.4.6	From Undulator Radiation to Free-Electron Lasers	62
	2.5	Future	e Directions of Synchrotron Radiation Sources	64



More Information

Cambridge University Press & Assessment 978-1-107-16261-7 — Synchrotron Radiation and Free-Electron Lasers Principles of Coherent X-Ray Generation Kwang-Je Kim , Zhirong Huang , Ryan Lindberg Frontmatter

vi **Contents**

		2.5.1	Multi-Bend Achromat Lattices for Smaller Storage Ring	
			Emittances	64
		2.5.2	Energy Recovery Linacs	66
		2.5.3	Superconducting Undulators	67
		2.5.4	Laser Undulator	69
	Refe	erences		71
3	Basi	c FEL PI	hysics	74
	3.1	Introd	uction	74
		3.1.1	Coherent Radiation Sources	74
		3.1.2	What Is an FEL?	76
	3.2	Electro	on Equations of Motion: The Pendulum Equations	78
		3.2.1	Derivation of the Equations	78
		3.2.2	Motion in Phase Space	82
	3.3	Low-C	Gain Regime	83
		3.3.1	Derivation of Gain	83
		3.3.2	Particle Trapping and Low-Gain Saturation	88
	3.4	High-	Gain Regime	90
		3.4.1	Maxwell Equation	91
		3.4.2	FEL Equations and Energy Conservation	94
		3.4.3	Dimensionless FEL Scaling Parameter ρ	95
		3.4.4	1D Solution Using Collective Variables	97
		3.4.5	Qualitative Description of Self-Amplified Spontaneous Emission	
			(SASE)	99
	Refe	erences		102
4	1D F	EL Anal	ysis	104
	4.1	Coupl	ed Maxwell–Klimontovich Equations for the 1D FEL	104
	4.2	Pertub	pative Solution for Small FEL Gain	107
	4.3	Solution	on via Laplace Transformation for Arbitrary FEL Gain	110
		4.3.1		112
		4.3.2	Exponential Growth Regime	113
		4.3.3	Temporal Fluctuation and Correlation of SASE	118
	4.4		linear Theory and Saturation	122
			ator Tapering after Gain Saturation	129
	4.6	Superi	radiance	132
	Refe	erences		136
5	3D F	EL Anal	ysis	139
	5.1		ative Discussion	139
		_	Diffraction and Guiding	139
		5.1.2	Beam Emittance and Focusing	142
	5.2	Electro	on Trajectory	143
		5.2.1	Natural Focusing in an Undulator	144



		Contents	VII
		5.2.2 Betatron Motion in an External Focusing Lattice	148
	5.3	3D Equations of the FEL	151
		5.3.1 Maxwell Equation	151
		5.3.2 3D Pendulum Equations for the Electron Motion	152
		5.3.3 Coupled Maxwell–Klimontovich Equations	154
	5.4	Solution in the Low-Gain Regime	156
		5.4.1 Low-Gain Expression for No Transverse Focusing	160
	5.5	e e	162
		5.5.1 Van Kampen's Normal Mode Expansion	163
		5.5.2 Dispersion Relation with Four Scaled Parameters	167
		5.5.3 Gain Guiding and Transverse Coherence	168
		5.5.4 Numerically Solving the Dispersion Relation	171
		5.5.5 Variational Solution and Fitting Formulas	176
	Refe	erences	180
6	Harn	nonic Generation in High-Gain FELs	182
	6.1	Nonlinear Harmonic Generation	182
		High-Gain Harmonic Generation	186
	6.3	Echo-Enabled Harmonic Generation	189
	6.4	Recent Developments in Harmonic Generation	194
	Refe	erences	195
7	FEL	Oscillators and Coherent Hard X-Rays	197
	7.1	FEL Oscillator Principles	197
		7.1.1 Power Evolution and Saturation	198
		7.1.2 Qualitative Description of Longitudinal Mode Development	199
		7.1.3 Longitudinal Supermodes of the FEL Oscillator	200
		7.1.4 Transverse Physics of the Optical Cavity	203
	7.2	, , ,	204
		7.2.1 Four-Crystal, Wavelength-Tunable XFELO Cavity	205
		7.2.2 Diamond Crystals for XFELO	208
	7.3	XFELO Parameters and Performance	208
	7.4	X-Ray Frequency Combs from a Mode-Locked FEL Oscillator	209
	7.5	A Hard X-Ray Master–Oscillator–Power Amplifier (MOPA)	212
	Refe	erences	213
8	Prac	tical Considerations and Experimental Results for High-Gain FELs	215
	8.1	Undulator Tolerances and Wakefields	215
		8.1.1 Undulator Errors and Tolerances	216
		8.1.2 Beam Trajectory Errors	217
		8.1.3 Wakefield Effects, Energy Loss, and Undulator Tapering	220
	8.2	FEL Experimental Results	223
		8.2.1 SASE FELs	224
		8.2.2 Seeded FEL	230



viii **Contents**

	8.2.3 Short-Pulse Generation	232
	References	237
Appendix	A Hamilton's Equations of Motion on Phase Space	240
	A.1 FEL Particle Equations from Transformation Theory	242
	A.2 Motion of a Test Electron in a High-Gain FEL	244
	References	245
Appendix	B Simulation Methods for FELs	246
	B.1 The Design of FEL Simulation Codes	247
	B.2 Existing FEL Codes	253
	References	254
Appendix	C Quantum Considerations for the FEL	255
	C.1 The Quantum Formulation	255
	C.2 Quantum Noise in the FEL Amplifier	259
	C.3 Madey's Theorem	265
	References	267
Appendix	D Transverse Gradient Undulators	268
	D.1 Low-Gain Analysis	271
	D.2 High-Gain Analysis	276
	References	278
	Further Reading	279
	Index	281



Preface

X-rays produced when highly relativistic electrons are accelerated along a curved trajectory, generally referred to as synchrotron radiation, have served as an important tool for studying the structure and dynamics of various atomic and molecular systems. The first dedicated synchrotron radiation facility was built in the 1970s using an electron storage ring, and since that time the demand for synchrotron radiation has steadily increased due to its high intensity, narrow angular opening, and broad spectral coverage. Over the past few decades the effectiveness of synchrotron radiation has been further advanced by improvements in storage ring design that led to an increase in the electron beam phase space density, and by the use of magnetic devices such as undulators that dramatically increase the X-ray brightness over traditional bending magnets. These developments have widened and deepened the reach of "photon sciences" around the globe.

Another revolutionary advance in X-ray generation was made with the development of X-ray free-electron lasers (FELs). The radiation produced in an FEL acts back on the electron beam in a positive feedback loop, resulting in X-rays with dramatically improved intensity and coherence over those produced with storage-ring based sources. The X-ray FEL became feasible thanks to improvements in linear accelerator technology in general, and in particular to advances in the injector (electron source).

High-brightness, high-energy electron beams from a linear accelerator can now drive a high-gain X-ray FEL amplifier in a long undulator. The gain can be so high that the initially incoherent undulator radiation evolves to an intense, quasi-coherent field known as self-amplified spontaneous emission (SASE). The SASE pulse can be made ultrashort by using an ultrashort electron bunch. With X-ray FELs, experimental techniques developed for traditional synchrotron light sources can be made much more efficient, and new areas of material, chemistry, and biology research, such as ultrafast dynamics, have become accessible to study.

The advent of X-ray FELs, however, has by no means rendered other synchrotron radiation sources obsolete. For certain applications, including those that require high levels of stability or high levels of average flux, synchrotron radiation from storage rings can be more attractive than SASE. Future synchrotron radiation facilities can provide even brighter X-rays than those that are feasible with the current, "third"-generation

¹ The name "synchrotron radiation" came about because it was first observed in a synchrotron in 1947. However, the oft-used practice of referring to the storage ring as a "synchrotron source" should be avoided, since the source is a storage ring in which the electron beam is in a steady state, rather than a synchrotron in which electrons go through an acceleration cycle.



x Preface

sources by improving the storage ring design; for example, "multi-bend achromats" can significantly improve the electron beam brightness and hence the radiation brightness. Also, advances in X-ray FEL capabilities are underway in several directions, including the production of fully-coherent soft X-rays via harmonic generation, improvements in hard X-ray coherence via the self-seeding technique, and the tailoring of X-ray pulse characteristics for each user including multi-color and/or multi-pulse X-ray production, among others. An X-ray FEL oscillator (XFELO) that provides full coherence and high spectral purity also appears to be feasible in the hard X-ray region by using an X-ray cavity in which Bragg crystals serve as the main mirrors. A grand X-ray facility could be envisaged in which the XFELO output serves as input for a high-gain amplifier, providing ultimate capabilities for future photon sciences.

The physics of X-ray production in synchrotron radiation sources and free-electron lasers is therefore of significant contemporary interest. We attempt to provide a unified, coherent account of X-ray generation in this book, even though there are several excellent references already devoted to these topics, some of which we list at the end of this book. While overlaps in exposition are unavoidable, we hope that the perspective and approach offered here can help readers develop a more complete understanding of coherent X-ray generation, and lay the foundation for potentially new innovations. We outline and highlight our philosophy and approach as follows.

First, our view is that synchrotron radiation and FELs should be treated as a unified subject, particularly in the X-ray spectral region. This is because the phenomenon of FEL feedback is always present in an undulator, although in many cases it is too weak to have an appreciable effect on the X-ray radiation properties.

Second, we have emphasized the importance of the phase space distribution for both particle and radiation beams. The phase space distribution of particle beams is familiar from accelerator physics, while that associated with an electromagnetic field can be defined following Wigner's construction. We are then able to identify the phase space density, or the brightness distribution, of synchrotron radiation in a logical manner. This places the electron and radiation beams on more equal footing, and can be used to answer some practically important questions including when are we allowed to neglect the effect of the electron beam phase space on the generated X-rays.

Third, we retain the discrete nature of the electrons by representing the electrons' phase space distribution as a sum of delta functions that indicates the position and momentum of each constituent electron. Such a distribution is known as the Klimontovich distribution function, and in general it contains all the classical information of interest. We then write the Klimontovich distribution as a sum of two parts: the first part describes the smooth, ensemble-averaged distribution, while the second contains both the fast oscillations due to the electromagnetic interaction as well as the fluctuations encapsulated in the discrete sum over delta functions. To render the problem soluble, we regard the second part as a small perturbation about the smooth equilibrium. If we neglect the transverse dimensions, a complete solution to the initial value problem can be found by employing the Laplace transform technique. To account for radiation diffraction and the transverse betatron oscillations of electrons requires a more sophisticated approach. In the low-gain case, the solution can be obtained by the method of integrating



Preface

χi

along the characteristics, while a formal solution to the high-gain case can be written in terms of the Van Kampen modes, and the resulting equations can be solved numerically once the smooth initial distribution is known.

The practical implementation of coherent X-ray production via FELs is a fast moving frontier. We have therefore not attempted to give an exhaustive account of the wide variety of proposed techniques. Nevertheless, we have provided discussions of several practical topics, including the effects of undulator errors and wakefields, along with several methods to produce coherent, soft X-ray output via nonlinear harmonic generation of an initially longer wavelength laser. We also present a short overview of currently existing and planned high-gain amplifier facilities. An FEL oscillator for hard X-rays making use of Bragg reflectors is discussed in some detail as a possible way to produce fully coherent, hard X-ray beams of high spectral purity.

This book began as a set of lecture notes for a course at the U.S. Particle Accelerator School, and has been gradually maturing as the course was repeated every two to three years over the last fifteen years. Feedback from students has played an important role in improving the notes. Suggestions and encouragements from our colleagues, too many to list here, were also essential for this book to become a reality. The construction of an X-ray FEL theory, and the application of that theory to the design and interpretation of subsequent FEL experiments and X-ray facilities, have been one of the most exciting and successful beam dynamics activities in recent years. It is our great pleasure to share some of these developments with students and with our colleagues, and to acknowledge and thank their contributions.

Kwang-Je Kim, Argonne, Illinois Zhirong Huang, Stanford, California Ryan Lindberg, Argonne, Illinois



Conventions and Notation

Throughout this book we use SI units, with the notable exception that we usually quote energies in eV. We use standard boldface to denote vectors (e.g., x) and sans-serif fonts for matrices (M). Our definition of the Fourier transform follows the standard conventions in classical physics, so that the Fourier transform in space and time of the function f(x,t) is defined as

$$f(\omega, x) = f_{\omega}(x) = \int_{-\infty}^{\infty} dt \ e^{i\omega t} f(x, t)$$
$$f(k, t) = \int_{-\infty}^{\infty} dx \ e^{-ikx} f(x, t).$$

Note that we usually write the frequency argument of the Fourier transform as a subscript. In addition, we typically do not include the limits of integration if they are over the entire line, so that the inverse transforms would appear as

$$f(x,t) = \frac{1}{2\pi} \int d\omega \ e^{-i\omega t} f_{\omega}(x)$$
$$f(x,t) = \frac{1}{2\pi} \int dk \ e^{ikx} f(k,t).$$

Finally, as is inevitable in a book like this, we introduce a lot of mathematical symbols to represent physical quantities. Rather than list every symbol introduced, here we include a table of only those symbols that appear across different sections and chapters of the book. We note that we also at times employ scaled versions of these variables that we denote with hats; for example, the scaled propagation distance along the undulator would be \hat{z} .

Symbol Physical meaning/description	
$\overline{a_{\nu}}$	Scaled electric field at dimensionless frequency v
α	Fine structure constant $\alpha \equiv e^2/(4\pi\epsilon_0\hbar c) \approx 1/137$
$\alpha_{x,y}$	Twiss parameter for the correlation $\alpha_x = -\langle xx' \rangle / \varepsilon_x$
\mathcal{B}	Radiation brightness (or Wigner) function
B_0	Undulator peak magnetic field on axis
$\beta_{x,y}$	Transverse beta function $\beta_x = \langle x^2 \rangle / \varepsilon_x$



Conventions and Notation

xiii

$β_n$ Natural beta function determined by the undulator focusing Speed of light in vacuum $Δν$ Relative frequency detuning $Δν = ν - 1 = (ω - ω_1)/ω_1$ e Magnitude of the electron charge E_x Transverse electric field E Slowly-varying transverse electric field amplitude E_v Fourier component of the transverse electric field $β_r$ Relative energy deviation from resonance $(γ - γ_r)/γ_r$ $ε_0$ Vacuum permittivity $ε_0$ Vacuum permittivity $ε_1$ Radiation emittance $ε_2 = (χ^2)(χ'^2) - (xx')^2$ $ε_{x,n}$ Normalized transverse emittance $ε_1$ exity $ε_1$ exity $ε_1$ for $ε_1$ F Heating and the electron beam $ε_1$ γ Radiation emittance $ε_2$ exity $ε_1$ Radiation emittance $ε_1$ exity $ε_2$ for $ε_1$ Resonant electron energy (in units of $ε_1$ for $ε_1$ Resonant electron energy (in units of $ε_1$ for $ε_2$ limital/reference electron energy (in units of $ε_1$ for $ε_2$ limital/reference electron energy (in units of $ε_1$ for $ε_1$ for $ε_1$ for $ε_2$ limital/reference electron energy (in units of $ε_1$ for $ε_2$ limital/reference electron energy (in units of $ε_1$ for $ε_2$ limital/reference electron energy (in units of $ε_2$ for $ε_1$ for $ε_1$ for $ε_2$ for $ε_1$ for $ε_1$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_1$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_2$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_2$ for $ε_2$ for $ε_2$ for $ε_2$ for $ε_3$ for $ε_1$ for $ε_2$ for $ε_2$ for $ε_3$	$ar{eta}_{\scriptscriptstyle X}$	Average transverse beta function
c Speed of light in vacuum Δν Relative frequency detuning $\Delta v = v - 1 = (\omega - \omega_1)/\omega_1$ e Magnitude of the electron charge E_x Transverse electric field E Slowly-varying transverse electric field amplitude E_v Fourier component of the transverse electric field η Relative energy deviation from resonance $(\gamma - \gamma_r)/\gamma_r$ ϵ_0 Vacuum permittivity ϵ Electron beam transverse emittance ϵ_x = $\langle x^2 \rangle \langle x'^2 \rangle - \langle xx' \rangle^2$ ϵ_x Rodation emittance ϵ_r = $\delta_r = \lambda/4\pi$ for F Electron beam transverse emittance of the electron beam ϵ/γ ϵ_x Normalized transverse emittance of the electron beam ϵ/γ ϵ_x Radiation emittance $\epsilon_r \geq \lambda/4\pi$ for F Electron beam transverse emittance of the electron beam ϵ/γ ϵ_r Radiation emittance $\epsilon_r \geq \lambda/4\pi$ for F Electron beam transverse emittance of the electron beam ϵ/γ ϵ_r Radiation emittance of the electron beam ϵ/γ ϵ_r Radiation emittance of the electron beam ϵ/γ ϵ_r Radiation emittance of the electron beam ϵ/γ ϵ Electron em		
	•	•
e Magnitude of the electron charge E_x Transverse electric field E Slowly-varying transverse electric field E Slowly-varying transverse electric field amplitude E_v Fourier component of the transverse electric field $\mathcal{E}(\phi)$ Angular representation of the transverse electric field $\mathcal{E}(\phi)$ Vacuum permittivity $\mathcal{E}(\phi)$ Vacuum pe		
E _x Transverse electric field E Slowly-varying transverse electric field amplitude E _v Fourier component of the transverse electric field $\mathcal{E}(\phi)$ Angular representation of the transverse electric field η Relative energy deviation from resonance $(\gamma - \gamma_r)/\gamma_r$ ϵ_0 Vacuum permittivity ε or $\varepsilon_{x,y}$ Electron beam transverse emittance $\varepsilon_x = \langle x^2 \rangle \langle x^2 \rangle - \langle xx' \rangle^2$ $\varepsilon_{x,n}$ Normalized transverse emittance of the electron beam ε/γ ε_r Radiation emittance $\varepsilon_r \geq \lambda/4\pi$ f or F Electron phase space distribution function f_v Fourier component of the distribution function f_v Fourier component of the distribution function f_v Resonant electron energy (in units of mc^2) γ_r Resonant electron energy (in units of mc^2) γ_r Resonant electron energy (in units of mc^2) γ_0 Initial/reference electron energy (in units of mc^2) γ_0 Laplack's constant over 2π γ_0 Planck's constant over 2π γ_0 Planck's constant over 2π γ_0 Planck's constant over 2π γ_0 Transverse current γ_x Transverse particle action γ_r Bessel function of order n (n = 0, 1, 2,) γ_r Undulator Bessel function factor at the fundamental [JJ] ₁ = [JJ] γ_r Pundamental radiation wavenumber ω_1/c γ_r Average betatron focusing wavenumber = $1/\bar{\beta}_x$ γ_r Undulator deflection parameter κ_r = ϵ_0/mck_u γ_r Undulator deflection parameter κ_r = ϵ_0/mck_u γ_r Undulator deflection parameter κ_r = ϵ_0/mck_u γ_r Undulator period γ_r Undulator period γ_r Electron rest mass γ_r Total number of independent modes in a radiation pulse γ_r Undulator period γ_r Electron rest mass γ_r Martin and the expectively γ_r Scaled complex growth rate of the linear FEL γ_r Growth rate of the exponentially growing mode in 1D		
E Slowly-varying transverse electric field amplitude E_V Fourier component of the transverse electric field $\mathcal{E}(\phi)$ Angular representation of the transverse electron beam transverse emittance $\mathcal{E}_x = \langle x^2 \rangle \langle x^2 \rangle - \langle xx' \rangle^2$ $\mathcal{E}_{x,n}$ Normalized transverse emittance of the electron beam \mathcal{E}/γ $\mathcal{E}_{x,n}$ Radiation emittance $\mathcal{E}_x \geq \lambda/4\pi$ for F Electron phase space distribution function \mathcal{E}_y for F Electron phase space distribution function \mathcal{E}_y \mathcal{E}_x Electron energy (in units of mc^2) \mathcal{E}_x $$		-
E_v Fourier component of the transverse electric field $\mathcal{E}(\phi)$ Angular representation of the transverse electric field η Relative energy deviation from resonance $(\gamma - \gamma_r)/\gamma_r$ ϵ_0 Vacuum permittivity ϵ or $\epsilon_{x,y}$ Electron beam transverse emittance $\epsilon_x = \langle x^2 \rangle \langle x^2 \rangle - \langle xx^4 \rangle^2$ $\epsilon_{x,n}$ Normalized transverse emittance of the electron beam ϵ/γ ϵ_r Radiation emittance $\epsilon_r \geq \lambda/4\pi$ f or F Electron phase space distribution function f_v Fourier component of the distribution function f Fourier component of the distribution function f Electron energy (in units of mc^2) γ_r Resonant electron energy (in units of mc^2) γ_r Resonant electron energy (in units of mc^2) γ_r Resonant electron energy (in units of mc^2) γ_r Planck's constant over 2π I Peak electron bunch current I_A Alfvén current ≈ 17 kA J_x Transverse current I_A Alfvén current ≈ 17 kA J_x Transverse particle action J_n Bessel function of order n ($n = 0, 1, 2, \ldots$)[JJ]Undulator Bessel function factor at the fundamental [JJ] $_1 = [JJ]$ [JJ]Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber ω_1/c k_{β} Average betatron focusing wavenumber ω_1/c k_{α} Undulator deflection parameter $K = eB_0/mck_u$ L_G 1D FEL power gain length L_{α} Undulator length	••	
$\mathcal{E}(\phi)$ Angular representation of the transverse electric field η Relative energy deviation from resonance $(\gamma - \gamma_r)/\gamma_r$ ϵ_0 Vacuum permittivity ε or $\varepsilon_{x,y}$ Electron beam transverse emittance $\varepsilon_x = \langle x^2 \rangle \langle x'^2 \rangle - \langle xx' \rangle^2$ $\varepsilon_{x,n}$ Normalized transverse emittance of the electron beam ε/γ ε_r Radiation emittance $\varepsilon_r \geq \lambda/4\pi$ f or F Electron phase space distribution function f_v Fourier component of the distribution function γ Electron energy (in units of mc^2) γ Resonant electron energy (in units of mc^2) γ Initial/reference electron energy (in units of mc^2) γ Initial/reference electron energy (in units of mc^2) γ Qod harmonic order $h = 1, 3, 5,$ γ Planck's constant over 2π γ Peak electron bunch current γ Alfvén current ≈ 17 kA γ Transverse current γ Transverse particle action γ Bessel function of order $n (n = 0, 1, 2,)$ γ [JJ]Undulator Bessel function factor at the fundamental [JJ] γ γ Undulator Bessel function factor at harmonic γ γ Transverse particle action γ Electron focusing wavenumber γ γ Undulator deflection parameter γ γ Verage betatron focusing wavenumber γ γ Electron focusing wavenumber γ γ Undulator deflection parameter γ γ Electron rest mass γ Undulator period<		
$η$ Relative energy deviation from resonance $(γ - γ_r)/γ_r$ $ε_0$ Vacuum permittivity $ε$ or $ε_{x,y}$ Electron beam transverse emittance $ε_x = \langle x^2 \rangle \langle x'^2 \rangle - \langle xx' \rangle^2$ $ε_{x,n}$ Normalized transverse emittance of the electron beam $ε/γ$ $ε_{x,n}$ Radiation emittance $ε_r \ge λ/4π$ f or F Electron phase space distribution function $f_ν$ Fourier component of the distribution function $f_ν$ Resonant electron energy (in units of mc^2) $γ_r$ Resonant electron energy (in un	•	
$ε_0$ Vacuum permittivity $ε$ or $ε_{x,y}$ Electron beam transverse emittance $ε_x = \langle x^2 \rangle \langle x'^2 \rangle - \langle xx' \rangle^2$ $ε_{x,n}$ Normalized transverse emittance of the electron beam $ε/γ$ $ε_r$ Radiation emittance $ε_r \ge λ/4π$ f or F Electron phase space distribution function f_v Fourier component of the distribution function $γ$ Electron energy (in units of mc^2) $γ_r$ Resonant electron energy (in units of mc^2) $γ_0$ Initial/reference electron energy (in units of mc^2) h Odd harmonic order $h = 1, 3, 5,$ h Planck's constant over $2π$ I Peak electron bunch current I_A Alfvén current $\approx 17 \text{ kA}$ J_x Transverse current J_x Transverse particle action J_n Bessel function of order $n(n = 0, 1, 2,)$ $[JJ]$ Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber $ω_1/c$ $k_β$ Average betatron focusing wavenumber $= 1/\tilde{β}_x$ k_u Undulator wavenumber K Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_G 3D FEL power gain length $λ_1$ Fundamental FEL wavelength $λ_h$ FeL wavelength at harmonic h $λ_h$ FeL wavelength at harmonic h $λ_u$ Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes,	$\mathcal{E}(\phi)$	
$ε$ or $ε_{x,y}$ Electron beam transverse emittance $ε_X = \langle x^2 \rangle \langle x'^2 \rangle - \langle xx' \rangle^2$ $ε_{x,n}$ Normalized transverse emittance of the electron beam $ε/\gamma$ $ε_r$ Radiation emittance $ε_r \ge \lambda/4\pi$ for F Electron phase space distribution function f_y Electron energy (in units of f_y Electron energy (in units of f_y Pourier component of the distribution function f_y Electron energy (in units of f_y Pourier component of the distribution function f_y Electron energy (in units of f_y Pourier component of the distribution function f_y Pourier component of f_y Pourier f_y Pourier f_y Pourier f_y Pourier f_y Pourier f_y Pourier Pourier f_y Pourier Pourier f_y Pourier Pourie	η	
$ε_{x,n}$ Normalized transverse emittance of the electron beam $ε/γ$ $ε_r$ Radiation emittance $ε_r \ge λ/4π$ for F Electron phase space distribution function f_v Fourier component of the distribution function f_v Electron energy (in units of mc^2) f_v Resonant electron energy (in units of mc^2) f_v Resonant electron energy (in units of mc^2) f_v Initial/reference electron energy (in units of mc^2) f_v Initial/reference electron energy (in units of mc^2) f_v Planck's constant over f_v Planck's constant over f_v Planck's constant over f_v Alfvén current f_v	ϵ_0	* *
$ε_r$ Radiation emittance $ε_r ≥ λ/4π$ f or F Electron phase space distribution function $f_ν$ Fourier component of the distribution function $γ$ Electron energy (in units of mc^2) $γ_r$ Resonant electron energy (in units of mc^2) $γ_0$ Initial/reference electron energy (in units of mc^2)	ε or $\varepsilon_{x,y}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\varepsilon_{x,n}$	Normalized transverse emittance of the electron beam ε/γ
Fourier component of the distribution function γ Electron energy (in units of mc^2) γ Resonant electron energy (in units of mc^2) γ Resonant electron energy (in units of mc^2) γ Resonant electron energy (in units of mc^2) γ Old Initial/reference electron energy (in units of mc^2) γ Old harmonic order $h = 1, 3, 5,$ h Planck's constant over 2π I Peak electron bunch current I_A Alfvén current $\approx 17 \text{ kA}$ I_A Transverse current I_A Transverse particle action I_A Bessel function of order n ($n = 0, 1, 2,$) [JJ] Undulator Bessel function factor at the fundamental [JJ] $_1 = [\text{JJ}]$ [JJ] $_h$ Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber ω_1/c k_β Average betatron focusing wavenumber $1/\bar{\rho}_x$ k_u Undulator wavenumber I_A Undulator wavenumber I_A Undulator deflection parameter I_A I_A Electron fellow for a monoenergetic beam I_A I_A Undulator length I_A Undulator length I_A Fundamental FEL wavelength I_A Fundamental FEL wavelength at harmonic I_A Undulator period I_A Undulator period I_A Electron rest mass I_A Number of transverse or longitudinal modes, respectively I_A Scaled complex growth rate of the linear FEL I_A Growth rate of the exponentially growing mode in 1D	$arepsilon_r$	Radiation emittance $\varepsilon_r \ge \lambda/4\pi$
Properties Electron energy (in units of mc^2) Properties Resonant electron energy (in units of mc^2) Resonant electron energy (in units of mc^2) Initial/reference electron energy (in units electron energe (in electron energe (i	f or F	Electron phase space distribution function
γ_r Resonant electron energy (in units of mc^2) γ_0 Initial/reference electron energy (in units of mc^2) h Odd harmonic order $h=1,3,5,\ldots$ h Planck's constant over 2π I Peak electron bunch current I_A Alfvén current ≈ 17 kA J_x Transverse current $J_{x,y}$ Transverse particle action J_n Bessel function of order n ($n=0,1,2,\ldots$) [JIJ] Undulator Bessel function factor at the fundamental [JJ] $_1 = [JJ]$ [JJ] $_h$ Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber $ω_1/c$ $k_β$ Average betatron focusing wavenumber $= 1/\bar{β}_x$ k_u Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length $λ_1$ Fundamental FEL wavelength $λ_1$ Fundamental FEL wavelength $λ_1$ Fundamental FEL wavelength $λ_1$ Fundamental FEL wavelength $λ_1$ Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively $μ$ Scaled complex growth rate of the linear FEL $μ_3$ Growth rate of the exponentially growing mode in 1D	$f_{ u}$	
$γ_0$ Initial/reference electron energy (in units of mc^2) h Odd harmonic order $h = 1, 3, 5, \dots$ \hbar Planck's constant over 2π I Peak electron bunch current I_A Alfvén current ≈ 17 kA J_x Transverse current $J_{x,y}$ Transverse particle action J_n Bessel function of order n ($n = 0, 1, 2, \dots$) [JJ] Undulator Bessel function factor at the fundamental [JJ] ₁ = [JJ] [JJ] _h Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber $ω_1/c$ $k_β$ Average betatron focusing wavenumber $= 1/\bar{β}_x$ k_u Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length $λ_1$ Fundamental FEL wavelength $λ_1$ Fundamental FEL wavelength $λ_1$ Fundamental FEL wavelength $λ_1$ Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively $μ$ Scaled complex growth rate of the linear FEL $μ_3$ Growth rate of the exponentially growing mode in 1D	γ	
$h \qquad \text{Odd harmonic order } h = 1, 3, 5, \dots$ $h \qquad \text{Planck's constant over } 2\pi$ $I \qquad \text{Peak electron bunch current}$ $I_A \qquad \text{Alfv\'en current} \approx 17 \text{ kA}$ $J_x \qquad \text{Transverse current}$ $J_{x,y} \qquad \text{Transverse particle action}$ $J_n \qquad \text{Bessel function of order } n (n = 0, 1, 2, \dots)$ $[JJ] \qquad \text{Undulator Bessel function factor at the fundamental } [JJ]_1 = [JJ]$ $[JJ]_h \qquad \text{Undulator Bessel function factor at harmonic } h$ $k_1 \qquad \text{Fundamental radiation wavenumber } ω_1/c$ $k_β \qquad \text{Average betatron focusing wavenumber} = 1/\bar{β}_x$ $k_u \qquad \text{Undulator wavenumber}$ $K \qquad \text{Undulator wavenumber}$ $K \qquad \text{Undulator deflection parameter } K = eB_0/mck_u$ $L_{G0} \qquad \text{1D FEL power gain length of a monoenergetic beam}$ $L_G \qquad \text{3D FEL power gain length}$ $λ_1 \qquad \text{Fundamental FEL wavelength}$ $λ_2 \qquad \text{Undulator period}$ $m \qquad \text{Electron rest mass}$ $M \qquad \text{Total number of independent modes in a radiation pulse}$ $M_{T,L} \qquad \text{Number of transverse or longitudinal modes, respectively}$ $μ \qquad \text{Scaled complex growth rate of the linear FEL}$ $μ_3 \qquad \text{Growth rate of the exponentially growing mode in 1D}$	γ_r	Resonant electron energy (in units of mc^2)
ħPlanck's constant over 2π IPeak electron bunch currentI_AAlfvén current ≈ 17 kAJ_xTransverse currentJ_x,yTransverse particle actionJ_nBessel function of order n ($n = 0, 1, 2,$)[JJ]Undulator Bessel function factor at the fundamental [JJ]₁ = [JJ][JJ]hUndulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber $ω_1/c$ $k_β$ Average betatron focusing wavenumber = $1/\bar{β}_x$ k_u Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length L_u Undulator length $λ_1$ Fundamental FEL wavelength $λ_h$ FEL wavelength at harmonic h $λ_u$ Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively $μ$ Scaled complex growth rate of the linear FEL $μ_3$ Growth rate of the exponentially growing mode in 1D	γ_0	Initial/reference electron energy (in units of mc^2)
I Peak electron bunch current IA Alfvén current ≈ 17 kA Jx Transverse current $J_{x,y}$ Transverse particle action Jn Bessel function of order n ($n = 0, 1, 2,$) [JJ] Undulator Bessel function factor at the fundamental [JJ]₁ = [JJ] [JJ]h Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber $ω_1/c$ $k_β$ Average betatron focusing wavenumber = $1/\bar{\beta}_x$ k_u Undulator wavenumber K Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_G 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length L_u Undulator length $λ_1$ Fundamental FEL wavelength $λ_h$ FEL wavelength at harmonic h $λ_u$ Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively $μ$ Scaled complex growth rate of the linear FEL $μ_3$ Growth rate o	h	Odd harmonic order $h = 1, 3, 5, \dots$
I_A Alfvén current $\approx 17 \mathrm{kA}$ J_x Transverse current $J_{x,y}$ Transverse particle action J_n Bessel function of order $n (n=0,1,2,\ldots)$ $[JJ]$ Undulator Bessel function factor at the fundamental $[JJ]_1 = [JJ]$ $[JJ]_h$ Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber ω_1/c k_{β} Average betatron focusing wavenumber $= 1/\bar{\beta}_x$ k_u Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length L_u Undulator length λ_1 Fundamental FEL wavelength λ_h FEL wavelength at harmonic h λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	\hbar	Planck's constant over 2π
Transverse current $ \mathcal{J}_{x,y} \qquad \text{Transverse particle action} \\ J_n \qquad \text{Bessel function of order } n (n=0,1,2,\ldots) \\ [JJ] \qquad \text{Undulator Bessel function factor at the fundamental } [JJ]_1 = [JJ] \\ [JJ]_h \qquad \text{Undulator Bessel function factor at harmonic } h \\ k_1 \qquad \text{Fundamental radiation wavenumber } \omega_1/c \\ k_{\beta} \qquad \text{Average betatron focusing wavenumber } = 1/\bar{\beta}_{\mathcal{X}} \\ k_u \qquad \text{Undulator wavenumber} \\ K \qquad \text{Undulator deflection parameter } K = eB_0/mck_u \\ L_{G0} \qquad \text{1D FEL power gain length of a monoenergetic beam} \\ L_G \qquad \text{3D FEL power gain length} \\ \lambda_1 \qquad \text{Undulator length} \\ \lambda_1 \qquad \text{Fundamental FEL wavelength} \\ \lambda_h \qquad \text{FEL wavelength at harmonic } h \\ \lambda_u \qquad \text{Undulator period} \\ m \qquad \text{Electron rest mass} \\ M \qquad \text{Total number of independent modes in a radiation pulse} \\ M_{T,L} \qquad \text{Number of transverse or longitudinal modes, respectively} \\ \mu \qquad \text{Scaled complex growth rate of the linear FEL} \\ \mu_3 \qquad \text{Growth rate of the exponentially growing mode in 1D} \\ $	I	Peak electron bunch current
$\mathcal{J}_{x,y}$ Transverse particle action J_n Bessel function of order n ($n=0,1,2,\ldots$) $[JJ]$ Undulator Bessel function factor at the fundamental $[JJ]_1 = [JJ]$ $[JJ]_h$ Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber ω_1/c k_{β} Average betatron focusing wavenumber $= 1/\bar{\beta}_x$ k_u Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length L_u Undulator length λ_1 Fundamental FEL wavelength λ_h FEL wavelength at harmonic h λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	I_A	Alfvén current $\approx 17 \text{ kA}$
J_n Bessel function of order n ($n=0,1,2,\ldots$) $[JJ]$ Undulator Bessel function factor at the fundamental $[JJ]_1 = [JJ]$ $[JJ]_h$ Undulator Bessel function factor at harmonic h k_1 Fundamental radiation wavenumber ω_1/c k_{β} Average betatron focusing wavenumber $= 1/\bar{\beta}_x$ k_u Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length L_u Undulator length λ_1 Fundamental FEL wavelength λ_h FEL wavelength at harmonic h λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	J_{χ}	Transverse current
$[JJ] \qquad \qquad \text{Undulator Bessel function factor at the fundamental } [JJ]_1 = [JJ]$ $[JJ]_h \qquad \qquad \text{Undulator Bessel function factor at harmonic } h$ $k_1 \qquad \qquad \text{Fundamental radiation wavenumber } \omega_1/c$ $k_\beta \qquad \qquad \text{Average betatron focusing wavenumber } = 1/\bar{\beta}_X$ $k_u \qquad \qquad \text{Undulator wavenumber}$ $K \qquad \qquad \text{Undulator deflection parameter } K = eB_0/mck_u$ $L_{G0} \qquad \qquad \text{1D FEL power gain length of a monoenergetic beam}$ $L_G \qquad \qquad \text{3D FEL power gain length}$ $L_u \qquad \qquad \text{Undulator length}$ $\lambda_1 \qquad \qquad \text{Fundamental FEL wavelength}$ $\lambda_1 \qquad \qquad \text{Fundamental FEL wavelength}$ $\lambda_h \qquad \qquad \text{FEL wavelength at harmonic } h$ $\lambda_u \qquad \qquad \text{Undulator period}$ $m \qquad \qquad \text{Electron rest mass}$ $M \qquad \qquad \text{Total number of independent modes in a radiation pulse}$ $M_{T,L} \qquad \qquad \text{Number of transverse or longitudinal modes, respectively}$ $\mu \qquad \qquad \text{Scaled complex growth rate of the linear FEL}$ $\mu_3 \qquad \qquad \text{Growth rate of the exponentially growing mode in 1D}$	$\mathcal{J}_{x,y}$	Transverse particle action
$[JJ]_h \qquad \qquad \text{Undulator Bessel function factor at harmonic } h$ $k_1 \qquad \qquad \text{Fundamental radiation wavenumber } \omega_1/c$ $k_\beta \qquad \qquad \text{Average betatron focusing wavenumber } = 1/\bar{\beta}_X$ $k_u \qquad \qquad \text{Undulator wavenumber}$ $K \qquad \qquad \text{Undulator deflection parameter } K = eB_0/mck_u$ $L_{G0} \qquad \qquad \text{1D FEL power gain length of a monoenergetic beam}$ $L_G \qquad \qquad \text{3D FEL power gain length}$ $L_u \qquad \qquad \text{Undulator length}$ $\lambda_1 \qquad \qquad \text{Fundamental FEL wavelength}$ $\lambda_1 \qquad \qquad \text{Fundamental FEL wavelength}$ $\lambda_1 \qquad \qquad \text{Fundamental FEL wavelength}$ $\lambda_2 \qquad \qquad \text{Undulator period}$ $m \qquad \qquad \text{Electron rest mass}$ $M \qquad \qquad \text{Total number of independent modes in a radiation pulse}$ $M_{T,L} \qquad \qquad \text{Number of transverse or longitudinal modes, respectively}$ $\mu \qquad \qquad \text{Scaled complex growth rate of the linear FEL}$ $\mu_3 \qquad \qquad \text{Growth rate of the exponentially growing mode in 1D}$	J_n	Bessel function of order n ($n = 0, 1, 2,$)
Fundamental radiation wavenumber ω_1/c k_{β} Average betatron focusing wavenumber = $1/\bar{\beta}_x$ k_u Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length L_u Undulator length λ_1 Fundamental FEL wavelength λ_h FEL wavelength at harmonic h λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	[JJ]	Undulator Bessel function factor at the fundamental $[JJ]_1 = [JJ]$
k_{B} Average betatron focusing wavenumber = $1/\bar{\beta}_{x}$ k_{u} Undulator wavenumber K Undulator deflection parameter $K = eB_{0}/mck_{u}$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_{G} 3D FEL power gain length L_{u} Undulator length L_{u} Undulator length L_{u} Euclidean FEL wavelength L_{u} Undulator period L_{u} Undulator period L_{u} Electron rest mass L_{u} Undulator period L_{u} Electron rest mass L_{u} Undulator period L_{u} Electron rest mass or longitudinal modes, respectively L_{u} Electron rate of the linear FEL L_{u} Error of the exponentially growing mode in 1D	$[JJ]_h$	Undulator Bessel function factor at harmonic h
k_u Undulator wavenumber K Undulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length L_u Undulator length L_u Undulator length L_u Euclidean FEL wavelength L_u Undulator period L_u Undulator period L_u Undulator period L_u Electron rest mass L_u Undulator period L_u Electron rest mass L_u Undulator period L_u Und	k_1	Fundamental radiation wavenumber ω_1/c
KUndulator deflection parameter $K = eB_0/mck_u$ L_{G0} 1D FEL power gain length of a monoenergetic beam L_G 3D FEL power gain length L_u Undulator length λ_1 Fundamental FEL wavelength λ_h FEL wavelength at harmonic h λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	$k_{oldsymbol{eta}}$	Average betatron focusing wavenumber = $1/\bar{\beta}_x$
L_{G0} 1D FEL power gain length of a monoenergetic beam L_{G} 3D FEL power gain length L_{u} Undulator length λ_{1} Fundamental FEL wavelength λ_{h} FEL wavelength at harmonic h λ_{u} Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_{3} Growth rate of the exponentially growing mode in 1D	$k_{\mathcal{U}}$	Undulator wavenumber
L_G 3D FEL power gain length L_u Undulator length λ_1 Fundamental FEL wavelength λ_h FEL wavelength at harmonic h λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	K	Undulator deflection parameter $K = eB_0/mck_u$
L_u Undulator length λ_1 Fundamental FEL wavelength λ_h FEL wavelength at harmonic h λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	L_{G0}	1D FEL power gain length of a monoenergetic beam
λ_1 Fundamental FEL wavelength λ_h FEL wavelength at harmonic h λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	L_G	3D FEL power gain length
$\begin{array}{lll} \lambda_h & & \text{FEL wavelength at harmonic } h \\ \lambda_u & & \text{Undulator period} \\ m & & \text{Electron rest mass} \\ M & & \text{Total number of independent modes in a radiation pulse} \\ M_{T,L} & & \text{Number of transverse or longitudinal modes, respectively} \\ \mu & & \text{Scaled complex growth rate of the linear FEL} \\ \mu_3 & & \text{Growth rate of the exponentially growing mode in 1D} \end{array}$	L_u	Undulator length
λ_u Undulator period m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	λ_1	Fundamental FEL wavelength
m Electron rest mass M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	λ_h	FEL wavelength at harmonic h
M Total number of independent modes in a radiation pulse $M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL μ_3 Growth rate of the exponentially growing mode in 1D	λ_u	Undulator period
$M_{T,L}$ Number of transverse or longitudinal modes, respectively μ Scaled complex growth rate of the linear FEL Growth rate of the exponentially growing mode in 1D	m	Electron rest mass
μ Scaled complex growth rate of the linear FEL Growth rate of the exponentially growing mode in 1D	M	Total number of independent modes in a radiation pulse
μ Scaled complex growth rate of the linear FEL Growth rate of the exponentially growing mode in 1D	$M_{T,L}$	Number of transverse or longitudinal modes, respectively
μ_3 Growth rate of the exponentially growing mode in 1D		Scaled complex growth rate of the linear FEL
	μ_3	
$\mu_{\ell m}$ Growth rate of transverse mode with radial order ℓ and		Growth rate of transverse mode with radial order ℓ and
azimuthal order m		azimuthal order m



xiv Conventions and Notation

Symbol	Physical meaning/description
$\overline{n_e}$	Electron volume density
N_e	Total number of electrons in a bunch
ω_1	Fundamental undulator radiation frequency
ν	Ratio of the radiation frequency ω to the fundamental ω_1
p	Electron angle from the axis $\mathbf{p} = (x', y')$
P	Radiation power
P_{beam}	Electron beam power $(I/e)\gamma mc^2$
P_{sat}	FEL saturation power
ϕ	Radiation angle with respect to the optical axis
ρ	FEL Pierce parameter
σ_η	RMS relative energy spread of the electron beam
$\sigma_r, \sigma_{r'}$	RMS transverse size, divergence of the radiation
σ_{ω}	RMS radiation bandwidth
$\sigma_{\chi},\sigma_{\chi'}$	RMS transverse size, divergence of the electron beam
$t_j(z)$	Electron's arrival time at the undulator location z
t_j	Shorthand for the electron's arrival time at $z = 0$, $t_j = t_j(0)$
$\overline{t}_j(z)$	Electron's arrival time averaged over an undulator period
T	Flat-top electron bunch duration
$t_{\rm coh}$	Radiation temporal coherence time
θ	Electron's phase relative to the radiation wave
U	Total radiation energy
v	Electron's transverse velocity
v_z	Electron's longitudinal velocity
$ar{v}_{\mathcal{Z}}$	Electron's average longitudinal velocity in a planar undulator
x	Electron's horizontal and vertical position (x, y)
x'	Electron's horizontal and vertical angle (x', y')
z	Propagation distance from the undulator beginning
Zsat	FEL saturation distance
Z_R	Rayleigh length of the radiation