
Index

- ID limit, 91, 101, 142
- action, transverse, 148–150
- adjoint eigenvalue equation, 165
- Alfvén current, xiii, 61, 87, 96, 140
- alternating gradient focusing lattice, *see* FODO lattice
- angular representation, 13–15, 17, 156
- APPLE undulator, 55
- azimuthal mode number, 171
- bandwidth
- high-gain FEL, 87, 100, 114, 116, 143, 168
 - low-gain FEL, 88, 162
 - SASE, 117
 - undulator, 46, 50
- beamlet, 189, 252
- bending magnet radiation, 33–35, 40–43, 52
- critical frequency, 40
 - power and power density, 42, 53
 - source size and divergence, 42
- betatron motion, 143, 144
- due to FODO lattice, 148–151
 - smooth focusing approximation of, 149, 151, 153, 155
 - due to undulator focusing, 144–147, 151
 - in a TGU, 270–272, 274, 276
- Bragg crystal, 205–208
- Bragg diffraction, 208
- Bragg’s law, 205
- brightness, radiation, x , 18–22, 33, 203
- 3D low-gain formula for FEL, 161
 - average, 18, 197
 - convolution theorem, 58–60
 - Gaussian field, 20, 26
 - peak, 18, 63, 64
 - phase space interpretation, 19
 - transformation properties, 20
 - transverse coherence, 24
 - undulator field, 57
 - Gaussian approximation, 61–62
 - Wigner function definition, 19
- bunching, 60, 131, 136, 154, 166, 187, *see also* bunching factor
- force, 82
 - harmonic, EEHG, 192
 - harmonic, HGHG, 188
 - harmonic, nonlinear, 183, 184, 251
 - high-gain FEL, 96, 98, 120, 128, 174
 - intensity enhancement, relation to, 29–31
 - low-gain FEL, 83, 89
- bunching factor, 94, 98, 100, 257, 259
- chaotic light, 27–29, 50, 115, 117–120
- charge density, 48
- coherence
- longitudinal
 - number of modes, 121, 186
 - transverse, 22–26, 139
 - number of modes, 26, 50, 62, 122, 139
 - Young’s two-slit experiment, 23, 226
- coherence length, SASE, 63
- coherence time, 26, 28, 29, 93, 246
- SASE, 101, 117, 121
- collective variables for FEL, 97–99, 183, 184, 257–259
- bunching factor, 98, 100, 135, 184, 257, 259
 - collective momentum, 98, 117, 257, 259
- compound refractive lens (CRL), 205
- conservative dynamics, *see* Hamiltonian dynamics
- continuity equation, 105, 154
- Courant–Snyder (Twiss) functions, 6, 148–149
- β_x for high-gain FEL, 143
 - β_x for low-gain FEL, 162
- crossed undulator, 56
- cubic equation, 98, 112
- D-scaling, 142
- deflection parameter, 45
- degeneracy parameter, 29
- Delta undulator, 55
- detuning
- high-gain FEL, 114, 168
 - low-gain FEL, 109, 161
- detuning length, 202
- diffraction, 13–15, 41, 249
- in a high-gain FEL, 139–142, 167
- diffraction, Bragg, 208

- discrete slippage model, 250
 dispersion function, 111
 dispersion relation, 98, 111–113, 125, 165, 167–168
 3D parabolic beam, 169
 flattop energy spread, 114
 zero energy spread, 115
 distribution function, electron, *see* electron
 distribution function
- echo-enabled harmonic generation (EEHG),
 189–194
 harmonic bunching, 192
 efficiency of an FEL oscillator, 89
 electron distribution function, 5, 9
 Klimontovich, 10
 1D FEL, 105
 3D FEL, 154
 transport through a FODO lattice, 8, 148–151
 transport through free space, 7, 12
 elliptically polarized radiation, 54
 emittance, 4–6, 9, 57, 62, 149, 253, 273
 affect on FEL gain, 161–162, 178–179, 228–230
 compensation, 223
 condition for FEL, 102, 142–143, 168
 geometric, 5
 normalized, 6
 radiation, *see* radiation
 storage ring, 64–66
 emitter time, 35–36, 38
 energy conservation, 83, 94–95, 131, 266
 energy recovery linac (ERL), 66, 197
 energy spread, 60, 61
 FEL induced, 86
 energy, transverse, 146–150
 errors
 magnetic, 216–217
 trajectory, 217–220
 European XFEL, 224
 experiments, FEL
 ANL LEUTL, 175, 224, 225
 BNL SDL, 231
 BNL VISA, 225, 226
 DESY TTF, 225
 TTF, 225
 UCLA/LANL, 224
 exponential gain regime, *see* high-gain FEL
- facilities, X-ray FEL
 European XFEL, 75, 224
 FERMI, 75, 194, 225, 231
 FLASH, 226
 LCLS, *see* LCLS
 SACLA, 75, 225, 229
 FAST code, 253
 FEL amplifier, 77, 78, 189, 223, 259, *see also*
 high-gain FEL and self-amplified spontaneous
 emission (SASE)
- FEL oscillator, 75, 77, 89, 106, *see also* low-gain
 FEL and X-ray FEL oscillator
 efficiency, 89
 limiting bandwidth, 200
 FEL slice, 93, 221, 246, 248
 FERMI, 225
 FERMI FEL, 75, 194, 231
 fine structure constant, xii, 41, 51
 FLASH, 225, 226
 focal length
 quadrupole, 8, 9, 219
 thin lens, 20, 204, 206
 focusing lattice, *see* FODO lattice
 focusing parameter, 7, 161
 FODO lattice, 8, 9, 148–151, 153, 246
 four scaled parameters, 167–168, 179
 four-bounce monochromator, 205
 Fourier transform, xii, 255
 longitudinal/temporal, 16, 31, 37, 92, 93, *see also*
 frequency domain
 transverse, 13
 frequency comb, 210–211
 frequency domain, 37, 92
 1D FEL solution, 111
 FEL equations, 106–107, 123
 fundamental frequency, 46, 183
 fundamental mode, 139, 173–176, 185
 Gaussian approximation, 177, 178
 fundamental wavelength, 46, 76
- G_{sat} , 198
 gain length, 96, 115, 175, 185, 229, 277
 3D FEL, 178
 D-scaling, 142
 Gaussian energy spread, 116
 ideal, 1D, 100–101
 Gamma distribution, 121
 Gauss–Laguerre eigenmodes, 170
 GENESIS code, 253
 results from, 140, 175, 217, 220, 228, 229
 GINGER code, 253
 results from, 175
 group velocity, 120, 159
 growing solution, 99, 113, 118, 125, 163, 175, 184
 growth rate, 114–116, 124–125, 142, 165, 167, 170,
 172, 185, 202
- Halbach formula, 43
 Hamiltonian, 82, 130, 242, 244, 256
 Hamiltonian dynamics, 6, 10, 45, 145, 240–244
 canonical transformations, 242–244
 quantum FEL, 256–258
 synchrotron oscillation, 130
 Hammersley or Halton sequence, 252
 Hankel transform, 172, 173
 harmonic coupling, 106
 harmonic wavelength, 49, 182–183

- Heisenberg equation, 257
 helical undulator, *see* undulator, helical
 high-gain FEL
 1D solution, 113–116, 118
 coherence length, 101
 detuning, 114, 168
 four scaled parameters, 167–168, 179
 frequency bandwidth, 100, 114, 116, 117, 143, 168, 175, 221
 fundamental mode, *see* fundamental mode
 gain guiding, 140
 gain length, *see* gain length
 growth rate, 114–116, 165, 167
 Ming Xie's fitting formula, 179
 power spectral density, 113, 115
 quasilinear theory, 123–127
 SASE, *see* self-amplified-spontaneous emission (SASE)
 saturation, 96–97, 100, 117, 118, 120, 122–128
 saturation length, 97, 101, 126
 saturation power, 97, 101, 124
 tolerance to trajectory errors, 217–220
 tolerances to undulator errors, 217
 high-gain harmonic generation (HGHG), 186–189, 194, 231
 BNL SDL, *see* experiments, FEL
 bunching, 188
 cascade, 189
 FERMI, *see* facilities, X-ray FEL
 initial shot noise, 100
 initial value problem, 111, 165, 175, 258
 interference, 21–26, 33, 52–53
 interference pattern, 22–24, 226
 intracavity radiation power, 198, 199
 Jacobi–Anger identity, 49, 92
 Laplace transform, 111
 laser heater, 223, 228
 LCLS, 75, 224, 225, 227–228
 predictions of, 119, 141, 170, 173, 177, 217–220, 222
 lethargy, 199–200, 202
 limiting bandwidth, 200
 linear accelerator/linac, ix, 67, 102, 223
 Liouville equation, 10, 11, 19, 155, *see also*
 continuity equation
 longitudinal supermodes, 200
 low-gain FEL
 detuning, 109, 161
 frequency bandwidth, 87, 88, 109–110, 162
 $j_{C,h}$, 108, 109, 161
 saturation, 88–90
 macroparticles, 250–253
 Madey's theorem, 86
 quantum mechanical derivation, 265–267
 three-dimensional generalization, 160
 matched beam, 147, 148, 151, 166
 matrix solution, 172, 173
 Maxwell–Klimontovich equations (1D), 107, 110, 124
 Maxwell–Klimontovich equations (3D), 155
 MEDUSA code, 253
 microbunching, *see* bunching
 Ming Xie's fitting formula, 179
 natural focusing, 59, 142, 144–147, 160, 246
 in a TGU, 274
 noise degradation, 194
 nonlinear harmonics, 182–185, 254
 optical guiding, 136, 140, 143
 paraxial beam, 1, 2, 13, 203
 paraxial Hamiltonian, 241
 paraxial wave equation, 16, 38, 48, 91, 152
 particle trapping, 88, 128–132
 pendulum equations, 80, 82, 130, 272
 phase space methods for optics, 18–22
 FELs, 63–64, 161, 203
 transverse coherence, treatment of, 23–26
 undulator radiation, 58–62
 photocathode gun, 67, 102, 223
 Pierce parameter, 95–97, 140, *see also* ρ -scaling
 relation to low-gain $j_{C,h}$, 108
 planar undulator, 43, 53, 145
 ponderomotive bucket, 82, 88–90, 97, 129–131, 134
 ponderomotive phase, 78, 96, 153, 244
 power gain length, *see* gain length
 power spectral density, 112
 angular, 17
 high-gain FEL, 113, 115
 spatial, 17
 Poynting flux, 17
 quantum commutator, 256
 quantum FEL parameter, 256
 quantum noise, 28, 259–265
 1/2 photon per mode, 260, 261
 quantum recoil, 114, 262
 quasilinear theory, 123–127
 ρ -scaling, 95–97, 101–102, 123, 162–163
 3D discussion of, 140–142
 radiation
 angular representation, *see* angular representation
 brightness, *see* brightness, radiation
 coherence, *see* coherence
 emittance, 15, 27, 62, 101, 142, 143, 203
 slowly varying envelope, 16, 37, 91, 93, 243
 spontaneous, *see* spontaneous emission
 Rayleigh length Z_R , 15, 140, 203

- high-gain FEL, 141–143, 168
- low-gain FEL, 87, 162, 206, 275
- Rayleigh–Ritz–Galerkin method, 176
- RON code, 253
- SACLA, 75, 225, 229
- saturation, *see* high-gain FEL, saturation *and* low-gain FEL, saturation
- seeded FEL, 131
- seeded FELs, 230, *see also* high-gain harmonic generation *and* echo-enabled harmonic generation *and* self-seeding
- self-amplified spontaneous emission
- shot noise seeding of, 100
- self-amplified spontaneous emission (SASE), 78, 100–102, 115, 126, 132
 - bandwidth, 117, 221
 - coherence length, 63, 100, 118, 119, 121, 122, 126, 132, 186, 250
 - coherence time, 117
 - ensemble average, 112, 115, 127, 175
 - experiments, *see* experiments, FEL
 - number of modes, 121–122
 - power, 118, 179, 221
 - power spectral density, 175
 - shot noise seeding of, 116, 117, 126, 174–176
 - solution for zero energy spread, 118
 - transverse coherence, 139
 - X-ray facilities, *see* facilities, X-ray FEL
- self-seeding, 230, 231
- self-similar solution, 134–135
- separatrix, 82–83, 89, 129
- shot noise, 28, 99, 104, 120, 154, 194, *see also* self-amplified spontaneous emission (SASE), shot noise seeding of simulation of, 251
- sideband instability, 128, 203
- slice average, 93, 246, 248
- slice energy, 220
- slice energy spread, 228
- slippage, radiation, 105, 120, 134, 199, 200, 248–250
 - discrete slippage model, 250
- smooth background distribution, 105, 106, 124, 154, 167
 - 3D parabolic beam, 169
- space charge, 223, 247
- spectral brightness, 18, 64
- spectral photon flux, 18, 51, 51
- spontaneous emission, 50, 65, 76, 86, 265, 267
- start-up noise, 100, 175, 176
- steady state
 - FEL oscillator, 198, 200, 203
 - SASE FEL, 133–134
- stimulated emission, 76, 86, 265
- storage ring, ix, x, 50, 55, 64, 66
 - FEL, 75, 223
 - multi-bend achromat (MBA), 64–66
 - third generation, 63, 64, 75
- superconducting undulator (SCU), 67–68
- superradiance, 133–136
- synchrotron oscillation, 128, 130
- synchrotron period/wavenumber, 82, 84, 89, 90, 97, 134
- tapering of the undulator strength K , *see* undulator, taper
- TDA, 253
- time-squeezing effect, 35–38, 40, 46
- transport matrix, 4, 8, 203
- transverse gradient undulator (TGU), 268–278
 - gain formula for low gain, 274, 275
 - gain length formula for high gain, 277
 - HGHG application, 194
- undulator, 31, 33, 43–44
 - deflection parameter K , xiii, 45
 - Halbach formula, 43
 - helical, 54, 81
 - magnetic tolerances for FEL, 216–217
 - natural focusing, *see* natural focusing
 - parabolic pole faced, 146
 - superconducting (SCU), 67–68
 - taper, 129–132, 221–223
 - linear, 221
 - quadratic, 131
- undulator radiation
 - bandwidth, 46, 50
 - energy spread, effect of, 60, 61
 - fundamental wavelength, 46
 - harmonic emission, 49
 - power and power density, 53
 - source size and divergence, 47, 50, 61
 - spectral photon flux, 51, 51
- Van Kampen modes, 163–167, 175
- Van Kampen orthogonality, 166
- variational solution, 176–177
- wiggle averaging, 80, 242–244
- Wigner function, 19, 161, *see also* brightness, radiation, 263
- X-ray FEL oscillator (XFEL), 197
 - nuclear resonance stabilized, 211–212
- X-ray frequency comb, 209–211
- Young’s two-slit experiment, 23, 226