

## Index

- \*-action, 517, 555
- $*_t$ , 241
- $*_u$ , 326
- $\Phi(G, T)$ , 348, 425
- $\Phi^+(B)$ , 435
- $\Pi_{A/k}$ , 57
- $\Psi(G, T)$ , 349
- $\alpha_p$ , 40
- $\kappa(x)$ , 572
- $\mu_n$ , 40
- $\pi_1(G)$ , 389
  
- $\alpha$ -string through  $\beta$ , 506
- abelian variety, 45
- action
  - by group homomorphisms, 244
  - definite, 269
  - linear, 84, 145, 190
  - locally affine, 272
  - of a group functor, 26
  - of an algebraic group, 26
  - semilinear, 76
  - strictly definite, 269
  - trivial, 26
- $\text{ad}_{\mathfrak{g}}(x)$ , 187
- adjoint group, 373
- adjoint map, 187
- admissible lattice, 512
- affine  $n$ -space, 569
- algebra
  - affine, 579
  - central, 521
  - Clifford, 531
  - diagonalizable, 583
  - division, 521
  - étale, 583
  - Hopf, 65
  - Lie, 186
  - opposite, 523
  - quaternion, 419
    - split, 421
  - separable, 523
  - simple, 521
  - symmetric, 40
  - tensor, 200
    - universal enveloping, 200
- algebra of distributions, 208
- algebra over  $k$ , 521
- algebra with involution
  - simple of unitary type, 527
- algebraic group, 6
  - absolutely simple, 399
  - additive, 39
  - adjoint, 373
  - affine, 6
  - almost pseudo-simple, 399
  - almost-simple, 399
  - anti-affine, 39
  - constant, 40
  - derived, 129
  - diagonalizable, 233
  - elementary unipotent, 295
  - étale, 44
  - finite, 44
  - fixing tensors, 43
  - general linear, 41
  - geometrically almost-simple, 399
  - geometrically simple, 399
  - infinitesimal, 44
  - linear, 87
  - linearly reductive, 248
  - multiplicative, 40, 236
  - multiplicative type, 236
  - of monomial matrices, 52

- over  $R$ , 11
- perfect, 246
- pseudo-reductive, 135
- quasi-split, 376
- reductive, 135
  - pinned, 497
  - quasi-split, 501
  - split, 402
  - splittable, 402
- semisimple, 135, 397
  - anisotropic, 548
  - isotropic, 548
- simple, 399
- simply connected, 388
- solvable, 131, 133
  - split, 132
- split, 384
- strongly connected, 126
- toroidal, 248
- trigonalizable, 324
- trivial, 7, 40
- unipotent, 135
  - split, 299
- vector, 43
- wound unipotent, 299
- algebraic monoid, 7
- algebraic scheme, 572
  - affine, 571
  - complete, 587
  - étale, 583
  - homogeneous, 9
  - integral, 575
  - nonsingular, 583
  - rational, 250
  - reduced, 575
  - regular, 582
  - separated, 579
  - singular, 583
  - smooth, 583
  - unirational, 250
- algebraic subgroup, 7
  - Borel, 354, 363, 375
    - opposite, 452
  - Cartan, 364
  - central, 33
  - characteristic, 21
  - commutator, 131
  - generated by, 53
  - Levi, 549, 562
  - normal, 21
  - parabolic, 356
    - opposite, 554
  - pseudo-parabolic, 550
  - standard parabolic, 553
  - weakly characteristic, 33
- algebraic variety, 580
- almost-simple factor, 441
- $\mathbb{A}^n$ , 572
- anisotropic semisimple kernel, 552
- augmentation ideal, 23
- $\text{Aut}(G)$ , 499
- $\underline{\text{Aut}}(M)$ , 302
- base
  - for a root datum, 618
  - for a root system, 613, 615
  - for a small root system, 552
- bialgebra, 178
- big cell, 452
- birationally equivalent, 580
- $BN$ -pair, 437
- Borel pair, 356, 375
- Borel subgroup, 354, 363, 375
- $\text{Br}(k)$ , 540
- bracket, 186
- Brauer group, 540
- Bruhat cell, 451
- $C(w)$ , 451
- Campbell–Hausdorff series, 290
- Cartan matrix, 627
- Cartan subgroup, 364, 365
- Cartier dual, 213
- Cartier pairing, 213
- Casimir operator, 476
- category
  - $k$ -linear, 172
  - neutral Tannakian, 183
  - rigid tensor, 183
  - semisimple abelian, 241
  - Tannakian, 183
  - tensor, 183
- centralizer, 33
- centre, 33
  - of a Lie algebra, 197
- character, 92, 230
- Chevalley basis, 510

- Chevalley group, 513
- classifies, 76
- Clifford algebra, 531
- closed set of roots, 445
- closed subfunctor, 29
- co-action, 84
- coalgebra, 174, 236
  - cocommutative, 174
  - coétale, 174, 237
- coboundary, 304
- cocharacter, 230
  - regular, 433
- cocycle, 76, 304
- coherent ideal, 573
- coherent module, 573
- coherent sheaf, 571
- cokernel, 592
- commutative, 13
- comodule, 84
  - free, 88
- component group, 52
- connected
  - strongly, 126
- connected components, 572
- connected-étale exact sequence, 114
- contragredient, 472
- coordinate ring, 39
- coroot, 614, 617
- Coxeter graph, 629
- Coxeter group, 614
- crossed homomorphism, 76, 302
  - principal, 302
- $C_V$ , 175
- $D(M)$ , 240
- defined over  $k$ , 22
- degree
  - of an algebra, 521
  - of an isogeny, 46
- dense
  - schematically, 9
- derivation, 187, 194
- descent datum, 589
- $DG$ , 129
- diagram, 617
- Dieudonné ring, 228
- dimension
  - of an algebraic group, 18
  - of an algebraic scheme, 581
- distribution, 208
- divisor, 588
  - prime, 588
- $\mathbb{D}_n$ , 42
- $E(G, M)$ , 308
- effective epimorphism, 592
- eigenspace
  - generalized, 167
  - with character, 92
- eigenvalues
  - of an endomorphism, 166
- $E_{ij}$ , 187, 381
- element
  - group-like, 92
  - semisimple, 171
  - unipotent, 171, 286
  - universal, 576
- elliptic curve, 45
- embedding, 108
- $E^n(G, M)$ , 309
- endomorphism
  - diagonalizable, 166
  - locally finite, 170
  - nilpotent, 166
  - semisimple, 166
  - Steinberg, 383
  - unipotent, 166
- epimorphism, 121
- equidimensional, 581
- equivariant, 26
- exact sequence, 24
  - connected étale, 114
- exp, 287
- $\text{Ext}(G, M)$ , 314
- extension
  - central, 33
  - of algebraic groups, 24
  - sheaf, 313
- extension of scalars, 7
- extension of the base field, 7
- $\text{Ext}^i(G, M)$ , 314
- faithfully flat, 116
- fat subfunctor, 99
- fibre, 579
- fibre bundle, 271
- field of definition, 585

- filtration
  - filtration
    - on  $\text{Rep}(G)$ , 550
- finite algebraic  $p$ -group, 228
- finite group scheme, 44
- fixed-point subscheme, 139
- $F_k$ , 40
- flag, 146
  - maximal, 146
- flag variety, 146, 369
- form, 76
  - inner, 80
  - outer, 81
  - split, 518
- formal character
  - of a representation, 474
- Frobenius morphism
  - absolute, 47
  - relative, 47
- function
  - rational, 580
  - representative, 81
- functor
  - concentrator, 277
  - fibre, 183
  - group, 26
  - of zeros, 29
  - representable, 7
  - separated, 116
- fundamental cocharacters, 453
- fundamental group, 389
- fundamental weight, 466
  
- $G^\circ$ , 14
- $\mathbb{G}_a$ , 39
- $G^{\text{ad}}$ , 373
- $G_\alpha$ , 428
- $G^\alpha$ , 432
- $G^{\text{der}}$ , 129
- $\text{GL}_n$ , 41
- $\mathfrak{gl}_n$ , 187
- $\mathfrak{gl}_V$ , 187
- $\mathbb{G}_m$ , 40
- $G$ -module, 304
- $G$ -morphism, 26
- gradation, 173
- graph automorphism, 628
- graph of a morphism, 585
  
- $G_{\text{red}}$ , 18
- Grothendieck group, 474
- group
  - affine, 172
  - finite of Lie type, 384
  - of connected components, 52
  - reflection, 612
- group algebra, 231, 474
- group variety, 6
- group-like element, 92, 230
- $G_t$ , 241
- $G_u$ , 326, 336
  
- $H(a, b)$ , 421
- Hasse principle, 566
- height
  - of a prime ideal, 580
  - of an algebraic group, 48
- hermitian, 538
  - skew, 538
- Hilbert product formula, 422
- $H^n(G, V)$ , 310
- $H_0^n(G, M)$ , 304
- Hochschild cohomology group, 304
- Hochschild extension, 308
  - central, 308
  - equivalent, 308
  - trivial, 308
- $\text{Hom}(G, H)$ , 213, 243
- homogeneous space, 140, 161
- homomorphism
  - central, 388
  - linear, 43
  - normal, 122
  - of algebraic groups, 7
  - of algebras with involution, 524
  - of bialgebras, 179
  - of Lie algebras, 186
  - quasi-central, 388
  - trivial, 7
- Hopf algebra, 65
  - coconnected, 281
- Hopf ideal, 67
- Hopf subalgebra, 67
- Hurwitz algebra, 542
- hyperalgebra, 208
  
- identity component, 14
- image of a homomorphism, 29

- immersion, 575
  - closed, 575
  - open, 575
- index
  - of a reductive group, 555
- $\text{inn}(g)$ , 32, 373
- inner automorphism, 80, 373
- inner product, 611
- inv, 6
- involution, 524
  - adjoint, 525
  - of the first kind, 524
  - of the second kind, 524
  - of unitary type, 527
  - opposition, 472, 510
  - orthogonal type, 525
  - symplectic type, 525
  - transpose, 526
- irreducible component, 572
- isogenous, 126
  - strictly, 504
- isogeny, 46, 126
  - central, 387
  - étale, 46
  - Frobenius, 487
  - multiplicative, 387
  - of root data, 484
    - central, 485
    - Frobenius, 485
  - of split reductive groups, 486
- isotropy group, 140
- Jacobi identity, 186
- Jordan decomposition, 169, 171
  - additive, 376
- Jordan–Chevalley decomposition, 171
- $k(X)$ , 580
- $k$ -rank, 402
  - semisimple, 402
- kernel, 23
- Killing form, 476
- Krull dimension, 580
- $L(\chi)$ , 390
- $L(G)$ , 188
- $L$ -group, 514
- Langlands dual group, 514
- lattice, 612
- root, 617
  - weight, 617
- length of an element of  $W$ , 451
- Levi subgroup, 549, 554, 562
- Lie algebra, 186
  - algebraic, 190
  - nilpotent, 290
  - semisimple, 476
- Lie subalgebra, 186
  - central, 197
- $\text{Lie}(G)$ , 188
- $\lim_{t \rightarrow 0} \varphi(t)$ , 258
- linear action, 84, 190
- linear structure, 43
- local immersion, 107
- locally finite endomorphism, 170
  - locally nilpotent, 170
  - locally unipotent, 170
  - semisimple, 170
- log, 287
- Luna map, 268
- map
  - characteristic, 391
  - comultiplication, 39, 66
  - lives in, 172
  - rational, 152
  - regular, 571, 572
- maximal torus, 363, 379
- $M_{m,n}$ , 41
- module, 84
  - Dieudonné, 228
- monomial matrix, 52
- monomorphism, 106, 121
- $\text{Mor}(X, Y)$ , 30
- Morita equivalence, 584
- morphism
  - affine, 572
  - étale, 267
  - faithfully flat, 585
  - finite, 573
  - flat, 585
  - of affine algebraic schemes, 571
  - of algebraic schemes, 572
  - of flat sheaves, 116
  - proper, 587
  - realization, 277
  - schematically dominant, 55

646

Index

- smooth, 586
- surjective, 572
- Verschiebung, 224
- Nat, 65
- neutral element, 76
- norm
  - reduced, 523
- normal, 588
- normalizer, 31
- normalizes, 111
- Nrd, 523
- object
  - monogenic, 175
- octonion algebra, 542
  - special, 542
- $o(G)$ , 44
- $O_n$ , 43
- one-parameter subgroup, 230
- open subset
  - basic, 570
- orbit, 27, 139
- orbit map, 27, 262
- order
  - of a finite algebraic group, 44
- orthogonal group, 43
- $\mathcal{O}_{X,x}$ , 572
- $P(\lambda)$ , 264
- $P(R)$ , 617
- $\mathbb{P}(V)$ , 577
- $p$ -Lie algebra, 206
- perfect pairing, 612
- $\mathrm{PGL}_n$ , 111
- Picard group, 588
- pinned root datum, 497
  - isogeny of, 497
- pinning, 497
- pinning map, 497
- $\mathbb{P}^n$ , 572
- point
  - nonsingular, 583
  - regular, 582
  - singular, 583
  - smooth, 583
- primitive element, 292
- primitive vector, 468
- product, 49
  - almost-direct, 49
  - fibred, 49
  - semidirect, 50
- projective embedding
  - nondegenerate, 145
- $Q(R)$ , 617
- quadratic form, 531
  - nondegenerate, 531
- quadratic space, 53, 531
  - regular, 531
- quasi-closed set of roots, 457
- quasi-finite, 579
- quasi-finite algebra, 107
- quotient, 101, 104
- quotient map
  - of algebraic groups, 99
  - of sheaves, 118
- quotient object, 175
- radical, 135, 397
  - geometric, 135
  - geometric unipotent, 135
  - unipotent, 135
- rank, 141, 402
  - of a root system, 614
  - semisimple, 402
- real envelope, 174
- reduced, 463
  - geometrically, 580
- reflection, 611
  - with vector  $\alpha$ , 611
- regular local ring, 254
- regular representation, 87, 163
- regular system of parameters, 254
- $\mathrm{Rep}(G)$ , 165
- represent, 576
- representable, 117, 576
- representation
  - adjoint, 187, 192
  - diagonalizable, 234
  - faithful, 83
  - infinitesimally simple, 482
  - linear, 83
  - semisimple, 90
  - simple, 90
  - trigonalizable, 324
  - trivial, 83
  - unipotent, 280

- Reynolds operator, 249
- ring
  - reduced, 575
  - regular, 581
- ring of representations, 508
- ringed space, 571
- root
  - distinguished simple, 555
  - highest, 616
  - indecomposable, 613
  - special, 616
- root datum, 427, 617
  - based, 497
  - pinned, 497
  - rank, 619
  - reduced, 617
  - semisimple, 618
  - semisimple rank, 619
  - toral, 622
- root group, 428, 553
- root system, 614
  - indecomposable, 616
  - reduced, 615
  - relative, 552
  - small, 552
- roots, 551, 617
  - of a root system, 614
  - of a split reductive group, 425
  - simple, 613
- Satake diagram, 555
- schematically dense, 11
- scheme
  - concentrator, 261, 277
- semilinear action, 76
- semisimple element, 171
- semisimple part, 169
  - semisimple, 171
- series
  - characteristic, 124
  - composition, 127
  - derived, 132
  - descending central, 133
  - nilpotent, 133
  - normal, 124
  - subnormal, 124
    - central, 133
- set of zeros, 29
- sheaf, 116
  - associated with, 116
  - invertible, 588
- simple root, 616
- simply connected covering, 389
- simply laced, 629
- singular locus, 582
- $SL_1(A)$ , 527
- $SL_n$ , 6
- socle, 472
- solvable series, 131
- $SO_n$ , 43
- $Sp(V, \phi)$ , 42
- $Sp_{2n}$ , 42
- space
  - primary, 167
- special orthogonal group, 43
- spinor norm, 535
- split a filtration, 550
- $Spm$ , 571
- $spm$ , 569
- stabilizer, 31, 85, 196
- stabilizes, 85
- strong identity component, 127
- strongly connected, 126
- subgroup variety, 7
- subobject, 175
  - generated by, 175
- subscheme, 575
  - closed, 575
  - open, 574
- subtorus
  - largest, 241
- subvariety
  - abelian, 151
- $Sym(V)$ , 40
- symmetric set of roots, 456
- symmetry
  - with respect to  $B$ , 448
- symplectic group, 42
- system of positive roots, 552, 615
  - attached to  $B$ , 435
- $T_\alpha$ , 428
- tangent space, 13
- $Tgt_x(X)$ , 13
- theorem
  - Barsotti–Chevalley, 154

- Białynicki-Birula decomposition, 273
- Borel fixed-point, 353
- Bruhat decomposition, 437, 450
- Cartan–Killing, 505
- Cartier, 71
- Chevalley, 94, 371
- correspondence, 113
- existence, 503
- existence of quotients, 120
- fixed-point, 343
- full isogeny, 494
- fundamental, 464, 497
- homomorphism, 28, 75, 108, 120
- isogeny, 488
- isomorphism, 112, 120, 494
- Kostant–Rosenlicht, 373
- Lazard, 346
- Lie–Kolchin, 335
- normalizer, 367
- PBW, 200
- reconstruction, 165
- Rosenlicht, 345
- Rosenlicht decomposition, 153
- Skolem, Noether, 522
- smoothness of centralizers, 313
- Zariski’s main, 107
- Tits algebra, 558
- Tits class, 558
- Tits index, 555
- $\mathbb{T}_n$ , 42
- topology
  - Zariski, 569
- torsor, 60, 161
  - trivial, 60
- torus, 43, 236
  - anisotropic, 253
  - induced, 251
  - isotropic, 253
  - maximal, 363
  - quasi-split, 251
  - quasi-trivial, 251
  - split, 236
- totally isotropic
  - flat, 354
  - subspace, 354
- transcendence degree, 581
- transporter, 30
- trigonalizable, 168
- $U(\lambda)$ , 264
- $U_\alpha$ , 428
- $u_\alpha$ , 428
- $\mathbb{U}_n$ , 42
- unipotent element, 171
- unipotent part, 169
  - unipotent, 171
- unipotent radical, 399
- unipotent set of roots, 445
- universal covering, 389
- universal element, 576
- universal enveloping algebra, 200
- $V_\alpha$ , 40
- variety
  - abelian, 45
  - flag, 146
  - Grassmann, 146
  - pseudo-abelian, 149
- $\text{Vec}_k$ , 165
- vector bundle, 271
- vector group, 43
- $w_0$ , 448
- weight, 236
- weight space, 236
- Weil restriction, 57
- Weyl chamber, 433, 613
  - dominant, 435
- Weyl group, 364, 424, 617, 622
  - relative, 552
- Witt decomposition, 548
- Witt index, 536, 548
- Witt vectors, 227
- $\langle X \rangle$ , 175
- $\tilde{X}$ , 577
- $X(G)$ , 230
- $X(Z)$ , 261
- $X^*(G)$ , 239
- $X_*(G)$ , 253
- $X^G$ , 138
- $X_R$ , 30
- Yoneda lemma, 576, 577
- $Z(\lambda)$ , 264
- Zariski closure, 20