

Subject Index

- 0-definable 181
- a free for all 140
- $A \approx_q B$ 357
- $\bar{A}^1$ 357
- A -automorphism 14
- A -definable 181
- a -model 238
- abnormal type 382
- absolute 91, 282
- acceptable class 235
- admits (K -strongly) regular types 250
 - prime models 188
 - stationary regular types 250
 - the pair of cardinals (κ, λ) 211
- affine 181
- Ahlbrandt 182
- $\aleph_c$ -saturated 238
- $\aleph_0$ -categorical 6
- algebraic closure 17
 - geometry 35
 - group 96
 - independence 62
 - type 17
- algebraically closed field 39, 167
 - independent 17
- almost homogeneous 311
 - of modular type 182
 - orthogonal 143
 - –, two types 144
 - –, type and a set 153
 - over 100
 - satisfied 74, 101
 - strongly minimal 18, 182
 - true property 101
- α -type 12
- amalgamation property 11
- atomic 189
- atomistic 191
- AT**-strongly regular 244
- average type 120
- Baldwin 62, 79, 97, 240, 256
- Baldwin-Lachlan Theorem 310
- based 103, 130
 - , indiscernibles 130
 - , type on set 103, 174
 - on the type 294
- Basic Definability Theorem 15, 100
- basis 17
 - , Q_b 378
- Baur 30
- Berline 72
- β -configuration 379
- Beth's Theorem 55
- bidominance 153, 239
- bound of p 75
- bounded exponent 94
 - theory 5, 293
 - type 294
- Bouscaren 311, 314
- Buechler 117, 183, 253
- $\bar{c}$ depends on B over A 38
- canonical base 173, 174, 175
 - –, global type 174
 - –, set of types 175
 - –, stationary type 174
 - K -regular resolution 278
- Cantor-Bendixson rank 158
- cardinality of T 9
- categorical in power 4
 - – – κ 16
- centralizer 93
- Chang-Makkai Theorem 62
- Cherlin 98, 182
- closed, in construction 206
 - subgroup 312
 - unbounded set 214

- cofinality 44
- coheir 65
- coherent 49
- commutator 168
- compact 13, 198
- compactness 9
- complete ϕ -type 55
 - type of $\bar{a}$ over B 12
- completes 318
- completing an amalgam 318
- compulsion 237
- cone above a 342
- configuration 379
- Conjugacy Lemma 76
- connected group 96, 166
 - rank 161
- conservative extension 61
- constrained 361
- construction 195
- continuous 161
 - rank 161
- Coordinatization Theorem 181
- coordinatizes 181
- crosscutting equivalence relations 81
- Decomposition Theorem 264
- deep 5, 282, 352
- definability of types 58, 104, 130
- definable almost over 102
 - closure 173
 - extension 67
 - over 9, 100
- defines 58
- degree 159, 161
- (Δ, μ) -rank 159
- Δ -rank 159
- dependence, of types on types 293
 - relation 35
- depends 293
 - on the finite equivalence relation 101
- depth, of theory T 351
 - , – type p 351
- d -extension of p 63
- dimension 262
 - of a set of indiscernibles 129
- dimensional order property 4
- directed graph 283
- distinguished I -extensions 177
- divides 133
- division ring 97
- does not fork 72, 78
- domain of p 12
- dominates 153
- domination equivalent 153
- DOP 281, 316
- Ehrenfeucht 127
- Ehrenfeucht-Mostowski models 21
 - Theorem 22
- elementary submodel 10
- eni-depth 351
- ENI-dimensional order property 324
- ENI-DOP 281
- ENI-supportive 367
- ϵ -saturated 238
- equivalence of indiscernible sets 128
- equivalent 128
- eventual domination equivalence 155
- eventually nonisolated 306
- exchange axiom 35, 35, 40
- Existence and Extension Axioms 41
 - Axiom 198
- expanding equivalence relations 353
- extended basis 378
- Extension Lemma 73
- extra-stable 311
- $F_{\kappa(T)}^a$ -saturated 238
- finite character, dependence 35, 41
 - –, independence 35
 - –, nonorthogonality 139, 151
 - cover property 25
 - equivalence relation 100
- Finite Equivalence Relation Theorem 105
- finite inessential extension 18
 - simple groups 181
- First Continuity Property 194
- forking, local character 76, 108
- forks 72
- formula over 11
- frame 374
 - , theory 377
- free 38
 - K-amalgam 318
- full configuration, element 393
 - –, model 382
 - stable descending chain condition 92
- fully transitive 253
- Fundamental Order 64
 - Rank Inequality 182

- $\mathcal{G}$ -conjugate 311
- $\mathcal{G}$ -homogeneous 312
- Galois extension 167
- Garavaglia 30, 94
- Generalized Symmetry Lemma 40
- geometry 180
- germane pair 333
 - triple 333
- global multiplicity 87
- good 110
 - schema 63
- graph 283
- Grossberg 31
- group, in model theory 92
- $\mathcal{M}$ by K 97
- Harnik 59, 78, 79
- Harrington 78
- Harrington-Makkai 302
- height, element 342
 - , type 373
- heir 65
- hereditary orthogonality 141
- Hodges 79
- homogeneous 13
- I-atomic 195
 - model 195
- I-construction 195
- I-formulas 193
- I-isolated 194
- I-minimal model 231
- I-prime 197, 236
- I-saturated 197
- ideal 50, 317
- imaginary elements 170
- implicitly divides 133
- independence, w.r.t. a partial order 317, 342
 - property 90
- independent 49
 - , w.r.t. a partial order 51
 - families of models 317
- indiscernibles 118
- inessential extension 18
- infinity rank 161
- invariants sentence 29
- irrelevant 285
- isolated 189
 - types are dense 191
- joint embedding property 10
- K -dimensional order property 318
- K -minimal 348
 - type 237, 252
- K -NDOP 316, 318
- K -prime 235
- K -regular resolution 277
- K -representation 347
- K -strongly regular 242
- κ -depth 350
- κ -labeled tree 355
- κ -partially labeled tree 355
- κ -stable 19
- Kaufmann 117
- L-atomic 210
- L-formulas 209
- L-implied 209
- L-isolates 209
- Löwenheim-Skolem theorems 9
- Lachlan 99, 105, 177, 180, 182, 183, 310
- λ -compact 13, 198
- λ -homogeneous 13
- (λ, K) -tractable 331
- λ -saturated 13
- λ -universal 13
- language of T 9
- Lascar 62, 72, 79, 107, 132, 237, 240, 249, 295, 311, 314
 - rank 160
- Lascar-Poizat 78
- leaf 343
- left translate of p by a 163
- length 279
 - , of a resolution 279
- linearly disjoint 67
- local β -configuration 379
- Local Character of Freeness 42
- local rank 57, 159
- locally atomic 208
 - isolates 209
 - projective 183
- M -conjugate 311
- Macintyre 94
- main gap 3, 282
- Makkai 170, 176
- many-sorted languages 171
- Martin's conjecture 383
- mildly transitive 254
- minimal 19, 252
 - formula 17
- model complete 10

- modular 181
- Monk 30
- Monotonicity 35
 - Axioms 39
- monster model 14
- Morley 20, 54, 57, 99, 127, 180, 282
 - rank 53, 105, 159
 - ranks 38
 - sequence 52
- Morley's Theorem 24, 309
- Mostowski 127
- μ -ample 358
- (μ, K) -tractable 290
- multidimensional 6, 293
- multiplicity 87
- multiply ordered 90
- μ -quasi-isomorphic 357
- Myers 15
- NDOP 316, 346
- needs 78, 366
- n -inconsistent 132
- non-multidimensional 293
- normal formula 177
 - position 334
 - theories 272
 - tree 344
 - type 382
- normalization 176
- Normalization Lemma 178
- notion of freeness 38
- n -type over A 12
- ω -saturated 5
- ω -stable 4, 80
 - descending chain condition 92
- omitting types order property 6
- Open Mapping Theorem 77
- order indiscernibles 22, 118
 - property 68, 94
- orthogonal 138, 148
- orthogonality 139
 - , type and a set 148
 - of strong types 139
 - – two types 138
- over 12, 100
- p is free over A 38
- parallel 131
- persistently isolated 306
- ϕ -multiplicity 87, 108
- ϕ -rank 57
- ϕ -types 4, 55
- Pillay 72, 89, 180, 184, 249, 311, 314
- Pillay-Steinhorn 112
- Poizat 15, 62, 72, 79, 93, 107, 176
- positive Boolean combination 104, 130, 178
 - primitive 25
- precedes 343
- preschema 63
- presentable 325
- pre-weight 266
- primary 197
- prime 19, 188
 - model 188
- principal extension 18
 - type 12, 189
- product 269
 - of types 269
- pseudoplane 6, 183
- pure indiscernibles 120
- pure-injective 235
- quantifier eliminable 10
- quasi-finitely axiomatizable 182
- quasi-isomorphism 357
- quasi-totally transcendental 201
- Rabin-Scott-Ershov 176
- realized 12
- reference points 378
- refining equivalence relations 80
- Reflexivity 35
 - Axiom 42
- regular 242, 248
- relatively $\mathbf{I}$ -saturated 219
- represented 64
- Ressayre 62
- RK-order 237
- Rothmaler 79
- Rowbottom 62
- Rudin-Keisler 237
- Ryll-Nardzewski theorem 97
- Ryll-Nardzewski's Theorem 16
- $\mathbf{S}$ -model 238
- $\mathbf{S}$ -models 5, 238
- s -simple model 379
- Saffe 117, 298
- saturated 13, 198
- Second Continuity Property 194
- semi-regular 261
- Separation of Variables 55
- sequence of indiscernibles 118
- set of indiscernibles 119

- shallow 5, 281, 352
- Shelah 30, 31, 54, 57, 62, 72, 89, 107, 127, 132, 137, 170, 176, 237, 240, 249, 256, 291, 295, 302, 310
 - tree 84
- similar 393
- simple model 379
- Skolem expansion 21
 - language 21
 - theory 21
- small theory 111
- spectrum, bounded theory 309
 - function 2
- Srour 184
- stabilizer 166, 173
- stable 3, 19, 59, 80
 - , incomplete theory 94
 - descending chain condition 92
 - group 92
 - in μ 80
 - system 345
- standard 300
 - class 300
 - triangle 300
- stationary 43, 103
 - , in M^{eq} 173
 - and strongly regular 242
 - inside 103
 - over 43
 - set 214
- Steinitz theorem 4
- Stone representation theorem 11
- Stone Space 12
- stratified order 164
- stratum 164
- strict order property 90
- strictly $\mathbf{I}$ -prime 198
 - minimal 180
 - stable 80
 - superstable 80
- s -trite model 379
- strong A -automorphism 113
 - elementary submodel 219
- Strong Extension Property 47
- strong Martin conjecture 383
 - triviality 143
 - type 113
- strongly based 103, 130
 - –, indiscernibles 130
 - –, type on set 103, 175
- independent 50, 120
- $\mathbf{I}$ -saturated 219
- κ -saturated 69
- minimal formula 16
- – theory 16
- regular 244
- succeeds 343
- superstable 4, 80
 - descending chain condition 92
- supportive 367
- sustains 303
- Symmetry Axiom 40, 202
- system of invariants 2
- Szmielew 30
- Tarski-Vaught property 219
- The Open Mapping Theorem 77, 223
- theory of R -modules 25
- three model theorem 263, 272
- totally categorical 6
 - transcendental 4
 - trivial 328
- tractable type 290
- transitive 181
 - model 181
- Transitivity Axiom for Independence 40
- transitivity of dependence 35, 253
 - – isolation 196
- transposition axiom 196, 203
- tree 343
- triangle 284, 299, 300, 325
 - , of classes 300
 - , – points 299
- Trichotomy Theorem 183
- trite model 379
- trivial 142, 322, 325
 - type 325
- triviality of $\neg$ 322
- two cardinal theorem 20, 211
- two-cardinal formula 20
- type p , based on a type r 294
- U -rank 160
- Ulm's theorem 1
- unbounded theory 6, 293
 - type 148, 290, 294
- uncountable languages 3
- unidimensional 293
- unstable 3, 89
- van der Waerden 35, 45

442 Subject Index

- Vaughn 107
- Vaught 20, 282
 - conjecture 6, 299, 307
- Vaughtian pair 20
- weak transitivity of isolation 196
- weakly isolates 243
 - normal 184
 - orthogonal 143
 - transitive 254
- Wedderburn-Artin theorem 98
- weight 266
 - one 254, 267
 - – types 270
- well-founded 50
- Whitney 35, 45
- width, theory 293
 - , tree 343
- Zariski topology 96
- Ziegler 72, 79, 107, 183
- Zilber 180, 183

Symbol Index

The symbols are organised according to subject matter as follows:

1. Set theoretic notations
2. Basic model theoretic notations
3. Distinguished sets of formulas, theories or types
4. Relations among types, elements and sets.
5. Functions and operators defined in stability theory
6. Classes of models
7. Ranks
8. Specific theories
9. Notations about trees (of models)
10. Notations from algebra
11. Many sorts and L^{eq}
12. Special notations from Chapter XVIII

1. Set theoretic notations

$\alpha(\bar{a})$	image of $\bar{a}$ under α 9
E_i	$\{\bar{e}_j^i < i\}$ 44
$I = \bigcup I$	a convention 317
κ^λ	cardinal exponentiation 9
$\lambda^{<\alpha}$	set of functions from initial segments of α into λ 9
λ^α	set of functions from α into λ 9
$\text{cf}(\delta)$	cofinality of δ 44
$\text{lg}(\bar{a})$	length of $\bar{a}$ 9
$\text{rng}(\bar{a})$	range of $\bar{a}$ 9
Λ_0	ordinals of cofinality ω 214
$\text{mod } \lambda$	modulo λ 287
$\oplus$	natural sum of ordinals 162
$\text{ded}(\kappa)$	Dedekind of κ 90
Δ	symmetric difference 177

2. Basic model theoretic notations

$\bar{a} \in M$	finite sequence 9
$\bar{a} \cup B$	9

αp	image of p under α 14
$(\exists!^k x)\phi(x)$	there are exactly k 10
$(\exists! x)\phi(x)$	there is exactly one 10
$ T $	cardinality of T 10
$F^n(B)$	n -ary formulas over B 11
$F^n(T)$	n -ary formulas over <i>set</i> 11
$F(T)$	formulas over <i>set</i> (some n) 11
$L_{\infty, c+}(Q_D)$	infinitary language with dimension quantifiers 6
L^{sk}	Skolem language 21
$M \models \phi(\bar{a})$	M satisfies ϕ 9
$\text{cl}(B)$	algebraic closure 17
Diag	diagram 74
$\text{dom } p$	domain of p 12
$\text{Th}(M)$	theory of M 9
$\text{Th}(M, B)$	theory of M with B named 9
M^{sk}	Skolem closure of M 21
$p B$	p restricted to B 12
$\phi(M; \bar{a})$	solutions of ϕ in M 9
$\phi(\bar{x})$	first order formula 9
$\phi(\bar{x}; \bar{a})$	first order formula; $\bar{x}$ free, $\bar{a}$ parameters 12, 57

- $p(M)$ solutions of p in M 12
 $p \vdash \phi(\bar{x})$ p implies ϕ 12
 $<$ elementary substructure 10
 $p \simeq q$ p and q represent the same formulas 64
 $S^n(B)$ Stone space of B (fixed n) 12
 $S(B)$ Stone space of B (some n) 1
 $S^\omega(B)$ complete finite types over B 12
 $S(T)$ complete finite types over $\emptyset$ 12
 $|T|$ cardinality of T 10
 $\text{Aut}_A(M)$ automorphisms of M fixing A 14
 M the monster model 14
 $t(A; B)$ type of A over B 12
 $t(\bar{a}; A \cup \bar{d}) = t(\bar{a}'; A \cup \bar{d}')$ equal types with different domains 12
 T^{sk} Skolem closure of T 21
 U_ϕ types containing ϕ 12
 $F(B)$ formulas over B (some n) 11
- 3. Distinguished sets of formulas, theories or types.**
- $\delta_M^J(\gamma)$ number of types in $D_{p,q}$ with dimension $\aleph_{\beta+\gamma}$ 297
 A_B formulas almost over B 106
 $(\bar{a} \perp \bar{b}; C)$ $\bar{a}$ orthogonal to $\bar{b}$ over C 138
 A_I $\cup_{i \in I} A_i$ Shelah notation 317
 $\text{Av}(X; A)$ average of X over A 120
 $\mathcal{B}$ basis for regular types 303
 $C \downarrow_A B$ A independent from B over C 46
 $C(\Delta)$ conjunctions of instances of Δ 159
 $\langle N_0, N_1, N_2 \rangle$ amalgam 318
 $D(M)$ width of types realized in M 297
 $d(p, B)$ definable extension of p to B 63
 $d\phi(\bar{y}; \bar{z})$ defining formula for ϕ -types 60
 $D_{p,q}(M)$ copies of p based on realizations of q in M 297
 E_i initial segment 43
- DOP dimensional order property 316
 ENI-NDOP not the eventually non-isolated dimensional order property 324
 NDOP not the dimensional order property 346
 eni essentially nonisolated 306
 F_B formulas which fork over B 106
 $FE(A)$ finite equivalence relations over A 101
 $FE^m(A)$ finite m -ary equivalence relations over A 101
 F_p automorphisms which fix p 166
 $G_0(p)$ submodule of solutions to $\mathcal{G}_0(p)$ 95
 $\Gamma_p(\phi, \kappa)$ ϕ -tree of height κ over p 55
 G_M automorphism group G restricted to M 311
 $G(p)$ submodule of solutions to $\mathcal{G}(p)$ 95
 $\mathcal{G}$ normal subgroup of $\text{Aut}(M)$ 311
 $\mathcal{G}_0(p)$ pp formulas of finite index in p 95
 $\mathcal{G}(p)$ pp formulas in p 95
 $\phi(x, z, \bar{y})$ translate of $\phi(x, \bar{y})$ 166
 $\text{Saut}_A(M)$ group of strong automorphisms of M 113
 $\text{stp}(c; B) \perp q$ orthogonal type and strong type 139
 N_B nonforking formulas over B 106
 $N(B, A)$ types in $S(B)$ which are free over A 73
 $\neg F_B$ formulas whose negations fork over B 106
 $(\phi/\psi; N) = [\phi(N) : \phi(N) \cap \psi(N)]$ index of ψ in ϕ 29
 neni not essentially nonisolated 306
 $[p]$ equivalence class in fundamental order 64
 p^+ positive primitive formulas in p 94
 p^- positive primitive formulas with negations in p 94

- $p \parallel q$ p parallel to q 131
 $p \perp^a q$ p almost orthogonal to q 143
 $p \perp q$ p orthogonal to q 138
 $p \perp^w q$ p weakly orthogonal to q 143
 p^B free extension of p to B 73
 p_ϕ restriction of p to ϕ 55
 $R(M, A)$ realizations in M of regular types over A 262
 $\mathcal{R}(A)$ regular types over A 293
 $\mathcal{R}(P)$ regular types over prime model 303
 $S_\phi(A)$ complete ϕ -types over A 55
 $W(M, A)$ types of weight 1 over A realized in M 267

4. Relations among types, elements and sets.

- $A \approx_{q, \mu} B$ μ -quasi-isomorphism 357
 $A \downarrow_C B$ A independent from B over C 35
 $(\bar{a} \triangleright_C \bar{b}; C)$ $\bar{a}$ dominates $\bar{b}$ over C 153
 $\bar{a} \triangleright_C \bar{b}$ $\bar{a}$ dominates $\bar{b}$ over C 153
 $(C \downarrow B; A)$ C independent from B over A 73
 $\bar{c} \downarrow_A B$ $\bar{c}$ independent from B over A 73
 $(\bar{c} \downarrow B; A)$ $\bar{c}$ independent from B over A 73
 $\mathcal{F}$ abstract freeness relation 38
 $\mathcal{F}_R$ independence defined by rank 157
 $\sqsubseteq$ bidominant 153, 240
 $\sqsubseteq^e$ eventually bidominant 155
 $p \sim_A q$ p conjugate to q 71
 $p \geq_C q$ $p \geq q$ in fundamental order 64
 $p \triangleright_C q$ p dominates q over C 153
 $(p \triangleright q; C)$ p dominates q over C 153
 $(p \downarrow B; A)$ p free from B over A 72
 $p \mathcal{F} A$ p free over A 38
 $p \vdash_K q$ p bidominant q in K 237
 $p \vdash_K q$ p compels q in K 237
 $t(\bar{c}; B) \mathcal{F} A$ type of $\bar{c}$ over B free from A 38
 $X_1 \sim_A X_2$ X_1 conjugate to X_2 128

5. Functions and operators defined in stability theory.

- ap left translate of p by a 163
 $\delta_M^J(\gamma)$ copies of p based on realizations of q in M 297
 $\beta(p)$ bound of p 75
 $\delta(A)$ width of types over A 293
 $\delta(\mathcal{R}(A))$ width of types over A 293
 $\delta(X)$ width of a family of regular types 293
 $F_\Gamma(A)$ fixed set of automorphisms fixing $\hat{p}$ 177
 $G_{\hat{p}}$ stabilizer of $\hat{p}$ 173
 $F_{\hat{p}}$ fixed set of $G_{\hat{p}}$ 173
 $\mathbf{I}$ a notion of isolation 192
 $I(\aleph_\alpha, K)$ number of members of K at $\aleph_\alpha$ 236
 $I^*(\aleph_\alpha, K)$ number of members of K below $\aleph_\alpha$ 236
 $I(\kappa, K)$ number of members of K at κ 236
 $\kappa(T)$ limit on forking sequence 82
 $\kappa^1(T)$ variant on $\kappa(T)$ 83
 $\kappa_r(T)$ regular approximation to $\kappa(T)$ 82
 $\bar{\kappa}(T)$ bound on forking sequence 42, 82
 $\lambda_0(\mathbf{I})$ minimal size of $\mathbf{I}$ -prime model 197, 296
 $\lambda(T)$ least stability cardinal of T 87
 $\text{cl}(B)$ algebraic closure of B 17
 $\text{dcl}(B)$ definable closure of B 173
 $\dim(E, A, B)$ dimension of E over A in B 129
 $\dim(R(M, A))$ dimension of realizations of regular types over A in M 262
 $\text{dp}(p)$ depth of p 352
 $\text{dp}(T)$ depth of T 352
 $\mu(p)$ multiplicity of p 87
 $\mu_\phi(p)$ ϕ -multiplicity of p 87
 $\mu(T)$ multiplicity of T 87
 $\otimes r_i$ product of types 269
 $p|B$ p restricted to B 73
 $p \otimes q$ free product of types 269
 $T(\gamma, \alpha)$ tree counting function 351
 $t(\gamma, \alpha)$ tree counting function 351

6. Classes of models

- AT** models 193
AT_λ λ -compact models 193
S strongly ($\kappa(T)$) saturated models 193
SET_λ λ-saturated models 193
S_λ strongly λ-saturated models 193
K_α members of K with cardinality $\aleph_\alpha$ 236
K_{≤α} members of K with cardinality at most $\aleph_\alpha$ 236
I a notion of isolation 192

7. Ranks

- φ-rank** 159
R_C continuous (infinity) rank 159
R_Δ local rank 159
R_M Morley rank 159
U(p) U -rank of p 160

8. Specific theories

- CEF_κ** κ cross-cutting equivalence relations (finite splitting) 81
CEF_ω⁺ ω cross-cutting equivalence relations (finite splitting) and addition 81
CEI_κ κ cross-cutting equivalence relations (infinite splitting) 81
EER_β β expanding equivalence relations 353
REF_α⁺ α refining equivalence relations (finite splitting) and addition 81
REF_α α refining equivalence relations (finite splitting) 81
REI_α α refining equivalence relations (infinite splitting) 80
T_R theory of R -modules 25
Z the integers 4
Z₍₂₎ the integers localized at 2 145
Z_m the integers mod m 4

9. Notations about trees (of models)

- a_<** all predecessors of a 50
a_# elements incomparable with a 50, 344
a⁻ the predecessor of a 343
a_< all predecessors of a 343
a_> cone strictly above a 343
A⁺ successors of the node A 348
A₊ elements that generate successors of the node A 348
a₁¹ successors of a 342
a_≥ cone above a 50, 344
A_I Shelah notation 317
a_>ⁿ⁺¹ set of $n + 1$ st successors of a 342
a_< <-predecessors of a 50
A_() bottom node 343
⟨N₀, N₁, N₂⟩ amalgam 318
I⁺ successors of the ideal I 348
I₊ elements that generate successors of the ideal I 348
I = ⋃ I a convention 31
L_{β,α,κ} number of labels 355
dp_κ(a) κ-depth of a 350
ht(a) height of a 344
M_J prime model over ideal J 345
P_{β,α,κ} number of partial labels 355
Pr(x) predecessors of x 195
T(γ, α) tree counting function 351
t(γ, α) tree counting function 351

10. Notations from algebra

- [a, b]** commutator 168
αp image of p under α 14
C_G(a) centralizer of a in G 93
χ_{φ,ψ,n} invariants sentence 29
⊕ direct sum 4
f_r(y) multiplication by r 25
F⁺ additive group of field 97
Gal Galois extension 167
M^{<κ} κth direct sum of module M 29
M^κ κth direct power of module M 29
p⁺ positive primitive formulas in p 94

p^-	positive primitive formulas with negations in p 94
$r!y$	r factorial times y 25
Z	the integers 4
$Z_{(2)}$	the integers localized at 2 145
Z_m	the integers mod m 4
11. Many sorts and L^{eq}	
F_E	function from equality sort to sort S_E 171
$F_\Gamma(A)$	fixed set of automorphisms fixing $\hat{p}$ 177
$G_{\hat{p}}$	stabilizer of $\hat{p}$ 173
$F_{\hat{p}}$	fixed set of $G_{\hat{p}}$ 173
F^ϕ	map from instances of ϕ to their names 174
$\mathcal{F}$	a Boolean algebra of formulas 177
I	ideal of small formulas 177
L^{eq}	language for expansion by naming equivalence classes 171
stp^{eq}	strong type extended to L^{eq} 172
M^{eq}	expansion of M to L^{eq} 171
p^{eq}	p extended to L^{eq} 172
$P_{\psi(\bar{x};\bar{a})}$	distinguished $\psi(\bar{x};\bar{a})$ -extensions 177

$P_{\bar{a}}$	same as $P_{\psi(\bar{x};\bar{a})}$ 177
$S_=$	equality sort 171
S_E	sort attached to E 171
T^{eq}	expansion of T to L^{eq} 171

12. Chapter XVIII

a/A	p needs a over A 366
$\sim$	similar 393
I	379
I^e	379
$I_{\hat{s}}$	378
I_s	378
J_b	378
$J_{b,q}$	378
J_r	378
J_s	378
$\bar{S}$	380
$\bar{T}$	380
$\hat{s}$	369
$\tilde{Q}_a$	375
$\tilde{R}_a$	375
$\tilde{S}_a$	375
$Q_{a,b}$	375
R_a	375
R^e	377
S_a	375
$\bar{s}$	380
S^e	377
$\bar{t}$	380