

## Subject Index

- Aanderaa, S. [1974] 446  
 Absolute 431  
 Abstract 1-section 449  
 Abstraction term 435  
 Acceptable 451  
 —, almost 454  
 Ackermann, W. [1928] 37  
 Aczel, P. 104  
 — [1970] 334, 350  
 — [1975] 246  
 — and Hinman, P. G. [1974] 350, 363, 412  
 — and Richter, W. H. [1974] 446, 447  
 Addison, J. W., Jr. 89, 114, 180, 200  
 — [1954] 180  
 — [1955] 89, 180  
 — [1959] 214  
 — [1959a] 221  
 — [1965] 132  
 — and Moschovakis, Y. N. [1968] 214, 236  
 Adequate 455  
 Admissible 393, 432  
 — set with urelements 455  
 $\aleph_1$ -(semi-) recursive 401  
 Almost acceptable 454  
 Almost all 220  
 Analytic sets 135  
 Analytical hierarchy 80, 84  
 — — over the reals 161  
 — — Theorem 85, 89  
 — —, relativized 86  
 — Indexing Theorem 84  
 — Substitution Theorem 85, 123  
 Anonymous [1961] 463, 466  
 Application 448  
 Arithmetic, axiomatic 118–124  
 —, language of 114–115  
 —, standard model for 114  
 Arithmetical forcing 124–132  
 — hierarchy 69, 73  
 — —, relativized 77  
 — Hierarchy Theorem 74, 80  
 — Indexing Theorem 73  
 — Substitution Theorem 76  
 Axiom of Choice (AC) 11, 214, 215,  
 222–223, 230, 341  
 — — Constructibility 221  
 Baire Category Theorem 17  
 Baire property 183–185, 188, 220, 244–246  
 Bar-Hillel, Y.  
 — [1965] 463, 466  
 — [1970] 464  
 —, Poznanski, E. I. J., Rabin, M. O., and  
 Robinson, A. [1961] 465  
 Barwise, K. J.  
 — [1975] 306, 383, 431, 432, 450, 452, 453,  
 455, 457  
 — [1977] 462, 466  
 Base 237  
 —, canonical 238  
 Basic open set 15  
 — — relation 16  
 Basis 106–114, 130, 155, 195, 207, 211, 218,  
 228, 229, 296  
 — Theorem 198  
 $\beta$ -model 428  
 Binary decimal 19  
 — irrational 19–20, 160–161  
 — sequence 17  
 Blackwell, D. [1967] 231, 236  
 Boldface 78, 87  
 Borel determinacy 222  
 — hierarchy 78, 156–163, 236  
 — —, effective 80, 163–172, 246  
 — — over the reals 160  
 — Hierarchy Theorem 159

- — —, effective 172
- Indexing Theorem 159
- sets (relations) 26, 88, 192–193
- Bounded quantifier 10, 31, 431
- Bounded search 30, 44, 373
- Boundedness Theorem 143, 152, 206, 211, 218, 228, 295, 353
- — —, effective 153, 209, 305, 311
- Bulloff, J. J., Hahn, S. W., and Holyoke, T. C. [1969] 466
  
- Calculable, mechanically 27, 28, 35, 38, 62, 260, 343, 371
- Canonical base 238
- Cantor's Theorem 13
- Cardinal (number) 13
- ,  $\kappa$ - 427
- , —, regular 429
- , regular 385, 419
- Cases, definition by 31
- , — — positive 55
- Category 16, 180, 220
- Theorem, Baire 17  
   see also Meager
- Cenzer, D.  
   — [1974] 447  
   — [1974b] 447
- Characteristic functional 8
- Chinese Remainder Theorem 117
- Choice, Axiom of (AC) 11, 214, 215, 222–223, 230, 341
- axioms 123, 148, 154, 200, 428
- , dependent (DC) 11, 223, 230
- principles, effective 154, 212, 297, 354
- Church's Thesis 27
- Clarke, D. A. [1964] 250
- Closed downward 17
- Closed-open 65, 78, 89
- Closure ordinal 23, 91, 103, 105, 150, 155, 198
- Closure property 30
- — —, effective 37, 166, 271
- Closure under finitary functions 24, 40
- Coding functions 10
- Cofinal 12
- Cohen, P. J. [1963/64] 124
- Collapsing map 216
- Collection,  $\Delta_0$ - and  $\Sigma$ - 432
- Principle 341
- , strong  $\Delta_0$ - 443
- Comeager 17
- Compact operator 26, 260
- space 18
- Companion 453
- Complement 8
- Complete 75, 102
- theory 120
- Completeness Theorem 122
- Component 8
- Composition 9
- , functional 28
- , relational 31
- Comprehension axioms 122, 123, 148, 200, 221, 235, 306, 403, 428  
   see also Separation
- Computation tree 35, 262, 345
- Consistency 108, 214, 222, 230, 235, 341
- Constructibility, Axiom of 221
- , Hypothesis of 201, 214–221, 229, 341, 419, 443, 444, 446, 447
- Constructible 82, 230, 442
- sets, hierarchy of 215
- Constructive ordinal 143
- Continuous 16, 28
- image 188–194, 198–199, 229
- Continuum Hypothesis 11, 13, 185, 188, 219, 443
- — —, Generalized 11, 214
- Co-semi-recursive 52, 70
- — — in  $\mathbb{I}$  261
- Countable 13
- choice ( $AC_\omega$ ) 11
- Course-of-values recursion 33, 43
- Crossley, J. N. [1967] 461, 465
  
- Davis, M. [1964] 229, 234, 236
- Decomposable operator 25, 99–102
- Definable 214
- ,  $\Delta$ - 432
- ,  $\Sigma$ - 432
- Degree 63, 435
- , hyper- 86, 149, 221
- ,  $\Delta^1$ - 221, 235
- Dekker, J. C. E. [1962] 465
- $\Delta$ -definable 432
- -Separation 432
- $\Delta_0$ -Collection 432
- — —, strong 443
- formula 430
- -Separation 432
- Dense 16
- Dependent Choice (DC) 11, 223, 230
- Descriptive Set Theory 18, 58, 64, 156, 163
- Determinacy 222, 230, 241
- , projective 201, 221–236, 353, 446
- Determined 222
- Deterministic 448
- Devlin, K. J. [1973] 214, 221
- Diagonal argument 37
- Discrete topology 15

- Domain 7  
 Dual 238, 266  
  
 Effective 409  
 — Borel hierarchy 80, 163–173, 246  
 — — Hierarchy Theorem 172  
 — boundedness principle 153, 209, 305, 311  
 — choice principles 154, 212, 297, 354  
 — closure property 37, 166, 271  
 —,  $\kappa$ - 407  
 — Recursion Theorem 45  
 — transfinite recursion 166  
 Effectively Borel 80, 163–172  
 — closed 52  
 — closed-open 50  
 — continuous 50  
 — discontinuous 284  
 — open 52  
 Empty sequence 8  
 Enderton, H. B.  
 — [1964] 250  
 — [1972] 114  
 Envelope 448  
 Epsilon ( $\epsilon$ )-structure 214  
 Expansion 30  
 Extended functional 317–334  
  
 Family 236  
 Fan 240  
 Feferman, S. [1964/65] 124, 132  
 Fenstad, J. E.  
 — [1971] 461  
 — [1971a] 236  
 — [1974] 457  
 — [1975] 457  
 — [1980?] 457  
 — and Hinman, P. G. [1974] 459, 460, 462, 464, 465, 466  
 — and Normann, D. [1974] 246  
 Field 13  
 Finite 371, 382  
 —,  $\kappa$ - 392  
 — sequence 8  
 — —, coding of 10–11, 32, 374, 382  
 First category 16  
 — Recursion Theorem 61, 283  
 Fixed point, smallest 23  
 — —, largest 25  
 Flow diagram 286  
 Forcing 124–132  
 Formula 115, 214  
 —,  $\Delta_0$  430  
 —,  $\exists!$  and  $\forall!$  116, 443  
 —, first-order positive 450  
 —,  $\Sigma$  and  $\Pi$  431  
  
 Friedberg–Mućnik Theorem 64, 149, 398  
 Friedman, H. M. [1971] 222, 230, 236  
 Fubini's Theorem 220  
 Function 7  
 — of rank  $k$  8  
 — quantification 57, 75, 82, 345, 355  
 Functional 8  
 —, characteristic 8  
 —, initial 28  
 — quantification 337, 365, 366  
 — quantifier hierarchy 337  
 — substitution 50, 60, 266, 279  
  
 Gale, D. and Stewart, F. M. [1953] 231, 236  
 Game 103, 222, 240, 330  
 —, open 231, 241  
 — quantifier 103, 240, 330, 331, 359, 452  
 Gandy, R. O. 156, 212, 350  
 — [1960] 156  
 — [1967] 271  
 — [1967a] 271, 291, 350  
 — and Yates, C. E. M. 462–466  
 Generalized continuum hypothesis 11, 214  
 Generic 126  
 Gödel, K. 82, 118  
 — Incompleteness Theorem 121  
 — numbering 120, 216, 438  
 — [1931] 15, 37, 124  
 — [1939] 214  
 Gordon, C. [1970] 456  
 Graph 9  
 Grilliot Selection Theorem 366, 370, 457  
 — [1969] 370  
 — [1971] 284  
 — [1971a] 447, 457  
  
 Harrington, L. A.  
 — [1973] 450  
 — [1974] 423  
 — [1978] 230  
 — and MacQueen, D. B. [1976] 370  
 — and Kechris, A. S. [1975] 448  
 — — — [1976] 455  
 Harrison, J. 187  
 Height 216  
 Hierarchy 69, 80, 144, 153, 156, 163, 207, 214, 218, 228, 243, 295, 305, 314, 337, 353  
 Hinman, P. G.  
 — [1964] 350  
 — [1966] 250, 251, 284, 315, 350  
 — [1969] 244, 250, 251, 315, 334  
 — [1969a] 132  
 — [1973] 334  
 — and Moschovakis, Y. N. [1971] 359, 447  
 Hyperanalytical 356

- Hyperarithmetical 147  
 — hierarchy 178, 180  
 Hyperdegree 86, 149, 221, 253, 255  
 Hyperelementary 445, 451  
 Hyperjump 155, 249, 255  
 Hyperprojective 356  
 Hypothesis of Constructibility ( $V = L$ ) 201,  
 214–221, 229, 341, 419, 443, 444, 446, 447  
 — — Projective Determinacy (PD) 201,  
 221–236, 353, 446
- Idealized computer 27, 260, 343, 371  
 Image 7, 57, 188–194, 296, 390, 397  
 Implicitly 79, 106, 113–114, 132, 153, 155,  
 251–255  
 Inaccessible cardinal 235  
 —, recursively 403, 420, 427  
 Incompleteness Theorem 121  
 Index 34, 40, 62, 261  
 —, natural 272  
 Indexable 59  
 Indexing Theorem 73, 84, 159  
 Induction, course-of-values 26  
 — over an inductively defined set 23  
 —, transfinite 12  
 Inductive operator 22–26  
 — —, arithmetical 82, 103–105, 155, 419  
 — —, compact 26  
 — —, decomposable 25, 99–102  
 — —, effective  $\Phi$ -positive 248, 332  
 — —,  $\Delta_1^1$  94, 96, 101, 102, 105, 198, 359  
 — —,  $\Delta_2^1$  341  
 — —, monotone 22  
 — —,  $\Sigma_1^0$  91–94, 101, 217  
 — —,  $\Sigma_1^1$  326–330  
 — —,  $\Sigma_1^1$  97–99, 101, 102, 104, 198  
 — —,  $\Sigma_2^1$  341  
 — —, over  ${}^k\omega$  99  
 — —, over  ${}^{k,1}\omega$  99–102, 339–342, 359, 447  
 — —,  $\Pi_1^0$  90, 94, 100, 103, 150–152, 155  
 — —,  $\Pi_1^1$  89, 97–98, 100, 102, 150  
 — —,  $\Pi_2^1$  339–340  
 — —, positive semi-recursive in  $\mathbb{I}$  284  
 — —, universal 104  
 Infimum (inf) 11  
 Infinitary language 382  
 Infinite branch 17  
 $(\infty, \lambda)$ -partial recursive 377  
 $\infty$ -partial recursive 377  
 Infinity Lemma 17  
 Initial functional 28, 39  
 Interval 16  
 Intuitively calculable  
 see Mechanically calculable  
 Irrational numbers 18
- , binary 19, 20, 160, 161  
 Is defined 7  
 Isolated 17
- Jump operator 249, 307–315  
 — —,  $\Delta_1^1$  250  
 —, ordinary 65, 249
- Kalmar sets 21  
 Kantorovitch, L. and Livenson, E.  
 [1932/33] 245  
 $\kappa$ -cardinal 427, 429  
 — -effective 407  
 — -finite 392  
 — -partial recursive 377  
 — -projectible 427  
 Kechris, A. S.  
 — [1973] 114  
 — [1973a] 449  
 — and Moschovakis, Y. N. [1977] 450  
 Kino, A. and Takeuti, G.  
 — [1962] 382, 403  
 — [1962a] 382, 403  
 Kleene, S. C. 124, 271, 383  
 — [1935/36] 46, 51  
 — [1943] 89  
 — [1950] 89  
 — [1952] 28, 46  
 — [1955] 26  
 — [1955a] 26, 105, 143  
 — [1955b] 46, 68, 89  
 — [1959] 46, 270, 350  
 — [1963] 250, 284, 350  
 Kleene Basis Theorem 108, 213  
 Kolmogorov, A. N. 245  
 Kondó, M. [1938] 200  
 Kreisel, G.  
 — [1961] 382  
 — [1962] 123, 154  
 — and Sacks, G. E. [1965] 383, 403  
 Kreisel Basis Theorem 108  
 Kripke, S. 412  
 — [1964] 383, 393, 419, 444  
 — [1964a] 383, 403  
 Kuratowski, K. [1966] 220  
 Kuratowski–Ulam Theorem 220
- Language, infinitary 382  
 — of arithmetic 114–115  
 — of set theory 214  
 $\lambda$ -search 374  
 — -stable 412  
 Least non- $\Delta_1^1$  97  
 — nonprojectible 424

- non-recursive 97
- recursively inaccessible 420–421
- — Mahlo 423
- — regular 395
- stable 417
- weakly stable 418
- Lebesgue, H. 143
- Length of a computation 261, 351, 457
- — — norm 212
- — — finite sequence 8
- Lerman, M. [198?] 64
- Lévy, A.
- [1963] 382
- [1965] 444
- [1965a] 108
- [1978] 11, 15
- Limit 12, 162
- Ljapunov, A. A. [1953] 246
- , Stschegolkow, E. A., and Arsenin, W. J. [1955] 194
- Local countability 449
- Locally correct 302, 357
- Logic, first order 24, 70, 82, 102, 114–121
- , second order 121–123
- Logical notation 9
- Lorenzen, P. and Myhill, J. [1959] 105
- Löwenheim–Skolem Theorem 413
- Lower Classification 146, 208, 219, 228, 297, 359
- Luzin, N. N. [1930] 143, 187
  
- $\mathfrak{M}$ -positive-Inductive 451
- — —Hyperelementary 451
- — —Spector class 451
- Machover, M. [1961] 382
- Mahlo 448
- , recursively 422–423
- Many-one reducible 65, 75, 90, 136
- Martin, D. A. 213, 235
- [1968] 231, 236
- [1970] 222
- [1975] 222
- [1977] 230
- [1979?] 236
- Meager 16, 63, 110, 114, 130, 183–185, 220
- , co- 17
- Measurable 182, 188, 220, 229, 244–246
- cardinal 188, 222
- Measure 20, 110–113
- Mechanically calculable 27, 28, 35, 38, 62, 260, 343, 371
- semi-calculable 52
- Metafinite 371
- Moldestad, J. [1977] 457
- Monomorphic 24
  
- Monotone operator 22
- see also Inductive operator
- Moschovakis, Y. N. 156, 211, 213, 229
- [1967] 214, 291, 334, 359, 363
- [1969] 214, 456, 457
- [1970] 214, 341
- [1971] 457
- [1971a] 229
- [1972] 102, 334
- [1973] 236
- [1974] 26, 334, 448, 450, 457
- [1974a] 448–454
- [1974b] 447, 454
- [1979?] 236
- Mostowski, A. M. 156
- [1946] 89
- [1969] 214, 221
- Müller, G. H., Oberschelp, A., and Potthoff, K. [1975] 461, 465
- Mycielski, J.
- [1964] 231, 235
- and Steinhaus, H. [1962] 236
- and Swierzkowski, S. 229
  
- Natural index 272
- number 8
- Neumann, J. von 236
- Nonprojectible 423
- Norm 14, 202, 212
- Normal 244, 448
- Normal form 48, 49, 51, 388–389
- —, absence of 259, 262
- Notations for ordinals 173
- Novikov, P. S. 214
- Nowhere dense 16
  
- $\omega$  (omega) 8
- -rule 121
- -structure 121
- $\omega_1$  (omega one) 97
- -computable 398
- —, weakly 398
- -(semi)-recursive 396, 402
- Open 16, 64, 78
- , effectively 52
- game 231, 241
- Operation 237, 307
- $\mathcal{A}$  88, 135, 237, 240, 245
- ,  $\Delta_1^1$  239
- ,  $\Delta_1^1$  247
- , normal 244
- Operator
- see Inductive operator, Jump operator
- Order 215
- Ordering 13

- Order-type 12, 14  
Ordinal (number) 11  
— arithmetic 373  
—, closure 23, 91, 103, 105, 150, 155, 198  
—, constructive 143  
—,  $\Delta_1^1$  97, 208, 230  
—, least see Least  
— notation 173  
—, recursive 97, 104, 246  
—,  $\Sigma_1^1$  and  $\Pi_1^1$  148  
Ordinal Comparison Theorem 104–105, 266, 285, 291, 323, 351, 365  
Oxtoby, J. C. [1971] 187, 220
- Pair 432  
Parameter 100, 258, 347, 377  
Parametrizable 67, 79  
Paris, J. [1972] 236  
Partial continuous 16, 48, 49, 64, 67  
Partial function 7  
Partial recursive 40, 48, 335  
— — in  $\mathbb{I}$  261  
— — in  $\mathbb{II}$  344  
— — in  $\mathcal{F}$  364  
— —,  $\kappa$ -,  $(\infty, \lambda)$ -, or  $\infty$ - 377  
— —, —, in parameters 377  
PD (Hypothesis of Projective Determinacy) 201, 221–236, 353, 446  
Peaches 306  
Perfect set 17, 26, 219, 229, 234  
Péter, R.  
— [1935] 37  
— [1967] 37  
 $\Pi$ -definable 432  
— formula 431  
Platek, R. A. 412  
— [1966] 383, 392, 419, 444  
Plus-One Theorem 450, 457  
— -Two Theorem 450, 457  
Positive analytic 237  
Post's Theorem 76, 87  
Power set 13  
Predecessor function 29, 43, 380  
Pre-wellordering 13  
—,  $\Delta_1^1$  208, 230  
—, norm associated with 14, 202  
— property 201–214, 218, 221, 223, 227, 230, 294, 341  
Prime computable 457  
Primitive recursion 29, 43, 373  
— Recursion Theorem 41  
Primitive recursive functional 29  
— — in  $\beta$  37  
— — in  $\mathbb{I}$  269  
— — index 34  
— — ordinal 142  
— — relation 30, 56  
Product measure 21  
— topology 15  
Projectible 423, 429, 453  
—,  $\kappa$ - 427  
Projection 87, 89, 135  
Projective determinacy 201, 221–236, 353, 446  
— hierarchy 87, 89  
— ordinals 230  
Projectum 423  
Property of Baire 183–185, 188, 220, 244–246  
Provably  $\Delta_2^1$  246  
Putnam, H. [1964] 105
- Quantification, function 57, 75, 82, 345, 355  
—, functional 337, 365, 366  
—, number 54, 71, 82, 116, 262, 266, 294, 325  
— over  $\kappa$  390  
—, set 88  
Quantifier 88, 104, 238, 315–318  
—, game 103, 240, 330, 331, 359, 452
- Rank 8  
Raspberries 306  
Real numbers 18, 160–161, 163, 187  
Recursion, course-of-values 33, 43  
—, definition by 12, 24, 433  
—, primitive 29, 43, 373  
—, transfinite 12, 433  
—, —, effective 166  
Recursion Theorem 41, 45, 261, 335, 344, 380  
— —, effective 45  
— —, First 61, 283  
— —, Primitive 41  
Recursive 27, 40, 56, 70, 335  
— in 63, 282, 348  
— — a functional 261, 307, 318, 344, 364  
— —  $\beta$  62  
—,  $\kappa$ -,  $(\infty, \lambda)$ -, or  $\infty$ - 377  
—, primitive see Primitive recursive  
—, semi- see Semi-recursive  
— union 80  
Recursively axiomatizable 120  
— enumerable 58, 62  
— hyper-inaccessible 421  
— inaccessible 403, 420–421, 427  
— inseparable 60  
— Mahlo 422–423  
— regular 383ff., 395  
Reduce 58

- Reducible, many-one 65, 75, 90, 136  
 —, truth-table 66  
 Reduction property 58, 67, 75, 80, 105, 138,  
   139, 141, 200, 205, 211, 218, 228, 230, 231,  
   236, 295, 390  
 Reflecting 444  
 Regular cardinal 385, 419  
 —, recursively 383ff.  
 Relation 8  
 — on numbers 8  
 —, ordering 13  
 Relational substitution 50  
 Relativized version 62  
 Replacement axiom 236, 390  
 R-sets 245–246  
 Residual 17  
 Resolvable 453  
 Restriction 7  
 Richter, W. H. 103  
 — [1971] 156  
 — [1975] 446  
 Rogers, H., Jr.  
 — [1959] 167  
 — [1967] 68, 200, 213  
 Rosser, J. B. 124  
 Rum 306
- Sacks, G. E.  
 — [1969] 114  
 — [1971] 398  
 — [1974] 449  
 — [1978] 449  
 — and Simpson, S. G. [1972] 399  
 Scale property 232–234  
 Scott, D. S. [1971] 462, 464, 466  
 Search, bounded 30, 44, 373  
 — computable 456  
 —,  $\lambda$ - 374  
 —, unbounded 42, 64, 374  
 Second category 16  
 Section 448  
 —, abstract 1- 449  
 Selection Theorem 53, 145, 208, 211, 218,  
   228, 292, 304–305, 325, 352, 366, 390  
 — —, Grilloit 366, 370, 457  
 Self-determination principle 38, 64  
 Semi-index 52, 62  
 Semi-recursive 52, 62, 70, 119, 335  
 — — in  $\mathbb{1}$  261  
 — —,  $\kappa$ -,  $(\infty, \lambda)$ -, or  $\infty$ - 377  
 — — set 57  
 Semi-Spector class 448  
 Separate 58  
 Separation,  $\Delta_0$ - and  $\Delta$ - 432  
 — property 58, 67, 75, 80, 89, 139, 141, 161,  
   205, 211, 218, 228, 230, 295, 390  
 — —, second 61  
 —,  $\Sigma$ - 443  
 Sequence closed 425  
 Sequence coding 10–11, 32, 374, 382  
 Set theory 11  
 — —, language of 214  
 Shoenfield, J. R.  
 — [1958] 114  
 — [1961] 444  
 — [1962] 89, 230  
 — [1967] 70, 114, 118, 122, 200  
 — [1968] 250, 315  
 — [1971] 132  
 — [1971a] 68  
 — [1971b] 188  
 Shore, R. A. [1977] 398  
 Sierpiński, W. 143  
 $\Sigma$ -Collection 432  
 — -definable 432  
 — formula 431  
 — -Recursion 433  
 — -substructure 443  
 Simpson, S. G. 448  
 — [1974] 403  
 — [1984?] 398  
 Solovay, R. M. 213, 230, 234, 246  
 — [1969] 188  
 Spector, C.  
 — [1955] 143, 156, 180  
 — [1958] 221  
 — [1959] 155, 156  
 — [1961] 26  
 Spector class 447, 448  
 — —,  $\mathfrak{M}$ - 451  
 — —, semi- 448  
 — computation theory 457  
 — -Gandy Theorem 147, 154, 156, 199,  
   213, 229, 300, 333, 356  
 Stable ordinal 412  
 — —, least 417  
 Stage 22  
 — comparison see Ordinal comparison  
 Standard model 114, 451  
 Strategy 222  
 Strawberries 306  
 Strong, H. R. [1968] 457  
 Subcomputation 36, 46, 274, 457  
 —, immediate 276  
 Subinterval 16  
 Substitution, functional 50, 60, 266, 279,  
   336, 347–348, 365  
 —, relational 50  
 Substructure,  $\Sigma$ - 443  
 Superjump 269, 282, 345, 348–349, 409–  
   411, 423

- Suppes, P., Henkin, L., Joja, A., and Moisil, Gr. C. [1973] 464  
 Supremum (sup) 12  
 Suslin, M. 143, 157, 245  
 — operation (quantifier)  $\mathcal{A}$  88, 104, 135, 237, 240, 245  
 —'s Theorem 163  
 Suzuki, Y. [1964] 256
- Takeuti, G. [1960] 382, 419  
 Tanaka, H.  
 — [1967] 114  
 — [1970a] 114  
 Tarski, A. 124  
 Total function 7  
 Transfinite induction 12  
 — recursion 12  
 — —, effective 166  
 Transitive 11  
 — closure 433  
 Tree 141  
 —, computation 35, 262, 345  
 Tugué, T. [1960] 342  
 Turing, A. M. [1936] 46  
 Type 9
- Unbounded search 42, 64, 374  
 Uniformizable 194  
 Uniformization property 194, 199, 200, 218, 229, 232  
 — Theorem 196  
 Uniform(ly) 100, 143  
 Union 432
- , recursive 80  
 Universal relation 59, 67, 73, 84, 93, 158, 171, 337, 338, 351  
 — inductive operator 104  
 Upper Classification 146, 207, 219, 228, 296, 354  
 Urelements 455
- $V = L$  (Hypothesis of Constructibility) 201, 214–221, 229, 341, 419, 444, 446, 447
- Wadge, W. 235  
 — games 235–236  
 Wagner, E. G. [1969] 457  
 Weakly stable 412  
 Well founded 14, 216, 355  
 Well-ordering 14  
 —,  $\Delta_1^1$  97, 208  
 —,  $\kappa$ -recursive 393  
 —, pre- see Pre-wellordering  
 — of  ${}^\omega\omega$  340  
 —, recursive 97  
 —, — in I 283  
 —,  $\Sigma_1^1$  and  $\Pi_1^1$  148  
 Winning strategy 222  
 Wolfe, P. 236
- Zermelo–Fraenkel set theory (ZF) 11, 214, 222, 230, 341  
 Zermelo set theory 236  
 Zero-one Law 21  
 Zuckerman, M. M. [1974] 15