Index

acknowledgments, xiii
agent, 25, 87, 173
allocation curve, 29
    area under, 31
allocation rule, 26
    approximately welfare-maximizing, 43
    cycle monotonicity, 89, 93
    deferred, 107, 111–112
    greedy, 44, 106, 112
    implementable, 27
    monotone, 27
    non-monotone, 45
    scoring function, 108
    virtual threshold, 78
    virtual welfare-maximizing, 62
    welfare-maximizing, 19, 22, 42, 50, 89
approximation algorithm, 43, 44
auction
    approximately optimal, 75, 84
    ascending, 21, 97–98, 112, 115
    clinching, 116–119, 126
    combinatorial, *see* combinatorial auction
    competition, 81
    English, *see* auction, ascending
    first-price, 12, 64, 72–73
    ideal, 15–16
    Japanese, 98
    k-unit, 20, 25, 37, 71
    knapsack, 39–40, 43–46
    multi-item, *see* combinatorial auction
    multi-unit, 114, 126
    online, 22
    optimal, 57, 64
    prior-free, 83
    prior-independent, 79–82, 86
    procurement, 21
    revenue-maximizing, 57
    reverse, 21, 106
    sealed-bid, 12
    second-price, 13, 32
    separate single-item, 98
    sequential, 100
    simple, 75, 77–79, 84
    simultaneous sealed-bid, 101, 201
    single-item, 11–16, 25, 31, 88
    sniping, 102
    spectrum, *see* spectrum auction

sponsored search, *see* sponsored search
third-price, 20
two-step design approach, 18
uniform-price, 114–116
versus negotiation, 81
weird, 75, 83
welfare-maximizing, 15
with budgets, 113
with one bidder, 56, 57

badminton, 1–3
Bayesian analysis, 56, 64, 72–73
Bayesian incentive compatible (BIC), 64
best response, 175
best-response dynamics, 216
as a graph walk, 217
as local search, 274
convergence time, 218
ϵ-, 219, 275
fast convergence, 220–223, 227, 228, 228
in atomic selfish routing, 220–223, 228
in congestion games, 274
in potential games, 217
in scheduling, 227–229
in smooth games, 223–226
in symmetric congestion games, 275
lower bounds, 274, 275
maximum-gain, 219, 224
maximum-relative-gain, 228
maximum-weight, 227
non-convergence, 227, 229
vs. better-response dynamics, 217
bid, 26
critical, 41, 63
false-name, 92, 94
bimatrix game, 7, 279
bounded rationality, 8
Braess's paradox, 4, 145, 158
Brouwer's fixed-point theorem, 290, 296
and Nash's theorem, 291, 293, 296
in higher dimensions, 291
budget, 114
private, 119, 124
budget-balance, 21, 95
Bulow-Klemperer theorem, 80–82, 86
bundle, 88

case studies, xii, 16, 65–66, 99–109, 128–136, 159–161
CCE, *see* coarse correlated equilibrium
CE, *see* correlated equilibrium
Chernoff-Hoeffding bounds, 308
Christie's, 98
coalition
blocking (core allocation), 121
deviation (strong Nash equilibrium), 209
coarse correlated equilibrium, 177–178
and no-regret dynamics, 240–241, 243, 245
approximate, 241
as a linear program, 260

interpretation, 241
tractability, 178, 241, 260, 263, 293
coffee, 290
collusion, 23, 38, 92, 94
combinatorial auction, 88, 94–95, 97
applications, 88
approximation, 96
complements, 99
exposure problem, 104
package bidding, 105
price of anarchy, 201
substitutes, 99
common prior, 48, 57, 72
communication network, 159, 169
computational efficiency, 16
congestion game, 181, 271
as a potential game, 186, 271
computing a correlated equilibrium, 277
intractability of pure Nash equilibria, 272–275
lower bound for best-response dynamics, 274, 275
symmetric, 274–275
$co\mathcal{NP}$, 281
core allocation, 122
correlated equilibrium, 176–177
and no-swap-regret dynamics, 248, 258
as a linear program, 260, 277
in congestion games, 277
interpretation, 176, 241
swapping function, 184, 247
tractability, 177, 249, 260, 263, 277, 293
traffic light example, 177
cost function
in cost-minimization games, 174
in selfish routing, 148
cryptography, 293, 295
CTR, *see* sponsored search, click-through rate

deferred acceptance algorithm, 137–141
applicant-optimality, 140
convergence, 139
incentive properties, 141, 144
deferred allocation rule, *see* allocation rule, deferred
demand
aggregate, 115
of a bidder, 114
reduction, 103, 115
residual, 116
density function, 57
dependencies, xii
direct-revelation, *see* mechanism, direct-revelation
discussion forum, xii
distribution function, 57
dominant strategy, 13
dominant-strategy incentive compatible, *see* DSIC
DSIC, 15, 16, 46
for randomized mechanisms, 86, 126

dynamics, 216
best-response, *see* best-response dynamics
no-regret, *see* no-regret dynamics
no-swap-regret, *see* no-swap-regret dynamics
vs. algorithms, 263

eBay, 13, 21, 58, 65
economics and computation, xi
environment, *see* single-parameter environment
envy-free, *see* sponsored search, envy-free
equilibrium
Bayes-Nash, 48, 57, 64, 72–73
coarse correlated, *see* coarse correlated equilibrium
competitive, *see* Walrasian equilibrium
computation, 263
correlated, *see* correlated equilibrium
dominant-strategy, 46
flow, 152, 164
hierarchy, 173, 208
Nash, *see* Nash equilibrium
refinement, 208
sponsored search, 36
Walrasian, *see* Walrasian equilibrium
experts, *see* online decision making
externality, 50, 90, 195, 202
negative vs. positive, 202

feasible set (of outcomes), 25
Federal Communications Commission (FCC), 106
first welfare theorem, 111
$\mathcal{FIXP}$, 295
flow network, 152–153, 156
multicommodity, 157
$\mathcal{FNP}$ (functional $\mathcal{NP}$), 280
and mixed Nash equilibria, 281
decision vs. search problems, 280
$\mathcal{FNP}$-completeness, 281

Gale-Shapley algorithm, *see* deferred acceptance algorithm
game
compact, 263, 277
congestion, *see* congestion game
constant-sum, 259
cost-minimization, 173
description length, 263
location, 188, 199
network cost-sharing, *see* network cost-sharing game
payoff-maximization, 174, 190
potential, *see* potential game
smooth, *see* smooth game
symmetric, 297
two-player, *see* bimatrix game

zero-sum, *see* zero-sum game
Google, 17
greedy, *see* allocation rule, greedy
group-strategyproof, 38
weakly, 112
GSP, *see* sponsored search, generalized second-price auction

hints, xii, 301–308
$\mathcal{H}_k$, 205
house allocation, 119–122, 125
and kidney exchange, 129

implementable, *see* allocation rule, implementable
incentive guarantee, 16
individual rationality, 15, 26, 46
information rent, 60
intended audience, xii
intractability
of approximate mixed Nash equilibria, 295
of local search, 267–271
of mixed Nash equilibria, 8, 284, 292–293
of pure Nash equilibria, 272–275
of welfare maximization, 41, 92
Iran, 129
item, 11, 88

kidney exchange, 128–136
altruistic donor, 131
chain, 131, 143
for money, 129
incentives for hospitals, 134
incompatibility, 128
pairwise, 131–134
patient-donor pair, 128
priorities, 132
simultaneous vs. sequential, 130
knapsack problem, 40
auction, *see* auction, knapsack
fully polynomial-time approximation scheme (FPTAS), 45, 52
greedy heuristic, 43

learning, *see* dynamics
online, *see* online decision making
lecture videos, xii
Lemke-Howson algorithm, 292, 295
linear programming, 260, 277, 292
local optimum, 265
local search, 265
abstract, 267
and best-response dynamics, 274
as a walk in a graph, 265, 269
generic procedure, 268
improving move, 265
intractability, 267–271
polynomial, *see* $\mathcal{PLS}$
unconditional lower bounds, 271

Markov chain, 252, 258

matching
in kidney exchange, 131
stable, *see* stable matching
maximum cut problem, 264
and congestion games, 273
is $\mathcal{PLS}$-complete, 270, 277
unconditional lower bounds, 271
with unit edge weights, 266
mechanism, 25
anonymous, 127
approximately optimal, 75, 84, 96
direct-revelation, 26, 46
ideal, 51, 89
indirect, 21, 26, 97–98
onto, 127
optimal, 57
prior-free, 83
prior-independent, 79–82, 86
priority, 125
randomized, 86, 126
serial dictatorship, 125
simple, 84
single-sample, 86
VCG, *see* VCG mechanism
mechanism design, 3
algorithmic, 42–43, 45
applications, 3, 16, 65, 106
Bayesian, xi, 48
direct-revelation, 91
multi-parameter, 87
preference elicitation, 91
single-parameter, 24
two-step design approach, 18, 89
with budgets, 113
Minimax theorem, 254–257
and linear programming duality, 258
and no-regret dynamics, 255, 259
equivalent to equilibrium existence, 258
for constant-sum games, 259
history, 258
interpretation, 255
mix and match, 259
mixed Nash equilibrium, 7, 175
brute-force search algorithm, 296
existence, 175, 290
in bimatrix games, 279
intractability, 8, 176, 284, 292–293
intractability of approximate equilibria, 295
intractability with three or more players, 295
quasitractability of approximate equilibria, 295–297
mixed strategy, 7, 175
MNE, *see* mixed Nash equilibrium
monopoly price, 58, 85
monotone, *see* allocation rule, monotone
monotone hazard rate (MHR), 70, 85
multiplicative weights (MW) algorithm, *see* no-regret algorithm, multiplicative weights

Myerson's lemma, 28–31
in multi-parameter environments, 89
Myerson's payment formula, 30

Nash equilibrium, 7
approximate, 197, 219, 295–297
as a predictor of behavior, 8, 293
best-case, *see* price of stability
existence (mixed), 290
existence (pure), 179–182
existence (strong), 210, 214
in zero-sum games, 255, 258, 260
ℓ-strong, 215
mixed, *see* mixed Nash equilibrium
non-uniqueness, 293
pure, *see* pure Nash equilibrium
strong, 209
worst-case, *see* price of anarchy
Nash's theorem, 7, 290
network cost-sharing game, 203
examples, 203–205
opting out, 205
price of anarchy, 204, 214
price of stability, 205–208
strong Nash equilibria, 208–212
undirected networks, 214
VHS or Betamax, 204
with concave cost functions, 214
network formation, 202, 213
network over-provisioning, 159, 169
no-regret algorithm, 232
design principles, 234
deterministic, 233
existence, 234
follow-the-leader (FTL), 233
follow-the-perturbed-leader (FTPL), 245–246
learning rate, 235, 239
multiplicative weights, 234–239
with unknown time horizon, 239, 243
no-regret dynamics, 239
converges to coarse correlated equilibria, 240–241, 245
in payoff-maximization games, 239
in smooth games, 241, 243
in zero-sum games, 255, 259
non-convergence to mixed Nash equilibria, 259
no-swap-regret algorithm, 248
existence, 249
reduction to a no-regret algorithm, 249–252
no-swap-regret dynamics, 248
converges to correlated equilibria, 248, 258
$\mathcal{NP}$, 42
$\mathcal{NP}$ search problem, *see* $\mathcal{FNP}$

$\mathcal{NP}$-completeness, 264, 276
unsuitability for equilibrium computation, 281–283
$\mathcal{NP}$-hard, 8, 42, 107

Olympic scandal, 1–3
online decision making, 230
adversary (adaptive), 231, 241
adversary (oblivious), 236
algorithm, 231
bandit model, 231, 243
examples, 231–234
history, 243
in games, *see* no-regret dynamics
mistake bound, 244
regret-minimization, *see* no-regret algorithm
with an omniscient expert, 244
with large costs, 243
with payoffs, 231, 255
organization of book, xii
outcome, 87, 174

$\mathcal{P}$, 42
Pareto optimal, 124
payment rule, 26
computation, 42, 51
explicit formula, 30, 33, 41
nonnegative, 26
uniqueness, 28
payoff, 7
performance guarantee, 16
ex post, 56
Pigou's example, *see* selfish routing, Pigou's example
player, 253
$\mathcal{PLS}$, 269, 276
as a subset of $\mathcal{FNP}$, 281
as a subset of $\mathcal{TFNP}$, 283
as a syntactic class, 286
as a walk in a graph, 269
$\mathcal{PLS}$-completeness, 270
analogy with $\mathcal{NP}$-completeness, 267
justification, 283
of computing a locally maximum cut, 270
of computing a pure Nash equilibrium of a congestion game, 272–275
vs. unconditional results, 266
PNE, *see* pure Nash equilibrium
POA, *see* price of anarchy
polynomial time, 41, 263
posted price, 56, 85
potential function, 181, 206
generalized ordinal, 227
minimizer, 207, 214, 215
potential game, 181, 185–186, 199
as a congestion game, 186
convergence of best-response dynamics, 217
equilibrium existence, 182, 217
generalized ordinal, 227
smooth, 223
$\mathcal{PPAD}$, 286, 294
and mixed Nash equilibria, 292–293

and Sperner's lemma, 289
as a subset of $\mathcal{TFNP}$, 288
as a syntactic class, 287
as a walk in a graph, 286
evidence of intractability, 293
$\mathcal{PPAD}$-completeness
of computing a mixed Nash equilibrium of a bimatrix game, 284
of computing a trichromatic triangle, 289
prerequisites, xii
price of anarchy, 5
four-step recipe, 187
in location games, 188–194
in network cost-sharing games, 204, 214
in scheduling, 171–172, 185, 200
in selfish routing, 146–155
in selfish routing (atomic), 165–168
in smooth games, 195–198, 200
in sponsored search, 200
of correlated equilibria, 177
of mixed Nash equilibria, 176
of no-regret dynamics, 241, 243
of strong Nash equilibria, 208–212
optimistic, *see* price of stability
price of stability, 205
in atomic selfish routing networks, 215
in network cost-sharing games, 205–208
interpretation, 208
private, 12
prophet inequality, 75–77, 83, 84
public project, 25
pure Nash equilibrium, 174
existence, 179–182, 184–185
intractability, 272–275, 277
tractability, 278
pure strategy, 174

quasilinear utility, 12, 23, 26
quasipolynomial time, 297

reduction (between search problems), 269, 280, 297
regret, 232
-minimization algorithm, *see* no-regret algorithm
external, 232
external vs. swap, 258
internal, 248
lower bound, 233, 244
swap, 248
vs. stronger benchmarks, 231
regular distribution, *see* valuation distribution, regular
report, 25
reserve price, 58, 65–66
anonymous, 79, 83
bidder-specific, 79, 84, 85

resource augmentation, 161
revelation principle, 46–48, 64, 89
revenue, 59
  curve, 60, 72
  equals virtual welfare, 60
  equivalence, 70, 72
  monotonicity, 94
  of a mechanism, 59, 61
  target, 37
revenue maximization, *see* auction, revenue-maximizing
Rock-Paper-Scissors, 7, 254
routing, *see* selfish routing

SAA, *see* spectrum auction, simultaneous ascending
satisfiability (SAT), 107
  functional version, 281
scheduling, 171–172, 185, 200, 227–229
science of rule-making, *see* mechanism design
secretary problem, 22
selfish routing, 4, 148
  affine cost functions, 151, 156, 171
  affine cost functions (atomic), 165
  α-bounded jump condition, 220
  atomic, 163–168, 170, 184, 198
  atomic splittable, 169
  best-response dynamics (atomic), 220–223, 228, 277
  Braess's paradox, 145, 158
  computing an equilibrium flow (atomic), 277, 278
  concave cost functions, 151, 156
  cost function, 148
  cost of a flow, 153
  equilibrium existence, 146, 165, 179
  equilibrium flow, 152
  equilibrium flow (atomic), 164
  equilibrium uniqueness, 146, 165, 180
  examples, 145–147
  flow, 152
  history, 156
  M/M/1 cost function, 162
  maximum travel time, 157
  multicommodity, 157, 170
  nonlinear Pigou's example, 147
  over-provisioned network, 160–161, 170
  Pigou bound, 151, 157
  Pigou's example, 146–147
  Pigou's example (atomic), 164
  Pigou-like network, 150
  polynomial cost functions, 151, 156
  potential function, 179, 180, 221
  price of anarchy, 146, 148–152
  price of anarchy (atomic), 165, 171
  resource augmentation bound, 161–163, 170,

171
road traffic, 149, 156
total travel time, 153
weighted atomic, 169, 184–185
with a common origin and destination (atomic), 220, 277–278
semantic complexity class, 284, 295
single-item auction, *see* auction, single-item
single-parameter environment, 24
downward-closed, 85
single-peaked preferences, 126
sink vertex, 265
smooth game, 194–198
best-response dynamics, 223–226
examples, 195, 200–201
interpretation, 195
potential, 223
price of anarchy of approximate equilibria, 198, 200
price of anarchy of coarse correlated equilibria, 196
price of anarchy of pure Nash equilibria, 196
with respect to a strategy profile, 195
social welfare, 15, 55, 87
approximation, 43, 92
with budgets, 124, 126
Sotheby's, 98
source vertex, 286
spectrum auction, 97–109
activity rule, 102, 105
bid signaling, 104
deferred allocation rule, 107
demand reduction, 103
descending implementation, 109
exposure problem, 104
hierarchical packages, 105
in New Zealand, 101
in Switzerland, 100
opening bids, 109
package bidding, 105
price discovery, 102
repacking, 106
rookie mistake, 100, 101
sanity checks, 102
scoring function, 108
simultaneous ascending, 102
substitutes vs. complements, 99, 104
Sperner's lemma, 288
and Brouwer's fixed-point theorem, 290
and Nash's theorem, 290–292
as a $\mathcal{PPAD}$ problem, 289
as a walk in a graph, 289
legal coloring, 288
trichromatic triangle, 288
sponsored search, 16–19, 25, 27, 32–35, 65–66
click-through rate, 17
DSIC payment formula, 33
envy-free, 36
equilibrium, 36
equivalence of DSIC and GSP auctions, 35

generalized second-price auction, 33, 35
locally envy-free, 37
price of anarchy, 200
revenue maximization, 71
slot, 17
welfare maximization, 22
stable matching, 136–141
applicant-optimality, 140
blocking pair, 137
deferred acceptance, 137–141
DSIC mechanism, 141
existence, 139
in practice, 143
starred sections, xii
strategy profile, 174
strategy set, 7, 174
strings and springs, 5
submodular function, 192, 199
syntactic complexity class, 283

$\mathcal{TFNP}$ (total functional $\mathcal{NP}$), 283, 294
lack of complete problems, 283
reasons for membership, 284
Top Trading Cycle algorithm, 119–122
in kidney exchange, 129–131
truthful mechanism, *see* mechanism, direct-revelation
TTC, *see* Top Trading Cycle algorithm

unit-demand, *see* valuation, unit-demand
utility, *see* quasilinear utility

valuation, 12, 25, 87
downward-sloping, 126
marginal, 126
single-minded, 53
subadditive, 96
unit-demand, 94, 112, 201
valuation distribution, 57
correlated, 69
irregular, 63, 69
regular, 62, 70
strictly regular, 64
unknown, 80
VCG mechanism, 90, 103
allocation rule, 89
and affine maximizers, 96
ascending implementation, 123
flaws, 91–92, 97, 105
non-monotonicity, 92, 94
payment rule, 90, 93
pivot term, 93, 95
revenue, 92
with unit-demand valuations, 94
Vickrey auction, *see* auction, second-price
Vickrey-Clarke-Groves, *see* VCG mechanism
virtual valuation, 59
ironing, 69
nondecreasing, 62
virtual welfare, 61

Walrasian equilibrium, 110–112
welfare, *see* social welfare

wireless spectrum, *see* spectrum auction

Yahoo, 65–66

zero-sum game, 7, 253–254
- convergence of no-regret dynamics, 255, 259
- minimax pair, 258
- Minimax theorem, *see* Minimax theorem
- mixed Nash equilibrium, 254, 263
- value, 255