

Index

- Abyssal Recipes, 13–14
 Abyssal Recipes II, 15–16
 acoustic backscatter, 7, 188–192
 acoustic travel time probe, 171
 acoustic vorticity probe
 see velocity probe
 acoustic vorticity, 173
 ADCP, 200
 lowered, 178, 200, 201
 adiabatic lapse rate, 27–29, 35
 Admiralty Inlet, 5, 8, 190, 191
 ADV
 see velocity probe
 ADV, 87
 advective instability, 271, 280
 Aleutians, 262
 Andaman Sea, 275
 Antarctic Bottom Water, 4, 9–10, 12, 13, 17,
 63, 64, 314
 Antarctic Circumpolar Current, 9, 109, 306
 Antarctic Circumpolar Front, 245
 Arctic, 114, 118, 223, 310–313
 Argentine Basin, 12
 Atlantic Ocean, 12
 Atlantis II Fracture Zone, 13
 AUV, 185–186
 Autosub, 186
 T-REMUS, 186

 beta effect, 233
 Bosphorus, 56
 bottom boundary layer, 81, 173
 Boussinesq approximation, 51, 74
 Brazil Basin, 12, 109, 296
 Buckingham pi theorem, 72
 buoyancy
 flux, 50, 105
 frequency, 50
 specific buoyancy force, 49

 cabbeling, 10, 48, 64–66, 130
 California Current, 292, 307
 Campbell Plateau, 306
 Canada Basin, 34, 310, 313
 Chain Fracture Zone, 12
 chemical potential, 28
 chipod, 186
 chiS
 see turbulence
 haline dissipation rate, 1
 chiT
 see turbulence
 thermal dissipation rate, 1
 COARE, 257
 conductivity probe
 dual-needle, 139, 163, 166, 299
 Gregg-Cox, 176
 Head probe, 95, 166
 N. Brown, 176
 Sea-Bird, 176
 constant stress layer, 81
 convection
 free, 81–82
 convective instability, 280
 coordinates
 diapycnal, 14
 isopycnal, 14–15
 Lagrangian, 202
 semi-Lagrangian, 202–205
 Coriolis
 frequency
 effective, 214–217, 250
 wavenumber, 281
 Cox number, 106
 salt finger, 127
 critical latitude, 234, 318
 critical layer, 217–218
 CSALT, 257
 CTD, 200

- Denmark Strait, 11
 density, 26, 46–48
 Boussinesq approximation, see Boussinesq approximation, 74
 coef. haline contraction, 48, 67
 coef. thermal expansion, 48, 67
 derivatives, 46
 in-situ, 45
 isothermal compressibility, 47
 measurement, 26
 perturbation, 207
 potential, 45–46, 58
 ratio, 48
 dianeutral
 velocity, 65–67
 diapycnal
 velocity, 55, 65, 194
 diffusion
 differential, 43, 95, 100, 285
 dissipative time scales, 42
 double, see double diffusion, 43
 Dufour, 38
 heat, 40
 length scales, 42
 salt, 40
 Soret, 38–39
 coefficient, 38
 diffusive regime, see double diffusion
 diffusive regime
 diffusivity
 canonical, 14
 diapycnal, 14–15, 104, 108
 isopycnal, 14–15
 K_{dia}, 14, 107
 K_{iso}, 14, 63, 67
 molecular, 26
 salt fingering, 125–127
 thermal eddy coefficient, 105, 106
 DIMES, 8, 260, 309
 direct numerical simulation, 76, 99
 displacement, 203
 dissipation rate
 see turbulence
 viscous dissipation rate, 1
 Doppler shift, 206
 double diffusion, 2, 6, 43, 111–155
 diffusive regime, 135–142
 Arctic, 313
 laboratory flux law, 113, 137–139
 layer thickness, 141–142
 global patterns, 117
 intrusions, 147–155
 formation, 151–155
 mixing, 151
 slopes, 152
 spiciness, 147
 salt finger, 2, 6, 118–129, 285
 collective instability, 123
 Cox number, 127
 eddy coefficients, 125–127, 135
 equations, 120
 fastest growth rate, 121, 128
 flux, 70
 flux in continuous gradient, 124–132
 in profiles, 303–306
 in tows, 305
 kurtosis, 304
 laboratory flux law, 113, 124, 132
 length, 123
 narrowband spectra, 304
 sheared, 127
 staircase, 129–135
 thermocline, 302–306
 tilted, 133
 TS curvature, 302
 vertical velocity, 124
 width, 122
 salt sheet, 128
 stability analysis, 114
 staircase, 112
 Antarctic, 145–146
 Arctic, 141, 144–145
 Barbados, 123, 130–135
 Canada Basin, 144
 laboratory tank, 112–113
 Lake Kivu, 139, 142–144
 Med outflow, 130
 Meddy Sharon, 153
 Red Sea, 144
 Tyrrhenian Sea, 135
 sugar-salt fingers, 120
 Turner angle, 117
 Drake Passage, 16, 260, 306, 309–310
 eddy coefficient
 see turbulence
 diffusivity, 2
 Ekman, 4
 EM-APEX, 196
 EMVP, 202
 energy
 internal, 53
 available, 54
 kinetic
 available, 270
 potential, 51–54, 100–101
 available, 51, 65
 gravitational, 51, 53, 65
 enstrophy, 173
 enthalpy
 potential, 34
 specific, 33
 entrainment
 AABW, 10
 NADW, 12

- entropy
 - generation, 36
 - specific, 31
- epsilon
 - see turbulence
 - viscous dissipation rate, 1
- equation of state, see density, 26
- equator, 187, 223
- finestructure, 7, 286–291
 - reversible, 288–291, 291
 - sheets and layers, 286–288
- FLIP, 178, 200, 204
- floats, 182–183
 - APEX, 182
 - Argo, 182
 - Lagrangian, 182
- Florida Strait, 18, 256–259
- French Frigate Shoals, 248, 317
- frequency
 - Coriolis, 197
 - effective Coriolis, 197, 208, 214–217
 - Eulerian, 206
 - Lagrangian, 206, 217
- friction velocity, 81
- Froude number, 146
 - shear, 73
 - stratification, 12, 73, 236, 266
- geostrophic shear, 216
- Gibraltar, 240
- Greenland Basin, 11
- group velocity, 206
- Gulf of Alaska, 284
- halocline, 285
- Hawaii, 284
- Hawaiian Ridge, 238, 315–320, 327
 - Kaena Ridge, 98, 238
 - Kauai Channel, 238
- Holmboe instability, 267
- HOME, 8
- hot-film
 - see velocity probe
 - hot-film, 5
- HRP, 260
- hydraulic jump, 239, 318
- Indian Deep Water, 13
- Indian Ocean, 10, 13, 296
- internal tide
 - critical latitude, 295, 312
- internal wave
 - action density, 207
 - action flux, 207, 217
 - advective overturning, 271–272
 - Arctic, 311–312
 - aspect ratio, 210
 - consistency relations, 220
 - continuum, 219
 - critical angle, 213
 - critical layer, 217, 249
 - cutoff, 277
 - dispersion relation, 207
 - dissipation, 247–266
 - HWF, 250
 - McComas & Muller, 248
 - shallow water, 264
 - shear and strain scaling, 254
 - shear scaling, 253
 - strain scaling, 265
 - Doppler smearing, 219
 - eigenvectors, 208
 - energy density, 207, 217, 221
 - energy flux, 207
 - Eulerian spectra, 218
 - frequency
 - bandwidth, 197, 210
 - Eulerian, 217
 - Lagrangian, 217
 - generation, 197
 - geostrophic adjustment, 244–245
 - resonant triads, 249–250
 - topographic, 234–244
 - wind, 232–234
- GM, 221–223, 325–335
 - energy density, 221, 325
 - high-wavenumber cutoff, 223
 - horizontal velocity, 328–329
 - inertial peak, 221
 - latitudinal dependence, 221
 - modal content, 221
 - parameters, 326
 - potential energy, 333
 - separability, 222
 - shear-to-strain ratio, 223, 334–335
 - vertical displacement, 332–333
 - vertical shear, 329–332
 - vertical strain, 334
 - vertical symmetry, 222
 - vertical velocity, 333–334
 - wave functions, 327–328
 - waveguide, 222
 - wavenumber, 325
- group velocity, 217, 222, 233
- inclination, 210
- interactions, 245–252
 - ES, 246
 - ID, 246
 - PSI, 234, 236, 241, 247, 295, 317, 318
 - resonant triads, 246
- near-inertial, 216, 219, 232–234
 - fluxes, 233
- normal modes, 208
- observations, 199–205
- polarization, 211–212

368

internal wave (cont.)
 reflection, 212–214
 rotary decomposition, 211
 saturated range, 228, 231, 277–281
 shear-to-strain ratio, 211, 262–264
 spatial variability, 223–224
 strain, 200, 288–291
 Poisson process, 291
 trapping, 214–216
 turning depth, 212, 224
 turning latitude, 212, 234
 wavelength, 197
 WKB scaling, 208–210, 250, 325
 isentropic surface, 58
 IWEX, 200, 209, 221
 Izu-Ogasawara Ridge, 262

Kaoping Canyon, 260
 Kauai Channel, 317
 Kelvin–Helmholtz instability, 6, 7, 76–77, 129,
 266–270, 287, 299
 Kerguelen Plateau, 9, 260, 264, 306, 308–309
 Knight Inlet, 90, 240
 Korteweg–deVries equation, 272
 Kuroshio, 244

LADCP, 201
 Lake Kivu, 114, 139, 166
 Law of Constant Proportions, 25, 27
 lee wave, 234

Meddy Sharon, 148
 meridional overturning circulation, 9–19
 microstructure, 2
 Mid-Atlantic Ridge, 237, 238, 314–315
 mixed layer
 collapse, 100
 mixing
 coefficient, 90
 definition, 1
 densification, 64
 efficiency, 3, 6, 107–108, 230
 inferences, 4–5
 patches, 298–302
 horizontal, 299
 vertical, 300–302
 patterns, 291–298
 equator, 297
 geographic, 296–298
 latitude, 294–296
 seasonal, 297
 vertical, 292
 Monterey Canyon, 260
 moorings, 186–187
 MSR, 193, 195
 Muir Seamount, 213

NATRE, 109, 126, 193, 267
 neutral surface, 26, 58

Index

New England shelf, 191
 New York Bight, 274
 Nordic Seas, 10
 North Atlantic, 12, 13, 60, 65, 224, 296
 North Atlantic Deep Water, 10–12, 17, 117, 314
 North Pacific, 64, 65, 117, 223, 252, 303
 North Pacific Intermediate Water, 64
 Nusselt number, 113, 138, 140, 145

ocean
 area, 16
 volume, 21
 Oregon shelf, 277
 Orlandi-Bryan criterion, 280
 overturn scales, 279
 Oyashio, 64
 Ozmidov scale, 73, 99, 142, 269, 277

Pacific Deep Water, 13
 Pacific Ocean, 10, 12
 pancake eddies, 96
 PATCHEX, 104, 209, 252, 257, 292, 293
 phase velocity, 206
 pitot tube
 see velocity probe
 pitot tube, 171
 Polar Front, 306
 potential energy
 available, 74, 79–80
 internal wave, 333
 Prandtl number, 42
 pressure
 reference, 27, 45
 profilers
 Argo, 182
 electromagnetic, 201
 EM-APEX, 183, 232
 free-fall, 179, 201
 HRP, 180
 McLane wire crawler, 182
 MSP, 180
 MSR, 179
 tethered, 178
 wire walker, 182
 Puget Sound, 87, 88
 pycnocline, 285

Rayleigh number, 140
 saline, 114, 117
 thermal, 114–117, 140, 145
 refractometer, 167
 Reynolds decomposition, 75, 78
 Reynolds number, 72
 buoyancy, 73, 90
 epsilon, 73
 initial, 268
 shear, 76

- Richardson number
 - flux, 74, 105, 107
 - gradient, 73, 205, 266, 267, 291
- Rockall Trough, 108, 296
- Romanche Fracture Zone, 4, 9, 12
- Rossby number, 198, 225
- salinity
 - absolute, 28, 68
 - equilibrium gradient, 36, 40
 - practical, 27
- salinity spiking, 177
- salt finger, *see* double diffusion
 - salt finger
- salt fountain, 111
- Samoan Passage, 12
- San Diego Trough, 148
- Santa Monica Basin, 193
- Sargasso Sea, 202, 302, 305
- SARSEX, 274
- Schmidt number, 42
- Scotia Sea, 309
- seawater
 - Law of Constant Proportions, 25
 - standard ocean, 30
- shear instability, 99–100
 - Holmboe, 99, 270–271
 - Kelvin–Helmholtz, 99, 107
- SOFine, 9, 260, 308
- solibore, 235
- soliton, 272
- South Atlantic, 117
- South China Sea, 275
- South Indian, 117
- South Pacific, 117
- Southern Ocean, 8, 118, 223, 306–310
- specific heat, 40
- spectra
 - variance-preserving, 84
- spice, 26, 57–58
- spiciness
 - curvature, 147
- SPURV, 174, 193
- strain, 203–205
- Subantarctic Front, 306
- subduction, 13
- submersible, 90, 185
- Subtropical Front, 147, 244
- subtropical front, 214, 215, 245
- Sulu Sea, 275
- surface boundary layer, 81
- Tacoma Narrows, 87
- Taylor scaling, 72, 81, 82, 88, 97
- temperature
 - conservative, 34, 67
 - gradient, 289
 - of maximum density, 46
 - potential, 27, 34–35
 - EOS-80, 27–28
- temperature probe
 - cold-film, 94, 162–163, 303
 - Sea-Bird, 174
 - thermistor, 164
 - FP07, 164
 - glass-rod, 163
 - thermocouple, 163–164
- temperature-salinity diagram, 26, 55
- thermobaricity, 10, 48, 62–63, 66
- thermocline, 285
 - advective, 13
 - scale height, 14, 16
- thermodynamics
 - closed system, 30
 - energy
 - internal, 32
 - entropy, 25
 - equation, 36
 - production, 36
 - equilibrium, 43, 45
 - First Law, 25, 33–35
 - Gibbs
 - free energy, 30
 - function, 28, 30
 - Seawater Toolbox, 29
 - Gibbs function, 30
 - heat equation, 34–35
 - heat flux, 38
 - reduced, 38
 - Onsager relations, 37
 - potentials, 28–31
 - salt flux, 38
 - Second Law, 25, 33, 36–37
 - specific enthalpy, 31
 - specific entropy, 30–31
 - triple point, 30
 - well-mixed, 26, 43, 45
- Thorpe scale, 52, 269
- tidal channel, 173
- tide
 - internal, 19, 234
 - generation, 237–240
 - global distribution, 240–242
 - turning latitude, 234
 - surface, 234
 - components, 234
 - excursion, 236
- tows, 184–185
- tracer, 194
 - release, 109–110
- tracer release, 3, 5
 - Barbados staircase, 133
 - Greenland Basin, 11
 - NATRE, 109

turbulence
 available potential energy, 74
 Batchelor scale, 94
 Batchelor spectrum, 94
 decay, 99
 density dissipation rate, 79
 diapycnal fluxes, 104–108
 dissipation method, 105
 Osborn, 80, 107
 Osborn-Cox, 105–107
 diffusivity, 2
 dimensional analysis, 72–74
 eddy coefficients, 4
 haline dissipation rate, 1, 19, 36
 global average, 22
 horizontal cascade, 96–99
 intermittence, 101
 isotropy, 78, 90, 106
 kinetic energy, 74–77
 Kolmogorov cascade, 83–90, 96, 98
 equilibrium range, 84–88
 inertial subrange, 85–88
 spectra, 85
 viscous subrange, 88
 Kolmogorov wavenumber, 88
 Kraichnan spectrum, 84, 94
 length scales, 42
 lognormality, 85, 101, 102
 Nasmyth spectrum, 86, 88
 Obukhov-Corrsin constant, 92
 Panchev spectrum, 84, 86, 89
 Reynolds number, see Reynolds number, 72
 saline dissipation rate, 79
 scalar cascade, 91–95
 inertial-advective subrange, 92
 Lagrangian form, 92
 viscous-advective subrange, 93–95
 viscous-diffusive subrange, 93–95
 shear spectrum, 89
 spectral gap, 75
 stratified, 96–97
 forward cascade, 97–99
 Taylor scaling, see Taylor scaling, 72

thermal dissipation rate, 1, 19, 36, 79
 global average, 23, 24
 viscous dissipation rate, 1, 7, 19–21, 36,
 40, 53, 72, 77–78, 83, 156, 159
 global average, 21
 wavenumber bandwidth, 88, 99
 Turner angle, see double diffusion
 Turner angle
 Tyrrhenian Sea, 129, 135
 velocity probe
 acoustic vorticity, 173–174
 ADV, 87, 171, 183
 airfoil, 90, 157–159, 183, 194
 spatial response, 89
 EM, 159–161, 169–170
 EM vorticity, 172–173
 hot-film, 90, 157
 pitot tube, 171–172
 PIV, 172
 R16
 spatial response, 89
 viscosity, 40
 von Karman's constant, 81
 vortical mode, 198, 208, 225–228
 vorticity, 173
 planetary, 197
 potential, 208
 relative, 197
 wake
 sphere, 96
 water mass, 55
 transformation, 67–70
 water type, 55
 wavenumber, 92, 205
 cyclic, 205
 radian, 205
 Weddell Sea, 63, 145
 XCP, 170
 zigzag instability, 96