

---

## Index

---

- $\mathbb{A}^r, \mathbb{A}^r(k)$ , 54
- abelian category, 8
- additive category, 100
- admissible
  - epimorphism, 100
  - monomorphism, 100
- affine
  - patches, 58
  - scheme, 63
  - space, 3, 4, 54
  - variety, 55
- Almkvist and Fossum, 50
- almost split sequence, 96, 99
- antipode, 26
- automorphisms of the
  - Horrocks–Mumford bundle, 218
- Babylonian towers, 135, 253
- Bernoulli numbers, 169
- Bernstein–Gelfand–Gelfand correspondence, 173, 195
- Bézout’s theorem, 277
- BGG, 195
- bidirectional Koszul complex, 264
- block idempotent, 35
- Bockstein, 13, 272
- Bott’s formula, **142**, 144, 145
- bounded derived category, 8
- bundle
  - canonical, 142
  - cotangent, 136, 154
  - Higgs, 138
  - homogeneous, 137
  - Horrocks–Mumford, 134, **215**, 223
  - instanton, 167, **210**, 240
  - $n$ -homogeneous, 97
  - null correlation, 97, 139, 207
  - Parent, 134
  - restriction, 155
  - Schwarzenberger, 212
  - simple, 130
  - tangent, 136, 154, 205
  - Tango’s examples  $\mathcal{F}_W$ , 140, 214, 240
  - Tango’s rank two, 134, 226
  - topological, 130
  - uniform, 137
  - vector, 129
- calculus of finite differences, 165
- canonical bundle, 142
- Carlson module, 7, 310
- Cauchy’s integral formula, 168, 245
- Čech complex, 71
- chain complex, 8
- charge, 210
- Chern
  - character, 150, 153, 158, 171
  - numbers, 150, 153, 171, 235
    - of dual bundle, 158
    - of Frobenius, 169
    - of twists, 158
  - polynomial, 150–153, 157, 171, 176, 177
  - roots, 159, 171
- Chouinard’s theorem, 15
- Chow ring, 150
- circle group, 46
- $\mathfrak{cJt}(kE)$ , 101, 178
- closed
  - point, 56, 58
  - subvariety of  $\mathbb{A}^r$ , 54
- closure of  $GL_n(k)$ -orbit, 80
- coherent
  - $\mathcal{O}_V$ -module, 65
  - modules, 8, 131
  - sheaves, 149, 159
- cohomology

- of a monad, 139
- of groups, 6
- of  $\mathcal{O}(j)$ , 141
- of  $\Omega^m(j)$ , 142
- relative, 281
- complete
  - intersection, 256, 287
  - set theoretic, 288
  - symmetric function, 30
- complexity, 15, 17, 287
- congruence, 235
- conjugate partition, 30, 31, 78
- constant
  - image property, 106, 176
  - Jordan type, xiv, 13, **89**
  - with one non-projective block, 119
  - kernel property, 114, 176
  - rank, 89, 131, 174, 232
- content, 44
- contour integral, 168
- coordinate ring, 54, 55
- cotangent bundle, 136, 154, 206
- cyclic
  - group, 38
  - shifted subgroup, xiv, 3, 16
  - Sylow subgroups, 2
- $D(r)$ , 56
- Dade's lemma, **16**, 93, 204, 237, 240–242, 244, 245
- decomposable vector bundle, 130
- derivations, sheaf of, 136
- derived category, 8, 191, 196
- determinantal form, 30, 33
- diagonal map, 25
- diagrams for modules, 20
- differential graded modules, 196
- differentials, sheaf of, 136
- dihedral group, 2
- direct image sheaf, 156
- divided power, 29
- dominance order, 78, 79
- dual
  - bundle, 129
  - Chern numbers of, 158
  - group theoretic, 26
  - module,  $\mathcal{F}_i$  of, 182
  - restricted Lie, 26
- elementary abelian group, 3
- endotrivial module, xv, 101, 205
- enough injectives, 69
- equation, Markov, 138
- equidimensional variety, 288
- Euler
  - characteristic, 166
  - sequence, 136
- exact category, 100, 178
- examples of Tango, 140, 214, 240
- exterior
  - algebra, 2, 245, 287
  - powers, 28, 142
- extraspecial group, 218
- $\mathcal{F}_i(M)$ , 176
- $\mathcal{F}_i(M \otimes_k N)$ , 193
- $\mathcal{F}_i(M^*)$ , 182
- $\mathcal{F}_i(\Omega(M))$ , 181
- fibre, 64
- first Gambelli formula, 30
- $\text{fl}(R)$ , 68
- flat
  - homomorphism, 6
  - module, 15
- forgetful functor, 39
- free
  - module, 15
- Frobenius
  - functor, 32
  - map, 13, 169, 172
  - morphism, 172
- function field, 55
- $\mathcal{G}$ , 192
- Gambelli formulas, 30
- $\Gamma(X, \mathcal{F})$ , 61
- Gaussian polynomial, 41, 51
- general linear group, 137
- generalised
  - Gaussian polynomial, 42, 52
  - quaternion group, 2, 15
- generic
  - image, 116
  - Jordan type, 83, 85
  - kernel, 110, 121
  - point, 55, 57
  - properties, 55
  - rank, 85
- germ, 62
- Gerstenhaber's theorem, 76
- $GL(r, k)$ , 137
- gluing condition, 61
- graded module, 2, 10, 65
- Green, J. A., 41
- Grothendieck, 134
- group, 101

- Riemann–Roch theorem, 169
- group
  - algebra, 3
  - elementary abelian, 3
  - extraspecial, 218
  - general linear, 137
  - scheme, 6
  - symmetric  $\mathfrak{S}_9$ , 276
  - theoretic dual, 26
  - theoretic tensor product, 25
- $h_d$ , 30
- $H^2(GL(r, k), k^\times)$ , 137
- Hilbert series, 149
- Hilbert’s
  - basis theorem, 147
  - Nullstellensatz, 54
  - syzygy theorem, **146**, 155, 167
- Hirzebruch–Riemann–Roch theorem, **166**,  
 240, 242, 244, 246, 248, 249
- Hochschild resolution, 146
- homogeneous
  - ideal, 57
  - module, 94
  - polynomial, 57
  - vector bundle, 137
- hook
  - formula, 42, 52
  - length, 43
- Horrocks parent bundle, 226
- Horrocks–Mumford bundle, 134, **215**, 223
- hypersurface, 256, 289
- $\mathcal{J}(M)$ , 116
- image, generic, 116
- indecomposable
  - module, 38
  - vector bundle, 130
- injective
  - $\mathcal{O}$ -module, 69
  - resolution, 69
- injective module, 15
- instanton bundle, 167, **210**, 240
- inverse image sheaf, 156
- irreducible
  - closed set, 55
  - vector bundle, 130
- irrelevant ideal, 57
- Jacobi–Trudi identity, 30
- Jacobson radical  $J(kE)$ , 3
- Jordan type, 79
- JType, 101
- $\tilde{\mathfrak{K}}(M)$ , 110
- $k(x)$ , 62
- $K_0(\mathbf{C}\mathbf{Jt}(kE))$ , 101
- Kempf’s splitting theorem, 135
- kernel, generic, 110
- Koszul
  - complex, 142, 146, 203, 215
  - factorisation, 265
- Kronecker’s classification, 2
- Krull–Schmidt theorem, 94
- Künneth theorem, 194
- $L^\lambda$ , 32
- $L_\zeta$ , 7
- $L_{V,a}$ , 59
- $\lambda$ -ideal, 47
- $\lambda$ -ring, 45
- last survivor, 195
- Laurent
  - polynomial, 149, 150, 162, 171
  - power series, 149
- left
  - derived functor, 156
  - total, 157
  - exact, 63
- line bundle, 129
- linear space, 59
- locally
  - closed, 58
  - free  $\mathcal{O}$ -module, 129
  - ringed space, 64
  - split sequence, 99
- Loewy
  - layers, 213
  - length, 287
- Macaulay2, 14, 272
- Magma, 14, 219, 221, 276
- mapping cone, 8, 9
- Markov equation, 138
- Massey product, 13
- matrix factorisation, 258
- maximal, 81
  - Cohen–Macaulay module, 256
  - Jordan set, 85
  - Jordan type, 83
  - rank, 85, 111
  - shifted subgroup, 4
- MCM( $A$ ), 257
- MCM( $A$ ), 257
- $\underline{\mathbf{MF}}(f)$ , 258
- $\underline{\mathbf{MF}}(f)$ , 258
- mod( $R$ ), 68

- module category, 6
- moduli space
  - of instantons, 210
- monad, **138**, 207, 210, 212, 213, 216, 311
- morphism of presheaves, 61
  
- Nakayama's lemma, 35, 110, 131
- Newton's identity, 161
- nilpotent
  - endomorphisms, 16
  - Jordan type, 79
- nilvariety, 37, **73**, 204, 251
  - of constant Jordan type, 89, 245, 249
- Noetherian scheme, 64, 131
- null correlation bundle, 97, 139, 207
  
- $\mathcal{O}_X$ -module, 64
- $\Omega = \Omega_{\mathbb{P}^{r-1}}$ , 136, 206
- $\Omega(M)$ , 7
  - $\mathcal{F}_i$  of, 181
- orbit closure, 80
- Orlov's correspondence, 255
  
- $P_n$ , 46
- $P_{m,n}$ , 46
- $\mathbb{P}^{r-1}, \mathbb{P}^{r-1}(k)$ , 57
- $p$ - $\lambda$ -ideal, 47
- Parent bundle, 134
- partition, 29, 30, 78
- perfect complex, 9, 196
- phenomenology, 276
- $\pi$ -points, 5
- Picard group, 129
- Poincaré series, 149
- polynomial ring, 13
- power sums, 160
- presheaf, 60
- prime ideal, 55
- problems, 308
- projective
  - module, 15
  - space, 57, 134
  - spectrum, 57
  - variety, 58
- properties, generic, 55
  
- $\text{qfl}(R)$ , 68
- $\text{qmod}(R)$ , 68
- quadratic reciprocity, 239
- quantum
  - complete intersection, 36
  - number, 210
- quasi-coherent  $\mathcal{O}_X$ -module, 65
- quasi-finite length module, 68
- quasi-finitely generated module, 68
- quasi-isomorphism, 8
- quasi-projective variety, 58, 59
- quaternion group  $Q_8$ , 35
- Quillen, 100
- quiver with relations, 103, 138
- quotient
  - bundle, 133
  - sheaf, 63
  
- $\mathcal{R}$ , 10
- radical
  - ideal, 54
  - layers of  $kE$ , 33
- rank, 150
  - maximal, 75
  - of a locally free sheaf, 129
  - of a nilvariety, 73
  - variety, 4, 16
- rational
  - functions, 55
  - map, 58
- reduced
  - matrix factorisation, 259
  - ring, 63
  - scheme, 63, 131
- reduction of dimension, 255
- regular
  - map, 58
  - sequence, 146
- relative
  - cohomology, 281
  - syzygy, 285
- representation type, 1
- restricted Lie
  - dual, 26
  - tensor product, 25
- restriction
  - maps, 61
  - of vector bundles, 155
- Rickard's
  - conjecture, 120
- Riemann–Roch theorem, 166
- right derived functor, 156
- ringed space, 61
- $\text{RMF}(f)$ , 259
  
- $S^\lambda$ , 31
- Schanuel's lemma, 147
- scheme, 63, 131
- Schur
  - function, 30, 32, 42

- functor, **31**, 52, 88, 92, 93, 125, 305
- 's lemma, 130
- Schwarzenberger's
  - bundles, 212
  - theorem, 166
- second Gambelli formula, 31
- semidihedral group, 2
- Serre
  - quotient, 68
  - subcategory, 68
- set theoretic complete intersection, 288
- sheaf, 61
  - direct image, 156
  - inverse image, 156
  - of derivations, 136
  - of differentials, 136
  - restriction, 155
- sheafification, 62
- shift of a graded module, 66
- shifted subgroup, 3
- short exact sequences, 100
- simple vector bundle, 130
- singularity category, 10, 255, 259
- $SL(2, 5)$ , 219
- $SL(5, k)$ , 218
- $SL(r, k)$ , 137
- $SL(2, \mathbb{C})$ , representations of, 47
- small module, variety of, 276
- space
  - tangent, 75
- Specht module, 276
- special
  - $\lambda$ -ring, 46
  - linear group, 137
- spectrum, 56
- splitting
  - principle, 47, 160
  - type, 137
- stable module category, 6, 257
- stably extends, 253
- stalk, 62
- structure sheaf, 61, 63
- subbundle, 133
- Suslin's conjecture, 127
- symmetric
  - group  $\mathfrak{S}_9$ , 276
  - powers, 28, 141
- symplectic form, 97, 139
- syzygy
  - Hilbert's — theorem, **146**, 155, 167
  - relative, 285
- $T_{V,a}$ , 59
- $\mathcal{T}$ , 136, 205
- tangent
  - bundle, 136, 154, 205
  - space, 59, 75
- Tango's
  - bundles  $\mathcal{F}_W$ , 140, 214, 240
  - rank two bundle, xiv, 134, 226
- Tate
  - cohomology, 7, 99
  - duality, 7
- $\mathrm{Td}(\mathcal{F})$ , 169
- tensor product, 24, 86
  - $\mathcal{F}_i$  of, 193
  - for  $\mathbb{Z}/p$ , 41
  - group theoretic, 25
  - of  $\mathcal{O}_X$ -modules, 64
  - of sheaves, 62
  - restricted Lie, 25
- $\theta_M$ , 173
- Todd class, 169
- topological vector bundle, 130
- total left derived functor, 157
- transfer, 7, 194
- triangulated category, 7, 256
- trichotomy theorem, 1
- truncated polynomial ring, 4
- twist, twisting sheaf, 66
- twisted
  - cubic, 288
  - version of  $kE$ , 35, 274
- $U_{\max}(M)$ , 85
- uniform vector bundle, 137
- $V(I)$ , 56
- $V(r)$ , 56
- $V_E^{\mathrm{rk}}(M)$ , 4
- Vandermonde determinant, 30
- variety of a small module, 276
- $\mathrm{Vec}(\mathbb{P}^{r-1})$ , 178
- vector bundle, *see also* bundle, 129
- Weyl module, 32
- wild representation type, 1, 103
- $W$ -modules, 118, 122, 126
- $W_{n,d}$ , 118
- $X_i$ , 3, 173
- $Y_i$ , 173
- Yang–Mills equations, 210
- $(\mathbb{Z}/p)^r$ , 3
- Zariski topology, 54, 56–58