

Index

Locators in bold refer to tables; those in <i>italic</i> to figures ED = Emergency Department	bacterial meningitis. <i>See</i> meningitis blood pressure, high/low 19, 55–58. <i>See also</i> intracranial hypertension/hypotension pediatrics 115–16 pregnancy 126–27 blood tests 26–27, 96 bounce-backs 152. <i>See also</i> prevention of ED visits brain tumor. <i>See</i> malignancy Brazil, headache prevalence 4 breast cancer metastases 50–51	Choosing Wisely recommendations, (AAN) 2 Classification of Evidence Matrix for Therapeutic Questions (AAN) 105–6 clinical decision rules neuroimaging 31–32 trauma patients 54 cluster headaches 80–81 . <i>See</i> <i>also</i> trigeminal autonomic cephalalgias diagnosis 82, 84 differential diagnosis 83–84 economic burden 11 elderly patients 146–47 frequency of ED visits 9 headache prevalence 7 history taking 16 pediatrics 121–22 physical exam 20 post-discharge prevention 154–55 treatment 84–85 combination agents, migraine 75–76 computed tomography (CT) scanning 28 aneurysm 33 cost of headache care 9 dural sinus thrombosis 31 initial investigations 35 subarachnoid hemorrhage 1, 31, 33–34 , 46–47 trauma patients 54 consultations to specialists, cost 9–10 cortical spreading depression (CSD) 100–1 corticosteroids. <i>See also</i> dexamethasone; methylprednisolone; prednisone; etc. cluster headaches 85 elderly patients 146 lactation 136–37 meningitis 55 post-discharge 154 pregnancy 133–35
accessory nerve assessment 23 acetaminophen 55 acetylsalicylic acid 75 acute headache pregnancy 132–35 trauma patients 52 acute sinusitis 29–30 , 82 adult ED headache prevalence 6–8 prevention of ED visits 153–54 age of the patient 4–5, 15, 17. <i>See also</i> elderly patients; pediatrics air pollution, headache prevalence 5 American Academy of Neurology Choosing Wisely recommendations 2 Classification of Evidence Matrix for Therapeutic Questions 105–6 American College of Emergency Physicians (ACEP) 28, 43 American College of Radiology (ACR) appropriateness criteria 28, 38 Choosing Wisely list 37–38 American Headache Society; Choosing Wisely campaign 37 American Migraine Prevalence and Prevention Study (AMPP) 8–9, 65–66 analgesics (simple), medication overuse headache 101–2. <i>See also</i> acetaminophen; NSAIDs; etc. aneurysm 33, 47 angiography, aneurysm 33 anxiety, patient 37, 68 aortic dissection 46 arteriovenous malformations 44 arteritis. <i>See</i> giant cell arteritis aura, migraine 16–17, 68 autonomic dysreflexia 60	C-reactive protein (CRP) arteritis 58 laboratory tests 26–27 caffeine, hypnic headache 95 calcitonin gene-related peptide (CGRP) 101 calcium-channel blockers 85 Call Fleming syndrome. <i>See</i> reversible cerebral vasoconstriction syndrome Canada headache prevalence 5 migraine management 2 Canadian CT Head Rule 54 carbon monoxide poisoning 18, 29–30 , 60 cardiovascular exam 116 carotid artery dissection (CAD) 44–46 , 82 central retinal artery occlusion 20–21 cerebral venous sinus thrombosis 45–46 cerebrospinal fluid (CSF) analysis 27 cerebrovascular disease 111 cerebrovascular exam 20 cervicogenic headache 59 Chiari malformations 58 chlorpromazine lactation 135–36 pregnancy 132–33 Choosing Wisely campaign (AHS) 37	

Index

- cost of headache care 1. *See also*
 - economic burden
 - epidemiology 9–10
 - migraine 66–67
 - neuroimaging 36
 - strategies to reduce 11–12
- cough headache 89–90
- cranial nerve exam 22–23, 317.40117–20
- CRP. *See* C-reactive protein
- cryptococcal meningitis 27
- Cryptococcus neoformans* 54–55
- CT scans. *See* computed tomography scanning
- data, physical exam 1
- decision rules. *See* clinical decision rules
- dehydration, laboratory tests 26. *See also* IV fluids
- demographics, prevalence of headache 4–5
- dental caries, physical exam 19
- dermatologic exam 116–17
- dexamethasone
 - elderly patients 146
 - lactation 135–36
 - migraine 73, 77
 - pregnancy 133–35
- diagnosis (general information) 1
- diagnostic criteria
 - cluster headaches 82
 - cough headache 89
 - exercise headache 90
 - hypnic headache 94
 - medication overuse headache 99–100
 - migraine 16, 68
 - new daily persistent headache 95
 - pediatrics 113
 - post-traumatic headache 52
 - sexual activity-induced headache 91
 - thunderclap headache 93
 - trigeminal autonomic cephalalgias 80, 82
- differential diagnosis 1
 - cough headache 88–90
 - elderly patients 143–45
 - history taking 17
 - hypnic headache 95
 - laboratory tests 27
 - migraine 68–71
 - neuroimaging 28–31
 - new daily persistent headache 96
 - pediatrics 114–15
 - physical exam 18
 - pregnancy 127
 - subarachnoid hemorrhage 33
 - tension-type headaches 70–71
 - thunderclap headache 44–46, 93–94
 - trigeminal autonomic cephalalgias 82–84
- dihydroergotamine (DHE). *See* ergotamines
- diphenhydramine 74
- diplopia, assessment 22
- dopamine receptor antagonists
 - elderly patients 146
 - lactation 135–36
 - migraine 73
 - post-traumatic headache 54
 - pregnancy 132–33
- droperidol
 - lactation 135–36
 - pregnancy 133
- drug seeking behavior 106–8. *See also* medication overuse headache
- dural sinus thrombosis 29–31
- eclampsia 17
- economic burden 10–11. *See also* cost of headache care
- EFNS. *See* European Federation of Neurological Societies
- elderly patients 141, 147
 - cluster headaches 146–47
 - diagnosis 143–45
 - epidemiology 141
 - history taking 141–43
 - migraine 145–46
 - physical exam 143
 - treatment 145
- eletriptan
 - lactation 137
 - pregnancy 131
- Enterovirus* 54–55
- environmental factors, headache 5
- epidemiology 1, 12
 - cost of headache care 9–10, 66–67
 - economic burden 10–11
 - elderly patients 141
 - frequency of ED visits 8–9, 180.5065–67
 - headache prevalence 4–8
 - medication overuse headache 99–100
 - migraine 65–68
 - pediatrics 110–12
 - pregnancy 125–26
 - primary headache 89–88
 - strategies to reduce resource utilization 11–12. *See also* prevention of ED visits
 - tension-type headaches 69
- ergotamines
 - elderly patients 145–46
 - medication overuse headache 101–2
 - migraine 75
- erythrocyte sedimentation rate (ESR) 26–27
- etiology of headache
 - elderly patients 144
 - headache prevalence 6–8
 - pediatrics 111
 - pregnancy 128
- European Federation of Neurological Societies (EFNS)
 - medication overuse headache 104
 - tension-type headaches 71, 121
- evidence-based therapies 2. *See also* guidelines
- exercise headache 89–91
 - history taking 18
 - pediatrics 114
 - thunderclap headache 93
- eye disorders 59
- eye exam 20–21
- eye movement assessment 22
- facial nerve/weakness 23
- family history taking 15, 18
- fracture, skull/vertebral 52
- frequency of ED visits. *See also* epidemiology
 - pediatrics 111–12
 - primary headache 8–9, 180.5065–67
- gait assessment 24, 118
- gender differences
 - frequency of ED visits 67
 - inpatient admissions 10
 - pediatrics 111–12
 - prevalence of headache 4–5
- general medical exam. *See* physical exam
- giant cell arteritis 58–59
- migraine 68
 - neuroimaging 29–30
 - physical exam 19
 - thunderclap headache 46
- Glasgow Coma Scale 21–22
- glaucoma 59, 68
- glossopharyngeal nerve assessment 23
- Greece, headache prevalence 4
- guidelines 1
 - medication overuse headache 104–6
 - neuroimaging in patients with non-acute headache 28
 - strategies to reduce resource utilization 11
 - tension-type headaches 121

- head and neck exam 19–20, 116
 - headache not otherwise specified 7–8
 - hemicrania continua (HC) 86, 121–22. *See also* paroxysmal hemicrania
 - hepatic metabolism, pregnancy 131–32
 - herpes encephalitis 54–55
 - history taking 1, 15, 24
 - elderly patients 141–43
 - pediatrics 112–15
 - primary headaches 16
 - red flags 18
 - secondary headaches 16–18
 - Horner syndrome 20, 38
 - hydrocephalus 44, 46
 - hypertension/hypotension. *See* blood pressure, high/low; intracranial hypertension/hypotension
 - hypnic headache 84, 89–88, 94–95, 144–45
 - hypoglossal nerve assessment 23
 - idiopathic intracranial hypertension. *See* intracranial hypertension
 - ID-Migraine™ instrument 69
 - income. *See* socioeconomic status
 - individual differences, headache prevalence 4–5
 - indomethacin
 - cough headache 90
 - exercise headache 91
 - hypnic headache 95
 - infection 16–17, 54–55. *See also* meningitis
 - laboratory tests 26–27
 - migraine 68
 - pediatrics 111, 114
 - vital signs 19
 - inflammation, systemic 26–27
 - infratentorial tumor-related headaches 50
 - inpatient headache admission costs 10
 - insurance status, and frequency of ED visits 66
 - intermittent headaches, history taking 17
 - internal carotid artery dissection 82
 - International Burden of Migraine (IBMS) study 65
 - International Classification of Headache Disorders 1. *See also* diagnostic criteria
 - international comparisons
 - frequency of ED visits 8
 - prevalence of headache 4
 - International Headache Society 68, 73
 - intracranial hematoma 52
 - intracranial hemorrhage
 - migraine 68
 - neuroimaging 33
 - thunderclap headache 44, 46
 - intracranial hypertension, neuroimaging 29–30, 55–56
 - intracranial hypotension 56–58
 - history taking 17–18
 - neuroimaging 29–30
 - thunderclap headache 45–46
 - intracranial pressure (ICP), cough headache 88
 - investigations 26–27, 39. *See also* neuroimaging; physical exam
 - intravenous (IV) fluids
 - elderly patients 146
 - migraine 73–74
 - pregnancy 129
 - Italy, prevalence of headache 4
 - Jacob syndrome 51
 - ketonuria, laboratory tests 26
 - ketorolac
 - elderly patients 145–46
 - lactation 135–36
 - pregnancy 132–33
 - laboratory tests 26–27
 - lactation, migraine treatment 135–37
 - last straw syndrome 143
 - lithium
 - cluster headaches 85
 - hypnic headache 95
 - location, headache 43, 112–13
 - low-pressure headaches 56–58. *See also* blood pressure, high/low
 - lumbar puncture 35–36
 - infection 55
 - neuroimaging 36, 55
 - new daily persistent headache 96
 - pediatrics 120
 - post-puncture headache 56–58
 - subarachnoid hemorrhage 1
 - thunderclap headache 47
 - lung cancer metastases 50–51
 - Lyme neuroborreliosis 27, 54–55
 - magnesium 75
 - lactation 135–36
 - pregnancy 133–34
 - magnetic resonance imaging (MRI) 28
 - aneurysm 33
 - brain metastases 50–51
 - cost of headache care 9
 - new daily persistent headache 96
 - subarachnoid hemorrhage 31, 34–35
 - malignancy 143.10050–53. *See also* metastases
 - history taking 17
 - migraine 68
 - neuroimaging 38
 - pediatrics 111, 114
 - management, ongoing 150–52. *See also* prevention of ED visits
 - medical information exchange 11
 - medication, headache caused by 50, 142. *See also below*
 - elderly patients 142, 145
 - pregnancy 17
 - medication to treat headache
 - infection headaches 55
 - in lactation 135–37
 - low-pressure headaches 57
 - pediatrics 120–22
 - post-discharge 153–55
 - post-traumatic headache 54
 - in pregnancy 125–26, 129–31
 - medication overuse headache (MOH) 60, 99, 108
 - algorithm 103–2
 - Classification of Evidence Matrix 105–6
 - diagnosis/ diagnostic criteria 99–100, 102
 - drug-seeking behavior 106–8
 - epidemiology 99–100
 - headache prevalence 5
 - medication causing 101–2
 - pathophysiology 100–1
 - pediatrics 114
 - prevention of ED visits 155–56
 - treatment 102–5
- medicolegal liability, neuroimaging indications 37
 - melanoma metastases 50–51
 - meningitis 54–55
 - laboratory tests 27
 - pediatrics 111, 118
 - physical exam 19–20
 - mental status exam 21–22, 117
 - meperidine
 - lactation 135–36
 - pregnancy 133–34
 - metastases 50–51. *See also* malignancy
 - history taking 17
 - neuroimaging 38
 - thunderclap headache 44

Index

- methylprednisolone, lactation **135–36**
 metoclopramide
 lactation **135–36**
 migraine 74, 76
 pregnancy **133**
 migraine
 cost of headache care 10
 diagnosis 68–69
 differential diagnosis **83**
 elderly patients 145–46
 epidemiology 5, 7–8, 65–68
 evidence-based therapies 2
 history taking 16
 lactation **135–37**
 medication overuse 105
 neuroimaging **29–30**
 opioids 2
 pediatrics **111, 113**, 121
 post-discharge **153–54**
 pregnancy 125–27, 129–37
 strategies to reduce resource utilization 11
 and tension-type headaches 69–72
 trauma patients 52–53
 treatment 72–77
 MOH. *See* medication overuse headache
 motor symptoms 23–24, 118
 MRI. *See* magnetic resonance imaging
 musculoskeletal exam 116–17

 narcotics analgesics 106
 national variations, US prevalence of headache 4
 neck
 exam 19–20, 116
 pain 59
Neisseria meningitidis 54–55
 nerve blocks, occipital 85, 146
 neuroimaging 27–28. *See also* computed tomography; magnetic resonance
 aneurysm 33
 clinical decision rules 31–32
 cost of headache care 9
 differential diagnosis 28–31
 dural sinus thrombosis 31
 further investigations 35–36
 indications 37–38
 initial investigations 35
 lumbar puncture 36, 55
 malignancy 38
 neurological conditions **29–30**
 pediatrics 120
 pregnancy 35, 128
 red flags 32–33
 sinus headache 38–39
 subarachnoid hemorrhage 28–31, **33–34**, 46–47
 tests available 28
 thunderclap headache 46–47
 trauma patients 36–37, 53–54
 trigeminal autonomic cephalalgias 82–83
 neuroleptic medication, migraine 74
 neurologic exam, pediatrics 117–18
 neurological symptoms
 history taking 15–16, 18
 malignancy 50–51
 neuroimaging **29–30**
 pediatrics **111**, 114–15
 physical exam 20–24
 secondary headaches 17, 53
 neuronal nitric oxide synthase (nNOS) 101
 new daily persistent headache (NDPH) **89–88**, 95–97
 New Orleans criteria, post-traumatic headache 54
 nonsteroidal anti-inflammatories (NSAIDs) 55. *See also* acetylsalicylic acid; ketorolac; etc.
 elderly patients 145–46
 medication overuse headache 101–2
 migraine 74
 post-traumatic headache 54
 pregnancy 131–33
 tension-type headaches 71–72
 occipital condyle syndrome 51
 olfactory nerve assessment 22
 ophthalmologic exam. *See* eye exam
 opioids
 elderly patients 146
 headache prevalence 5
 medication overuse headache 101–2, 106–7
 migraine 2, 66, 75
 pediatrics 121
 pregnancy 134
 strategies to reduce resource utilization 11
 optic nerve assessment 22
 orbital apex/Jacod syndrome 51
 oxygen, elderly patients 146–47

 pain intensity, pediatrics 113–14
 pain quality, pediatrics 114
 papilledema, physical exam 20
 parasellar syndrome 51
 paroxysmal hemicrania (PH) **80–81**, 85, 121–22
 patient expectations 2
 pediatrics 110, 122
 cranial nerve exam 317.40117–20
 diagnostic criteria **113**
 epidemiology 110–12
 etiology of headache **111**
 headache prevalence 6–8
 history taking 112–15
 malignancy 50
 medication to treat 120–22
 meningitis 118
 migraine **113**, 121
 neuroimaging 120
 physical exam 115–18
 post-discharge 154–55
 red flags 112, 114–15, 119
 screening overview 118–20
 tension-type headaches **113**, 120–21
 trigeminal autonomic cephalalgias 121–22
 persistent headache, trauma patients 52
 PH. *See* paroxysmal hemicrania
 physical exam 1, 18–19, 24
 elderly patients 143
 head and neck 19–20
 motor symptoms 23–24
 neurological 20–24
 ophthalmologic 20–21
 pediatrics 115–18
 sensory screening 24
 vital signs 19
 physical exertion triggers. *See* exercise headache
 pituitary apoplexy **29–30**, 51, 53
 pituitary tumors 51–52
 polypharmacy, elderly patients 145. *See also* medication overuse headache
 post-discharge prevention 152–55
 post-dural puncture headache 56–58
 post-traumatic headache 51–54
 neuroimaging 36–37
 pediatrics **111**, 116
 posterior reversible encephalopathy syndrome (PRES) 17
 differential diagnosis 93–94
 neuroimaging **29–30**
 thunderclap headache **45–46**
 postural component, symptoms 17–18, 114
 prednisone, cluster headaches 85
 pre-eclampsia/eclampsia 17
 pregnancy 125, 137

- etiology of headache **128**
laboratory tests **26**
lactation **135–37**
medication use **125–26**,
129–31
migraine **125–27**, **129–37**
natural history **125–26**
neuroimaging **35**
secondary headaches **17**,
126–29
treatment principles **129**
PRES. *See* posterior reversible
encephalopathy syndrome
prevalence of headache in ED visits
4–8. *See also* epidemiology
preventative medication,
migraine **11**
prevention of ED visits **156**
headache persistence **152**
headache recurrence **152–55**
long-term strategies **155–56**
ongoing management **150–52**
patient types **150**
primary headaches **149–52**
primary (idiopathic) stabbing
headache **61**
primary angiitis of the central nervous
system (PACNS) **93–94**
primary headaches **1**, **88**, **97**. *See also*
hypnic headache; migraine;
tension-type headache;
thunderclap headache
cough headache **89–90**
diagnosis **80–81**
elderly patients **144–45**
epidemiology **27**. **306–11**,
89–88
exercise headache **90–91**
history taking **16**
new daily persistent
headache **95–97**
pediatrics **110–11**
prevention of ED visits **149–52**
sexual activity-induced headache
89–88, **91–93**
prochlorperazine **76**
lactation **135–36**
pregnancy **132–33**
promethazine, in pregnancy **132**
propofol **75**
psychiatric comorbidities **11**,
66, **68**
radiation-induced headache **50**
radiation risks, neuroimaging **9**, **27**,
36, **120**
RCVS. *See* reversible cerebral
vasoconstriction syndrome
recurrences
migraine **76–77**
post-discharge prevention **152–55**
red flags **1**
cough headache **88**
elderly patients **142**
medication overuse headache **102**
migraine **68**
neuroimaging **32–33**
pediatrics **112**, **114–15**, **119**
sexual activity-induced
headache **92**
SNOOP mnemonic **18**
thunderclap headache **43**
relapses. *See* recurrences
renal cell cancer metastases **50–51**
respiratory exam, pediatrics **116**
return visits **152**. *See also* prevention
of ED visits
reversible cerebral vasoconstriction
syndrome (RCVS) **92–94**
neuroimaging **29–30**
thunderclap headache **45–46**
Romberg test **24**
rules. *See* clinical decision rules
SAH. *See* subarachnoid hemorrhage
seasonal variations, headaches **5–6**,
111–12
secondary headaches **1**, **50**, **61**.
See also giant cell arteritis;
malignancy; post-traumatic
headache; trigeminal neuralgia
autonomic dysreflexia **60**
blood pressure **55–58**
cervicogenic headache **59**
Chiari malformations **58**
differential diagnosis **69**
elderly patients **143–44**
eye disorders **59**
history taking **16–18**
infection **54–55**
pediatrics **110–11**
pregnancy **126–29**
prevalence **6–8**
substance use/withdrawal **60**, **114**
seizures **19**, **111**
sensory screening **24**, **118**
sexual activity-induced headache
89–88, **91–93**
sinus headache **38–39**
sinusitis
neuroimaging **29–30**, **82**
pediatrics **111**, **116**
physical exam **19**
SNOOP mnemonic, red flags **18**
socioeconomic status, patient **5**, **66**
specific gravity, tests **26**
Standardized Mini-Mental State
Examination **21**
stress **93**, **111–12**
stroke
neuroimaging **29–30**
pregnancy **126**
thunderclap headache **44**
subarachnoid hemorrhage (SAH) **1**
history taking **17–18**
laboratory tests **27**
lumbar puncture **35–36**
migraine **68**
neuroimaging **28–31**, **33–34**,
46–47
sexual activity-induced
headache **92**
thunderclap headache **43–44**, **46**,
93
substance use/withdrawal headaches
60, **114**. *See also* medication
overuse headache
sudden-onset severe headaches **17–18**
sumatriptan
cluster headaches **84–85**
elderly patients **145–47**
lactation **135–36**
medication overuse
headache **100–1**
pregnancy **133–34**
SUNCT (short unilateral
neuralgiform headache with
conjunctival injection and
tearing) **80–81**, **86**
systemic inflammation **26–27**
systematic symptoms, history taking
15–18
systemic vasculitis **58–59**
TAC. *See* trigeminal autonomic
cephalalgias
take-home prescriptions **154**
temozolomide **50**
temporal arteritis. *See* giant cell
arteritis
temporomandibular joint disorders **19**
tension-type headaches. *See also*
sexual activity-induced headache
diagnosis of exclusion **69–70**
diagnostic criteria **70**
epidemiology **7–9**, **11**, **69**
history taking **16**
and migraine **69–72**
neuroimaging **29–30**
pediatrics **111**, **113**, **120–21**
post-discharge **155**
trauma patients **52**
treatment **71–72**
teratogenic drugs, in pregnancy **131**

Index

- thrombophilia, laboratory tests 27
- thunderclap headache 43–44, 47–48
 - associated symptoms 46
 - differential diagnosis 44–46
 - epidemiology **89–88**
 - further investigations 47
 - lumbar puncture 47
 - neuroimaging 36, 46–47
 - physical exam 18
 - primary 93–94
 - subarachnoid hemorrhage 33, 43
- time course of the headache, pediatrics 112
- TN. *See* trigeminal neuralgia
- Tolosa Hunt syndrome (THS) ophthalmoplegia 22
- transient ischemic attack (TIA) 17
- traumatic brain injury 52–53. *See also* post-traumatic headache
- trigeminal autonomic cephalalgias (TACs) **80–81**, 86. *See also* cluster headaches; hemicrania continua; paroxysmal hemicrania; SUNCT
- diagnosis 80–82, 84
- differential diagnosis 82–84
- neuroimaging 82–83
- pediatrics 121–22
- treatment 84–85
- trigeminal nerve assessment 22
- trigeminal neuralgia (TN) 60–61, **83–84**
- triggers
 - history taking 15, 18
 - pediatrics 114
- triptans. *See also* sumatriptan etc. medication overuse headache 101–2
- migraine 11, 66, 70, 193.14072–74
- post-traumatic headache 54
- UK, prevalence of headache 4
- urine tests 26
- US Headache Consortium
 - evidence-based guidelines for neuroimaging in patients with non-acute headache 28
- US, prevalence of headache 4
- VAD. *See* vertebral artery dissection
- vagus nerve assessment 23
- Valsalva maneuvers 50
- cough headache 89–90
- thunderclap headache 93
- vascular imaging 36, 44. *See also* angiography
- vasculitis 58–59. *See also* giant cell arteritis
- venous thrombosis, pregnancy 126. *See also* stroke
- ventriculoperitoneal (VP) shunt malfunction, pediatrics **111**
- verapamil, cluster headaches 85
- vertebral artery dissection (VAD) **44–46**
- vestibulocochlear nerve assessment 23
- viral meningitis 55
- vital signs
 - pediatrics 115–16
 - physical exam 19
- VP shunt. *See* ventriculoperitoneal shunt
- Westergren erythrocyte sedimentation rate, arteritis 58
- white matter abnormalities, trauma patients 53
- xanthochromia 27, 47