

Index

- absolute humidity, *see* humidity ratio
 - absolute pressure, 46–48
 - absolute temperature scale, 50, 335–36
 - adiabatic process
 - constant-pressure flame temperature, 715–17
 - defined, 201
 - isentropic turbine, 378–80
 - moist air saturation, 681–83
 - adiabatic saturation temperature, 681
 - air
 - combustion with propane, 703–5
 - conditions of moist, 768–69
 - entropy of, 645–46
 - molecular composition of dry, 825
 - molecular weight of, 638
 - specific heat of, 642–43
 - stoichiometry of, 705–9
 - thermodynamic analysis of, 636
 - thermodynamic properties of, 825–27
 - thermo-physical properties of, 828
 - air conditioner
 - evaporator in, 662
 - ideal-gas mixtures in, 637
 - and the second law of thermodynamics, 325
 - air pollution, 8
 - air–fuel ratio, 576, 706–7
 - air–standard cycle, 372, 555, 573
 - air–vapor mixtures
 - concepts and definitions in
 - dew point, 670–73
 - humidity ratio, 667–68
 - psychrometry, 667
 - relative humidity, 668–69
 - water vapor in dry air, 667
 - indoor climate systems
 - conservation equations, 673–80
 - humidity measurement, 680–85
 - schematics, 661–64
 - thermodynamic analysis of, 663–66
 - Amagat’s model, 640
 - Archimedes, 798
 - atom balances (reacting systems), 700–5
 - atomic clocks, 22
 - atomic weight, *see* molecular weight
 - availability
 - closed system, 407–13
 - defined, 406
 - open system, 413–17
 - related to the second law of thermodynamics, 58
 - availability balance
 - closed system, 407–10
 - open system, 414–17
 - Avogadro constant, 44
 - bar (pressure unit), 46
 - barometric pressure, 47
 - Bernoulli, Daniel, 798
 - Berthelot, Pierre Eugene Marcelin, 760
 - Berthollet, Claude Louis, 760
 - Blasius, Paul Heinrich, 800
 - boiler
 - as steady-flow combustion device, 727
 - thermodynamic analysis of, 736–41
 - boiler (steam power plant), 218–20
 - boiling water reactor, 551–53
 - Boltzmann constant, 52, 449
 - Boltzmann, Ludwig, 319, 800
 - bore (spark-ignition engine), 194
 - boundary
 - in a closed system, 13, 257
 - energy transfer across, 200–17
 - in open systems, 14–15
 - pure substance, 84
 - in thermodynamics, 13
 - work occurring at, 202–12
 - Brayton cycle, 556, 581
 - Bridgeman, Percy, 801
 - British thermal unit (Btu), 218, 255
 - Buckingham, Edgar, 800
 - bulk motion, 197–200
 - calculus
 - in basic thermodynamics, 25
 - interpolation tutorial, 76–77
 - caloric, 201
 - caloric theory, 104, 201, 319, 700
 - calorific equation of state
 - defined, 59
 - ideal-gas, 66–72
 - ideal-gas mixtures, 641–43
 - properties related to, 52–57
 - relationships, 83
 - water in liquid and vapor phases, 103–8
- carbon (thermodynamic properties), 843
 - carbon dioxide
 - deviation from ideal-gas behavior, 75–76
 - dissociation at different temperatures, 771–73
 - dissociation at varied pressure, 775–76
 - thermodynamic properties of, 832, 847
 - carbon monoxide, 763, 831, 848
 - Carnot cycle
 - and entropy, 370
 - between high- and low- temperature reservoirs, 358
 - processes of, 581–82
 - as reversible cycle, 397–98
 - work and heat for, 395–96
 - Carnot efficiency, 337–39
 - Carnot, Sadi, 3, 197, 318, 333, 799
 - Cauchy, Augustin Luis de, 799
 - Celsius scale (temperature), 50
 - centrifugal pump, 484–87
 - chemical bonds, 53
 - chemical equilibrium, *see also* second law of thermodynamics
 - for conditions of fixed internal energy and volume, 762–64
 - defined, 20
 - history of, 760
 - inert gas presence, 776–79
 - pressure affecting, 773–77
 - principle of Le Châtelier, 779
 - process for conditions of fixed internal temperature and pressure, 764–70
 - temperature affecting, 770–73
 - in thermodynamic equilibrium, 760
 - Chézy, Antoine, 798
 - Clapeyron equation, 784–86
 - Clausius inequality, 393
 - Clausius statement, 339, 392–93
 - Clausius, Rudolf, 255, 318, 355, 359, 799
 - Clausius–Clapeyron equation, 784–86
 - clearance volume (spark-ignition engine), 194

- closed feedwater heater
 - defined, 543–44
 - process of, 506–7
 - in a steam power plant, 548–51
- closed system
 - availability, 407–13
 - computer chip as, 14
 - defined, 13–14
 - entropy balances for, 380–99
 - entropy of, 356
 - first law of thermodynamics in, 255–74
 - isochoric system, 363–64
 - isothermal reversible, 356–57
 - mass conservation in, 147–52
 - steady flow process in, 17
 - undergoing a cycle, 18
- coefficient of performance
 - reversible heat engine, 589–91
 - vapor compression refrigeration cycles, 592–97
- coefficient of performance (COP), 326
- cogeneration cycle, 562–63
- combined cycle (power plants), 563–65
- combustion
 - constant-pressure, 714–17
 - constant-volume, 717–23
 - enthalpy of, 724–25
 - ideal-gas mixtures in, 637
 - as irreversible process, 332
 - multiple equilibrium reactions and, 779–81
 - propane with air, 703–5
 - as reacting system, 700
 - stoichiometry, 705–9
- combustor
 - fossil-fuel, 707–9
 - jet engine, 728, 730–36
 - turbojet engine, 574
- complex open system, 15
- compressed liquid specific entropy, 373–74
- compressibility factor, 80–83, 89–90, 203
- compression ratio (spark-ignition engine), 194
- compressors
 - spark-ignition engine process, 721–23
 - thermal fluid analysis, 471–87
 - turbojet engine, 574
 - vapor compression refrigeration cycles, 592
- computer chip, 14
- condenser, 220–21, 592
- conduction, 225–26, 861
- conservation of energy, *see* first law of thermodynamics
- constant-pressure adiabatic flame heat, 715–17
- constant pressure combustion, 714–17
- constant-pressure specific heat, 54–56
- constant-volume adiabatic flame, 719–20
- constant-volume combustion, 717–23
- constant-volume specific heat, 54–56
- continuum limit (density), 44–45
- control volumes, *see* open systems
- convection (rate law), 226–27
- conversion factors, xxvii–xxxiv
- cooling tower, 663–64
- counterflow heat exchanger, 500–2
- critical point, 72
- critical properties
 - and compressibility charts, 80
 - gases, 72–73, 845
- cross-flow heat exchanger, 500–2
- curve-fit coefficients
 - fossil fuel, 859
 - fuel vapor, 861
 - thermodynamic properties of, 844
- cycle
 - Brayton, 556, 581
 - Carnot, 358, 370, 395–98, 581–82
 - combined, 563–65
 - diesel, 586–88
 - four-stroke engine, 8–9, 21, 582–86
 - heat engine, 389–96, 407–10
 - Rankine, 4–5, 219, 324, 526–28, 536–51, 562–63
 - Stirling, 398–99
 - thermodynamic, 18–19
- cyclically operating device, *see* heat engine
- da Vinci, Leonardo, 146, 798
- d’Alembert, Jean le Rond, 798
- Dalton’s law of partial pressures, 639–40
- Darcy, Henry Philibert Gaspard, 799
- dead state, 407
- dehumidifiers, 663, 677–80
- density, 44–45
- dew point, 670–73
- diesel cycle, 586–88
- diffusers
 - thermal fluid, 456–61
 - thermodynamic application, 455
 - turbojet engine, 279–80, 573
- diffusional process, 225
- dimensions (thermodynamics), 21–24
- displacement (spark-ignition engine), 194
- dissociation, 762–65, 768, 771–73
- dry air
 - mass conservation of, 665
 - molecular composition of, 825
 - psychrometry, 667
 - thermodynamic treatment of water vapor in, 667
- dry-bulb temperature, 684
- Du Buat, Pierre Louis Georges, 798
- Durand, William Frederick, 801
- dynamic devices, 473
- efficiency
 - basic Rankine cycle, 530–31
 - nozzles, 462–64
 - pumps, compressors, and fans, 478–80
 - turbojet propulsive, 575–76
- Einstein, Albert, 146
- electrical work, 214–15
- electricity as irreversible process, 331
- element conservation, 767
- energy conservation principle, *see also* first law of thermodynamics
 - gas turbine engines, 555
 - heat exchangers, 502–4
 - indoor climate systems, 666, 673–80
 - jet engines, 731–33
 - nozzles and diffusers, 458–61
 - pumps, compressors, and fans, 475–76
 - reversible heat engine, 588–89
 - for steady-flow combustion device, 730
 - throttles, 459–61
 - turbojet engine, 568–71
- energy quality, *see* availability
- energy systems and thermodynamics, 1
- energy transfer
 - across boundaries
 - heat, 200–1
 - work, 201–17
 - associated with systems as a whole, 198–99
 - equation, 40
 - history of, 197
 - in a closed system
 - for a change in state, 258–67
 - entropy balances, 386–88
 - incremental change, 257–58
 - at an instant, 267–74
 - properties related to, 52–57
 - rate laws for heat transfer, 225–31
 - units and conventions in, 217–24
- energy utilization (power plant), 742–43
- engine oil, 856
- enthalpy
 - and the first law of thermodynamics and calorific equation of state, 54
 - fossil-fuel, 859
 - enthalpy of combustion, 724–25
 - enthalpy of formation, 711
 - enthalpy of reaction, 724–25
 - enthalpy–entropy diagram, 377–78
- entropy
 - of air, 645–46
 - defined, 355–56
 - derivation, 358
 - Gibbs relationships, 359–61
 - ideal-gas mixtures, 643–46
 - ideal-gas properties, 361–72
 - isothermal heat transfer, 356–57

866 INDEX

- entropy (cont.)
 - molecular interpretation of, 449–51
 - pure nonideal substances, 372–80
 - related to the second law of thermodynamics, 58
 - specific, 359
- entropy balances
 - closed system
 - with energy exchange with surroundings, 386–88
 - for an isolated system, 381–86
 - undergoing a cycle, 389–96
 - undergoing change in state, 380–81
 - open system
 - isentropic efficiency of a nozzle, 405
 - isentropic efficiency of a pump, 403–5
 - isentropic efficiency of a turbine, 400–1
- environment
 - dead state, 407
 - defined, 406
- equation of state
 - defined, 58
 - density and, 44–45
 - for ideal gases, 60–62
 - mass and, 43
 - number of moles for, 44
 - pressure and, 46–48
 - properties related to, 44–52
 - specific volume and, 46
 - temperature and, 49–51
 - volume and, 44
- equilibrium, 19–21, 761–62, 781
- equilibrium constant
 - and Gibbs function change, 765–68
 - interpretation of, 769–70
- ethylene glycol, 857
- Euler, Leonard, 798
- evaporator
 - coolers, 661, 673–76
 - vapor compression refrigeration cycles, 592
- exactness test (of a function), 784–86
- exergy, *see* availability
- expansion valve, 592
- expansion/compression work, 203–13
- explosions, 382
- extensive property (of matter), 41–42
- external irreversibility, 386
- extraction (Rankin cycle), 541

- F103 engine (turbojet), 10–11
- Fahrenheit scale (temperature), 50
- fans, 471–87
- feedwater heater, 541–45
- feedwater pump
 - isentropic process, 403–5
 - thermal-fluid analysis, 480–83
- first law-efficiency, *see* thermal efficiency
- first law of thermodynamics, *see also* energy conservation principle
 - for a closed system, 255–74
 - history of, 255
 - for ideal-gas processes, 258
 - for open systems, 275–78
- first law of thermodynamics for closed systems, examples
 - cooling rate of an orange, 271–73
 - drop velocity, 259–61
 - electrical system energy balance, 268–69
 - heating rate of a light bulb, 273–74
 - light bulb filament temperature, 269–71
 - piston-cylinder isobaric process of air, 265–67
 - piston-cylinder isothermal process of air, 261–63
- first law of thermodynamics for open systems, examples
 - air tank filling, 284–86
 - heating steamed milk, 286–88
 - jet engine diffuser, 279–80
 - steam power plant condenser, 282–84
 - steam turbine power output, 280–82
- fixed-mass system, *see* closed system
- flow process (thermodynamics)
 - and cycles, 19
 - defined, 17
- flow rates, mass conservation
 - average velocity, 153–54
 - distributed velocity, 153
 - uniform velocity, 152
- flow work, 216–17, 221–23
- fluid mechanics, 1
- forced convection, 227
- fossil fuel
 - steam power plant, 2–4
 - thermo-physical properties of, 858–61
- Fourier, Jean Baptiste Joseph, 798
- four-stroke engine cycle
 - ideal air-standard Otto cycle, 582–86
 - mechanics of, 8–9
 - as a quasi-equilibrium process, 21
- free convection, 227
- friction, 330–31
- Froude, William, 799
- furnace, 727
- fusion line, 110

- gage pressure, 46–48
- gases
 - critical constants and specific heats for, 845
 - inert gas presence in chemical equilibrium, 776–79
- spontaneous processes of, 382–86
- thermo-physical properties of, 846
- throttle pressurized gas flow, 469–71
- van der Waals equation of state, 845
- gas-turbine engines
 - applications, 552–54
 - Brayton cycle, 556
 - combustor, 707–9
 - cycle efficiency, 557
 - power and size, 558–59
 - process thermal efficiency, 559
 - schematic, 553
- generalized compressibility charts, 80
- generic balance principle, 146–47
- Gibbs, Josiah Willard, 319, 355, 760, 800
- Gibbs free energy/function
 - and entropy, 359–61
 - and equilibrium constant, 765–68
 - and ideal gases, 361–64
 - ideal-gas mixtures, 650–51
 - related to the second law of thermodynamics, 58, 761
- Gibbs phase rule, 783–84
- glycerin, 857
- graphs
 - plotting thermodynamic processes, 63–64
 - steam power generation, 74
- gravity, 20–21
- Guldberg, Cato Maximilian, 760

- Hagen, Gotthilf Heinrich Ludwig, 799
- Hagenbach, Eduard, 799
- head losses, 331
- heat (defined), 200–1, 320
- heat engine, 322–26, 338
- heat engine (cycle)
 - availability, 407–10
 - change in entropy
 - energy transfer, 389–90, 393–94
 - isothermal heat transfer, 390–91
 - work and heat for, 395–96
- heat exchangers
 - applications, 501
 - thermal-fluid analysis, 501–7
 - types of, 500–2
- heat flow, 340
- heat of combustion, *see* heating values
- heat pump
 - defined, 325
 - example, 328–30
 - processes of, 597–600
- heat pump cycle, 597–600
- heat recovery steam generator, 564–65
- heat reservoir
 - defined, 322
 - isothermal, 356–57

- heat transfer
 - energy changes in closed system, 386–88
 - rate laws for, 225–31
 - as redundant term, 201
 - thermal-fluid sciences component, 1
- heat-transfer coefficient (convective), 227
- heating values, 725–27
- helium, 849
- Helmholtz, Hermann, 255, 799
- Helmholtz free energy (A)
 - ideal-gas mixtures, 651
 - related to the second law of thermodynamics, 58, 762
- higher heating value, 725–27
- Hippocrates, 760
- horsepower, 218
- humidifiers, 661
- humidity
 - measurement, 680–85
 - ratio, 667–68
 - relative, 668–69
- Hunsaker, Jerome Clarke, 801
- hydro turbine. *See* water turbines
- hydrocarbon fuel. *See* fossil fuel
- hydrogen, 833–34, 850
- hydroxide, 835
- ice point, 50
- ideal air-standard diesel cycle, 586–88
- ideal air-standard gas-turbine engine, 556
- ideal air-standard Otto cycle, 582–86
- ideal Carnot cycle, 397
- ideal gas
 - defined, 59
 - equation of state, 58
 - in the Stirling cycle, 398–99
 - mass conservation in, 148–49
 - mixing of
 - at constant pressure, 646–48
 - at different temperatures, 648–50
 - plotting thermodynamic processes, 63–64
 - polytropic processes, 208
 - properties
 - Gibbs relationships, 361–64
 - isentropic process relationships, 364–68
 - in T - s and P - V space, 368–72
 - and the second law of thermodynamics, 321
 - state relationships, 60–62
 - thermodynamic properties of, 830–43
 - water vapor as, 672–73
- ideal gas-turbine engine, 560–61
- ideal Rankine cycle, 526–30
- ideal solution, 639
- ideal vapor compression refrigeration cycles, 591
- ideal-gas calorific equation of state, 66–72
- ideal-gas equation of state, 60–62
- ideal-gas law, 40
- ideal-gas mixtures
 - calorific relationships, 641–43
 - Gibbs free energy/function, 650–51
 - and pure substances, 635–37
 - second law of thermodynamics, relationships, 643–50
 - specifying composition in, 637–38
 - state relationships for, 639–40
- immediate surroundings, 406
- incompressible substance
 - nozzles and diffusers, 457–58, 461–62
 - pumps, compressors, and fans, 482–87
 - solid as, 111
- increase in entropy principle, 386–88
- incremental change, 257–58
- independent properties, 58
- indoor climate systems, 661–64
- inert gas, 776–79
- intensive property (of matter), 41–42
- internal combustion engine, *see* spark-ignition engine
- internal energy (U)
 - and the first law of thermodynamics and calorific equation of state, 52–54
 - and thermodynamic properties, 39–40
 - in thermodynamic equilibrium, 762–64
- internal irreversibility, 386
- International System of Units (SI), 21–22
- International Temperature Scale of 1990 (ITS-90), 50
- interpolation tutorial, 76–77
- irreversible process
 - entropy in, 381–86
 - explosions as, 382
 - and the second law of thermodynamics, 330–32
 - vapor compression refrigeration cycles, 594
- isentropic
 - data, 17
 - efficiency, 400–1, 403, 478–80
 - feedwater pump, 403–5, 482
 - ideal gas, 208, 364–68
 - nozzle, 405, 462
 - steam turbine, 378–80, 400–1
- isobaric data, 17
- isobars
 - compressed water, 821–23
 - isentropic, 99
 - of superheated water vapor, 809–20
 - on T - s diagram, 104
- isochoric system, 17
- isochors on T - s diagram, 104, 368–69
- isolated system, 381–86
- isothermal data, 17
- isothermal expansion, 104, 375–77
- isothermal heat transfer
 - and entropy, 356–57
 - entropy change in, 390–91
- isothermal ideal gas in a piston-cylinder device, 321
- isotherms on T - V diagram, 369
- J52-P-408A turbojet engine, 566
- jet engines
 - combustor, 728, 730–33
 - compressor thermal-fluid analysis, 479–80
 - first law of thermodynamics, 279–80
 - as thermodynamics example, 9–11
- joule (energy unit), 217
- joule (internal energy unit), 54
- Joule, James Prescott, 255, 799
- Joule–Thomson coefficient, 471
- Keenan, Joseph, 319, 801
- Kelvin, Lord, *see* Thomson, William
- Kelvin–Planck statement
 - coefficient of performance, 326
 - consequences of
 - absolute temperature scale, 335–36
 - Carnot efficiency, 337–39
 - comparison of, 332–35
 - defined, 320–22
 - heat engine, 322–26
 - proof of, 394–95
 - reservoirs, 322
 - reversibility, 330–32
 - thermal efficiency, 326–27
- Kelvin scale (temperature), 50
- kinetic theory model (gas), 78–79
- laminar flow, 153
- Lavoisier, Antoine Laurent, 146, 700, 798
- liquid phase
 - compressed water, 821–23
 - friction occurring in, 331
 - property approximations, 108–9
 - in pure substances, 41, 83–108
 - specific entropy, 373–74
 - thermo-physical properties of, 853–57
- lower heating value, 725–27
- macroscopic systems
 - energy associated with, 198–99
 - first law of thermodynamics for, 256
- Magnus, Albertus, 760

868 INDEX

- manometer, 47
- mass and equation of state, 43
- mass conservation
 - in a closed system, 147–52
 - conceptual history of, 146
 - flow rates, 152–55
 - gas-turbine engines, 555
 - generic balance principle, 146–47
 - indoor climate systems, 664–66, 673–80
 - jet engines, 731
 - in an open system, 155–73
 - pumps, compressors, and fans, 475
 - reacting systems, 637, 700–9
 - for steady-flow combustion device, 729
 - thermal-fluid analysis of nozzles and diffusers, 456–58
 - thermal-fluid analysis of throttles, 466
 - turbojet engine, 568
- mass flow rate, 152
- mass fraction, 637
- mass-specific property
 - defined, 42
 - reacting systems, 713–14
- Mayer, Julius, 3
- Mayer, Julius Robert, 255, 799
- Mayer, Robert, 197
- mechanical equilibrium
 - defined, 20
 - in thermodynamic equilibrium, 760
- mercury thermometer, 857
- microscopic systems energy, 199–200
- miniREFPROP* (database), 74, 92–95
- molar-intensive property, 43
- molar-specific property
 - defined, 42
 - reacting systems, 713–14
- mole
 - defined, 44
 - and equation of state, 44
- mole fraction, 637
- molecular weight
 - defined, 42
 - and number of moles, 44
- Mollier diagrams, 378
- momentum conservation
 - pumps, compressors, and fans, 476
 - turbojet engine, 571
- Moody, Lewis Ferry, 801
- moving boundaries and work, 203–13
- natural convection, 227
- Navier, Louis Marie Henri, 799
- Neumann, Franz, 799
- Newcomen, John, 2
- Newcomen, Thomas, 798
- Newton, Isaac, 798
- Nikuradse, Johann, 801
- NIST WebBook (database), 74, 83, 102–3
- nitrogen, 837–38, 850
- nitrous oxide, 839–40
- no-slip condition (fluid velocity), 152
- nonideal gases, 66–83
- nozzles
 - efficiency, 462–64
 - thermal-fluid, 456–61
 - thermodynamic application, 455
 - turbojet engine, 575
- nuclear power plants, 551–53
- oil/water heat exchanger, 505–6
- open feedwater heater
 - defined, 542
 - in a steam power plant, 545–48
- open systems
 - availability, 413–17
 - defined, 9–14
 - enthalpy in, 54
 - entropy balance in, 400–5
 - first law of thermodynamics
 - with steady flow, 275–77
 - with unsteady flow, 277–78
 - flow process in, 17
 - flow work in, 216–17
 - gas-turbine engines in, 554–55
 - indoor climate systems, 663–66
 - for jet engine combustion, 730
 - mass conservation
 - general mathematical view of, 155–56
 - steady-state flow, 156–67
 - unsteady flow, 167–73
 - nozzles and diffusers, 456–61
 - pumps, compressors, and fans, 474–87
 - steady-flow combustion, 728
 - turbojet engine, 567–71
- Otto cycle engines, *see* spark-ignition engine
- oxygen
 - dissociation at high temperatures, 768–69
 - dissociation at low pressure, 774–75
 - dissociation mixed with inert gas, 777–79
 - thermodynamic properties of, 841–42, 851
- parallel flow heat exchanger, 500–2
- partial pressures, 639
- particular gas constant, 59
- pascal (pressure unit), 46
- path function, 202
- Pelton type turbine, 489
- performance, *see* thermal efficiency
- perpetual motion machine, 333
- phase equilibrium, *see also* second law of thermodynamics
 - defined, 20
 - of a pure substance, 781–86
 - in thermodynamic equilibrium, 761
- pinch point, 564
- Planck, Max, 255, 319, 800
- point function, 202
- Poiseuille, Jean Louis, 799
- Poisson, Simeon Denis, 799
- polytropic exponent, 208
- polytropic processes
 - ideal gases, 205–8
 - spark-ignition engines, 209–12
- positive-displacement devices, 472
- power
 - gas-turbine engines, 558–59
 - rate of work, 22, 202
 - steam power plant output calculations, 401–3
- practical temperature scale, 50
- Prandtl, Ludwig, 800
- pressure
 - and chemical equilibrium, 764–70, 773–77
 - in mechanical equilibrium, 20
 - in quasi-equilibrium compression of a gas, 21
 - saturation, 85–86, 89–90
- pressurized water reactor, 551–53
- principle of corresponding states, 80–83
- principle of Le Châtelier, 779
- process (thermodynamics)
 - defined, 17–18
 - heat and work, 320
- propane combustion, 703–5
- properties of matter
 - calorific equation of state, 59
 - common pure substance, 42–58
 - equation of state, 58
 - humidity ratio, 52–57
 - ideal gases, 58–70
 - importance of, 39–40
 - key definitions, 40–42
 - liquid phase, 108–9
 - nonideal gases, 72–83
 - plotting thermodynamic processes, 63–64
 - pure substances
 - liquid and vapor phases, 83–108
 - solid phase, 110–12
 - related to the equation of state, 44–51
 - related to the second law of thermodynamics, 58
 - state principle, 58
- property (thermodynamic definition), 16
- psychrometers, 681, 684
- psychrometry, 667, 684–85, 862
- pumps (thermal-fluid analysis), 471–87
- pure substance
 - common thermodynamic properties, 42–58
 - defined, 40

- ideal gases as, 59–72
- ideal-gas mixtures, 635–37
- phase equilibrium, 781–86
- simple compressible substances as, 41
- PW4084 turbojet engine, 566
- quality, definition, 86–88
- quasi-equilibrium process, 21
- R-134a, 856
- radiation (rate law), 227–30
- Rankine cycle
 - basic components and thermodynamics, 526–28
 - components of, 4–5
 - heat removal in, 324
 - schematics, 219
 - with cogeneration, 562–63
 - with regeneration, 541–51
 - with superheat and reheat, 536–41
- Rankine scale (temperature), 50
- reacting systems
 - atom balances in, 700–5
 - energy conservation for
 - constant-pressure combustion, 714–17
 - constant-volume combustion, 717–23
 - enthalpy of combustion, 724–25
 - heating values, 725–27
 - standardized properties, 710–14
 - history of, 700
 - mass conservation for, 700–9
 - standardized properties, 710–14
 - steady-flow applications for, 727–43
- refrigeration cycle, 588–97
- refrigerator and the second law of thermodynamics, 325
- regeneration, Rankine cycle, 541–51
- reheat process (Rankine cycle), 540–41
- relative humidity, 668–69
- reversible cycle
 - and the second law of thermodynamics, 330
 - Carnot cycle, 397–98
 - Stirling cycle, 398–99
 - work and heat, 395–96
- reversible heat engine
 - as the most efficient engine, 335
 - refrigeration and heat pumps as, 588–600
 - second law of thermodynamics, 338
- reversible process
 - closed isothermal system, 356–57
 - pumps, compressors, and fans, 476–78
- Reynolds, Osborne, 800
- Riabouchinsky, Dimitri, 800
- rich mixture, 705
- Rumford, Count, *see* Thompson, Benjamin
- Saint-Venant, Claude Barre de, 799
- saturation
 - adiabatic, 681–83
 - diagrams, 99–100
 - ice–vapor sublimation, 824
 - quality, 86
 - tables and databases, 89–90
 - water, 853–55
- saturation pressure, 85–86
- saturation properties of water and steam with varied pressure, 805–9
- saturation properties of water and steam with varied temperature, 802–4
- saturation temperature, 85–86
- second law of motion, 44
- second law of thermodynamics, *see also* phase equilibrium, chemical equilibrium
 - alternative statements, 339–40
 - and thermodynamic equilibrium, 761–62
 - availability
 - closed system, 407–13
 - defined, 406
 - open system, 413–17
 - entropy
 - balances for a closed system, 380–99
 - balances for an open system, 400–5
 - defined, 355–56
 - derivation, 358
 - Gibbs relationships, 359–61
 - ideal-gas properties, 361–72
 - isothermal heat transfer, 356–57
 - pure nonideal substances, 372–80
 - specific, 359
 - historical background, 3
 - history of, 318–19, 355
 - ideal-gas mixtures, 643–50
 - Kelvin–Planck statement
 - coefficient of performance, 326
 - consequences of, 332–39
 - defined, 320–22
 - heat engine, 322–26
 - reservoirs, 322
 - reversibility, 330–32
 - thermal efficiency, 326–27
 - properties related to, 58
 - reversible heat engine example, 338
 - usefulness, 319–20
 - water in liquid and vapor phases, 103–8
- second law of thermodynamics examples, 321
- sensible enthalpy change, 711
- shaft power, 212–14
- shock wave, 332
- simple closed system, 13
- simple compressible substances, 41
- simple open system, 9
- Smeaton, John, 798
- solar heating, 224
- solid phase
 - energy storage in, 200
 - in pure substances, 41
 - saturation, 89–90
 - saturation of ice–vapor sublimation, 824
 - specific entropy, 374
 - thermodynamic properties of, 110–12
- solidification line, 110
- spark-ignition engines
 - areas of work done, 203–7
 - as closed system, 13
 - compression and combustion processes in, 721–23
 - constant-pressure combustion in, 714–15
 - entropy, 371–72
 - in four-stroke engine cycle, 582–86
 - geometry of, 194–95
 - isentropic process, 367–68
 - mass conservation in, 150–51
 - reciprocal, 717–23
 - thermodynamics example, 8–9
 - throttles in, 465–71
 - work process in, 209–12
- specific energy, 42
- specific entropy
 - for pure nonideal substances, 372–80
 - as a state property, 359
- specific fuel consumption, 559, 576–81
- specific-heat ratio, 56
- specific heats
 - of air, 642–43
 - and the first law of thermodynamics and calorific equation of state, 54–56
 - fossil-fuel, 859, 861
 - gases, 845
- specific humidity, *see* humidity ratio
- specific thrust (turbojet), 576–81
- specific volume
 - and equation of state, 46
 - defined, 42
- spontaneous heat flow, 340
- spontaneous process, 382–86
- standard atmosphere (pressure unit), 47
- standard reference state, 643, 711–12
- standardized enthalpy, 711
- standard-state Gibbs function change, 767
- state principle, 58
- state relationships
 - change in closed system, 258–67, 380–81
 - chemical equilibrium for conditions of fixed temperature and pressure, 764–70

870 INDEX

- state relationships (cont.)
 - defined, 17, 58
 - gas-turbine engines, 556–61
 - how to define them, 95–98
 - ideal gases, 60–62, 66–72
 - ideal-gas mixtures, 639–41
 - nonideal gases, 72–83
 - pure substance, 84–89
 - turbojet engine, 572–75
- steady-flow devices, 727–43
- steady-flow process
 - Carnot cycle and, 398
 - in closed system, 18
 - for open systems, 156, 275–77
 - reversible, 476–78
- steady state, 156
- steam dome, 86
- steam point, 50
- steam power cycle
 - basic Rankine cycle in, 534–35
 - change in entropy, 389–90
 - Rankine cycle with regeneration, 541–51
 - Rankine cycle with superheat and reheat, 536–41
- steam power plant, 2
 - availability change in, 415–17
 - boiler analysis, 736–41
 - components of, 218–21, 526–28
 - electrical work in, 213
 - energy transfer in, 218–21
 - first law of thermodynamics, 280–84
 - heat engine in, 324
 - heat recovery in, 564–65
 - net flow work in, 221–23
 - and nuclear power, 551–53
 - open system boiler flow, 162–64
 - open system feedwater pump flow, 165–67
 - open system turbine flow, 160–62
 - overall energy utilization, 742–43
 - power output from, 401–3
 - state relationship tabular database on, 74
- steam turbine (in steam power plant)
 - isentropic process, 378–80, 400–1
 - nozzles and diffusers, 459–61
 - processes of, 220
 - thermal-fluid analysis, 493–95
 - working fluid in, 490
- Stevin, Simon, 798
- Stirling, Robert, 398–99
- Stirling cycle, 398–99
- Stirling engine, 19, 327–28, 581
- stoichiometry (combustion), 705–9
- Stokes, George Gabriel, 799
- stroke (spark-ignition engine), 194
- Strutt, John William (Lord Rayleigh), 800
- subcooled liquid, 85
- sublimation line, 110
- supercritical region, 85–86
- superheated vapor
 - isobaric data, 809–20
 - properties of, 89–90
 - Rankine cycle, 536–39
 - temperature of, 86
- surroundings (thermodynamics)
 - defined, 406
 - entropy balances in a closed system, 386–88
- system
 - defined, 13, 406
 - energy associated with, 198–99
- Taylor, Geoffrey Ingram, 801
- temperature
 - adiabatic saturation, 681
 - and chemical equilibrium, 764–73
 - and mixing of ideal gases, 648–50
 - dew point, 670–73
 - saturation, 85–86, 89–90
 - scales of, 50
 - wet- and dry-bulb, 684
 - zeroth law of thermodynamics, 711–12
- temperature differences, 225
- temperature gradient, 225
- temperature–entropy diagram, 374
- tetrafluoroethane, 853–57
- thermal efficiency
 - and cycle efficiency, 531–34
 - defined, 326–27
 - gas-turbine engines, 556–61
- thermal equilibrium
 - defined, 19
 - in thermodynamic equilibrium, 760
- thermal reservoir, 323
- thermal-fluid analysis, steady-flow devices
 - components of, 453–54
 - heat exchangers, 499–507
 - nozzles and diffusers, 454–64
 - pumps, compressors, and fans, 471–87
 - throttles, 465–71
 - turbine engines, 487–99
- thermal-fluid sciences, 1
- thermodynamic equilibrium
 - and the second law of thermodynamics, 339, 761–62
 - for conditions of fixed internal energy and volume, 762–64
 - defined, 19
 - multiple reactions and, 779–81
 - summary of, 761
 - types of, 19–21
- thermodynamic state (how to define), 95–98
- thermodynamic temperature scale, *see* absolute temperature scale
- thermodynamics
 - defined, 1
 - thermal-fluid sciences component, 1
- thermodynamics applications
 - jet engines, 9–11
 - spark-ignition engines, 8–9
 - steam power plant, 2–4
- thermodynamics learning
 - hierarchy in, 11–12
 - mathematical skills in, 25
 - problem solving method in, 24–25
- thermometric substance, 50
- third law of thermodynamics, 359
- Thompson, Benjamin (Count Rumford), 197, 201, 255, 798
- Thomsen, Hans Peter Jørgen Julius, 760
- Thomson, William (Lord Kelvin), 319, 335–36, 799
- throttles
 - applications, 467–71
 - energy conservation, 459–61
 - mass conservation, 466
 - thermal-fluid analysis, 465–71
- throttling calorimeter, 467–69
- Torbern Olof Bergman, 760
- Trans-Alaska pipeline, 554
- triple point (water), 50
- turbine engines
 - thermal-fluid analysis, 487–99
 - turbojet, 574
- turbofan engine, 10–11
- turbojet engine
 - basic operation of, 566–67
 - combustor, 733–36
 - components of, 9–11
 - nozzle thermal-fluid analysis, 463–64
 - open systems analysis, 567–71
 - propulsive efficiency, 575–76
 - PW4084 engine example, 566
 - schematic and processes of, 554
 - schematic of, 566
 - specific thrust and specific fuel consumption, 576–81
 - state relationships, 572–75
 - thermal-fluid analysis, 491
 - thermodynamic analysis, 633–34
- turbulent flow, 153
- US customary units, 22–24
- unified atomic unit (mass), 44
- units (common thermodynamic), 21–23
- universal gas constant, 59
- unsteady flow in open systems, 167–73, 277–78

vacuum pressure, 47	Waage, Peter, 760	Watt, James, 798
van der Waals equation of state, 78–79, 845	water	watts (power unit), 217
van’t Hoff, Jacobus Hendricus, 760, 771	enthalpy–entropy diagram, 377–78	Weber, Moritz, 801
van’t Hoff equation, 771	entropy, 360	wet-bulb temperature, 684
vapor compression refrigeration cycles,	in liquid and vapor phase diagrams,	wind turbines, 490
591–97	99–100, 104	work
vapor dome, 86	isochoric process, 263–65	defined, 201–2
vapor phase	isothermal expansion, 375–77	defined by second law of thermodynamics,
fossil fuel curve-fit coefficients for, 861	phase equilibrium, 20, 781–86	320
in pure substances, 41, 83–108	pure substance, 83–108	reversible steady flow, 476–78
specific entropy, 373	saturated, 853–55	types of
Vaschy, Aimeé, 800	temperature–entropy diagram, 375	electrical, 214–15
viscosity (fuel vapor), 861	thermodynamic properties of, 802–24, 836	flow, 216–17
viscous heating, 331	triple point of, 50	moving boundaries, 203–13
viscous losses, 331	water heater, 728	shaft, 212–14
viscous work, 203	water pump (steam power plant), 218, 483–84	working fluid, 18
volume	water turbines, 497–99	
defined, 44	water vapor	Young, Thomas, 197, 798
thermodynamic equilibrium, 762–64	in dry air, 667	
volumetric flow rate, 152	as ideal gas, 672–73	zeroth law of thermodynamics,
Von Karman, Theodor, 800	thermodynamic properties of, 851	711–12