

Index of Scientific and Vernacular Names

All illustrations are indicated by **boldface**; colored figures (e.g., C1) appear on the unnumbered pages following p. 108.

Animals

Aphrastura masafuerae 336
Arlairetes ferandezianus 336
Asio flammeus 336
austral blackbird = *Guracus curaeus* 142, 336
austral thrush = *Turdus falcklandii* 336
Bombus sp. 198
Capra aegagrus f. *hircus* 124–126, 159
coati mundis = *Nasua nasua* 122, **123**, 140, 193
goats = *Capra aegagrus* f. *hircus* 3, 6, 42, 110, 114, 122, 123, 124–126, 131, 140, 149, 151, 159, 160, 370
green-backed firecrown hummingbird =
 Sephanoides sephanoides 336
Guracus curaeus 336
hummingbirds = *Sephanoides* spp. 158, 193, 195, **196**, 197, 204, 319, 320, 321, 323, 324, 326, 330, 331, 336, 372
Hylaeus spp. 198
Jasus frontalis **C6**
Juan Fernández firecrown = *Sephanoides fernandensis* **196**, 336
Juan Fernández tit-tyrant = *Arlairetes ferandezianus* 336
Lasioglossum fernandensis 197
lobster = *Jasus frontalis* **C6**
Nasua nasua **123**
Oryctolagus cuniculus **124**, 159
petrel = *Pterodroma* spp. 51, 366
Pterodroma externa 51
 P. longirostris 51
rabbits = *Oryctolagus cuniculus* 105, 114, 122, 123, **124**, 125, 126, 140, 141, 159, 160, 370
rayadito = *Aphrastura masafuerae* 336
Sephanoides fernandensis **196**, 336
 S. sephanoides 196, 336
short-eared owl = *Asio flammeus* 336
thrush = *Turdus falcklandii* 142, 246, 336
Turdus falcklandii 142, 161, 336
 T. falcklandii subsp. *magellanicus* 246
Xylocopa spp. 198

Plants

Abrotanella crassipes 198
 A. linearifolia 68, 109, 338
Abutilon striatum 85
Acacia (Racosperma) dealbata 76, 106, 139
 A. melanoxylon 76, 106, 111, 139
Acaena 104, 216, 233–234, 343, 346
 A. antarctica 234
 A. argentea 19, 60, 78, 102, 103, 104–105, 107, 127, 137, 139, 140–141, **146**, **147**, 148, 230, 271, 328, 370
 A. masafuerana 71, 108, 211, 233, 273, 343
 A. ovalifolia 78
 A. tenera 234
Acanthaceae 82
Acanthus mollis 82
Acer 292
 A. negundo 82
Aceraceae 82
Actinidia deliciosa 82
Actinidiaceae 82
Actites 229
Adiantum chilense var. *chilense* 15, 66, 102
Aeonium arboretum 84
 A. haworthii 84
 A. holochrysum 84
Agavaceae 80, 138
Agave americana 80
Agrostis 216, 234–235, 343
 A. magellanica 234
 A. masafuerana 67, 211, 234–235, 273
 A. stolonifera 73
Ailanthus altissima 79, 111, 138, 139, 145
Aira caryophyllea 73, 102, 105, 110, 137
 A. praecox 73, 110, 137, 138
Aizoaceae 74, 79 n., 82, 138, 189
Ajuga reptans 85
Albizia lophantha 76, 138, 139
Alcea rosea 85
Alliaceae 80

- Allium cepa* 80
 - A. porrum* 80
 - A. sativum* 80
 - A. schoenoprasum* 80
- Aloe arborescens* 81
 - A. ciliaris* 81
 - A. saponaria* 81
 - A. vera* 81
- Aloysia salvifolia* 87
- Amaranthaceae 74, 82, 93, 350
- Amaranthus deflexus* 74
 - A. hybridus* 74
- Amaryllidaceae 72, 80
- Amaryllis belladonna* 72
- Amblyopappus pusillus* 74, 88
- Ammi visnaga* 74
- Anagallis arvensis* 78, 105, 110
 - A. minima* 78
- Ananas comosus* 81
- Anemone decapetala* 78
- Anethum graveolens* 74
- Annona cherimola* 82
- Annonaceae 82
- Anoda cristata* 77
- Anredera cordifolia* 83
- Anthemis arvensis* 82
 - A. cotula* 74
- anthemisa 126
- Anthoxanthum* 109–110, 111, 112, 114
 - A. odoratum* 73, 102, 105, 108, 109–110, 128, 137, 138, 139
- Antirrhinum majus* 86
- Apiaceae 67–68, 74, 82, 88, 151, 189, 235, 241–242, 292, 327–328, 338, 350, 351
- Apium* 216
 - A. australe* 67, 74, 338
 - A. fernandezianum* 67, 88, 211, 235, 338
 - A. laciniatum* 74
 - A. prostratum* 235
- Apocynaceae 74, 82, 350
- Aquilegia vulgaris* 86
- Arabidopsis* 236
- Araceae 72, 80
- Araliaceae 82
- Araucaria angustifolia* 80
 - A. excelsa* 80
- Araucariaceae 80
- Arctotis acaulis* 82
- Arecaceae 66, 81, 88, 338
- Argyranthemum* 327
 - A. frutescens* 82
- Argyrochosma* 66, 216, 259
 - A. chilensis* 213, 259
 - A. nivea* 259
- Aristolochia* 230
- Aristolochiaceae 62–63, 168–170, 187, 230
- Aristolochiales 230
- Arthropteridaceae 259
- Aristotelia chilensis* 19, 50, 63, 76, 100, 101, 102, 103, 107, 112, 114, 126, 137, 138, 139, **140**, **141**, 142, 144, 148, 158, 160, 352, 370
- arrayán macho = *Rhaphithamnus venustus* 88
- Artemisia absinthium* 74
- Arthropteris* 90, 216
 - A. altescandens* 66, 213, 259, **C7**
 - A. oblitterata* 259
 - A. paucivenia* 259
- Arum elongatum* 80
 - A. italicum* subsp. *italicum* 80
- Arundo donax* 81, 139
- Asparagaceae 81
- Asphodelaceae 81
- Aspidium* 266
 - A. aculeatum* 265
- Aspleniaceae 64, 91, 259
- Asplenium* 216, 259–260, 268
 - A. dareoides* 15, 64, 109
 - A. erectum* 260
 - A. lunulatum* 259
 - A. macrosorum* 64, 100, 213, 222, 259
 - A. obtusatum* 111
 - A. obtusatum* var. *sphenoides* 64, 110, **C8**
 - A. obtusifolium* 259
 - A. pteropus* 260
 - A. semicordatum* 259
 - A. stellatum* 64, 213, 222, 259
- Aster novae-angliae* 102
- Asteraceae 68–69, 74–75, 82–83, 88, 95, 138, 157–168, 170–178, 189–190, 338–339, 345, 346, 349, 351, 352, 353, 375
- Avena barbata* 73, 105, 139
- Azara* 93, 216, 235
 - A. integrifolia* 235
 - A. serrata* var. *fernandeziana* 71, 191, 211, 235, 344, **C85**
 - A. serrata* var. *serrata* 235
- Bahia ambrosioides* 74, 111
- Balbisia berteroi* 232
- Balsaminaceae 83
- Bartsia trixago* 85
- Basellaceae 83
- Bauhinia candicans* 84
- Begonia albopicta* 83
 - B. cucullata* 83
 - B. fuchsoides* 83
- Begoniaceae 83
- Bellis perennis* 82
- Berberidaceae 69, 88, 339
- Berberis* 210, 216, 275, 317, 345
 - B. corymbosa* 69, 88, 211, 220, 235, 236, 274, 339
 - B. jobii* 235
 - B. jujuyensis* 235
 - B. masafueriae* 220, 236

- Berberis* (cont.)
B. masafuerana 69, 211, 235, 236, 274, 339
B. microphylla 235, 236, 274
B. rotundifolia 235, 236
B. setigrifolia 236
Bergenia crassifolia 86
Beta vulgaris subsp. *maritima* 76
B. vulgaris subsp. *vulgaris* 78
Bidens pilosa 74
 Bignoniaceae 83
 Blechnaceae 64, 91, 260–261
Blechnum 216, 260, 268, **C111**
B. attenuatum 260
B. chilense 64, 72 n., 101, 103, **C9**
B. cordatum 64, 72 n.
B. cycadifolium 64, 100, 101, 102, 108, 113, 114, 213, 222, 260, **C10**
B. hastatum 64, 102, 103, 104
B. longicauda 64, 213, 222, 260, 273, **C11**
B. magellanicum 260
B. meridense 260
B. mochaenum var. *achalense* 261
B. mochaenum var. *fernandezianum* 64, 213, 222, 260, 261
B. mochaenum var. *mochaenum* 109, 260, 261
B. mochaenum var. *squamipes* 261
B. schottii 64, 101, 213, 260, **C12**
B. sprucei 260
Blechnum subg. *Lomaria* 260
Blepharocalyx 183, 231, 273, 275
Boehmeria 50, 216, 345
B. excelsa 88, 101, 102, 113, 211, 236, 344, **C86**
B. pavonii 236
 Boraginaceae 69, 75, 83, 339, 350
Bougainvillea glabra 85
Brachypodium distachyon 73
Brassica napus 75
B. nigra 75
B. oleracea 75
B. rapa 75
 Brassicaceae 69, 75, 83, 190, 236, 339, 350
Briza maxima 73, 105
B. minor 73, 105, 110, 137
B. subaristata 73
 Bromeliaceae 66, 81, 88, 189, 339
Bromus 231
B. berterioanus 73
B. catharticus 73
B. cebadilla 73
B. diandrus 73
B. hordeaceus 73, 105
B. lithobius 73
B. stamineus 73
Brugmansia sanguinea 87
B. suaveolens 87
Buddleja globosa 87
 cabbage tree = *Dendroseris litoralis*, *Juania australis* 122, 157
 Cactaceae 83
Calandrinia monandra 78
Calendula officinalis 74
Callitriche lechleri 78
Calycanthus 230
Calystegia 137
C. tuguriorum 69, 340
Camellia japonica 87
Campanula rapunculoides 75
 Campanulaceae 69, 75, 83, 190, 339–340, 351
 canelo = *Drimys confertifolia* 88
Canna indica 81, 139
 Cannabaceae 83
Cannabis sativa 83
 Cannaceae 81
 Caprifoliaceae 83
Capsella bursa-pastoris 83
Capsicum annuum 87
Cardamine 216, 236–237
C. chenopodiifolia 69
C. chenopodioides 339
C. flaccida 69, 339
C. glacialis 236, 237
C. kruesselii 69, 211, 236, 273, 339
C. vulgaris 236, 237
Carduus pycnocephalus 74, 139
Carex 61, 62, 216, 237, 255–256
C. banksia 237
C. berteroniana 66, 211, 220, 237, 340
C. fernandesiana 62
C. fernandezensis 62, 66, 211, 220, 237, 340
C. firmula 62
C. kingii 62
C. lamprocarpa 237
C. microglochin 62
C. poeppigii 237
C. phalaroides 66, 237, 340
C. olurinervata 62
C. stuessyi 15, 57, 66, 212, 220, 237, 273, 340
Carica pubescens 84
 Caricaceae 84
Carpobrotus aequilaterus 74, 139, 189
Carthamus lanatus 74
 Caryophyllaceae 69, 75, 84, 190, 254, 340, 350
Castanea sativa 84
Centaurea cochinalensis 228
C. floccosa 228
C. melitensis 74, 106, 139
Centaurium cachanlahuen 76
Centaurodendron 93, 157, 216, 228, 233, 268, 326, 352
C. dracaenoides 68, 158, 211, 220, 228, 338, **C35**
C. palmiforme 68, 158, 211, 220, 228, 338

- Centella* 350
 - C. asiatica* 67, 338
- Centranthus ruber* 79
- Cerastium fontanum* subsp. *vulgare* 75
 - C. glomeratum* 75
- Ceroxylon* 229
- Cestrum parqui* 79, 114
- Chaetanthera* xv
- Chaetotropis chilensis* 73
 - C. imberbis* 73, 111
- Chamomilla recutita* 74
- Chascolytrum subaristatum* 73
- Chasmanthe aethiopica* 81, 139
- Chenopodiaceae 69, 76, 84, 93, 340
- Chenopodiastrium murale* 76
- Chenopodium* 161, 216, 237–238, 307, 330, 331, 337, 350
 - C. acuminatum* 237
 - C. album* 76
 - C. crusoeanum* 69, 212, 220, 237, 238, 306, 340
 - C. frutescens* 237
 - C. nesodendron* 69, 212, 220, 237, 238, 340
 - C. oahuense* 237
 - C. paniculatum* 237
 - C. sanctae-clarae* 69, 115, 151, **152**, **153**, **154**, 212, 220, 237, 238, 306, 340, **C70**
 - C. sandwicheum* 237
- Chloraea* 244
- Chlorophytum comosum* 81
- chonta = *Juania australis* 88
- Chrysanthemum coronarium* 74
- chupón = *Ochagavia elegans* 88
- Chusquea* 216, 238
 - C. culeou* 82, 139, 238
 - C. cumingii* 238
 - C. fernandeziana* 67, 88, 212, 238, 343
 - C. gigantea* 238
 - C. macrostachya* 238
 - C. montana* 238
 - C. quila* 238
 - C. uliginosa* 238
- Chusquea* subg. *Chusquea* 238
- Chusquea* subg. *Swallenochloa* 238
- Cichorium intybus* 74
- Cirsium vulgare* 74
- Citrus limonum* 86
 - C. sinensis* 86
- Clinopodium* 228
- Clivia miniata* 80
- Codium* 21
- col = *Dendroseris* spp. 88
- col de palma = *Juania australis* 88
- colecillo = *Dendroseris* spp. 88
- colihue = *Chusquea fernandeziana* 88
- Colletia* 216, 238–239, 337, 346
 - C. hystrix* 238, 239
 - C. ulicina* 238
- C. spartioides* 71, 212, 238, 239, 343
- Colocasia esculenta* 80
- Commelinaceae 72
- Conium maculatum* 74, 106, 189
- Consolida ajacis* 86
- Convolvulaceae 69, 76, 340, 350, 351
- Convolvulus arvensis* 76
- Conyza bonariensis* 74, 240
 - C. floribunda* 240
- Coprosma* 109, 210, 216, 239, 337, 345, 351, 353
 - C. acutifolia* 239
 - C. cookie* 239
 - C. foliosa* 239
 - C. hookeri* 88, 239
 - C. laevigata* 239
 - C. lucida* 239
 - C. macrocarpa* 239
 - C. oliveri* 71, 100, 212, 220–221, 239, 343
 - C. pyriformis* 71, 88, 113, 191, 212, 220–221, 239, 343
 - C. robusta* 239
 - C. taitensis* 239
 - C. triflora* 239
- Cordylina australis* 81
 - C. stricta* 81
- Coriandrum sativum* 74
- Coronopus didymus* 83
- Cortaderia selloana* 82, 139
- Cosmos bipinnatus* 82
- Cotula australis* 74
 - C. coronopifolia* 74
- Crassula multicava* 84
- Crassulaceae 84
- Crepis capillaris* 74
- Crinodendron patagua* 84
- Crinum ×powellii* 80
- Crocasmia ×crocasmiflora* 72
- Cryptocarya alba* 80
- Ctenanthe oppenheimiana* 81
- Cucumis sativus* 84
- Cucurbita ficifolia* 84
 - C. maxima* 84
 - C. pepo* 84
- Cucurbitaceae 84, 350
- Culcita* 258
- Cuminia* 210, 216, 228, 268, 326, 330, 345
 - C. eriantha* 70, 100, 191, 196, 211, 220, 228, 326, 342, **C77**
 - C. fernandezia* 70, 191, 211, 220, 228, 326, 342
- Cuphea ignea* 85
- Cupressaceae 72, 80
- Cupressus* 79 n.
 - C. goveniana* 80, 106, 139, **C101**
 - C. macnabiana* 80, 106, 139
 - C. macrocarpa* 72, 139
 - C. sempervirens* 72
- Cyclospermum leptophyllum* var. *leptophyllum* 74

448 Index of Scientific and Vernacular Names

- Cydonia oblonga* 86
- C. vulgaris* 86
- Cymbalaria* 92
- C. muralis* 78
- Cymophyllus* spp. 62, 256
- Cynara cardunculus* 74
- C. scolymus* 82
- Cynodon dactylon* 82
- Cynoglossum creticum* 75
- Cynosorus echinatus* 73
- Cyperaceae 61, 62, 66, 72, 81, 340–341, 350, 351
- Cyperus eragrostis* 66, 340
- C. involucratus* 81
- C. papyrus* 81
- C. reflexus* 66, 340
- Cyrtandra* 59
- Cystopteridaceae 64, 90
- Cystopteris* 90
- C. fragilis* var. *apiiformis* 64
- Cytisus scoparius* 84
-
- Dactylis glomerata* 73
- Dahlia excelsa* 82
- D. ×hortensis* 82
- D. ×pinnata* 82
- Danthonia chilensis* var. *chilensis* 67, 343
- D. malacantha* 67, 128, 343
- Darwiniothamnus alternifolius* 240
- Datura stramonium* 79
- Daucus carota* 82
- D. montanus* 74
- Deinacanthon urbanianum* 249
- Delairea odorata* 74, 82, 138, 139
- Dendranthema grandiflora* 83
- Dendroseris* 1, 42, 43, 60, 61, 88, 157, 158, 161, 163, 170–171, 186, 188, 192, 198, 204, 210, 214, 216, 228–229, 241, 268, 269, 270, 275, 285, 286, 288–289, 314, 316, 318–320, 322, 324, 330, 337, 352, 370, 371
- D. berteroa* 68, 158, 211, 220, 274, 288, 289, 318, 338, **C36, C37, C38**
- D. gigantea* 68, 158, 171, 211, 220, 229, 338
- D. litoralis* 68, 151, **152**, 157, 158, 189, 211, 220, 269, 289, 318, 319, 320, 338, **C41**
- D. macrantha* 68, 158, 189, 211, 220, 338
- D. macrophylla* 68, 171, 189, 211, 220, 229, 338
- D. marginata* 68, 211, 220, 318, 338, **C42, C43, C44**
- D. micrantha* 68, 102, 158, 189, 211, 220, 269, 289, 318, **338, C47, C48, C49**
- D. neriifolia* 43, 68, 158, 189, 211, 220, 300, 338, **C50, C51, C52**
- D. pinnata* 68, 158, 189, 211, 220, 269, 274, 318, 338, **C39, C40**
- D. pruinata* 68, 189, 211, 220, 269, 288, 318, 319, 338, **C45, C46**
- D. regia* 68, 158, 170, 171, 211, 220, 229, 274, 319, 338
-
- Dendroseris* subg. *Dendroseris* 171, 229, 318, 320
- Dendroseris* subg. *Phoenicoseris* 170, 171, 229, 318
- Dendroseris* subg. *Rea* 170, 171, 229
- Dennstaedtiaceae 64
- Dianthus barbatus* 84
- D. caryophyllus* 84
- Dichondra* 337, 350
- D. sericea* 69, 340
- Dicksonia* 50, 109, 111, 112, 114, 216, 261, **C111**
- D. arborescens* 261
- D. berteroa* 64, 100, 113, 213, 222, 261, **C13, C14**
- D. berteroa* var. *virgata* 261
- D. externa* 64, 108, 213, 222, 261, **C15, C16, C116**
- D. lanata* 261
- Dicksoniaceae 64, 90, 91, 258
- Dietes iridioides* 91
- Digitalis* 92
- D. purpurea* 78
- Digitaria sanguinalis* 73
- Dipsacaceae 76
- Dipsacus sativus* 76, 105
- Drimys* 109, 161, 210, 216, 230, 270, 290, 294–295, 301, 302, 337
- D. andina* 239–240, 291, 294
- D. confertifolia* 66, 88, 99, 100–101, 108, 112, 113, 189, 212, 239–240, 291, 294, 301, 333, 344, **C29, C93**
- D. winteri* 239–240, 291, 294
- D. winteri* var. *chilensis* 294
- Dryopteridaceae 64, 90, 91
- Dryopteris* 263
- D. inaequalifolium* 263
- Dysopsis* 216
- D. glechomoides* 240
- D. hirsuta* 70, 100, 190, 192, 212, 240, 341, 351, **C73**
- D. paucidentata* 240
- Dysphania ambrosioides* 76
- D. multifidum* 76
- Dystaenia ibukiensis* 295
- D. takesimana* 292, 294–295
-
- Echeveria glauca* 84
- Echinochloa colona* 73
- Echium vulgare* 83
- Elaeocarpaceae 76, 84, **140**
- Elaphoglossum* 90
- E. lindenii* 64
- Eleocharis fuscopurpurea* 67, 341
- Eleusine tristachya* 73
- Embergeria* 229
- Empetrum rubrum* 69, 133, 151, 341
- Ensete ventricosum* 81
- Ericaceae 69, 84, 88, 190, 341, 351
- Erigeron* 43, 161, 163, 174–178, 186, 188, 192, 210, 216, 240–241, 269, 270, 272, 276, 296, 299–300, 302–303, 318, 322–324, 370, 371, 373, 382–383

- E. alpinum* 382
- E. corrales-molinensis* 57, 240, 272
- E. fasciculatus* 240
- E. fernandezia* xviii, 68, 175, 176, 177, 178, 190, 212, 221, 240, 241, 255, 272, 298, 299, 300, 302, 303, 322, 323, 324, 339, 382, 383, **C53**, **C54**
- E. fernandezianus* 382, 383
- E. fruticosum* 383
- E. ingae* 59, 68, 176, 178, 190, 212, 221, 240, 241, 298, 299, 303, 322, 323, 324, 339, **C55**
- E. karvinskianus* 83, 138
- E. leptorhizon* 240
- E. lutea* 221
- E. luteoviridis* 68, 176, 177, 178, 190, 212, 240, 241, 298, 299, 303, 322, 323, 324, 339
- E. luxurians* 240
- E. philadelphicum* 382
- E. rosulatus* 175, 240
- E. rupicola* 68, 110, 111, 175, 176, 178, 190, 212, 221, 240, 241, 298, 299–300, 303, 322, 323, 339, 381–382, **C56**
- E. stuessyi* sp. nov. 15, 57, 68, 175, 176, 178, 190, 212, 240, 241, 298, 299–300, 303, 322, 323, 339, 381–382, **C57**
- E. turricola* 176, 177, 178, 190, 298, 299, 303, 324
- Eriobotrya japonica* 86
- Erodium cicutarium* 77
- E. moschatum* 77
- Eryngium* 216, 241–242, 327–328, 345
- E. articulatum* 241
- E. bupleuroides* 67, 189, 212, 221, 241, 242, 272, 327, 328, 338, 374, **C34**
- E. ciliatum* 242
- E. ×fernandezianum* 68, 212, 221, 241, 242, 272, 327, 328, 338, 374
- E. inaccessum* 68, 212, 221, 241, 242, 272, 327, 328, 338, 372
- E. ovinum* 241
- E. rostratum* 341
- E. sarcophyllum* 68, 133, 151, 212, 221, 241, 242, 273, 327, 338, 345
- E. vaseyi* 241
- E. vesiculosum* 241, 242
- Escallonia* 216
- E. callcottiae* 70, 190, 212, 242, 341, **C72**
- E. florida* 242
- E. rosea* 242
- E. rubra* 242
- E. virgata* 242
- Escalloniaceae 70, 210, 341, 351
- Eschscholzia californica* 85
- espinillo = *Rhaphithamnus venustus* 88
- Eucalyptus globulus* 77, 106, 111, 139
- Euphorbia helioscopia* 84
- E. lathyris* 76
- E. milii* var. *milii* 84
- E. peplus* 76
- E. pulcherrima* 84
- Euphorbiaceae 70, 76, 84, 190, 341, 350, 351
- Euphrasia* 92, 216, 242–243
- E. antarctica* 243
- E. chrysanthra* 243
- E. formosissima* 70, 191, 212, 243, 273, 342
- E. formosissima* subsp. *cucharensis* 243
- E. hookeri* 243
- Euryops chrysanthemoides* 83
- Fabaceae 70, 76, 84, 88, 138, 190, 341, 350
- Fagaceae 76, 84
- Fagara* 93, 100, 257, 317
- F. externa* 93, 109, 382
- F. mayu* 93, 101
- Farfugium tussilagineum* 83
- Fascicularia bicolor* 249
- Fatsia japonica* 82
- Felicia amelloides* 83
- Festuca* 231
- F. arundinacea* 73
- Ficus carica* 77, 139
- F. elastica* 85
- Flacourtiaceae 235
- Foeniculum vulgare* 74
- Fragaria chiloensis* 79, 86
- Fraxinus ornus* 85
- Freesia refracta* 81
- Fuchsia* × *hybrida* 85
- F. magellanica* 77, 138
- Fumaria capreolata* 78
- Galega officinalis* 76
- Galinsoga parviflora* 74
- Galium* 216, 243–244
- G. andicola* 243
- G. aparine* 79, 139, 191
- G. canesens* 243
- G. fuegianum* 243
- G. kilippii* 243
- G. masafueranum* 71, 212, 243, 273, 343
- G. plumosum* 243
- G. uncinulatum* 243
- Gamochaeta americana* 75
- G. chamissonis* 68, 339
- G. coarctata* 75
- G. fernandeziana* 72 n.
- G. spicata* 75
- G. stachydifolia* 75
- Gastridium ventricosum* 73
- Gaultheria* 93, 94, 251
- G. poeppigii* 251
- G. racemulosa* 94, 251
- Gavilea* 216
- G. insularis* 67, 212, 244, 273, 342
- G. supralabellata* 244

450 **Index of Scientific and Vernacular Names**

- Gazania rigens* 83
- Gentianaceae 76
- Geraniaceae 77, 84
- Geranium core-core* 77, 109
 - G. dissectum* 77
 - G. pusillum* 77
 - G. robertianum* 77
- Geum chiloense* 86
- Gevuina avellana* 86
- Gilia valdiviensis* 78
- Gladiolus hortulanus* 81
- Gleichenia* 267
 - G. lepidota* 15, 57, 266
 - G. littoralis* 267
- Gleicheniaceae 64
- Gnaphalium aldunateoides* 75
- Gomortegaceae 168
- Gomphrena elegans* 82
- Goodeniaceae 327
- Grammitis* 90
 - G. magellanica* 65
- Greigia* 157, 216
 - G. berteroi* 66, 157, 212, 244, 339
 - G. landbeckii* 244
 - G. pearcei* 244
 - G. sphacelata* 244
- guayacán = *Sophora fernandeziana* 88
- Gunnera* 88, 108, 109, 118, 163, 181–183, 187, 210, 216, 245–246, 270, 275, 286, 287, 327, 330, 337
 - G. boliviana* 182
 - G. bracteata* 70, 99, 100, 101, 102, 113, 181, 182, 183, 190, 212, 221, 245, 271, 274, 327, 341, 374
 - G. brasiliensis* 182
 - G. chilensis* 245, 275
 - G. insignis* 182
 - G. manicata* 182
 - G. masafueræ* 70, 112, 113, 181, 182, 183, 190, 212, 221, 245, 273, 274, 341, **C75**, **C112**, **C116**
 - G. peltata* 18, 70, 101, 112, 113, 181, 182, 183, 190, 212, 221, 245, 271, 274, 327, 341, 374, **C76**
 - G. pilosa* 182
 - G. talamancana* 182
 - G. tinctoria* 181, 182, 183, 245, 274, 275
- Gunnera* subg. *Panke* 182, 245
- Gunneraceae 70, 88, 181, 190, 341, 351
- Haloragaceae 70, 190, 341
- Haloragis* 216, 246, 270, 317, 337, 345, 373
 - H. erecta* 246
 - H. masafuerana* 212, 246
 - H. masafuerana* var. *asperrima* 70, 212, 221, 246, 341
 - H. masafuerana* var. *masafuerana* 70, 212, 221, 246, 341
 - H. masatierrana* 70, 104, 190, 212, 221, 246, 317, 341, **C78**
 - H. masatierrana* var. *applanata* 246
 - H. masatierrana* var. *scabrida* 246
- Hebe* × *andersonii* 86
 - H. ×franciscana* 86
- Hedera algeriensis* 82
 - H. helix* 82
- Hedychium flavescens* 82, 139
- Hedyotis* 337
 - H. salzmännii* 71, 343
- Helianthus annuus* 83
- Hemerocallidaceae 81
- Hemerocallis fulva* 81
- Herbertia lahue* 67, 341
- Hesperogreigia* 244
- Hibiscus rosa-sinensis* 85
- Hieracium* 170
- Hippeastrum puniceum* 80
- Hirschfeldia incana* 75
- Histiotpteris incisa* 64, 102, 103, 108, 112, 113
- Hordeum chilense* 73
 - H. murinum* subsp. *murinum* 73, 105, 106
 - H. secalinum* 73, 106
- Hyacinthaceae 81
- Hyalocereus undatus* 83
- Hydnoraceae 230
- Hydrangea macrophylla* 77
- Hydrangeaceae 77, 85
- Hymenophyllaceae 65, 90, 91, 95, 261
- Hymenophyllum* 90–91, 100, 108, 109, 216, 262
 - H. asplenioides* 91
 - H. caespitosum* 65, 91, 262
 - H. caudiculatum* var. *productum* 65
 - H. cruentum* 65, **C21**
 - H. cuneatum* 65, 91, 262, **C22**
 - H. cuneatum* var. *rariforme* 91, 262
 - H. falklandicum* var. *falklandicum* 65
 - H. ferrugineum* var. *ferrugineum* 65
 - H. fuciforme* 65
 - H. heimii* 91
 - H. pectinatum* 65
 - H. plicatum* 65
 - H. rugosum* 65, 91, 213, 262
 - H. secundum* 65
 - H. tortuosum* var. *tortuosum* 65
 - H. tunbridgense* 91, 262
- Hymenophyllum* subg. *Cycloglossum* 90
- Hymenophyllum* subg. *Hymenoglossum* 90
- Hymenophyllum* subg. *Hymenophyllum* 91
- Hymenophyllum* subg. *Mecodium* 91
- Hypericaceae 77, 85
- Hypericum calycinum* 85
 - H. perforatum* 77
- Hypochaeris* 170
 - H. glabra* 75
 - H. radicata* 75, 137, 138, 190
- Hypolepis poeppigii* 64

- Impatiens sodenii* 83
 - I. walleriana* 83
- incienso = *Robinsonia macrocephala* 88
- Ipomoea indica* 76
- Iridaceae 67, 72, 81, 189, 341, 350
- Iris* × *germanica* 72
 - I. orientalis* 81
- Isolepis cernua* 72
- Ixia flexuosa* 81
-
- Jacaranda mimosifolia* 83
- Jasminum mesnyi* 85
- juanbueno = *Rhaphithamnus venustus* 88
- Juania* 100, 157, 216, 229, 337, 351
 - J. australis* 22, 66, 88, 121, 122, 157, 211, 230, 338, **C30**
- Juncaceae 67, 72, 342, 350, 351
- Juncus bufonius* 72
 - J. capillaceus* 67, 105, 342
 - J. imbricatus* 67, 342
 - J. pallescens* 67, 342
 - J. planifolius* 67, 342
 - J. procerus* 67, 110, 342
- Justicia magnifica* 82
-
- Kalanchoe blossfeldiana* 84
- Kickxia* 92
 - K. elatine* 78
- Kirkianella* 229
- Kobresia* 256
- Koeleria micrathera* 82
- Koelreuteria paniculata* 86
-
- Lactoridaceae 1, 19, 32, 62–63, 66, 95, 154, 169, 189, 200, 214, 229, 230, 342, 362
- Lactoripollenites* 154, 230
- Lactoris* 161, 216, 229–230, 258
 - L. fernandeziana* 19, 23, 32–33, 62–63, 66, 101, 154, **156**, 157, 169–170, 187, 189, 199, 200, 204, 211, 287–288, 289, 316, 342, 345, **C26**
- Lactuca sativa* 83
- Lagenophora hariatii* 68, 190, 339
- Lagerstroemia indica* 85
- Lamiaceae 70, 77, 85, 191, 342, 350
- Lampranthus blandus* 82
 - L. laxifolius* 82
 - L. roseus* 83
- Lantana camara* 87, 138, 139, 146, 352
- Lapsana communis* 75
- Lardizabala biternata* 77, 139
- Lardizabalaceae 77
- Lathyrus latifolius* 84
 - L. odoratus* 84
 - L. tingitanus* 84
- Lauraceae 80
- Laurales 168
- Laurus nobilis* 80
-
- Lavandula angustifolia* 85
- Lavatera arborea* 85
- leña dura = *Sophora masafuerana* 88
- Lepidium bonariense* 75
- Leptophyllochloa micrathera* 73
- Leucanthemum* × *superbum* 83
- Leucosium aestivum* 80
 - L. vernum* 72
- Libertia chilensis* 67, 104, 188, 189, 341, **C32**
- Ligustrum ovalifolium* 77
- Liliaceae 81
- Lilium longiflorum* 81
- Linaceae 77, 85
- Linum perenne* 85
 - L. usitatissimum* 77
- Lobelia* 350
 - L. anceps* 69, 339
 - L. erinus* 83
 - L. tupa* 75, 106, 139, 190
- Lobularia maritima* 83
- Lolium multiflorum* 73
 - L. perenne* 73
- Lomaria magellanicum* 260
- Lonicera japonica* 83, 97, 139, 352
- Lophosoria* 90, 109, 112, 113, **C111**
 - L. quadripinnata* 64, 100, 103, 108, **C15**, **C17**, **C117**, **C120**
- Lophosoriaceae 90
- Loranthaceae 70, 77, 88, 342
- Loxsoma* 258
- Loxsomataceae 258
- Loxsomopsis* 258
- luma = *Myrceugenia schulzei*, *Nothomyrcia fernandeziana* 88
- lumilla = *Nothomyrcia fernandeziana* 88
- Luzula* 216, 246–247
 - L. alopecurus* 247
 - L. chilensis* 247
 - L. leiboldii* 247
 - L. masafuerana* 67, 108, 212, 246–247, 273, 342
 - L. racemosa* 247
 - L. racemosa* subsp. *insularis* 247
- Lycopodiaceae 66
- Lycopodium gayanum* 66
 - L. magellanicum* 66, 108
- Lythraceae 77, 85
- Lythrum hyssopifolia* 77
-
- Machaerina* 247
 - M. ficticium* 247
 - M. mariscoides* 247
 - M. scirpoidea* 67, 212, 247–248, 340
- madera dura = *Sophora masafuerana* 88
- Madia sativa* 75
- Magnolia grandiflora* 80
 - M. quinquepeta* 80
- Magnoliaceae 80

452 Index of Scientific and Vernacular Names

- Magnoliales 230
- Malus domestica* 86
- M. pumila* 86
- Malva nicaeensis* 77
- M. parviflora* 77
- Malvaceae 77, 85
- manzanilla = *Amblyopappus pusillus* 88
- manzano = *Boehmeria excelsa* 88
- maqui = *Aristotelia chilensis* 19, 50, 88, 126, 160
- Maranta leuconeura* 81
- Marantaceae 81
- Marchantia berteroa* 42, 111, **C124**
- ×*Margyracaena* 118, 216, 264–265, 345
- ×*M. skottsbergii* 71, 133, 211, 250, 271, 328, 343, 345, 374
- Margyricarpus* 216, 248, 328
- M. cristatus* 248
- M. digynus* 60, 71, 88, 212, 230, 248, 271, 328, 343
- M. pinnatus* 248
- M. setosus* 248
- Marrubium vulgare* 77
- Matricaria chamomilla* 83
- M. recutita* 75
- Matthiola incana* 75
- mayu = *Zanthoxylum mayu* 88
- mayu-monte = *Sophora fernandeziana* 88
- Medicago arabica* 76
- M. lupulina* 76
- M. polymorpha* var. *brevispina* 76
- M. polymorpha* var. *polymorpha* 76
- M. polymorpha* var. *vulgaris* 76
- M. sativa* 76
- Megalachne* 157, 216, 231–232, 268, 331
- M. berteroa* 67, 102, 211, 220, 231, 331, 343
- M. masafuerana* 67, 102, 211, 220, 231, 331, 343
- M. robinsoniana* 67, 211, 220, 231, 331, 343
- Megalastrum* 216, 262–263, 269, **C18**
- M. glabrius* 64, 213, 222, 262–263
- M. inaequalifolium* 64, 100, 101, 213, 222, 262–263
- M. inaequalifolium* var. *glabrior* 263
- M. inaequalifolium* var. *inaequalifolium* 263
- M. masafuerae* 64, 213, 222, 262–263
- M. spectabile* 263
- Melilotus indicus* 76
- Melissa officinalis* 77
- Mentha aquatica* 77
- M. pulegium* 77
- M. suaveolens* 77
- michay = *Berberis corymbosa* 88
- Micropsis nana* 75
- Microsteris gracilis* 78
- Mimulus* 92, 310, 337
- M. glabratus* 70, 72 n., 342
- Minthostachys* 228
- Mirabilis jalapa* 85
- Modiola caroliniana* 77
- Monardella* 228
- Monimiaceae 80, 168
- Monstera deliciosa* 80
- Moraceae 77, 85
- murtilla = *Ugni molinae* 88
- murtillo = *Pernettya rigida* 88
- Musa acuminata* 81
- Musaceae 81
- Myoporum laetum* 87
- Myosotis laxa* 75
- M. sylvatica* 75
- Myrceugenia* 98, 112, 161, 183–185, 187, 210, 216, 231, 254, 286–287, 290, 292, 294, 302, 317
- M. campestris* 185
- M. chrysocarpa* 184
- M. colchaguensis* 183, 184, 185, 248, 275, 286, 287
- M. exsucca* 185, 248, 275, 286
- M. fernandeziana* 100, 101–102, 183, 184, 185, 191, 275, 286, 287, 301
- M. lanceolata* 185, 248
- M. pinifolia* 185
- M. rufa* 185
- M. rufescens* 185
- M. schulzei* 70, 88, 109, 113, 183, 184, 185, 191, 212, 248, 273, 275, 286, 287, 294, 342, **C79**, **C110**
- Myrtaceae 70, 77, 85, 88, 138, 191, 254, 342, 350, 351
- Myrteola nummularia* 70, 108, 191, 342
- naranjillo = *Zanthoxylum externum*, *Z. mayu* 88
- Nassella* 104–105, 109–110, 111, 112
- N. laevisissima* 73, 104, 109, 110, 114
- N. neesiana* 73, 104, 110, 114
- Nasturtium officinale* 75, 190
- Nerium oleander* 82
- Nertera* 337
- N. granadensis* 71, 108, 191, 343
- Nicotiana* 216, 248–249, 337, 346, 350
- N. cordifolia* 191, 212, 248–249, 273
- N. cordifolia* subsp. *cordifolia* 71, 212, 248, 344
- N. cordifolia* subsp. *sanctaclarae* 71, 212, 248, 344
- N. cutleri* 249
- N. glauca* 249
- N. raimondii* 248, 249
- N. solanifolia* 248, 249
- N. tabacum* 79
- Nicotiana* subg. *Rustica* 249
- Notanthera heterophylla* 70, 133, 151, 342
- Notholaena chilensis* 259
- Nothomyrcia* 98, 100–102, 107, 161, 183, 184, 210, 211, 216, 231, 273, 275, 317
- N. fernandeziana* 70, 88, 99, 100–101, 102, 113, 184, 191, 231, 273, 342, **C80**, **C93**, **C94**, **C100**
- Nothoscordum gramineum* 80
- Nyctaginaceae 85

- Ochagavia* 216, 249–250
 - O. andina* 249
 - O. carnea* 249
 - O. elegans* xviii, 66, 88, 188, 189, 212, 244, 249–250, 339, **C31**
 - O. litoralis* 249
- Ocimum basilicum* 85
- Oenothera affinis* 77
 - O. picensis* 77
 - O. rosea* 77
- Olea europaea* 85
- Oleaceae 77, 85
- Oleandraceae 90
- olivillo = *Coprosma hookeri* 88
- olivo = *Coprosma hookeri* 88
- Onagraceae 77, 85, 138
- Ophioglossaceae 65
- Ophioglossum* 216, 263–264
 - O. fernandezianum* 65, 213, 263–264
 - O. nudicale* 264
 - O. nudicale* var. *nudicaule* 264
 - O. nudicale* var. *typicum* 264
 - O. reticulatum* 264
 - O. ypanense* 263
- Opuntia ficus-indica* 103
- Orchidaceae 67, 342, 346, 350
- Oreobolus obtusangulus* 67, 108, 341
- Origanum majorana* 77
- Ornithogalum caudatum* 81
- Orobanchaceae 70, 85, 92, 191, 342
- Osteospermum ecklonis* 83
- Oxalidaceae 78, 138
- Oxalis* 109
 - O. corniculata* 78
 - O. debilis* 78
 - O. micrantha* 78
 - O. pes-caprae* 78, 138
 - O. purpurea* 78
- Pachycladon* 192
- palm-cabbage = *Juania australis* 157
- palo amarillo = *Zanthoxylum mayu* 88
- pangue = *Gunnera* spp. 88
- panul = *Apium fernandezianum* 88
- papa silvestre = *Solanum fernandezianum* 88
- Papaver rhoeas* 85
 - P. somniferum* 78, 106, 128, 139
- Papaveraceae 78, 85
- Parietaria* 350
 - P. debilis* 71, 191, 344
 - P. judaica* 87
- Paronychia franciscana* 75
- Paspalum dasypleurum* 71
 - P. distichum* 71
- Passiflora caerulea* 85
- Passifloraceae 85
- Pelargonium × asperum* 84
 - P. domesticum* 85
 - P. graveolens* 84
 - P. hortorum* 85
 - P. peltatum* 85
- Pellaea chilensis* 259
 - P. nivea* 259
- Peperomia* 163, 179–181, 186, 187, 188, 192, 210, 216, 250, 270, 337, 346, 350, 371
 - P. berteriana* 179, 180, 181, 189, 250
 - P. berteriana* subsp. *berteriana* 66, 180, 212, 221, 250, 342, **C27**
 - P. berteriana* subsp. *tristanensis* 250
 - P. fernandeziana* 66, 109, 179, 180, 189, 250, 342, **C28**
 - P. margaritifera* 66, 179, 180, 181, 189, 212, 221, 250, 342
 - P. margaritifera* var. *umbraticola* 250
 - P. nummularioides* 80
 - P. skottsbergii* 66, 179, 180, 189, 212, 221, 250, 342
 - P. tristanensis* 181
- Peperomia* subg. *Micropiper* 180
- Peperomia* subg. *Sphaerocarpidium* 179–180
- Peperomia* subg. *Tildenioidium* 179
- peralillo = *Coprosma pyrifolia* 88
- Pericallis × hybrida* 83
- Pernettya* 93–94, 101, 114, 216, 250–251, 337, 350
 - P. myrtilloides* 351
 - P. poeppigii* 251
 - P. rigida* 69, 88, 93, 94, 102–103, 108, 190, 197, 199, 203, 212, 251, 341, **C71**
- Persea americana* 80
- Petasites fragrans* 83
- Petroselinum crispum* 74
- Petunia × hybrida* 87
- Peumus boldus* 80
- Phalaris amethystina* 73
 - P. angusta* 73
- Phaseolus coccineus* 84
 - P. vulgaris* 84
- Philadelphus latifolius* 85
- Philodendron bipinnatifidum* 80
- Phoenix canariensis* 81
- Phormium tenax* 82, 138, 139
- Phrygilanthus berteroi* 88
- Phrymaceae 70, 342
- Physalis peruviana* 79
- Phytolacca dioica* 86
- Phytolaccaceae 86
- pimiento = *Nothomyrcia fernandeziana* 88
- Pinaceae 72, 80
- Pinus pinaster* 80, 139
 - P. radiata* 72, 106, 111, 139
- Piperaceae 66, 80, 189, 342, 351
- Piperales 230
- Piptochaetium bicolor* 67, 104–105, 114, 128, 343
- Pisum sativum* 84

454 Index of Scientific and Vernacular Names

Pittosporaceae 78, 86
Pittosporum crassifolium 78
P. eugenioides 78, 139
P. tenuifolium 86, 139
Plagiogyria 258
 Plantaginaceae 70, 78, 86, 92, 343
Plantago 92, 216, 350
P. australis 70, 343
P. fernandezia 70, 212, 251, 343
P. firma 70, 343
P. lanceolata 78, 137, 251
P. lundborgii 252
P. major 78, 251
P. princeps 251
P. rupicola 251
Plantago subg. *Albicans* 251, 252
Plantago subg. *Plantago* 251
Plantago subg. *Psyllium* 252
Platycladus orientalis 80
Plectocephalus 228
Plectranthus fruticosus 85
P. major 77
Pleopeltis 72 n., 216, 264–265, 329
P. ×cerro-altoensis 65, 213, 250, 264, 272, 328, 329, 374
P. macrocarpa 65, 118, 264, 329, **C23**
P. masafuerae 118, 264, 329
Poa annua 73
P. pratensis 73
 Poaceae 67, 73–74, 81–82, 88, 138, 337, 343, 346, 350, 351
Podophorus 216, 231–232
P. bromoides 67, 133, 151, 211, 231, 343, 345
Podranea ricasoliana 83
 Polemoniaceae 78
Polycarpon tetraphyllum 76, 110
 Polygonaceae 78, 86
Polygonum aviculare 78
P. hydropiperoides 78
P. lapathifolium 78
Polyphlebium 91, 216
P. exsectum 65
P. ingae 65, 213, 262
P. philippianum 65, 213, 262
P. pyxidiferum 262
 Polypodiaceae 65, 90, 91, 92
Polypodium 72 n., 216, 264, 265
P. intermedium 213, 265
P. intermedium subsp. *intermedium* 65, 222, 264, 265, 272, 329, **C24**
P. intermedium subsp. *masafueranum* 65, 222, 265
P. intermedium subsp. *typicum* 265
P. intermedium var. *basicompositum* 265
P. intermedium var. *cambricoides* 265
P. intermedium var. *masafueranum* 265
P. intermedium var. *obtusesserratum* 265
P. masafuerae 65, 264
P. vulgare 265
Polypogon australis 73
Polystichum 216, 265–266
P. tetragonum 64, 100, 214, 265–266, **C19**
P. vestitum 265
Populus pyramidalis 79
Portulaca oleracea 78
 Portulacaceae 78, 86
Portulacaria afra 86
Potentilla (Fragaria) chilensis 79, 86
Primula ×polyantha 86
P. vulgaris 86
 Primulaceae 78, 86
 Proteaceae 86
Prunella vulgaris 77
Prunus armeniaca 66
P. cerasifera 86
P. cerasus 79
P. domestica 86
P. dulcis 86
P. persica 86
Pseudognaphalium cheiranthifolium 75
Psidium cattleianum 85, 138
 Pteridaceae 66
Pteris 216, 266
P. berteroa 66, 214, 266, **C25**
P. chilensis 66, 109, 266
P. endlicheriana 266
P. leptophylla 266
P. semiadnata 66, 266
P. tremula 266
Punica granatum 86
 Punicaceae 86
Pyrus communis 86

Quercus robur 76
 quintral = *Phrygilanthus berteroi* 88

 Ranunculaceae 71, 78, 86, 343
Ranunculus 216, 337, 350
R. caprarum 71, 212, 252, 273, 343, **C82**
R. chilensis 252
R. maclovianus 252
R. muricatus 78
R. peduncularis 252
 resinillo = *Robinsonia gracilis* 88
 resino = *Robinsonia* spp. 88
 Rhamnaceae 71, 238, 343, 350, 351
Rhaphanus sativus 75
Rhaphithamnus 161, 210, 216, 270, 286, 287, 290, 293, 294, 295, 351
R. spinosus 252, 293
R. venustus 18, 71, 88, 100, 113, 191, 212, 252, 292, 293, 296, 344, **C87**
Rhetinodendron 232
Rheum hybridum 86
Rhodanthe manglesii 83

- Rhododendron* subg. *Pentanthera* 84
Ricinus communis 76
Robinia pseudoacacia 76, 139
Robinsonia 1, 42, 43, 60–61, 88, 157, 158, 161, 163, 171–174, 186, 187, 188, 192, 198, 204, 210, 214, 216, 232–233, 241, 268, 269, 270, 275, 285, 286, 296, 297–298, 299, 301–304, 314, 316, 318, 320–322, 324, 330, 352, 370, 371
R. berteroi 68, 72 n., 133, 151, 153, 158, 172, 173, 211, 220, 232, 321, 322, 339, 345, **C58**
R. evenia 68, 100, 158, 172, 173, 174, 211, 220, 232, 269, 274, 295, 297, 298, 301, 304, 320, 321, 339, **64**, **C65**
R. gayana 36, 43, 68, 158, 172, 173, 174, 190, 211, 220, 232, 269, 297, 298, 301, 302, 303, 320, 321, 339, **C61**
R. gracilis 68, 88, 100, 158, 172, 173, 174, 190, 211, 220, 232, 269, 298, 301, 302, 320, 321, 339, **C62**, **C63**
R. macrocephala 68, 88, 102, 133, 151, 158, 172, 173, 174, 211, 220, 232, 322, 339, 345
R. masafuerae xviii, 69, 172, 173, 174, 211, 220, 232, 233, 274, 295–296, 297, 298, 321, 339, **C66**, **C67**
R. saxatilis 15, 57, 69, 158, 172, 211, 220, 232, 297, 298, 303, 320, 339
R. thurifera 69, 158, 172, 173, 174, 190, 211, 220, 232, 269, 297, 298, 303, 320, 321, 339, **C59**, **C60**
Robinsonia subg. *Eleutherochaeta* 232
Robinsonia subg. *Rhethinodendron* 172, 173, 232, 321, 322
Robinsonia subg. *Robinsonia* 172, 174, 232, 321, 322
Robinsonia subg. *Symphyochaeta* 173, 232
Rorippa nasturtium-aquaticum 75
Rosa spp. 86
Rosaceae 71, 78, 86, 88, 248, 343
Rosmarinus officinalis 85
Rubiaceae 71, 343
Rubus 148, 193
R. geoides 71, 108, 343, **C83**
R. loganobaccus 86
R. ulmifolius 63, 79, 100, 101, 103, 107, 114, 126, 127, 137, 138, 139, **142**, **143**, 144, 158, 160, 352, 370
Rumex 136
R. acetosella 78, 102, 105, 110, 137, 138
R. conglomeratus 78
R. crispus 78, 105
R. foliosus 78
R. pulcher 78
Rumohra 266
R. adiantiformis 266
R. berteriana 64, 101, 103, 214, 266
Ruta chalepensis 79, 106
Rutaceae 71, 79, 86, 88, 257, 343
sabinilla = *Margyricarpus digynus* 88
Sagina chilensis 76
Salicaceae 71, 79, 86, 93, 191
Salix babylonica 79
S. caprea 86
Salvia involucrata 85
S. leucantha 85
S. microphylla 85
S. officinalis 85
Sambucus mexicana 83
sándalo = *Santalum fernandezianum* 88
sandalwood = *Santalum fernandezianum* 21, 122, 133, 153, 252, 345
Sanicula crassicaulis 74
Sansevieria trifasciata 81
Santalaceae 71, 86, 88, 344
Santalum 216, 253, 337, 345
S. album 86, 139
S. fernandezianum 71, 88, 121, 122, 151, 153, 155, 212, 252–253, 345
Sapindaceae 86
Sarcocornia fruticosa 76, 111
Saxifraga stolonifera 86
Saxifragaceae 86
Scabiosa atropurpurea 76
Scaevola 327
Schefflera arboricola 82
Schoenoxiphium spp. 256
Scilla peruviana 81
Scirpus cernuus 67, 341
S. nodosus 67, 341
Scrophulariaceae, 79, 87, 92, 93
Sedum prealtum 84
S. spectabile 84
Selkirkia 177, 216, 233
S. berteroi 69, 211, 233, 339
Senecio 61, 172, 173, 232, 233, 250
S. acanthifolius 233
S. bicolor subsp. *cineraria* 83
S. fistulosus 233
S. mikanioides 75
S. vulgaris 75
Serpyllopsis 90
S. caespitosa 91, 262
S. caespitosa var. *fernandeziana* 262
Setaria parviflora 73
S. viridis 73
Sherardia arvensis 79
Silene coronaria 84
S. gallica 76
silversword alliance 79, 327, 357
Silybum marianum 75, 106
Simaroubaceae 79, 138
Sisymbrium officinale 75
Solanaceae 71, 79, 87, 88, 191, 344
Solanum 204, 216, 314, 350, 351
S. argenteum 79

Solanum (cont.)	<i>Sticherus</i> 216, 266–267
<i>S. brevidens</i> 253	<i>S. lepidotus</i> 64, 214, 266, 267
<i>S. etuberosum</i> 253	<i>S. littoralis</i> 267
<i>S. fernandezianum</i> 71, 88, 213, 253, 344	<i>S. quadripartitus</i> 65, 267, C20
<i>S. furcatum</i> var. <i>furcatum</i> 79	<i>S. squamulosus</i> 267
<i>S. jasminoides</i> 87	<i>S. squamulosus</i> var. <i>squamulosus</i> 65
<i>S. ligustrinum</i> 87	<i>Stipa fernandeziana</i> 104
<i>S. lycopersicum</i> 87	<i>Strelitzia reginae</i> 81
<i>S. marginatum</i> 79	<i>Symphyochaeta</i> 232
<i>S. nigrum</i> 87	
<i>S. palustre</i> 253	<i>Tagetes patula</i> 83
<i>S. pentlandii</i> subsp. <i>interandinum</i> 71, 344	<i>Tanacetum parthenium</i> 83
<i>S. pseudocapsicum</i> 87	<i>Taraxacum fernandezianum</i> 94, 339
<i>S. robinsonianum</i> 191	<i>T. officinale</i> 75, 94, 190
<i>S. tuberosum</i> 15, 87	<i>T. subspatulatum</i> 69, 339
<i>Solanum</i> subg. <i>Potatoe</i> 253	<i>Taxodium distichum</i> 80
<i>Soleirolia soleirolii</i> 87	<i>Tectariaceae</i> 66, 90, 91
<i>Solidago chilensis</i> 75	<i>Teline monspessulana</i> 76, 139
<i>Soliva sessilis</i> 83	temu = <i>Nothomyrcia fernandeziana</i> 88
<i>S. stolonifera</i> 75	<i>Terranea fernandezia</i> 383
<i>Sonchus</i> 60, 61, 170, 171, 228–229, 250	<i>Tetraglochin</i> 248
<i>S. asper</i> 75, 110, 137	<i>T. cristata</i> 248
<i>S. oleraceus</i> 75, 137	<i>Tetragonia tetragonoides</i> 74
<i>S. tenerrimus</i> 75	<i>Thamnoseric</i> 229
<i>Sonchus</i> subg. <i>Sonchus</i> 229	<i>Theaceae</i> 87
<i>Sophora</i> 185–186, 187, 197, 210, 216, 253–254, 270, 275, 286, 287, 317, 345, 346	<i>Thymus vulgaris</i> 85
<i>S. cassioides</i> 253	Thyrsopteridaceae 66, 95, 154, 156, 210, 258, 365
<i>S. fernandeziana</i> 88, 102, 185, 190, 197, 213, 253, 274	<i>Thyrsopteris</i> 95, 114, 154, 157, 258
<i>S. fernandeziana</i> var. <i>fernandeziana</i> 70, 213, 221, 253, 341, C74	<i>T. antiqua</i> 258
<i>S. fernandeziana</i> var. <i>reediana</i> 70, 213, 221, 253, 341	<i>T. elegans</i> 20, 66, 100–101, 113, 154, 156 , 213, 230, 258, 345
<i>S. macrocarpa</i> 253	<i>Thyrsopterorachis</i> 154, 258
<i>S. masafuerana</i> 70, 88, 185, 213, 221, 253, 274, 341	<i>Tigridia pavonia</i> 81
<i>S. microphylla</i> subsp. <i>macnabiana</i> 253	<i>Tillandsia aeranthos</i> 81
<i>S. prostrata</i> 253	<i>Tolpis</i> 314
<i>Sorghum halepense</i> 82, 139	<i>Torilis nodosa</i> 74
<i>Sparaxis tricolor</i> 81	<i>Trachycarpus fortunei</i> 81
<i>Sparmannia africana</i> 85	<i>Tradescantia fluminensis</i> 72
<i>Spergularia</i> 216, 254, 337, 345	<i>Trichomanes</i> 90–91, 262
<i>S. confertifolia</i> 110, 191, 254	<i>T. borbonicum</i> 262
<i>S. confertifolia</i> var. <i>confertifolia</i> 69, 190, 213, 221, 254, 340	<i>T. diaphanum</i> 262
<i>S. confertifolia</i> var. <i>polyphylla</i> 69, 190, 213, 221, 254, 340	<i>T. hymenophylloides</i> 262
<i>S. masafuerana</i> 69, 110, 111, 213, 254, 340	<i>T. ingae</i> 90, 91, 262
<i>S. rubra</i> 76	<i>T. philippianum</i> 90, 91, 262
<i>S. villosa</i> 254	<i>T. pyxidiferum</i> 262
<i>Spiraea chamaedryfolia</i> 86	<i>Trichomanes</i> subg. <i>Trichomanes</i> 90
<i>Sporobolus indicus</i> 82, 139	<i>Trifolium dubium</i> 76
<i>Stachys arvensis</i> 77	<i>T. glomeratum</i> 84
<i>Stellaria chilensis</i> 76	<i>T. pretense</i> 76
<i>S. media</i> 76	<i>T. repens</i> 76
	<i>T. suffocatum</i> 84
	<i>Trisetum caudulatum</i> 73
	<i>Tristerix corymbosus</i> 77
	Tropaeolaceae 79
	<i>Tropaeolum majus</i> 79
	trun = <i>Acaena argentea</i> , 19, 88, 127

<i>Ugni</i> 101, 104, 138, 216, 254–255, 337	<i>Vitis vinifera</i> 79
<i>U. candollei</i> 254	<i>Vulpia</i> 105
<i>U. molinae</i> 77, 88, 102–103, 107, 114, 137, 138, 139, 142, 144 , 145 , 148, 191, 254–255, 352, 370	<i>V. bromoides</i> 73, 105, 110
<i>U. selkirkii</i> 70, 102, 191, 213, 254–255, 342, C81	<i>V. muralis</i> 74
Ulmaceae 87	<i>V. myuros</i> var. <i>megaleura</i> 74
<i>Ulmus thomasi</i> 87	<i>Wahlenbergia</i> 161, 188, 192, 198, 210, 216, 256–257, 273, 324–326, 330, 337, 345
<i>Uncinia</i> 61, 62, 216, 255–256, 330	<i>W. berteroi</i> 69, 199, 213, 221, 256, 257, 273, 324–325, 340, C68
<i>U. aspericaulis</i> 62, 67, 213, 255, 341	<i>W. fernandeziana</i> 69, 190, 192, 199, 213, 221, 256, 257, 273, 325, 340, C69
<i>U. brevicaulis</i> 255, 256	<i>W. grahamiae</i> 69, 213, 221, 256, 257, 273, 325, 340
<i>U. costata</i> 62, 67, 213, 255, 341	<i>W. larrainii</i> 256
<i>U. douglasii</i> 62, 67, 213, 255, 256, 341	<i>W. masafueriae</i> 69, 190, 213, 221, 256, 257, 273, 325, 340
<i>U. kingii</i> 62	<i>W. peruviana</i> 257
<i>U. macloviana</i> 255	<i>W. scopulicola</i> 257
<i>U. macloviformis</i> 62, 67, 213, 255, 341	<i>W. tuberosa</i> 69, 213, 221, 256, 257, 325, 340
<i>U. microglochin</i> 62	<i>Washingtonia filifera</i> 81
<i>U. phleoides</i> 62, 67, 255, 341	<i>Watsonia borbonica</i> 81, 139
<i>U. scabriuscula</i> 255	<i>W. meriana</i> 81, 139
<i>U. tenuis</i> 62, 67, 108, 255, 341	Winteraceae 66, 68, 189, 344
<i>U. uncinata</i> 256	<i>Withania</i> 204
<i>Urtica</i> 216, 256, 345	
<i>U. berteriana</i> 256	<i>Xanthium spinosum</i> 75
<i>U. glomeruliflora</i> 71, 191, 213, 221, 256, 273, 344	Xanthorrhoeaceae 82
<i>U. masafueriae</i> 71, 213, 221, 256, 273, 344	
<i>U. urens</i> 79	<i>Yucca aloifolia</i> 80
Urticaceae 71, 72 n., 79 & n., 87, 88, 191, 344	<i>Yunquea</i> 93, 157, 216, 228, 233, 326, 352
	<i>Y. tenzii</i> 69, 157–158, 211, 220, 233, 339
Valerianaceae 79	<i>Zantedeschia aethiopica</i> 72, 139
<i>Vasconcellea cundinamarcensis</i> 84	<i>Z. elliottiana</i> 80
<i>Verbascum</i> 92	<i>Zanthoxylum</i> 93, 216, 257–258, 317, 345, 350
<i>V. thapsus</i> 79	<i>Z. externum</i> 71, 88, 213, 221, 257, 258, 343
<i>V. virgatum</i> 79	<i>Z. externum</i> comb. nov. 382
<i>Verbena litoralis</i> 79	<i>Z. mayu</i> 71, 88, 213, 221, 257, 258, 343, C84
Verbenaceae 71, 79, 87, 88, 138, 191, 287, 293, 344, 350	<i>Z. rhoifolium</i> 258
<i>Veronica</i> 92	<i>Z. riedelianum</i> 257
<i>V. anagallis-aquatica</i> 78	zarzamora = <i>Rubus ulmifolius</i> 88, 103, 126, 160
<i>V. arvensis</i> 78	<i>Zea mays</i> 82
<i>V. persica</i> 78	Zingiberaceae 82
<i>Viburnum opulus</i> 83	<i>Zinnia violacea</i> 83
<i>Vicia faba</i> 84	
<i>V. sativa</i> 84	
<i>Vinca major</i> 74, 139	
<i>Viola odorata</i> 87	
Violaceae 87	
Vitaceae 79	

Index of Topics

All illustrations are indicated by **boldface**; colored figures (e.g., **C1**) appear on the unnumbered pages following p. 108.

- Ackermann, Bernardo vi, xviii
adaptive radiation 1, 42, 43, 192, 218, 241, 269, 270, 292, 337, 357
adventive plants 89, 135
Ahrends, Antonio 19
air flotation 337, 348
Alejandro Selkirk Island (or Isla Marinero Alejandro Selkirk; formerly Masafuera), *see* Juan Fernández Islands
algae 21
allopatric (vicariant) speciation, *see* allopatry
allopatry 269, 297, 310, 311, 315, 361, 374
AMOVA *see* analysis of molecular variance
anacladogenesis 218, 237, 245
anagenesis 207, 214, 218, 219, 229, 231, 233–240, 242–255, 257–263, 265–268, 270–271, 273, 289, 290–297, 305, 356–359, 363–366, 371, 372, 374
analysis of molecular variance (AMOVA) 282
Andauer S., Alfonso vi
Anderson, Gregory 24, **26**
anemochory 338–344, 348, 351–353, 375
anemophily 195, 198–201, 204, 205, 285, 320, 321, 323, 325, 330, 331, 336, 346, 372
aneuploid speciation 320
aneuploidy 319
Angulo A., Jorge vi, xvii
ANOVA (analysis of variance) 296
Anson, George 7, 18, 119, 126, 128–132
Anthropocene 358
ants 198
Aqueveque, Pedro xviii, 24, **26**
Aravena, P. 16
Arnott, George 18
Araya A., Guillermo vi, **vii**, xvii
Arredondo C., Danilo vi, xvii
Arredondo C., Danilo, Jr. vi
Arriagada, Jorge xviii, 23, **26**
ATT² biogeographic model 360–362
autochory 338–344, 348, 351, 352, 375
autogamy 196, 202–205, 324, 331, 372
Azores 361, 362
Baeriswyl, Fernando 28
Baeza, Carlos (Marcelo) xv, 23, 24, 25, **26**
Baffray, Michel 27
Bahamonde N., Nibaldo 22
Bahía Cumberland 7, 8, **9**, 11, 12, 35, 122, 129, **131**, 149, 159
Bahía del Padre (Bahía Padre) 12, 36
Bailey Hortorium 22
Balearic Islands 192
ballistic seed dispersal 341, 348, 351
Bannister, Jan 27
bees 195, 198, 204, 336, 371
Bernardello, Gabriel xv, xviii, 24, **26**
Bertero, Carlo 16, **17**, 18
Bignolas, Laurent 28
biogeography xv, xvii, 1, 3, 20, 22, 25, 28, 29, 36, 39, 51, 52, 55, 57, 58, 63–72, 88, 94–96, 163, 177, 187, 189, 209, 210, 219, 233, 240, 246, 249, 255, 263, 272, 273, 275, 296, 310, 312, 314, 315, 317, 319, 333–366, 367, 369, 373, 376
biological species concept 58, 308
bird communities 98
birds, *see also* individual spp. of birds in the Index of Taxa 51, 123, 140, 336, 353, 357, 366
migration patterns 51
pollination by, *see* ornithophily
seed dispersal by, *see also* endozoochory; epizoochory; ornithochory 137, 142, 161, 234, 237, 239, 244, 246, 250, 252, 255, 337, 338, 344, 346–353, 359, 366, 370, 375
Bonin (Ogasawara) Islands 136, 192, 194–200, 202, 203, 371
Botanische Reiseverein 18
Boudrie, Michel 27
Braun-Blanquet method 21
breeding systems 158, 194, 201–204, 286, 301, 306, 371, 372

- Breteau, Emmanuel 27
 Bridges, Thomas 16
 bryophytes (mosses and liverworts) 42, 99, 100, 101, 102, 103, 105, 108, 110, 111, 112
 Buord, Stephane 28
 Byron, John 18, 119
- Cambornac, Michel 27
 Canary Islands 192, 198, 199, 203, 204, 267, 285, 286, 296, 300, 301, 304–306, 327, 329, 331, 352, 353, 361, 362, 373
 Candolle, Augustin Pyramus de 18, 232, 383
 cats 122, 123
 cattle 101, 195, 122, 123, 124, 140, 149
 Challenger Expedition 11, 16, 20, 57
 Challenger Fracture Zone 33, 34
 Chamorro M., Oscar vi, **vii**, xvii, **26**
 Charpentier, Esteban vi, **vii**
 Chatham Islands 229, 239
 chromosome numbers 188–192, 285, 319, 320, 323, 325, 326, 328, 371
 cladistic classification 60–62, 91, 93, 94, 228
 cladogenesis 207, 214, 218, 219, 228, 229, 231, 232, 233, 239, 240, 242, 245, 246, 254, 256, 257, 260, 261, 263, 267–269, 289, 290, 296–300, 305, 356, 357, 359, 363–365, 372, 374
 cleistogamy 331
 coati mundis 122, **123**, 140, 193
 Cochrane, Thomas 16, 17, 18
 colonization coefficient probability (Cp) 365
 compatibility 151, 193, 196, 197, 201–204, 285, 286, 301, 306, 307, 310, 313, 319, 323–325, 331, 349, 359, 372
 CONAF, *see* Corporación Nacional Forestal
 conservation (of plants) 2, 12, 13, 20, 22, 25, 28, 41, 42, 55, 57–59, 61–63, 87, 89, 94, 97, 107, 115–162, 193, 197, 203, 269, 277, 283, 284, 288, 300, 304–308, 369–371, 373, 376
 recommendations for 159–161
 conservation status 64–72, 88
 Convention on Biological Diversity 142
 Corporación Nacional Forestal (CONAF) v, vi, xvi, xvii, 11–13, 40, 52, 72 n., 99, 111, 114, 124, 127, 131, 133, 144, 150, 151, 153, 157, 159–161, 328
 Correa Cepeda, Hector F. 28
 Crawford, Daniel xviii, 23, 24, 25, **26**
 cryptogams 23, 101
 cultivated plants 15, 20, 55, 58, 63, 72 n., 80–87, 89, 94, 97, 106, 111, 115, 120, 135–139, 145–147, 149, 151, 154, 158, 161, 203, 260, 284, 305, 320, 328
 Cumberland Bay, *see* Bahía Cumberland
 Cuming, Hugh 16
- Danton, Philippe xv, 16, 25, 27–28
 Decaisne, Joseph 18, 232
 Defoe, Daniel 5, 6, 7, 194
 Delahaye, Thierry 27
 Delano, Amasa, Capt. 9
 Delépine, René 27
 Delessert, Jules Paul Benjamin 18
 Delfin, Federico 16
 Desventuradas Islands 5, 229, 252
 diaspores 198, 292–293, 333, 365, 366
 Dice coefficient 283
 dichogamy 196, 372
 dioecy 61, 153, 172, 195, 197, 203–204, 209, 285, 286, 300, 347, 349, 351, 372, 375
 Dirección Meteorológica de Chile 45
 disjunctions 228, 236, 240, 243, 250, 312, 326
 divergence 43, 60, 61, 154, 169, 171, 175, 178, 182, 187, 217, 218, 228, 229, 232, 233, 235, 236, 238, 239, 242, 245, 246, 248, 249, 251, 255, 257, 261, 265, 268, 270, 273, 275, 277, 279, 283, 289, 290, 293, 294, 297, 299, 308, 309, 311–313, 315–319, 321–326, 330, 331, 335, 368, 374
 ecological divergence 59, 60, 313, 325
 flavonoid divergence 169, 178, 182, 187, 370, 371
 floral divergence 310
 genetic divergence 59, 94, 179, 253, 267, 269, 278, 281, 282–284, 289, 300–305, 323, 373
 habitat divergence 310, 313, 322, 324, 330, 374
 molecular divergence 34, 60, 178, 246, 313, 316
 morphological divergence 59–61, 64, 94, 179, 219, 228, 251, 269, 270, 313
 population divergence 25, 59, 94, 311, 312, 324
 sequence divergence 62, 179, 182, 185, 187, 228, 236, 245, 253, 256, 293, 297, 303
 spatial/geographical divergence 317, 391, 322, 325
 temporal divergence 310, 330
 divergence, degrees of 233, 272, 274, 372–373
 DNA data, *see* molecular markers
 dogs 122, 123
 donkeys 122
 Douglas, David 16, 18
 Downton, Jorge 16
 Doyle, Michael **23**, **26**
- Easter Island 136, 360
 ecological divergence, *see under* divergence
 ecological diversity and heterogeneity 50, 118, 210, 218, 228, 272, 326, 357, 359, 361
 ecological niches 88, 198, 312, 336, 355, 359, 360, 371
 ecological speciation 309–319
 ecological zones 48, 132, 218, 267–269
 El Niño–Southern Oscillation (ENSO) 51

- El Yunque 31, 41, 48, 72 n., 93, 98, 100–103, 113, 127, 144, 158, 233, 369
- endangered (or threatened) plants 59, 63, 64, 72, 89, 97, 100, 105, 115, 127, 128, 137, 140, 142–148, 150–151, 157, 158, 255, 345, 369–370
- endemics and endemism 1, 11, 18, 20–22, 28, 31–34, 41, 43, 50, 52, 55, 57–72, 87, 89, 90, 91, 93–96, 99, 101–104, 106, 108, 110, 111, 113, 115, 122, 133, 134, 137, 142–161, 163, 168, 170–172, 175–178, 180–200, 202, 204, 207, 209–275, 277, 284–287, 289–295, 300, 304, 306, 307, 313–331, 333, 335–345, 349, 350, 352–354, 356, 360–362, 364, 367, 369–376, 382
 - statistics 94–96, 268, 271
- endozoochory 137, 338, 344, 348, 349, 351, 375
- Engel, John 22
- entomophily 193–201, 204, 285, 320, 330, 336, 347, 350, 371, 372
- epiphytes 100, 250
- epizoochory 137, 338–344, 348, 351, 375
- extinction and extinct plants 36, 67, 68, 71, 72, 88, 120, 122, 132, 133, 142, 143, 148, 150, 151, 153, 157, 158, 171–173, 192, 216 n., 218, 230, 231, 241, 242, 244, 249, 252, 258, 270, 272, 273, 277, 287, 290, 304, 310, 317, 318, 322, 325, 327, 329, 333, 336, 345, 355, 357–361, 363–365, 369, 374, 375
- Falkland (Malvinas) Islands 8
- Fernández, Juan (Spanish navigator) 1, 2, 3, 5
- flavonoids 163, 165–187, 245, 248, 323, 370, 371
 - analysis of data 167
 - case studies 168–186
 - divergence of *see under* divergence
 - rationale for study of 165–167
- flies 195, 196, 320, 336, 371
- floral characters, *see* pollination
- floral divergence *see under* divergence
- floristic inventory 1, 15, 55, 57–97, 271, 368
- Foucault, Bruno de 27
- founder effect 289, 292, 295
- Four Phases Genetic Model (of biogeography) 357–360
- Friday Seamount 33, 365
- fruit types 338–344, 347, 350, 351, 359
- Gaete, Leonardo xviii, 23, 26
- Galápagos Islands 35, 48, 137, 160, 192, 198, 199, 201–203, 240, 331, 337, 348–350, 357, 361, 367
- García, Miguel vi
- Gardoux, Christiane 27
- Gatica, Alejandro xviii, 25
- Gay, Claudio 8, 16, 17, 18, 19, 20, 350
- geitonogamy 196, 204, 205, 331, 372
- gene exchange 58, 292, 299, 309, 310, 317, 320, 326, 329
- gene flow 217, 218, 277, 283, 284, 295, 299, 300, 302, 304, 307, 309–310, 311, 312, 313, 314, 316, 317, 321, 323, 326, 330, 331
- General Dynamic Model (of biogeography) 357, 360–362, 376
- generic concepts 59
- genetic bottlenecks 289–290, 292–294, 298
- genetic change 218
- genetic differentiation 240, 265, 280, 282, 286, 301, 359
- genetic distance 274 n., 275, 281, 303
- genetic divergence *see under* divergence
- genetic diversity 117, 118, 276–307, 323, 369, 372–374, 376
- genetic identity 181, 182, 185, 236, 245, 253, 275, 281
- genetic molecular markers, *see* molecular markers; molecular sequences
- genetic rescue 305
- genetic variation 151, 157, 158, 161, 163, 252, 276–279, 282, 283, 288, 301, 306, 359, 371, 373, 374
- genus, definition of 59–60
- geographical divergence *see under* divergence
- Georget, Cécile 28
- Germain, Filiberto 16, 231
- glaciation (Pleistocene) 37, 38, 326, 329, 369
- goats 5, 6, 42, 110, 114
- González, Alvis vi
- González, Fidelina xviii, 24, 26
- González, Gastón vi, xvii, 26
- González, Michael vi
- González A., Guillermo vi
- González de Rodt, José vi
- González G., Claudio vi
- Graham, Mary 16, 17, 18, 136, 360
- Greimler, Josef xviii, 24, 25
- growth forms (synusia) 99
- Guajardo, Agustín 16
- Guajardo, José 16
- Guyot O'Higgins (seamount) 34
- H.M.S. Challenger, *see* Challenger Expedition
- habitat differentiation 48
- habitat divergence *see under* divergence
- habitat diversity 210, 218, 359
- habitat loss 118, 143, 202, 241, 290, 292, 326
- habitat preferences 193, 318, 323
- habitat types 98, 118, 269, 320, 325
- Hallé, Francis 27
- Harper, Thomas 16
- Harvard University 22, 89
- Hatcher, Raymond 22
- Hawaiian Islands 22, 37, 48, 59, 117, 136, 137, 147, 149, 186, 192, 198, 202, 203, 204, 209, 214, 230, 234, 237, 239, 251, 256, 257, 265, 267, 271, 327, 329, 331, 337, 349, 350, 352, 357, 360–363, 367, 368, 374

- Hemsley, William Botting 1, 11, 20, 22, 57, 133, 258, 368
- herbarium specimens 64–79, 89
- herkogamy 196
- holophyly 60–62, 90, 94
- homoploid hybrid speciation 271, 272, 309, 326–329
- Hooker, William Jackson 18
- hotspot islands 33, 360, 365
- Hulot, Nicolas 27
- Humaña, Ana María xviii, 23, **26**
- Humboldt Current, *see* ocean currents
- hybrids and hybridization, *see also* homoploid hybrid speciation 25, 59, 60, 93, 118, 158, 161, 165, 166, 188, 214, 230, 239, 241, 242, 244, 245, 249, 264, 265, 267–269, 271, 272, 275, 277, 305, 308–310, 313, 314, 316, 319–321, 326–329, 360, 372, 374
- hydrochory 348, 349, 351, 375
- Ibarra, Héctor xviii, 24, **26**
- Imshaug, Henry A. 22
- inbreeding depression 203, 204, 305, 307
- incompatibility, *see* compatibility
- intraspecific concepts 59
- insects, *see also* bees 34, 336
- pollination by, *see* entomophily
- Instituto Hidrográfico de La Armada (Chile) 45
- International Union for the Conservation of Nature and Natural Resources (IUCN) 89, 115, 150, 369
- conservation categories of 89, 150–153
- introduced (alien) plants 43, 55, 57, 58, 60, 63, 72, 87 & n., 89, 92, 94–98, 100–107, 110, 111, 114, 115, 121, 123, 124, 126–129, 134–138, 141, 142, 145, 146, 148, 149, 160, 161, 188–191, 193, 202, 230, 254–255, 271, 305, 307, 352, 360, 369, 370, 374
- introgression, *see* hybrids and hybridization
- invasive plants 19, 24, 25, 28, 50, 57, 63, 87, 92, 103–105, 107, 114, 115, 128, 134–148, 158, 160, 184, 193, 199, 254–255, 269, 328, 352–353, 364, 368, 369, 370
- island biogeography 333, 358, 361
- Island Equilibrium Model (of biogeography) (MacArthur and Wilson model) 354–357, 363, 366, 375, 376
- IUCN, *see* International Union for the Conservation of Nature
- Jackson, Dennis 22
- Jardín Botánico Nacional (Chile) 25
- Johow, Federico Richard Adalbert 1, 11, 15, 16, **17**, 20–22, 44, 58, 63, 72 n., 79 n., 92, 98, 103, 104, 106, 108, 126, 149, 193, 212, 241, 251, 253, 258, 260, 350, 368, 369, 383
- Juan, Jorge 7, 8, 129, 130
- Juan Fernández (Robinson Crusoe) Islands
- agriculture, absence of 10, 11, 117
- as national park, *see* Corporación Nacional Forestal (CONAF)
- as refugium 132, 258, 269, 369
- as UNESCO Biosphere Reserve 149, 269
- as UNESCO World Heritage Site 12
- botanical exploration and collections 15–28
- climate 29, 44–53, 114, 118
- deforestation 42, 104, 117
- drought events 48, 51
- earthquakes 8, 12, 39–40, 118
- erosion and eroded sites 29, 31, 32, 33, 34, 36–37, 38, 41, 42, 43, 102, 103, 104, 105, 106, 107, 108, 111, 112, 113, 114, 115, 117, 118, 120, 123, 128, 129, 132, 141, 148, 158, **159**, 160, 161, 238, 290, 292, 318, 354, 356, 359, 360, 363, 369, 376
- fieldwork, constraints on 52, 53
- fires, impact of 51, 110, 111, 114, 118, 121, 127–128, 149
- fishing industry 10, 11, 13, 40, 150
- fur seal industry 9, 120, 128, 131
- geological age 1, 29, 31–33, 96, 112
- geology of 31, 43
- humidity 45, 48, 50, 70, 109, 241, 382
- isolation 1, 12
- land use, restrictions on 13
- lobster industry 11, 13, 150
- location 29, 31
- maps of **19, 32, 35**, 37, 55, 98–99, 100, 102, 105, 119, 129, **130, 132, 379–380, C88, C104**
- natural productions 6, 10, 11
- population 8, 10, 11, 12
- precipitation 29, 36, 44, 45–49, 52, 101, 118, 356
- previous floristic studies 1, 11
- rainfall, *see* precipitation
- renamed 5
- seals and sea lions 9
- settlement 8, 10, 11
- soils, *see also* erosion and eroded sites 29, 31, 36, 40–43, 48, 52, 100, 103, 105, 108, 109, 110, 118, 127, 148, 193, 269, 359
- subsidence 31, 34, 36, 38, 43, 117, 129, 132, 238, 290, 292, 318, 354, 356, 359, 360, 368, 369, 376
- substrates 31, 35, 36
- surface area, loss of, *see also* erosion and eroded sites; subsidence 29, 36, 38, 97, 118, 132, 228, 241, 272, 290, 318, 321–322, 363, 364, 365, 369
- surface features 31
- temperature 29
- tourists and tourism 2, 5, 8, 12, 13, 136, 150, 160, 252
- tsunamis (tidal waves) 11, 12, 39–40, 118, 152, 160
- volcanic activity 31, 35, 36, 39
- and origin of the islands 29, 33, 34, 36
- whaling industry 9

- Kermadec Islands 239
- King, Phillip Parker, Capt. 16
- Kottirsch, Gabriele xviii, 24
- Kunkel, Günther 16, 48, 98, 100, 101, 102, 103, 144, 264
- La Niña 51
- Lammers, Thomas xviii, 23
- Landero, Alejandro xviii, 23, **26**
- Landon, Paul 27
- Larrain, Joaquín 10
- Latelier, Luis xviii
- Leiva, Iván v, xvii
- León Lobos, Pedro 28
- Leroux, William 27
- Lesouef, Jean-Yves 27
- lichens 21, 22, 101, 105
- life form 64–79, 88, 95, 96
- liverworts, *see* bryophytes
- Looser, Gualterio 16, 160, 260
- López R., Bernardo vi, **vii**, xvii, **26**
- López R., Guillermo vi
- López R., José vi
- López-Sepúlveda, Patricio xv, xviii, 23, 24, 254, **26**
- Los Angeles County Museum of Natural History xvii, 24
- MacArthur-Wilson model, *see* Island Equilibrium Model
- Madagascar 91, 259
- Marcellin, Stéphanie 27
- Marquesas Islands 239, 361
- Marticorena, Clodomiro v, xv, 23, **26**
- Martínez, Guido 27
- Mascarene Islands 268
- mating systems 193, 195, 202, 203, 277, 284–286, 292, 301, 305–307, 319, 323
- Matthei, Oscar xviii, 23
- McSpormman, Roberto 16
- Meyer, Frederick G. 22
- Michigan State University 22
- Mirador de Selkirk (Mirador Selkirk) 47, 103, 157, 379
- molecular divergence *see under* divergence
- molecular markers
 - allozymes 174, 181, 185, 186, 273, 277–279, 284–289, 292, 297, 300, 301–306, 373
 - amplified fragment length polymorphisms (AFLPs) 173, 174, 177, 178, 207, 210, 236, 239, 248, 249, 273, 278, 279, 284, 287, 291–306, 323, 324, 373–374
 - co-dominant markers 279–281, 284
 - dominant markers 279, 281–284
 - isozymes 157, 207, 210, 236, 245, 248, 252, 253, 257, 274, 275, 277
 - ISSR markers 157, 278, 279, 284, 288, 289, 373
 - next-generation sequencing (NGS) 161, 209, 279, 314
 - PCR-based DNA markers 278, 279, 284, 287–289
 - plastid sequences 170, 181, 184, 229, 232, 245, 248, 249, 257, 266, 293, 294, 314, 327
 - random amplified polymorphic DNA (RAPDs) 157, 230, 249, 271, 278, 279, 284, 287–289, 308, 373
 - restriction fragment length polymorphisms (RFLPs) 253, 278
 - simple sequence repeats (SSRs; microsatellites) 173, 174, 177, 178, 207, 210, 239, 240, 248, 273, 279, 284, 287, 291–301, 304–307, 323, 324, 373–374
- molecular phylogenetic studies 60–62, 90–94
- molecular sequences
 - nuclear DNA 60, 92
 - ETS 61, 62, 228, 232, 237, 239, 248, 254, 256
 - ITS 61, 62, 94, 170–174, 181, 182, 185, 186, 210, 228, 231, 232, 235–237, 239–243, 245, 246, 248, 249, 252–256, 274, 275, 293, 294, 297, 303, 318, 319, 321, 322, 326
 - MYC 242
 - NIA 242
 - 5.8S 231
 - 18S 230
- chloroplast DNA 94
 - atpA* 258, 259
 - atpB* 258, 266
 - atpB-rbcL* 237, 243
 - matK* 228, 230, 246, 252, 264, 266
 - ndhF* 61, 232, 242
 - psbA* 228
 - psbA-trnH* 232
 - psbJ-petA* 232
 - rbcL* 90, 91, 230, 237, 238, 245, 258, 259, 262, 264, 266
 - rbcL-accD* 91, 262
 - rpl16* 238, 248
 - rpl32-trnL* 248
 - rps4* 91, 258, 259, 262
 - rps4-trnS* 91, 259, 262
 - rps16* 239, 242, 245
 - trnE-trnD* 256
 - trnG-trnR* 259
 - trnH* 228
 - trnH-psbA* 242
 - trnK* 230, 232, 246, 252, 253
 - trnK-matK* 248
 - trnL* 238, 243, 256
 - trnL-trnF* 61, 232, 234, 238, 243, 256, 264, 267
 - trnQ-trnK* 241
 - trnQ-50rps16* 248
 - trnS-trnG* 242
 - trnT-L-F* 61, 255, 256
 - trnV-ndhC* 242

monoecy 200, 201, 203, 347, 351, 372, 375
 monophyly 60, 91, 170, 185, 228, 232, 238, 240, 245,
 249, 250, 255, 318, 327
 Montaldo, Patricio 16
 Moore, Henry E., Jr. 22
 Mopty, Marc 27
 morphological divergence *see under* divergence
 Morro Spartan (locality) 115, 151, 152, **153**, 237
 Moseley, Henry Nottridge 16, **17**, 20, 22, 369
 moths 195–197, 320, 336
 mules 8
 Muñoz Pizarro, Carlos 16, **17**, 20, 22, 369
 Museo de Historia Natural (Santiago) 20, 22, 89

 National Botanical Garden (Viña del Mar, Chile) 28,
 161
 native plants, statistics for 94–96
 nature parks and reserves, *see* Corporación Nacional
 Forestal
 Nazca Plate 31, 33, 34, 37, 117
 Nei's genetic identity 281
 New Zealand 90, 185, 192, 229, 234, 235, 237, 239,
 242, 243, 246, 250, 252, 256, 261, 265, 267,
 337, 340, 341, 343, 345, 363, 375
 Novoa, Patricio xviii, 25

 ocean currents 5, 29, 49, 52, 119, 202, 349
 oceanic drift 337, 346, 348, 349
 Ohio State University xv, xvii, 16, 22, 23–25, 89
 ornithochory 351, 375
 ornithophily 158, 193, 195–201, 204, 285, 319, 320,
 321, 323, 324, 326, 330–331, 346, 372, 374
 outbreeding 203, 204, 305
 outcrossing 163, 196, 203, 204, 283, 284–286, 292,
 293, 300, 301, 307, 320, 323, 331, 349, 372

 Pacheco, Patricia xv, **23**, **26**
 panmixis 280
 Paredes L., Eduardo vi
 parapatric speciation 311, 312
 paraphyly 60, 62, 93, 94
 Parra, Oscar xviii, **23**, **26**
 Peñailillo, Patricio xviii, **23**, **25**, **26**
 Pépin, Claude 27
 peripatric speciation 296, 297, 311, 315–317
 Perrier, Christophe 16, 25, 27, 28
 Philippi, Federico 20, 122, 252, 253
 Philippi, Rodulfo Amando 16, **17**, 19, 20, 58, 133, 231
 phylogenetic reconstructions 167, 207, 219–267
 Picard, Franklin 27
 Piedra Agujereada 158
 Pierrel, Romaric 27
 pigs 8, 122, 123
 Pisano, Edmundo 16
 Pitcairn Island 239
 plant colonization 52, 60, 170, 171, 174, 176–179,
 183, 186, 187, 192, 200, 201, 203, 204, 209,

210, 217, 219, 229, 231, 246, 258–260, 265,
 266, 272, 273, 289, 290, 292–296, 300, 309,
 314–316, 325, 326, 331, 337, 338, 346–348,
 351–354, 359, 360, 364–365, 367, 372–374
 plant communities (phytocoenoses) (of the Juan
 Fernández Islands), *see also* vegetation units
 99
Aira praecox-*Anthoxanthum odoratum*
 community (AS) 110
Anthoxanthum-Nassella grassland (AS) 111
Avena barbata community (RC) 105
Blechnum cycadifolium community (RC) 101, 113
Boehmeria excelsa community (RC) 102
Briza maxima community (RC) 105
Drimys confertifolia-*Nothomyrcia* (*Myrceugenia*)
fernandeziana community (RC) 100, 101, 113
Gunnera masafuerae community (AS) 112
Gunnera peltata community (RC) 101
Juncus capillaceus community (RC) 105
 liverwort crusts (AS) 111
 mixed rock and coastal communities (RC) 106
 mixed tall ruderal community (RC) 106
Nassella neesiana-*Nassella laevis*
sima community (AS) 110
Nothomyrcia (*Myrceugenia*) *fernandeziana*
 community (RC) 101
Pernettya rigida-*Ugni molinae* community (RC)
 102
Pernettya rigida-*Ugni selkirkii* community (RC)
 102
Piptochaetium bicolor-*Nassella laevis*
sima community (RC) 104
 ruderal communities (RC) 106
Rumex acetosella-*Aira caryophyllea* community
 (RC) 105
Spergularia masafuerana-*Erigeron rupicola*
 community (AS) 111
Thyrsopteris elegans-*Dicksonia berteriana*
 community (RC) 100, 113
Vulpia community (RC) 105
 plant dispersal 52, 137, 146, 169, 171, 176, 179, 182–
 184, 186, 187, 192, 201, 217, 218, 229–240,
 242–261, 263, 264, 266, 267, 269, 270, 272,
 287, 290, 292–293, 300, 310, 311, 314–317,
 322, 324–326, 329–331, 335–354, 356, 358,
 359, 361, 364, 365, 372–376
 back-dispersal 257, 273, 316, 325, 330
 by birds, *see under* birds; *see also* endozoochory;
 epizoochory; ornithochory 142, 239, 246,
 250, 255, 337, 346–353, 366, 370, 375
 by other animals 105, 140, 349, 353, 370
 by water, *see also* hydrochory; oceanic drift 52,
 337, 346, 351, 366, 375
 by wind, *see also* air flotation; anemochory 52,
 150, 217, 337, 346, 349, 351–353, 366, 370,
 372, 375
 dispersal unit size 337–344, 348, 350, 351, 375

- plant dispersal (cont.)
 - propagule dispersal 52, 150, 217, 296, 297, 336, 349
- plant distribution 64–79, 88, 96, 315
- plant lists (for the Juan Fernández Islands) 63–94
- plant migration 1, 29, 37, 44, 192, 209, 218, 219, 231, 245, 255, 271, 283, 299, 302, 304, 333, 345, 346, 355, 357, 359–363, 375
- ploidy level 192, 285, 292, 309, 323, 327, 328
- pollination 22, 118, 158, 163, 193–205, 309, 310, 312–314, 319–321, 323, 324, 326, 327, 330, 331, 336, 346, 347, 349, 351, 353, 371, 372, 374
 - by birds, *see* ornithophily
 - by insects, *see* entomophily
 - by wind, *see* anemophily
 - “make-do” paradigm 194, 196, 198, 201, 205
 - pollen-to-ovule (P/O) ratios 198, 201, 205
 - self-pollination 196, 306, 307, 325, 330, 359
- Polynesian islands 117, 259, 262, 348, 360
- polyphyly 90, 92, 93, 257
- polyploid speciation 165, 320, 329, 374
- polyploids and polyploidy 178, 188, 191, 192, 285, 292, 309, 319, 359, 371
- population divergence *see under* divergence
- population genetics, *see also* molecular markers 178, 193, 207, 210, 248, 269, 279, 283, 298, 302, 304, 307, 312
- poultry 8, 123
- progenitor-derivative speciation 61, 233, 252
- Progression Rule 209, 246, 272–273, 373
- propagule dispersal, *see* plant dispersal
- Puerto Francés 35, 41, 43, 107, 127, 129, 149, 158, 159
- Puerto Inglés 35, 36, 41, 43, 123, 127, 129, 149
- Queen Charlotte Islands 192
- rabbits 105, 114, 122–126, 140, 141, 159, 160, 370
- Rancho Santa Ana Botanical Garden 23
- Rapa (or Rapa Iti) Island 239, 251
- Rarotonga Island 239
- rats 114, 122, 123, 140, 153
- Recabarren, Manuel xvii
- Recabarren G., Aldo vi
- Reed, Edwyn C. 16
- Reif, Albert 28
- reproductive biology, *see also* breeding systems, mating systems, pollination, sexual systems 193–205, 219, 304, 306, 310, 315, 349, 351, 354, 371, 372
- reproductive isolation 42, 207, 305, 309, 312, 316, 357
- reticulate speciation 271
- Rivadeneira R., Teodoro vi
- Robinson Crusoe* (novel) 5, 6
- Robinson Crusoe Island (or Isla Piloto Robinson Crusoe; formerly Masatierra, formerly Santa Cecilia) *see* Juan Fernández Islands
- Robinson Crusoe Islands *see* Juan Fernández Islands
- Rodríguez, Roberto xviii, 23, **26**, 58, 88, 89, 258, 262, 263, 264, 265, 266, 272, 329
- Rodt, Karl Alfred von 11
- Roederer, Richard xviii, 24
- Rondanelli, Mauricio 23, **26**
- ruderal plants 105, 106, 110, 135
- Ruiz, Eduardo xv, 23, 24, 25, **26**
- Saint Helena 256, 261
- San Ambrosio Island 5, 252
- San Félix Island 5
- Sanders, Roger xv, xviii, 23, **26**
- Santa Clara Island *see* Juan Fernández Islands
- Santantonio, Gilles 27
- Saravia B., Fernando 22
- Schiller R., Ramón vi, **vii**, xvii, xviii
- Scouler, John 16, 18
- sea level 37, 38, 318, 322, 369
- secondary metabolites, *see* flavonoids
- seed dispersal, *see* plant dispersal
- self-compatibility, *see* compatibility
- Selkirk, Alexander 6
- Selkirk memorial plaque 103
- Sepúlveda, Jaime xviii, 23, **26**
- sequence divergence *see under* divergence
- sexual systems, *see also* dioecy 195, 346, 347, 351
- Shannon diversity index 282
- sheep 8, 122, 123, 149, 360
- Sierra R., Eugenio 22
- Silva O., Mario xv, xvii
- Skottsberg, Carl Johan Fredrik 1, 11, 15, 16, **17**, 18, 20–22, 31, 41, 42, 44, 45, 47, 50, 57, 58, 60, 72 n., 79 n., 90, 91, 92, 94, 98, 100, 101, 102, 103, 104, 105, 106, 108, 109, 110, 112, 114, 122, 128, 133, 138, 141, 143, 149, 153, 155, 193, 194, 195, 196, 197, 198, 204, 228, 231, 232, 234, 235, 236, 237, 239, 241, 242, 243, 244, 246, 247, 248, 250, 252, 253, 254, 257, 258, 259, 260, 261, 262, 263, 265, 266, 267, 287, 324, 326, 327, 328, 330, 331, 336, 337, 345, 350, 360, 368, 370, 371, 374, 375, 383
- Skottsberg, Inga 16
- Solbrig, Otto T. xviii, 16, **17**, 22, 383
- Soto, José 24
- South American (Continental) Plate 117
- South Island (New Zealand) 192
- Sparre, Benkt 16
- spatial divergence *see under* divergence
- speciation, *see also* adaptive radiation, allopatry, anacladogenesis, anagenesis, cladogenesis, ecological speciation, homoploid hybrid speciation, parapatric speciation, peripatric

- speciation, polyploid speciation, progenitor-derivative speciation, reticulate speciation, sympatry 94, 97, 163, 186, 192, 207, 211–214, 217–219, 230, 234, 255, 258–260, 261, 263, 267–272, 275, 284, 289, 295–297, 299, 308–331, 357, 359, 360, 363, 364, 368–372, 374–376
- by divergence (primary speciation) 273, 275, 290, 309, 310, 315, 316, 319, 324–326, 331
- geographical modes of 310–312, 315–318
- rates of 360, 361
- species, definition of 58
- species concepts, *see also* biological species concept 58–59
- species diversity 100, 101, 124, 210, 280, 286, 296, 299, 301, 304, 333, 354–366, 373, 375–376
- loss of 290, 359, 360, 363, 364, 366
- Stradling, Thomas, Capt. 6
- Stuessy, Alan xviii, 24
- Stuessy, Patricia xviii, 23
- Stuessy, Tod xix, 23–25, **26**, 382
- Stutzin, Miguel 28
- Sutcliffe, Thomas 10, 39, 118
- Swedish Magellanic Expedition of 1907–1909 21
- Swenson, Ulf xv, xviii, **24**, **26**
- sympatry and sympatric speciation 311, 312, 316, 320–321, 322, 326
- synusia 99
- Tahiti 18, 239, 247
- Tardieu, Vincent 27
- Tasmania 192, 237, 243, 250
- temporal divergence *see under* divergence
- Tenz, Otto 16
- Tepe, Eric xviii, **24**, **26**
- terpenoids 166, 245
- Tialba, Malick 28
- Tristan da Cunha 181, 187, 256, 371
- U.S. National Arboretum 22
- Ugarte, Eduardo xviii, **23**, **26**
- Ulloa, Antonio de 7, 8, 119, 129, 130
- Ullung Island 218, 292, 295, 359
- Universidad de Concepción xv, xvii, xix, 16, 22, 23–25, 89, 253
- Universidad de Córdoba (Argentina) xvii, 24
- Universidad de Talca 25
- Universidad de Valdivia 23
- University of Connecticut xvii, xviii, 24
- University of Kansas 25
- University of Utah 23
- University of Vienna xvii, 16, 22, 23–25, 89
- University of Wisconsin 22
- Valdebenito, Hugo xv, 23, **26**, 381
- Vargas, Rodrigo 27, 28, 113, 149, 369
- vegetation (of the Juan Fernández Islands) 98–114
- inventory of 98–114
- maps of **C88**, **C104**
- negative impacts on 117–133
- by animals 42, 51, 101, 105, 114, 141, 143, 193
- by humans 1, 2, 3, 42, 43, 115, 149, 159, 292, 358, 360
- vegetation units, *see also* plant communities 98–113
- Acaena argentea* assemblage (RC) 104
- Anthoxanthum-Nassella* grassland (AS) 109–110, 112
- coastal grassland with *Juncus procerus* (AS) 110
- cultivated and escaped plants near the settlement (AS) 111
- cultivated areas (RC) 106
- Dicksonia externa* tree fern community (AS) 108, 112, 113
- fern assemblage (RC) 103
- fern-grassland mosaic (AS) 108–110
- forest with alien plants (RC) 101, 106–107
- grassland with *Acaena* (RC) 107
- Libertia chilensis* assemblage (RC) 104
- Lophosoria quadripinnata* fern community (AS) 108, 112, 113
- lower montaine forest (AS, RC) 100–102, 106, 107, 109, 113
- Myrceugenia schulzei* forest (AS) 109, 112
- Nassella* grassland (RC) 104, 105
- native and secondary grassland (of Skottsberg) (AS) 110
- open grassland (AS) 110, 111
- Rubus ulmifolia-Aristotelia chilensis* scrub (RC) 103
- scattered grassland and weeds among rocks (RC) 107
- scattered native plants among rocks (RC) 107
- tall ruderals (RC) 105
- Ugni molinae* scrub (RC) 102
- upper montaine forest (RC) 99–102, 106–109, 113, 345
- weed assemblages (RC) 105, 106
- Virgin Islands (U.S.) 193, 204
- Walker, James 22
- weather, *see* climate
- weeds 43, 94, 104–107, 110, 127, 128, 135, 136, 251, 328
- Wiens, Delbert xviii, 23, **26**, 157
- winds 44, 47–50, 349
- Zeltner, Louis 27
- zoophily, *see* pollination