

Index

- $\mathcal{N} = 4$ Super Yang-Mills, 297–298, 507
- 't Hooft coupling, 327
- 't Hooft limit, 327, 332, 353
- ABJM model, 330, 500, 505, 507–510, 520, 522, 528–529, 533, 537, 540, 567
 - abelian reduction, 512–514
 - gravity dual, 510
 - ground state, massive, 509
 - maximally supersymmetric mass deformation, 508
- Abriksov vortex lattice, 119, 139
- AdS Fermi hair, 486, 490–491
- AdS space
 - definition, 320–324
- AdS/CFT
 - definition, 327
 - motivation, 324–327
- advanced Green's function, 416
- Aharonov-Bohm effect, 141, 152
- Anderson insulator, 161
 - holographic, 565
- Anderson localization, 154, 158–160, 165
- anomalous dimension matrix, 354–357
- antiferromagnetism, 18, 26
- anyon, 144–148, 493, 503, 535
- anyons
 - in AdS/CFT, 537
 - in harmonic trap, 537–540
- area-preserving diffeomorphisms, 493–495
- axion field theory, 152
- bad metal state, 577
- band insulator, 154, 161
- baryon susceptibility, 409
- BCS theory, 117, 124, 129–134, 137, 445
- Bekenstein-Hawking entropy, 212, 402, 559
- Belinfante tensor, 95, 455, 458, 551
- Berry
 - connection, 141–143, 151, 162–163, 535
 - curvature, 143
 - phase, 141–142, 147, 535
- Berry phase
 - from AdS/CFT, 535–536
- Bethe ansatz, 357–359, 361, 378–381
 - algebraic, 78–79, 374, 376
 - asymptotic, 379–380
 - coordinate, 69–72, 79–81
 - equations, 71, 80, 379
 - thermodynamic, 84–88, 369
- Bethe ansatz equations
 - thermodynamic, 88
- Bethe equations
 - thermodynamic limit, 361, 374
- Bethe root, 71, 81, 87, 362
 - density, 363
- Bethe strings, 81, 361, 363, 374
- Birkhoff's theorem, 201, 488
- Bjorken flow, 468, 471–473
 - boost invariant conformal, 466
- Bjorken scaling, 469
- black hole thermodynamics, 208, 402
 - laws, 211–214
- BMN limit, 341, 379
- BMN operator, 346, 348, 352, 358
- Bogoliubov transformation, 54
- Boltzmann entropy, 10, 98
- Boltzmann equation, 178–183
- bosonization, 52, 54–60, 247–248
- Boulware-Deser ghost, 572
- BPS bound, 206, 238, 243
 - on SYM operators, 342
- braid group, 148
- Breitenlohner-Freedman bound, 439, 445–447, 485, 568
- Brillouin function, 21, 66
- Brillouin zone
 - first, 36, 47, 143
- bulk viscosity, 183, 185, 418, 453, 456, 463, 551, 554
- bulk-edge correspondence, 493, 502, 505
- Buscher rules, 303
- category theory, 497
- central charge
 - conformal field theory, 95, 557, 559
- Chandrasekhar limit, 488
- chemical potential
 - $\mathcal{N} = 4$ SYM at finite temperature, 405–407
- Chern number
 - first, 151, 162
 - second, 163
- Chern-Simons action, 145, 152, 163, 493, 508
- chiral boson, 505

- chiral order parameter, 408
- Christoffel symbol, 195
- classical string
 - as Bethe string, 366–369
- Clausius-Clapeyron relation, 8
- closed string variables, 496
- coherence length, 124, 133, 448
- comoving coordinates, 493
- complex structure moduli, 304
- conduction band, 33, 35, 37, 109, 154, 162, 168, 172
- conductivity
 - Kubo formula, 418
- conformal block, 149–150
- conformal flow
 - boost invariant, 472
- conformal fluids, 455–457
- conformal Galilean algebra, 385, 387
 - gravity dual, 386
- conformal gauge, 265, 269–270, 272, 343, 364–365
- conformal weight, 455
- consistent truncation, 220, 223, 232–234, 513–514
- continued fraction, 150, 504
 - Hirzebruch-Jung, 504
- continuity equation, 181–182, 453
 - incompressible, 466, 468
- Cooper pair, 99, 118, 124, 127, 129, 131–133, 135, 150, 445, 515
- correlation length, 91, 98, 463
- coset manifold, 218, 361
- cosmic string, 240
- cosmological constant
 - negative, 394, 405, 408, 439, 588
- covariant derivative, 184, 196
- critical behavior, 91
- critical dimension
 - superstring, 295
- Cuntz oscillators, 351
- Curie law, 15, 17, 21
- Curie-Neel law, 19
- Curie-Weiss law, 18, 24
- curvature of space
 - positive and negative, 193
- cyclotron frequency, 105
- DBI action, 283–288, 295, 450, 497, 543, 547–553
- DBI scalar
 - QGP hydrodynamics, 551–554
- de Donder gauge, 199, 570
- density functional theory, 161
- density of states
 - Fermi, 30
- diamagnetism, 17
 - Landau, 17, 20
 - Langevin, 17, 19
- diffusion
 - particle, 179
- diffusion coefficient, 430, 578
- dilatation operator, 355–357, 378–379, 537–538, 540
- dilaton, 242, 279
- dilute gas approximation, 346, 351–352, 359, 361
- dipole theory, 388
- Dirac quantization condition, 252
 - generalized, 253
- Dirichlet boundary condition, 265–266, 272, 282, 307, 498
- discrete light cone quantization (DLCQ), 387
- dispersion relation
 - acoustic branch, 45
 - monoatomic solid, 44
 - optical branch, 45
- distribution
 - Bose-Einstein, 13
 - Fermi-Dirac, 13
 - Maxwell-Boltzmann, 12
 - quantum, 12
- distribution function, 178
 - of statistical ensemble, 9
- domain wall, 67, 240
- drag coefficient, 429
- Drude model, 32, 154, 172
- Drude peak, 155, 565, 575, 577
- dumb holes, 545
- dynamical critical exponent, 383, 582
- Dyson equation, 158
- Eddington-Finkelstein coordinates, 458
- edge current, 109
- effective horizon
 - time dependent, 473
- effective metric
 - fluid flow, 546
- Einstein frame, 243, 310, 587
- Einstein relation
 - diffusivity, 180
- Einstein’s equation, 191, 194–195, 197–199
- Einstein-Hilbert action, 197
 - string theory, 403
- electric field of point charge
 - higher dimensions, 229
- electric susceptibility, 8
- electromagnetism
 - in higher dimensions, 226
- electron star, 486, 488, 490, 578, 589
- energy gap
 - superconductor, 118, 132, 444
- energy-momentum tensor
 - gravity dual, 329
 - holographic, 459
 - ideal conformal fluid, 456
 - improved, 456, 552

- ensemble
 - canonical, 10
 - generalized canonical, 11
 - grand-canonical, 11
 - isothermal-isobaric, 11
 - microcanonical, 9
- entanglement entropy
 - area law, 557
 - conformal field theory in d dimensions, 561
 - Fermi surface, 561
 - holographic, 586
 - holographic, in two dimensions, 559
 - in quantum field theory, 556
- enthalpy, 6
- entropy current, 184, 462
- entropy density
 - gravity dual, 403
- equivalence principle, 195
- ergodic hypothesis, 9
- Euler equation, 182, 184, 453
 - hydrodynamics, 182
 - thermodynamics, 5
- Euler number, 263
- event horizon, 201, 205, 208, 425, 460, 559, 577
- extremal black hole, 206, 238, 243
- extrinsic curvature, 408, 459
- Fefferman-Graham coordinates, 471
- Fermi droplet, 479, 481
- Fermi gas, 28, 32, 479–483, 487
- Fermi integral, 30–31
- Fermi liquid, 38, 52, 59, 137, 175–176, 479, 483–486, 489, 491, 558, 562, 592
- Fermi liquid theory
 - Landau, 38
- Fermi surface, 29–30, 33, 37, 53, 131, 138, 151, 162, 170, 173, 479–486, 487, 558, 578–579, 583–584, 586, 589
 - holographic definition, 560–562
- ferrimagnetism, 19, 25–26
- ferromagnetism, 17, 23–25, 65
- Fick’s law, 180–181
- Fierz-Pauli action, 199
- filling fraction, 106, 113, 150
- finite temperature
 - quantum field theory, 391
- fireball
 - quark-gluon plasma, 544
- first Chern class, 109, 111
- first order action
 - point particle, 258–260
 - relativistic string, 262–265
- flat connection, 375, 377
- fluid-gravity correspondence, 453, 455
- flux quantum (fluxon), 107
- fluxon, 126, 129, 133
- focusing equation, 462, 468
- fractional D-branes, 500
- fractional statistics, 144–148
- free enthalpy, 6
- free fermions
 - from $\mathcal{N} = 4$ SYM, 480
 - from matrices, 479
 - gravity dual of, 481
- Froissart unitarity bound, 542
- Fubini-Study metric, 500
- fusion, 148
- fuzzy funnel, 509
- fuzzy sphere, 509
- gap equation, 132
- gauge/gravity duality
 - definition, 330
- gauged nonlinear Schrödinger equation, 124, 520
- Gauss-Codazzi equation, 462–463, 468
- Gedanken experiment, 195
- generalized enthalpy, 6
- Gibbons-Hawking-York boundary term for gravity, 408
- Gibbs phase rule, 7
- Gibbs potential, 6, 7, 11, 120, 579
 - generalized, 6
- Gibbs-Duhem equation, 5, 456, 470
- Goldstone bosons
 - would-be, 513
- grand-canonical potential, 6, 13, 20
- graphene, 162, 578
- gravitational field of point mass
 - higher dimensions, 229–231
- graviton, 222, 279, 310, 329, 545, 572, 574, 588
- gravity
 - in higher dimensions, 227
- Green-Schwarz anomaly cancellation mechanism, 315
- Gross-Pitaevskii equation, 126, 520
- group velocity, 45, 547
- Gupta-Bleuler quantization, 275
- Hall conductance, 105, 108–109
- Hall resistance, 105
- Hall voltage, 104–105
- hard-wall model, 544, 549
- harmonic function, 206, 239, 242–244, 326, 339
- Hartree-Fock approximation, 161
- Hawking radiation, 208–211, 324, 392, 396, 545
- Hawking temperature, 210, 392, 471
- heavy fermion materials, 402
- heavy fermions, 137, 175–176
- heavy ion collisions, 9, 402, 468, 542, 551
- Heisenberg Hamiltonian, 69, 97, 156, 353, 355, 379

Heisenberg model, 24, 26, 68, 78, 82	Josephson effect
DBI, 542, 545, 548	AC, 135–136, 448, 451, 535
DBI, gravity dual, 549–551	DC, 134–135, 446
Heisenberg spin chain, 62, 78, 81, 85, 351, 357, 361	Josephson junction, 98, 134, 141
helical lattice, 576	holographic, 446, 449
Helmholtz potential, 6	Josephson loop, 136
heterotic superstring, 315	
hierarchical FQHE, 502, 505	K theory, 497, 499
high T_c superconductors, 38, 119, 133, 137–138, 438, 445, 485, 507, 514, 570	Kähler moduli, 304
holographic lattice, 569–571, 574, 578, 588	Kalb-Ramond field, 279
holographic renormalization, 408, 421	Kaluza-Klein
holography, 326	background metric, 217
holon, 52, 58	expansion, 217–219
Hopf algebra, 374	Lorentz spin decomposition, 220–222
Hopf fibration, 510	metric, 218
horizon expansion, 461, 467	original theory, 222
horizon momentum, 461, 468	reduction ansatz, 219–220
horizon shear, 468	theory, 216–217
traceless, 461	Kerr solution, 207
Hubbard insulator, 569	Kerr-Newman solution, 207–208, 210, 212
Hubbard model	Killing spinor, 222
bosonic, 100	commuting, 222
fermionic, 52–54, 154–155, 157, 160	Killing vector, 207, 210, 384, 462
hydrodynamic electron flow, 588–589	Knudsen number, 463
hydrodynamics	Kondo
nonviscous, 181–183	effect, 167
viscous, 183	Hamiltonian, 167, 174
hyperscaling violation, 582, 585, 588	lattice, 175–176, 402, 589
exponent, 582	model, 167
	temperature, 167, 169–174, 589
induced metric, 261, 263, 283, 425, 467, 501	Kondo effect
infalling boundary conditions	supersymmetric holographic, 589
black hole, 425, 433, 443, 485	Kondo problem, 167, 173–175
information loss	holographic, 582
quantum, 545	real holographic, 592
instanton number, 145	Kosterlitz-Thouless phase transition, 97, 98
insulating state, 577	Kramers-Kronig relations, 415
integrability	Kramers-Wannier duality, 67–68, 247
quantum, 375, 378	Kruskal coordinates, 201
integrable systems	KSS bound, 578
classical, 75–76	Kubo formulas, 417–419, 422, 424, 428–429, 431, 571
quantum, 76–78	
intersection matrix, 504	Landau frame, 185, 551
Ising model, 92, 96, 150	Landau levels, 20, 106–112, 494
1-dimensional, 63–64	Landau theory
2-dimensional, 65	second order phase transitions, 119–122
mean field approximation, 65–66	Landau-Ginzburg equation, 124, 127, 520
transverse field, 99	Landau-Ginzburg model, 117
tricritical, 96	effective, relativistic, 511
	Landau-Ginzburg theory, 124
Jackiw-Pi model, 516, 520, 537	relativistic, 101
Jackiw-Pi vortex, 522, 531	relativistic, effective, 507
	Langevin diffusion, 424, 429–434
	Langevin equations, 432
	Larmor frequency, 19

- Laughlin quasiparticle, 494
- Laughlin wavefunction, 106, 112, 148
- Laughlin's gauge principle, 109
- laws of thermodynamics, 4
- Lax connection, 377
- Lax equation, 75, 78, 376, 378
- Lax operator, 78, 376
- Lax pair, 75
- level
 - Chern-Simons, 145
 - string mode, 276
- level-matching condition, 352
 - modified, 302
- Lifshitz algebra, 384
- Lifshitz scaling, 383, 385, 489, 582
 - gravity dual, 384
- lightcone
 - coordinates, 365
- lightcone coordinates, 270
- lightcone gauge, 270, 274
- lightcone gauge quantization
 - string, 276
- lightcone Hamiltonian
 - string, 276–277
- line element, 191
- Lobachevski space, 193–194, 320
- localization length, 160
- London equations, 117, 127
- London-London model, 127
- long strings
 - in AdS, 363, 374, 378
- Lorentz invariance anomaly, 277
- Luttinger liquid, 52, 54, 59
- M-theory, 313–315, 330, 479, 496, 500, 510, 540, 567
- M2-brane, 316, 500, 567
- M9-brane, 316
- magnetic length, 107, 109
- magnetic susceptibility, 8, 16–17, 64, 167, 592
- magneto-electric effect
 - topological, 165
- magnon, 69–71, 79, 81, 86, 353, 357–359, 361, 379
- mass
 - gravitational, 195
 - inertial, 195
- massive gravity, 579, 588
 - effective model for lattice, 571
 - higher derivative, 572
- master action, 249
 - for duality, 247, 249, 250, 523
- Maxwell duality, 252, 529, 251–531
- Meissner effect, 118
- membrane paradigm, 424–429, 460–464, 573
- memory kernel, 430
- metallic state, 165, 577
- metric, 192
- minimal unitary series, 96
- mirror symmetry, 304
- modulus, 302
- momentum broadening, 429–434
- momentum dissipation, 155, 565, 571, 575, 589
 - holographic lattice, 569, 588
 - random disorder, 565
- momentum flux density tensor, 183
- monopole
 - Dirac, 145, 251
- Mott insulator, 154, 157, 160–161, 575
- Mottness, 160
- Moyal product, 495, 497
- Mukhi-Papageorgakis Higgs mechanism, 513, 523
- mutual information, 557
- naked singularity, 206, 238
- Nambu-Goto action, 260, 263–264, 266, 433
- Navier-Stokes
 - scaling limit, 466
- Navier-Stokes equation, 178, 182, 184, 453, 460, 464, 466, 468, 473
 - relativistic, 185, 454, 463
- Neumann boundary condition, 264, 266, 272, 281–282, 287, 306, 498
- neutron star, 486, 488–490
- Neveu-Schwarz-Neveu-Schwarz sector, 288, 295
- Neveu-Schwarz-Ramond (NS-R) sector, 295
- Newtonian limit for gravity, 199–200
- no-hair theorems, 207, 440
- non-Fermi liquid, 38, 59, 137, 438, 479, 491, 507, 562, 585
- nonabelian statistics, 148, 535
 - in AdS/CFT, 540
- nonabelion, 148–150
- noncommutative Chern-Simons theory, 493, 495
- nonlinear KK ansatz, 233
- normal ordering constant
 - string Hamiltonian, 277
- null energy condition, 562, 583
- null Melvin twist, 388
- old covariant quantization of string, 275
- open string variables, 496
- open strings on Dp -branes
 - quantization, 289
- operator product expansion (OPE), 92
- operator-state map, 538
 - holographic, 328
- Oppenheimer-Volkov limit, 488
- orbifold, 504
- order parameter, 7, 99, 119, 121, 124, 160, 408
- orientifold, 501
- orientifold plane, 498

- p*-brane, 240–241
 - black Schwarzschild, 240
 - solution, 242–244
- p*-brane superpositions
 - supersymmetric, 244
- parallel-plane (pp) waves, 337
- paramagnetism, 17
 - Brillouin, 17
 - Langevin-Brillouin, 20–21
 - Pauli, 17, 21–22
 - van Vleck, 17, 22
- particle-vortex duality, 250–251
 - as Maxwell duality in AdS, 529
 - constraints on transport, 525–528
 - in the ABJM model, 528
 - in the path integral, 522–525
 - nonrelativistic limit, 531
- penetration depth, 128, 133
- Penrose diagram, 322–323
- Penrose limit, 339–341, 351–352, 361, 483
 - of AdS/CFT, 341–342
- phase transition type
 - Ehrenfest, 7
 - Landau, 7
- phase velocity, 44, 547
- phonon, 31, 32, 42–48, 104, 117, 129, 172, 276, 575
- pionless hole, 547
- Planck scale
 - higher dimensional, 230
- plasma frequency, 49, 578
- plasma models
 - phenomenological, 407–410
- plasma properties
 - $\mathcal{N} = 4$ SYM at finite T , 402
- plasmon, 48
- Poincaré
 - metric, 322
 - patch, 322
- Poincaré duality, 252–254
- Poincaré patch, 323, 569
- Polyakov action, 262, 265, 269, 272
- Pontryagin index, 145
- poor man’s scaling, 173
- pp wave
 - Brinkmann coordinates, 340
 - maximally supersymmetric 10-dimensional, 339, 341
 - maximally supersymmetric 11-dimensional, 338
 - Rosen coordinates, 340
- primary states, 539
 - chiral, 539
- quantum critical phase, 97, 137, 507, 514
- quantum geometry, 292
 - quantum Hall effect
 - fractional, 106, 146, 149, 493, 499, 540
 - integer, 106, 109, 162
 - quantum phase transition, 97–99, 160, 522, 575, 592
 - quantum spin Hall insulator, 162
 - quantum well, 162
 - quasnormal modes, 434–436
 - black hole, 424, 443, 446
- R symmetry, 328, 405, 481, 508, 516, 538
- radial gauge, 484, 529
- Ramon-Neveu-Schwarz (NS-R) sector, 295
- Ramond-Ramond sector, 288, 295
- random phase approximation, 49
- rapidity, 77, 81, 84, 379, 469
 - spacetime, 469
- rapidity density, 86
- reciprocal lattice, 36, 47
- reference frame
 - inertial, 191
- reference metric, 572
- Reissner-Nordstrom solution, 204–205
 - higher dimensions, 237–239
- relaxation time, 104, 155, 175, 178, 432, 578
- reparametrization invariance, 257, 263
- resistivity minimum, 169–173
- retarded Green’s functions, 413–415
- Reynolds number, 464
- Ricci
 - scalar, 196
 - tensor, 196
- Riemann tensor, 195
- Riemann zeta function, 31, 277
- Rindler coordinate, 474
- RKKY scale, 176
- RKKY temperature, 589
- Ryu-Takayanagi prescription, 558
- S-duality, 311–313, 327
- Sakai-Sugimoto model, 550
- scaling dimension, 92, 484, 538
- scattering length, 385
- Schouten tensor, 426
- Schrödinger algebra, 386–387
- Schwarzschild black hole, 201
- Schwarzschild solution, 191, 200–201
 - higher dimensions, 236
- second superstring revolution, 283, 324
- Seiberg-Witten map, 497
- semiconductors, 33
 - extrinsic, 35
 - intrinsic, 34
- Serre relations, 374, 376
- shear viscosity, 183, 185, 453, 551, 554, 578

- black hole, 459
- Kubo formula, 419
- over entropy density for black hole, 459
- shockwave collisions, 543
- shockwave scattering
 - gravitational, 549
 - on the IR cutoff, 545
- Sine-Gordon vs. massive Thirring duality, 59
- singularity theorems, 206
- slave fermions, 593
- Son and Starinets finite temperature prescription
 - retarded Green's function, 419, 434, 485
- sonic booms, 545
- sound velocity, 456
- source and operator VEV
 - in dual field expansion, 420
- spacetime dimension
 - bosonic string, 277
- specific heat, 8
 - free electron gas, 31
- spectral curve, 76
- spectral function, 138, 402, 413, 415–417, 430, 484–485, 490
- spectral parameter, 76, 377
- speed of sound
 - in plasma, 410
- spheres
 - higher dimensional, 227–228
- spherical harmonics, 218, 221, 224, 392, 435, 481, 509
- spin chain
 - $SO(6)$, 353
- spin structure, 392–393
- spin-charge separation, 58–59
- spinon, 52, 58
- static gauge, 266, 284
- statistical gauge field, 143–144, 526
- strange metal, 137, 479, 489, 570, 578, 588–589, 592
 - holographic, 582, 585
- stress tensor
 - fluid conservation equation, 453
- string duality web, 315–316
- string frame, 243, 310, 587
- string Hamiltonian
 - on-shell closed, 273
 - on-shell open, 273
 - pp wave, 342–344
- string quantization, 274–275
- $SU(2)$ sector, 355–357, 363, 380
- superconductor
 - holographic, 438
- supergravity, 309
 - action, 309–311
- superstring, 278
- superstring theory, 288
- supersymmetry, 296–297
 - no force, 244
 - off-shell, 297
 - on-shell, 296
- surface gravity, 210–211, 461, 468, 546
- susceptibility
 - thermodynamic, 415
- symmetry current
 - gravity dual, 329
- T-duality
 - Chan-Paton factors, 307–309
 - closed strings, 300
 - nonabelian, 304
 - of spectrum, 302–303
 - open string, 306–307
 - path integral, 248–249
- tachyon ground state, 278
- tensor
 - contravariant, 196
 - covariant, 196
- thermal conductivity, 579
- thermalization, 424, 434–436
- thermodynamic potentials, 5
- thermodynamic sum rule, 415
- thermoelectric conductivity, 579
- thermoelectric conductivity parameter, 571
- theta term, 164
- Thomas-Fermi approximation, 49–50, 489, 589
- topological field theory, 497
- topological insulator, 154, 161–165, 493, 497, 499, 502, 505, 537
- topological superconductor, 150–152, 162, 493, 497
- TOV equations, 488
- transfer matrix, 63, 374, 376
- turbulence, 464
- type I superstring, 315
- type IIA superstring theory, 309
- type IIB superstring theory, 309
- Umklapp process, 47, 129
- universality
 - gravity duals at finite temperature, 405
- valence band, 33, 35, 37, 109
- Verma module, 96
- vielbein, 258
- Virasoro algebra, 95, 280, 319
- Virasoro constraints, 274, 301, 365
 - Fourier modes of, 273
- viscous stress tensor, 453
- Weingarten map, 461
- Weiss theory, 23
- Weyl invariance, 263, 269–270, 456
- Weyl invariance anomaly, 277
- Weyl tensor, 426, 511

Wilson line, 307	worldvolume, 243, 282–283
Wilson loop, 307, 367, 559, 590	WZ term, 288–289, 298, 493, 498–499, 501, 537, 551
supersymmetric, 591	
winding, 300–301, 306	Yang-Baxter equation, 77, 79, 81, 84, 374, 376
Witten construction, 329–330	Yangian, 374, 375–377
Witten metric, 397–399, 403, 405, 432, 434	algebra, 374, 375
Witten prescription	Yangian charges, 377
finite temperature, 394–397	
worldline, 256	zeta function regularization, 277
worldsheet, 260	