

Index

- Abiotic factors, 32, 82–83, 88, 98, 376, 477
- Aboveground biomass, 185, 191, 194, 301, 339, 343, 354–355, 398
- Accommodation space, 32, 35, 42, 226, 229, 245, 402
- ADCIRC (Advanced CIRCulation finite element model), 292
- Aggradation, 12–15
- Algarve, Portugal, 2
- Allochthonous organic matter, 171
 - Accumulation, 14
 - Refractory, 158
- Amazon River Basin, Brazil, 133
- Ammonia volatilization, 118
- Anthropocene, 99
- Anthropogenic barriers, 431–432
- Argentina, 96
- Arthrocnemum subterminale*, 95
- Atchafalaya River, Louisiana USA, 451
- Atchafalaya Wax Lake Delta, Louisiana USA, 451
- Atmospheric CO₂, 10, 22, 238, 353, 355, 477
- Australia, 31, 185, 202, 239, 342, 371
 - Moreton Bay, 165
- Autocompaction, 12, 16, 189
- Autocyclic marsh growth, 402
- Baccharus halimifolia*, 17–18
- Bahía Blanca Estuary, Argentina, 186, 202, 220
- Ballistic Momentum Flux, 319
- Basal sea-level index points, 240
- Basin hypsometry, 64
- Bayhead delta, 41–42
- Beaulieu River estuary, UK, 395
- Bed friction, 70
- Bed roughness, 311, 314
- Bed/Bottom shear stress, 55, 63, 65, 73, 192, 206, 301, 312, 315, 333, 392, 401, 415
- Benthic infauna, 192
- Bidirectional flow, 53, 57
- Biloxi, Louisiana USA, 57
- Biodiversity-ecosystem functioning, 85
- Biofilms, 191–192, 312–313
- Biogeochemical cycles, 195, 319, 373
- Biostabilisation, 73, 311–313
- Biotic factors, 32
- Bioturbation, 2, 55, 96, 115, 161, 195–205, 208, 312–318
 - Crab, 179, 192, 196–201, 210
- Blue Carbon, 424
- Blue crabs, 90
- Boat wakes, 391
- Bogue Banks, North Carolina USA, 38
- Boltzmann-like probability, 286
- Boston Harbor, Massachusetts USA, 1, 399
- Bottom-up controls, 86, 99
- BP-Deepwater Horizon oil spill, 399
- Breton Sound, Louisiana USA, 121, 191, 401
- British Columbia, 96, 247, 427, 430, 438
- British Isles, 18, 31, 35
- Bulk density, 119, 133, 158, 174, 191, 198, 314, 320, 409
- Burrowing species, 316, 320
- Caernarvon, Louisiana USA, 121
- Caernarvon Diversion, Louisiana USA, 355
- Cantilever profiles, 408
- Cape Romain, South Carolina USA, 2, 59, 201, 208–209
- Capo Carvallo, Corsica, 132
- Carbon accumulation, 31, 44, 95, 131, 337, 344, 389, 452, 461
- Carbon dioxide, 351–355
- Carbon sequestration, see Carbon accumulation
- Carcinus maenas* (European green crab), 16, 377
- Carex* spp., 19, 345
- Cascadia subduction, 247–249
- Cattails, 18, see *Typha angustifolia*
- Cauchy number, 308
- Changes in freshwater, nutrient, and sediment inputs, 355
- Cheeseman Inlet, North Carolina USA, 38
- Chesapeake Bay, USA, 13, 16, 188, 347, 352, 423, 449
- Chézy friction parameter, 59
- Chezzetcook, Nova Scotia, 3

- Climate change, 2, 31, 179, 258, 323, 337, 357–358, 388, 424, 476
- Accretion, 343
- Carbon dioxide, 351
- Change in species composition, diversity, 342
- Decomposition, 339–342, 350
- Drought, 342
- Elevation change, 347
- Mangrove expansion, 342
- Plant adaptations to salinity, 348
- Plant morphology, 350
- Productivity/biomass, 339, 344, 349
- Root response, 349
- Salinity, 348–351
- Species composition, 346
- Temperature, 337
- Coastal squeeze, 429
- Coefficient of drag, 67, 70, 397–398
- Cohesive Strength Meter, 192, 312
- Colorado River Delta, Sonora Mexico, 59
- Columbia River, USA, 2
- Common reed, see *Phragmites australis*
- Competition, 32, 91–93, 98, 180, 196, 284, 376
- Cordgrass, see *Spartina alterniflora*
- Coring, 11
- Creek bank failure, 16, 191, 258, 400, 410, 479
 - Cantilever profiles, 408
 - Mass failure, 410
 - Mechanisms, 401
 - Toppling failure, 411
- Decomposition, 2, 16–17, 95, 115, 158, 182, 191, 200–201, 269, 280, 337, 339–342, 346, 350–351, 353, 358, 399, 457, 477
- Decreased stem elongation, 350
- Degradation, 12, 15–17
- Delaware Bay, 461–466
- Delaware Bay, USA, 13, 444, 449, 451
- Delft-3D, 290
- Dendritic networks, 55
- Denitrification, 119–120, 140
- Diadromous fish, 437
- Diatoms, 131, 138, 236, 312
- Disease and parasitism, 90
- Dissection of tidal channel, 55, 403, 410
- Distichlis spicata*, 18, 180, 234, 339, 342
- Distributary mouth bars, 41
- Disturbance, 84, 96–97, 137, 159, 195–205, 229, 239, 262, 268, 374
- Drainage density, 63, 72, 208, 220
- Drought, 342, 355
- East China Sea, 132
- East River Marsh, Guilford, Connecticut USA, 264
- Eastern Scheldt, Netherlands, 410
- Eastern Shore, Virginia USA, 3, 392
- Ebro Delta, Spain, 446, 449–450
- Ecogeomorphology, 178–179
- Ecological destabilizers, 195–205
- Ecological feedbacks, 32
- Ecological stabilizers, 183–195
- Ecosystem services, 157, 388–389, 424, 437, 476
- Ecosystem/Ecological engineers, 83, 95–96, 178, 182–205
- Ecotones, 33, 180, 476, 479
- Ectothermic herbivores, 88, 91
- Edge, see Marshes: Edge
- Elbe River, Germany, 2
- Elymus repens* (Quackgrass), 367
- Equilibrium elevation, 35, 157, 171
- Estuarine restoration plans, 444
- Etang de Toulvern, Bretagne, France, 2
- European colonization, 13
- Exploratory models, 279
- Facilitation and mutualism, 93, 195
- Feldspar marker layers, see Ground feldspar
- Fill removal, 447
- Flood-tidal delta, 33, 38–40, 45
- Foraminifera, 234–236
- Foraminiferal zonation, 18–19, 234–235, 242
- Fort Pulaski National Monument, Georgia USA, 409
- Frisian Islands, Germany, 2
- Fundamental niche, 82
- FVCOM (Finite-Volume Coastal Ocean Model), 292
- Geographic patterns, 98, 117, 134, 271, 295
- GEOMBEST, 285
- Goldenrod, 17, see *Solidago sempervirens*
- Gouldsboro, Maine USA, 2
- Great Marsh, Massachusetts USA, 137, 370, 374, 376, 379
- Great Sippewissett Marsh, Massachusetts USA, 118, 139
- Great South Bay, New York USA, 231
- Green crab, see *Carcinus maenas* (European green crab)
- Ground feldspar, 11, 171
- Guana Tolomato Matanzas National Estuarine Research Reserve, Florida USA, 409
- Habitat resilience, 347
- Halophytes, 9–10, 55, 178, 227, 233, 388
- Herbivory, 84, 86–88, 90, 179, 201, 347, 399
- Heysham, UK, 54
- Ho Bugt, Denmark, 3
- Holocene sea-level change, 10, 246
- Hortonian drainage density, 63, 72
- Hudson Bay, Canada, 377, 450
- Hudson River, New York USA, 3
- Human impacts, 445
- Hurricanes
 - 1938, 259
 - 1954, 259
 - Andrew, 266
 - Audrey, 266

- Hurricanes (cont.)
 Florence, 271
 Hilda, 266
 Hugo, 265
 Katrina, 191, 260, 266, 268–269, 398, 453
 Lili, 266
 Michael, 271
 Rita, 71, 266, 268–270, 453
 Sandy, 230, 257, 265, 270
- Hydrodynamics, 57
- Hydro-MEM, 292
- Ice rafting, 2, 15, 33, 97, 131, 265
- Indicative meaning, 12, 19, 232–238, 242, 249
- Infaunal species, common, 192
- Intertidal-flat pioneer zone, 32
- Invasive organisms, 367
- Invasive species, 367–381, 449–450
 Fauna, 376–379
 Plants, 369
- Iva frutescens*, 17–18, 84, 101
- Jadammina macrescens*, 19, 234, 248
- Jamaica Bay, New York USA, 270, 432, 450
- John Ripley Freeman, 233
- Jumble Cove, Galveston Bay, Texas USA, 409
- Juncus gerardii*, 18, 93
- Juncus roemerianus*, 18, 66–67, 180, 232, 234, 244
- Labile organic matter, 16, 119, 158, 169
- Laboratory flume experiments, 301–303
- Lake Pontchartrain, Louisiana USA, 455
- Lateral retreat, 389
- Latitudinal variation, 88
- Lepidium latifolium* (Perennial pepperweed), 372–373
- Lerez Estuary, Spain, 2
- Limonium* spp., 66
- Little Manatee River estuary, Florida USA, 241, 244
- Littorina littorea*, 91, 202, 378, 380, 450
- Living shorelines, 449
- Long Island, New York USA, 9, 231, 257, 265, 399
- Long-term ecological research site
 Virginia Coast Reserve, 292
- Louisiana Coastal Master Plan, 453–454, 480
- Low elevation coastal zone, 424, 436
- Lythrum salicaria* (Purple loosestrife), 367
- Mangrove expansion, 342
- Marsh
 Edge, 97
 Inland migration, 423–425
- Marsh Equilibrium Model, 157–159
- Marsh organs, 161, 282, 344
- Marsh platform, 1, 3, 33, 53–57, 62, 65–66, 68, 70, 73, 92, 97, 113, 120–121, 140, 178, 194, 201, 205, 227, 262, 279, 286, 292, 374, 401, 479
- Marshes
 Anthropogenic barriers, 431–432
 Arctic, 10
 Atlantic, 10
 Boreal, 10
 Broad, 12
 Deltaic, 33, 41–43, 230, 291, 447, 450, 456
 Diking, 445, 451, 466, 480
 Edge, 2, 5, 53, 65, 73, 97, 190, 205, 266, 268, 272, 284, 388–415, 479
 Fluvial-minor, 13
 Fringing, 12, 17, 33–37, 140, 378
 Patch, 33, 37–41, 437
 Temperate, 10
 Tropical, 10
 Mass failure, 410
- Mattapoisett, Massachusetts USA, 263
- Meander cutoff, 55
- Meandering channels, 16, 55
- MEM (Marsh Evolution Model), 292
- Microfossils, 3, 234–237
- Migration inland
 anthropogenic barriers, 431–432
 Migration inland, 423–425
- Miliammina fusca*, 19, 234, 243, 247
- Minas Basin, Bay of Fundy, Canada, 204
- Mississippi River delta, Louisiana USA, 2, 15, 17, 42, 267, 355, 357, 383, 450–456
- Mobile Bay, Alabama USA, 194
- Models
 ADCIRC (Advanced CIRCulation finite element model), 292
 Cellular automata, 288, 406
 Delft-3D, 290
 Empirical, 278, 282, 344
 Exploratory, 279
 FVCOM (Finite-Volume Coastal Ocean Model), 292
 Hydro-MEM, 292
 MEM (Marsh Evolution Model), 292
 One-dimensional, 279
 Simulation, 279
 Three-dimensional (high resolution), 290
 Two-dimensional (planar), 285–290
 Two-dimensional (transect), 283–285
 Vertical, 279–283
 Zero-dimensional, 279
- Modulus of elasticity, 308
- Momentum equations, 59
- Mont St. Michael Bay, France, 2
- Morse River, Maine USA, 13
- Mosquito control, 262, 445
- Mudge model, 227
- Mullet Pond, Apalachee Bay, Florida USA, 264
- Multiple-stressor approach, 323
- Muskrat, see *Ondatra zibethica*
- Mutualism
 mycorrhizal, 96
- Myocastor corpus* (Nutria), 179, 204, 368, 377, 450

- Narragansett Bay, Rhode Island USA, 126, 133, 135, 137
- Navier-Stokes equations, 278
- Newport River, New Carolina USA, 42
- Nitrogen
 - Accumulation, 86, 120
 - Atmospheric deposition, 117–118
 - Burial (organic), 119
 - Cycling, 116–122
 - Fixation, 118
 - Groundwater inputs, 116–117
- Non-trophic processes, 91–97
- Non-vegetation biogenic roughness, 311
- Norfolk, UK, 185, 226
- North Inlet, South Carolina USA, 162, 175, 198
- Nutria, see *Myocaster corpus*
- O'Brien-Jarrett-Marchi law, 63
- Ondatra zibethica* (Muskrat), 16, 204
- Ontogeny, 33, 286
- Optical backscatter sensor (OBS), 315
- Outwelling, 113
- Overwash fan, 259, 266
- Oyster reef, 33, 38, 44, 181, 194
- Pamlico River, North Carolina USA, 169
- Paraglacial, 9
- Parrett Estuary, UK, 57
- Pathogens
 - Bacterial, 90, 131, 312
 - Fungal, 90, 131, 202, 378–379
- Pattagansett River Marsh, Connecticut USA, 260
- Pb isotopes, 246
- Periwinkles, 91, 202, 378, 380, 450
- Perennial pepperweed, see *Lepidium latifolium*
- Phippsburg, Maine USA, 3
- Phosphorus, 122–131, 141, 355, 388, 460
 - Recycling, 128
- Phragmites australis* (Common reed), 17–18, 84, 95, 125, 368–370, 376, 449
- Physiological controls, 82–83, 180, 341
- Piracy of channel, 55
- Plant adaptations to salinity, 348
- Planthoppers, 89, 91–92
- Plum Island, Massachusetts USA, 54, 122, 160, 162, 190, 292, 406
- Poisson equation, 60
- Pollution remediation, 447
- Positron emission tomography (PET), 320
- Pounawea, New Zealand, 3, 245–246
- Predation, 85, 88–89, 92, 96, 193, 202, 367, 377, 399, 450
- Predators
 - Primary, 85
 - Top, 85, 90
- Primary production, 83–85, 96, 98, 113, 349
- Productivity, 339
- Puccinellia maritima*, 18
- Puerto Rosales, Argentina, 192
- Purple loosestrife, see *Lythrum salicaria*, 367
- Purple marsh crab, see *Sesarma reticulatum*
- Q_{10} temperature coefficient, 341
- Quackgrass, 367, see *Elymus repens*
- Radio-isotopic dating, 3, 10–11, 225, 239, 244, 248, 263
- Redfield model, 227, 265
- Rehoboth Bay, Delaware USA, 36
- Relative sea level, see Sea level: Relative
- Restoration of hydrology, 445–447
- Reynolds number, 67
- Ribbed mussels, 93, 195
- River Diversions, 448
- Rockefeller Wildlife Refuge, Louisiana USA, 402
- Romney Marsh, Massachusetts USA, 1
- Root response, 349
 - Rosa rugosa*, 17
- Rowley, Massachusetts USA, 137
- RTK (Real Time Kinematic Global Positioning System), 231
- Ruppia maritima*, 19
- Rushes (*Juncaceae*), 17
- Salicornia* spp., 18–19, 66–67, 197, 261, 267, 346, 373, 375, 463
- Salinity change, 348–351
- Salt Pond, Falmouth, Massachusetts USA, 264
- Saltmarsh macrophytes, 120, 178, 182, 201, 357
- San Felice Island, Venice, Italy, 54
- San Francisco Bay, California USA, 171, 370, 372–373, 432, 446
- Sanborn Cove, Maine USA, 242–243
- Scheldt estuary, Netherlands, 72
- Schoenoplectus* spp., 18, 345, 353
- Scirpus maritimus*, 68, 459
- Scirpus tabernaemontani*, 68
- Scotland, 3
- Sea Breeze Marsh, New Jersey USA, 261
- Sea level
 - Channel network response, 63
 - Marsh elevation, 18, 53, 157–172, 344–348, 401, 448, 477
 - Marsh equilibrium, see Sea level: Marsh position
 - Reconstruction, 10, 229–240
 - Relative, 32, 225–240
 - Rise, 1, 38, 264, 344–348, 413, 423–424, 429, 460, 477
- Secondary production, 85
- Sedges (*Cyperaceae*), 17, 134, 338
- Sediment
 - Diversions, 456
 - Erodibility, 315
 - Resuspension, 35, 73, 160, 282, 315
 - Suspended, 14, 33, 73, 158, 168, 170, 179, 185, 265, 282, 347, 477
 - Trapping, 38, 72, 95, 159, 183–186, 265, 282, 291, 294, 343, 396

- Sediment Elevation Table (SET), 3, 353
- Sediment–fluid–biological interactions, 323
- Self-organized criticality, 288
- Sesarma reticulatum* (Purple marsh crab), 16, 92, 201, 208, 316, 377, 399, 450
- Severn Estuary, UK, 36, 58, 268, 400
- Sewage input, 116–117, 122
- Shaler model, 227
- Shallotte River Estuary, North Carolina USA, 38
- Shear strength, 189–191, 267–268, 311, 314, 316, 320, 356, 391, 398
- Significant wave height, 72, 402
- Silica, 131–138
 - Amorphous, 131, 133
 - Silicon, 141, see Silica
- Simulation models, 279
- SLAMM (Sea Level Affecting Marsh Model), 290
- Slowstand, 21
- Slump, see Creek bank failure
- Snell's law, 68
- Snow goose, 88, 377
 - Greater, 214
 - Lesser, 450
- Soil strength, see Shear strength
- Solidago sempervirens* (Goldenrod), 17
- Solway Firth, UK, 69, 268, 400
- South Bay Salt Pond Restoration Project, San Francisco, California USA, 44, 171, 448
- South Korea, 3, 185
- Spartina alterniflora* (Cordgrass), 10, 17, 44, 66, 68, 84, 89, 91, 93, 115, 118, 125, 134, 161, 185, 189, 200–202, 205, 208, 295, 303, 339, 343, 346, 368, 379, 397, 399, 449, 463
- Spartina anglica*, 67, 69, 185, 339, 370
- Spartina patens*, Saltmarsh Hay, 17
- Spartina* spp. (invasive), 370
- Species composition, 346
- Sprague River, Maine USA, 13
- Square crab, see *Sesarma reticulatum*
- St Helena Sound, South Carolina USA, 194
- Storm surge, 259, 265, 267, 270, 309, 388, 394
 - Attenuation, 71, 189, 258, 269, 388, 479
- Stratigraphic evidence of storms in marshes, 259–264
- Stratigraphic sequence, 227, 262
- Stress tolerance, 92
- Succotash Marsh, East Matunuck, Rhode Island USA, 260
- Suwannee River delta, Florida USA, 57
- Tagus Estuary, Portugal, 115
- Temperature change, 337–344
- Terrebonne Bay, Louisiana USA, 394
- Testate amoebae, 237
- The Wash, England, 2
- Thick sediment addition, 448
- Thin layer deposition, 448
- Tidal prism, 55, 62, 64, 72, 446
- Tijuana River estuary, California USA, 349
- Tillingham, Essex, UK, 261, 267, 318
- Top-down controls, 86–91, 377
- Toppling failure, 411
- Total organic carbon, 238
- Transfer functions, 12, 237–238
- Transgressive backbarrier marsh, 21, 232, 249
- Trophic structure, 82
- Typha angustifolia* (Cattails), 18
- U.S. National Oceanographic and Atmospheric Administration (NOAA), 41, 183, 428
- Uca* spp. (fiddler crabs), 16, 83, 93, 198, 200, 216, 316
- Venice Lagoon, Italy, 63
- Vertical accretion, 13, 33, 157–159, 163–171, 178, 185, 205, 350, 396, 458
- Virginia Coast Reserve (LTER), 292
- Wave attenuation, 71, 186, 258, 265, 272, 301, 312, 479
- Wax Lake Delta, Louisiana USA, 451
- Wells, Maine USA, 3
- West Brittany, France, 3
- Wester Schelde estuary, Netherlands, 206, 261, 389, 392
- Willapa Bay, Washington USA, 371
- Wolf-spider, 91
- Yangtze River Delta, China, 44, 185
- Yellow Sea, 132
- Yukon River, Alaska USA, 2
- Zostera marina*, 19, 304