

---

## Index

- absolute Frobenius endomorphism, 346
- acceptable idealized monoid, 21
- action of a monoid on a set, 7
- amalgamated sum of monoids, 5
- ample sheaf on a monoscheme, 210
- analytic symbol maps, 499
- base-point-free sheaf of sets on a monoscheme, 210
- basis for a monoid action, 7
- Betti realization, vii, 442, 450
- birational map of monoschemes, 217
- blowup of a sheaf of ideals of a monoscheme, 225
- canonical factorization of a morphism, 276
- Cartier isomorphism, 508
- Cartier operator, 518
- Cartier type, 347
- central point for a stratification, 264
- character of a monoid, 65
- chart for  $(\mathcal{M}, \mathcal{K})$ , 266
- chart for a log scheme, 275
- chart for a morphism, 259
- chart for a morphism of log schemes, 277
- chart for a sheaf of monoids subordinate to a monoid, 249
- chart for a sheaf of monoids subordinate to a monoscheme, 250
- codimension of a face, 40
- coequalizer, 2
- coequalizer of monoid homomorphisms, 4
- cofiltering category, 127
- coherent chart, 249
- coherent sheaf of ideals in a sheaf of monoids, 266
- coherent sheaf of monoids, 251
- coherent sheaf on a monoscheme, 202
- cokernel of a monoid homomorphism, 7
- colimits in  $\mathbf{Ens}_Q$ , 8
- colimits of monoids, 4
- compactifying log structure, 288
- condition  $QS_n$ , 168
- congruence, 2
- congruence relation on a  $Q$ -set, 8
- conical hull, 40
- conical ideal, 40
- connected components of a  $P$ -set, 129
- conormal sheaf, 417
- constant log structures, 309
- convex set, 53
- cospecialization map, 263
- critical face, 104
- critically exact homomorphism, 105
- d-semistable, 305
- de Rham complex of a monoid algebra, 471
- de Rham complex of a morphism, 468
- deformation of  $g$  to  $T$ , 384
- derivation of log rings, 362
- derivation of prelog schemes, 369
- DF structure, 293
- differentials, 363
- differentials with log poles, 361
- dimension of a cone, 40
- dimension of a monoid, 19
- direct image log structure, 272
- divisor with normal crossing, 297
- DNC coordinate system, 298
- domination for submonoids, 59
- double locus, 300
- dull monoid, 11
- dull monoidal space, 189

- effective Cartier divisor, 273, 289
- equivariant biset structure, 71
- étale morphism of log schemes, 389
- exact chart, 255
- exact homomorphism of idealized monoids, 177
- exact morphism of monoids, 28
- exact relative Frobenius morphism, 410
- exact relative  $n$ -Frobenius homomorphism, 120
- exterior derivative, 468
- extremal ray, 40
- extremely ample sheaf on a monoscheme, 210
- face generated by a set, 15
- face of a monoid, 15
- facet of a cone, 40
- fan, 236
- filtering category, 126
- fine chart, 249
- fine monoid, 12
- fine monoscheme, 198
- fine sheaf of monoids, 251
- finitely generated congruence relation, 3
- flat chart, 423
- flat monoid action, 127
- flat morphism of log schemes, 423, 430
- formal power series in a monoid, 86
- four point lemma, 338
- fractional ideal of a monoid, 34
- frame for a monoidal space, 327
- free  $\mathcal{Q}$ -set, 7
- free monoid, 1
- fs-monoid, 13
- germ of a chart, 252
- good chart for a sheaf of monoids, 255
- graded monoid, 206
- graded set over a graded monoid, 206
- height of a point, 45
- height of an ideal, 19
- Higgs complex, 93
- Higgs field, 92
- hollow log ring, 307
- hollow log structure, 307
- homogeneous flow, 475
- homogeneous vector field, 475
- horizontal ideal, 478
- horizontal part of a sheaf of monoids, 189
- horizontal sheaf of ideals, 490
- ideal of a monoid, 15
- idealized log fiber, 336
- idealized log point, 336
- idealized log scheme, 281
- idealized monoid, 20
- idealized monoscheme, 193
- ideally strict morphism, 281
- immersion of log schemes, 343
- immersion of monoidal spaces, 190
- indecomposable element of a cone, 40
- inductive limit of monoids, 4
- inseparable morphism, 347
- integral homomorphism of idealized monoids, 177
- integral homomorphism of monoids, 140
- integral monoid, 11
- integral monoscheme, 198
- interior ideal of a monoid, 15
- interior ideal of a sheaf of monoids, 267
- inverse image log structure, 272
- invertible quotient on a monoscheme, 209
- invertible sheaf of  $\mathcal{M}_X$ -sets, 205
- invertible sheaf of ideals in a monoidal space, 221
- irreducible element of a monoid, 22
- isogeny of monoids, 123
- join of monoids, 19
- $K$ -cone, 39
- Kato–Nakayama space, vii, 442
- Kolmogoroff space, 263
- Kummer homomorphism, 109
- Kummer morphism of log schemes, 343
- Lie algebra, 469
- Lie bracket, 469
- Lie derivative, 476
- local homomorphism of idealized monoids, 177
- local homomorphism of monoids, 15
- localization of an  $M$ -set, 17
- locally aspheric morphism, 457
- locally constant log structures, 309
- locally exact homomorphism, 105
- locally  $s$ -injective homomorphism, 105
- locally surjective map, 105
- log étale morphism, 389
- log analytic space, 445
- log blowup, 356
- log dash, 285
- log derivation, 369
- log point, 285
- log point valued point of a log scheme, 330
- log ring, 275

- log scheme, 274
- log smooth morphism, 389
- log thickening, 379
- log thickening over  $X/Y$ , 383
- log unramified morphism, 389
- logarithmic homomorphism, 94, 186
- logarithmic structure, 270
- markup of a monoid, 256
- minimal element, 22
- moment map, 240
- monoid, 1
- monoid algebra, 65
- monoid algebra of an idealized monoid, 74
- monoid scheme action, 69
- monoidal space, 184, 185
- monoidal transformation of monoschemes, 225
- monoscheme, 192
- morphism of fans, 236
- morphism of log schemes, 274
- morphism of log structures, 270
- morphism of markups, 256
- morphism of (pre)log structures, 270
- $n$ -Frobenius endomorphism of a monoid, 119
- $n$ -isogeny of monoids, 123
- $n$ -quasi-saturated homomorphism, 159
- $n$ -saturated homomorphism, 159
- $n$ -saturated monoid, 159
- $n$ -saturated morphism, 353
- neat chart for a morphism of monoidal spaces, 260
- neat chart for a sheaf of monoids, 255
- Newton polyhedron, 83
- noetherian  $M$ -set, 23
- noetherian monoid, 23
- normal crossings scheme, 304
- $n$ th strict infinitesimal neighborhood, 415
- $P$ -regular  $P$ -set, 132
- partially ordered set associated to a  $Q$ -set or a monoid, 10
- Poincaré residue, 376, 377, 388
- prelogarithmic structure, 270
- presentation of a monoid, 5
- primary ideal in a monoid, 27
- prime ideal of a monoid, 15
- projective limits in  $\mathbf{Ens}_Q$ , 8
- proper image of a monoscheme, 232
- proper immersion of monoschemes, 232
- proper morphism of monoschemes, 213
- $p$ th power operator, 510
- pushout, 5
- $Q$ -algebra, 65
- $Q$ -bimorphism, 8
- $Q$ -filtration on a module, 73
- $Q$ -integral homomorphism, 152
- $Q$ -set, 7
- $Q$ -surjective homomorphism, 109
- quasi-coherent sheaf of monoids, 251
- quasi-coherent sheaf on a monoscheme, 202
- quasi-compact morphism, 203
- quasi-compact topological space, 198
- quasi-constructible sheaf of sets, 262
- quasi-integral monoid, 11
- quasi-saturated homomorphism, 159
- quasi-separated morphism, 203
- quasi-separated topological space, 198
- quotients in the category of monoids, 2
- radical of an ideal in a monoid, 16
- Rees monoid, 88
- Rees set, 88
- regular  $M$ -set, 18
- regularity of a log scheme, 318
- relative characteristic of a morphism, 189
- relative chart, 267
- relative Frobenius morphism, 346
- relative  $n$ -Frobenius homomorphism, 120
- relatively ample sheaf, 211
- relatively coherent sheaf of faces, 267
- restricted Lie algebra, 510
- $s$ -fan, 238
- $s$ -finite morphism, 343
- $s$ -frame for a monoidal space, 327
- $s$ -injective homomorphism, 94
- $S$ -regular element of a monoid, 132
- saturated chart, 249
- saturated homomorphism, 159
- saturated homomorphism of idealized monoids, 177
- saturated monoid, 12
- saturated monoscheme, 198
- saturated morphism, 353
- semistable reduction, 298
- separated monoscheme, 220
- separated morphism of monoschemes, 213
- sharp dimension of a cone, 40
- sharp homomorphism, 94
- sharp monoid, 11
- sheaf on a sheaf, 199
- simplicial cone, 62
- simplicial monoid, 62

- small homomorphism, 109
- small morphism, 343
- small morphism of log schemes, 343
- smooth morphism of log schemes, 389
- solid idealized log ring, 317
- solid log ring, 307
- solid log structure, 307
- Spec of an idealized monoid, 21
- special affine subset of a monoscheme, 190
- split log point, 285
- standard log dash, 287
- standard log point, 285
- strict homomorphism, 94
- strict homomorphism of idealized monoids,  
177
- strict morphism of log schemes, 275
- support of an element of a monoid algebra, 83
- supporting equation of a vertex, 54
- tensor product of  $Q$ -sets, 8
- toric monoid, 13
- toric monoscheme, 198
- toric scheme, 236
- trajectory, 7
- transporter of a  $Q$ -set, 9
- transporter of a monoid, 10
- trivial  $Y$ -extension of  $X$  by  $\mathcal{E}$ , 382
- trivial log structure, 271
- trivializing stratification, 262
- $u$ -integral monoid, 11
- universally local homomorphism, 100
- unramified morphism of log schemes, 389
- valuative monoid, 14, 59
- vertex of a convex set, 54
- vertex of a monoid scheme, 66
- vertical homomorphism, 109
- vertical part of a sheaf of monoids, 189
- very solid log ring, 307
- weakly inseparable morphism, 347
- $Y$ -extension, 381
- Zariski topology of a monoid, 15

## Index of Notation

- $\text{abs}$ , 446  
 $\alpha_{U/X}$ , 288  
 $\underline{A}_m$ , 65  
 $\mathbf{A}_P$ , 275  
 $\mathbf{a}_Q$ , 191  
 $\underline{A}_Q(A)$ , 65  
 $\underline{A}_{Q,K}$ , 74  
 $\underline{A}_Q(Q)$ , 406  
 $\text{arg}$ , 446  
 $\text{arg}(m)$ , 450  
 $\mathbf{A}_S$ , 275  
 $b_\theta$ , 277  
 $C_K(Q, J)$ , 180  
 $C_K(Q, P)$ , 149  
 $C_K(S)$ , 40  
 $C_K^+(I)$ , 43  
 $\text{cosp}$ , 263  
 $\mathbf{C}_Q$ , 240  
 $D(f)$ , 16  
 $\mathcal{E}_X$ , 462  
 $f_*^{\text{log}}$ , 272  
 $f_{\text{log}}^*$ , 272  
 $f_{\text{log}}^*(M_Y)$ , 189  
 $F_{Q/P}$ , 475  
 $F_X$ , 346  
 $F_{X/Y}$ , 346  
 $H_{DR}^*(\mathbf{A}_Q / \mathbf{A}_P)$ , 471  
 $H_\theta(Q)$ , 475  
 $\text{ht}(\mathfrak{p})$ , 19  
 $h_X(Q)$ , 195  
 $I_M$ , 267  
 $\mathfrak{l}_Q$ , 448  
 $\mathcal{KE}$ , 489  
 $K^i(\mathcal{F})\Omega_{X/Y}^j$ , 490  
 $\mathcal{K}\Omega_{X/Y}^i$ , 490  
 $K_\theta$ , 148  
 $L(F)$ , 479  
 $L^i(\mathcal{F})\Omega_{X/Y}^j$ , 490  
 $L^i\Omega_{X/Y}^j$ , 493  
 $\mathcal{L}_q$ , 274  
 $M^{\text{int}}$ , 12  
 $\overline{M}$ , 11  
 $M^*$ , 10  
 $M^+$ , 15  
 $\mathbf{Moni}$ , 21  
 $\mathcal{M}_{U/X}$ , 288  
 $\mathcal{M}_{X/Y}$ , 189  
 $\mathbf{Mon}^{\text{int}}$ , 12  
 $n_Q$ , 119  
 $\nu_{\mathfrak{p}}$ , 61  
 $\Omega_{X/Y}^{\text{ilog}}$ , 501  
 $\Omega_{X/Y}^{\cdot, \text{ilog}}$ , 502  
 $\Omega_{Q/P/R}^1$ , 471  
 $\underline{\Omega}_{X/Y}^r$ , 493  
 $\underline{\Omega}_{X/Y}^r(\mathcal{F})$ , 490  
 $\Omega_{X/Z}^1(\log Y)$ , 361  
 $\mathcal{O}_X^{\text{log}}$ , 462  
 $\mathbf{pe}$ , 209  
 $\mathbf{p}^n$ , 210  
 $\text{Pic}$  of a monoscheme, 205  
 $\text{Pic}$  of a monoscheme, 205  
 $\text{proj}(P, h)$ , 207  
 $Q^{(n)}$ , 119  
 $R'$ , 14  
 $\mathbf{R}(1)$ , 446  
 $\mathbf{F}_Q^*$ , 240  
 $R[[Q]]$  if  $Q$  is a monoid, 86

- $R[K]$  if  $K$  is an ideal, 73  
 $R[Q, K]$  if  $K$  is an ideal in  $Q$ , 74  
 $R[Q]$  if  $Q$  is a monoid, 65  
 $R[S]$  if  $S$  is a  $Q$ -set, 70  
 $\mathbb{R}_Q$ , 240, 448  
 $\mathbf{S}^1$ , 446  
 $S_F$ , 16  
 $S_P$ , 285  
 $S_q(\theta)$ , 147  
 $\text{Spec}(M)$ , 15  
 $\text{Spec}(P \rightarrow A)$ , 275  
 $\text{spec}(Q)$ , 191  
 $\text{spec}_Z(\mathcal{M})$ , 232  
 $S \times_Q T$ , 8  
 $\langle T \rangle$ , 15  
 $\tau_X$ , 450  
 $\mathbb{T}_Q$ , 240, 448  
 $\mathbb{T}_X$ , 451  
 $V_F$ , 240  
 $V_Q$ , 448  
 $\mathbf{V}S$ , 71  
 $\mathcal{W}_Q^+$ ,  $Q$  a monoid, 61  
 $\underline{X}$ , 189  
 $X^*$ , 279  
 $X_M^*$ , 251  
 $X_Q^*$ , 240, 448  
 $X \oplus \mathcal{E}$ , 382  
 $X_{\mathcal{F}}^*$ , 269  
 $X_{\mathcal{K}}$ , 357  
 $X_{\log}$ , 450  
 $X_{\log}$ , 442  
 $\tilde{X}_Q^{\log}$ , 448  
 $X^{(n)}$ , 251  
 $X(Q)$ , 195  
 $X_Q$ , 240, 443, 448  
 $X_{Q'}(Q)$ , 445  
 $X_Q^{\log}$ , 448  
 $y_{\mathcal{K}}$ , 336  
 $Y_{\theta}$ , 277  
 $\mathbf{Z}(1)$ , 446