
Index

- abelian variety, 445
- abelianisation, 134
 - of a unipotent group, 128
- absolute norm, 463
- abstruse identity, 341
- action, 308
- adele ring $\mathbb{A}$, 8, 32
 - diagonal embedding of $\mathbb{Q}$, **33**, 37
 - finite, 32
 - norm, 33
- adelisation, 34
 - and strong approximation, 52
 - of Eisenstein series, 8
 - of non-holomorphic Eisenstein series, 75
- admissible representation, 95
- AdS/CFT correspondence, 119
- affine Kac–Moody algebra
 - central element, 490
 - derivation, 490
- algebraic group, 49
 - linear, 49
- analytic induction, 116
- annihilator ideal, 145
- archimedean space, 20
- area law, 408
- associated variety, 147
- automorphic distributions, 396
- automorphic form, 1, 72, **76**
 - as lattice sum, 405
- automorphic representation, 5, **94**
 - unramified and L -group, 274
- automorphy, 76
- automorphy factor, 62
- averaging method, 459
- axio-dilaton, **321**, 370
- B -field, 315
- Bézout’s lemma, 4
- Baker–Campbell–Hausdorff identity, 514
- Bala–Carter classification, 144, 245
- ball model, 117
- Belinskii–Khalatnikov–Lifshitz analysis, 488
- Berenstein–Zelevensky–Littelmann path, 453
 - decorated, 453
- Bernoulli number, 127, **404**
- Bessel function, 7, **31**
- big bang, 488
- Birch and Swinnerton-Dyer conjecture, 450
- BKL analysis, 488
- Bogomol’nyi–Prasad–Sommerfield, 354, *see also* BPS
- Boltzmann entropy formula, 408
- Borcherds lift, 420
- Borcherds–Kac–Moody algebra, 419
- Borel subalgebra, 40
- Borel subgroup, 45
 - for $SL(2, \mathbb{R})$, 4
- Bose–Einstein condensation, 308
- bosons, 308
- boundary condition
 - Dirichlet, 349
 - Neumann, 349
 - Robin, 350
- boundary conformal field theory, 355
- BPS
 - condition, 382, 407
 - index, 409, 476
 - protection, 383
 - state, 382
- brane, 349
 - tension, 352
- Bruhat decomposition, 171
 - for $SL(2, \mathbb{Q})$, 159
- Bruhat–Tits theory, 60
- Calabi–Yau space, 414

- canonical basis, 452
- Cartan
 - decomposition, 276
 - involution, 514
 - matrix, 42
 - subalgebra, 39
 - torus, 43, 53
- Casimir operator, 59
 - on Eisenstein series, 85
- Casselman–Shalika formula, 12, 138, 186, **191**
 - and L -functions, 287
 - and Hecke algebra, 277
- category of coherent sheaves, 439
- central character, 77
- central charge, 316, 319
- centraliser, 296
- character
 - adelic, 83
 - central, 77
 - conductor of, 26
 - degenerate, 130
 - distribution, 147
 - generic, 124, 130
 - global, 34
 - Hecke, 79
 - infinitesimal, 83
 - lattice, 281
 - non-generic, 130
 - non-trivial, 124
 - of a highest weight representation, 44
 - on $SL(2)$, 156
 - on Borel subgroup, 4
 - unramified, 139
 - stabiliser, 142
 - support of, 200
 - trivial, 130
 - unitary, 124, **128**
 - unramified, **131**, 186, 190
 - variety, 128
- character variety orbit, 141
- characteristics
 - theta function, 290, 340
- Chevalley
 - basis, 48
 - generator, **42**, 173
 - group, 49
 - involution, 43
 - lattice, 49
- Chinese remainder theorem, 8
- CHL models, 414
- circle model, 117
- class function, 280, 418
- class number one, 474
- Clifford algebra, 389
- closure diagram, 386
- Coleman–Mandula theorem, 311
- commensurable group element, 256
- commutator subgroup, 128
- compact basis
 - for $\mathfrak{sl}(2, \mathbb{R})$, 69
- complex multiplication
 - for Calabi–Yau manifolds, 415
 - for elliptic curves, 445
- complex torus, 443
- conductor, 26
- conformal
 - algebra, 118
 - field theory, 316
 - realisation, 118
 - symmetry, 316
- conformally flat, 316
- congruence subgroup, 64
- conjugacy class
 - semi-simple, 274
- constant term, 7, 126, **133**
 - along a unipotent, 133
 - for $SL(2)$, 126
 - formula, *see* Langlands constant term formula
 - in maximal parabolic, 182
- convergence
 - maximal parabolic Eisenstein series, 114
 - of Eisenstein series, 85, 179
 - of Riemann zeta function, 219
- converse theorems, 289
- convolution algebra, 265
- correlation function, 330
- cosmological billiards, 489
- cosmology, 488
- Coxeter group, 41
- critical line, 231
- critical strip, 220
- crystal, 452
- cuspidal, 3, **60**
- cuspidal form, 78
 - for $SL(2, \mathbb{R})$, 63
 - Igusa, *see* Igusa cuspidal form
- $D(-1)$ -brane, 357
- D -branes, 349
- D -instantons, 372
- D -particle, 360, 364
- deck transformation, 434
- decompactification limit, 374
- Dedekind
 - eta function, 64, **222**, 335
 - zeta function, 463

- degenerate principal series, 110, 115
 - and Whittaker coefficients, 243
- degrees of freedom, 351
- denominator formula, 44
- derived category of coherent sheaves, 414
- derived series, 40, 129, 133
- determinant line bundle, 335
- dilaton, 311, 315
- dimension
 - functional, 96
 - Gelfand–Kirillov, 96
- Dirac quantisation, 6
- Dirac–Born–Infeld action, 352
- Dirac–Schwinger–Zwanziger quantisation, 322, 357
- Dirichlet beta function, 464
- Dirichlet boundary condition, 349, 372
- Dirichlet character, 64, 265
- Dirichlet series, 263
 - Kubota, 457
 - multiple, 456
 - p -part of, 458
- discrete series, 103
 - quaternionic, 479
- discriminant, 335
 - of an elliptic curve, 444
- discriminant modular form, 64, 413
- divisor sum, 8, 127, 169, 512
- dominant weight, 43
- Donaldson–Thomas invariant, 414
- double affine Hecke algebra, 504
- Drinfeld associator, 370
- dual pair, 296
 - reductive, 296
- duality symmetries, 6, 323
- Dynkin label, 234, 237
- effective action of string theory, 317, 327
- Eichler–Shimura relation, 448
- Einstein summation convention, 314, 377
- Einstein–Hilbert action, 327
- Eisenstein series, **84**
 - and Langlands–Shahidi method, 287
 - anti-holomorphic, 105
 - completed, 223
 - convergence, 85, 179
 - geometric, 437
 - holomorphic for $SL(2, \mathbb{Z})$, 63
 - Laplace eigenfunction, 85
 - maximal parabolic, 113
 - metaplectic, 459
 - minimal, 84
 - minimal parabolic, 4
 - non-holomorphic, 3, 72
 - normalised, 228
 - on $SL(2, \mathbb{R})$, 4
 - on non-minimal parabolic, 106
 - parabolic, 110
 - residue, 230
 - square-integrable, 230
 - Weyl symmetric normalisation, 223, **227**
- Eisenstein sheaf, 437
- elliptic curve, 334, 399, **444**
 - conductor, 447
 - discriminant, 444
 - modular, 447
 - rank, 446
 - torsion group, 446
- elliptic function, 443
- elliptic genus of K3 surfaces, 423
- elliptic polylogarithms, 399
- Epstein series, 347, 407
- equation of motion, 315
- Euclidean space, 309
- Euler number, 331
- Euler product, 263
 - degree, 264
 - for Riemann zeta function, 9
- Euler totient function, 64
- Euler–Mascheroni constant, 223
- exceptional field theory, 407
- exponential map, 43
- factor of automorphy, 62
- Faddeev–Popov
 - determinant, 330
 - procedure, 319
- Fermat’s last theorem, 449
- fermions, 308
- Feynman diagram, 316, 400
- field extension
 - unramified, 432
- flat space, 321
- Flath’s tensor decomposition theorem, **95**, 138
- Fourier coefficient, **131**
 - abelian, 134
 - and number theory, 261
 - asymptotic behaviour, 379
 - Eulerian, 411
 - multiplicative, 261
 - non-abelian, 134
 - orbit, **147**
 - orbit under Levi, 141
- Fourier expansion, 3, 7
 - $SL(2, \mathbb{A})$ Eisenstein series, 157
 - abelian, 133
 - non-abelian, 133, 134

- Fourier sum
 - partial, 133
- Fourier–Jacobi group, 65
- Fourier–Whittaker coefficient, 125
- Frey–Hellegouarch curve, 449
- Frobenius element, 449
- Fukaya category, derived, 414, 439
- function
 - bi-invariant, 266
 - doubly-periodic, 443
 - elliptic, 443
- function field, 434
- functional relation, 85
 - crude, 288
 - for Eisenstein series, 179
 - for $SL(2, \mathbb{R})$, 11, 73, 157
 - validity, 224
- functoriality, 432
- fundamental domain, 60
- fundamental reflection, 41
- $(\mathfrak{g}, K)$ -module, 94
- Galois group, 432
 - absolute, 433
 - modular representation, 449
- gauge theory
 - Maxwell, $U(1)$, 351
 - Yang–Mills, 354
- gauge transformation, 316
- gauge-fixing, 319
- Gaussian integers, 463
- Gelfand–Kirillov dimension, 148, 243
- Gelfand–Tsetlin patterns, 208, 452
- generalised Donaldson–Thomas invariants, 366
- generalised moonshine, 419
- genus zero property, 419
- ghost
 - particle, 319
 - picture, 328
- Gindikin–Karpelevich formula, 164
 - archimedean, 176
 - for $SL(2, \mathbb{Q}_p)$, 163
 - for $SL(2, \mathbb{R})$, 162
 - global, 177
 - non-archimedean, 177
- Glaisher–Kinkelin constant, 222
- Godement range, **85**, 171, 179
- Größencharakter, 79
- gravitational waves, 325
- graviton, **308**, 311, 325
- Green’s function, 398
- Green–Schwarz formalism, 311
- group
 - 2-cocycle, 294
 - algebra, 44
 - Kac–Moody, 487
 - quasi-split, 289, 432
- growth condition, 1, **76**
- Haag–Łopuszański–Sohnius theorem, 311
- Haar measure, 32, 125
- Harish–Chandra c -function, 232
- harmonic analysis, 125
- Hasse
 - diagram, 386
 - principle, 8
- Hasse–Weil L -function, 446
- Hasse–Weil conjecture, 448
- Hauptmodul, 418
- Hecke algebra, 91, **260**
 - for $SL(2, \mathbb{R})$, 260
 - global spherical, 267
 - local, 266
 - relation classical to p -adic, 268
 - spherical, 266
- Hecke character, 79
- Hecke correspondence, 435
- Hecke eigenform, 91, 265
- Hecke eigensheaves, 435
- Hecke eigenvalues
 - relation to Fourier coefficients, 261
- Hecke normalisation, 261
- Hecke operator, 91, 255, **256**
 - and Dirichlet series, 263
 - common eigenfunctions, 260
 - for $SL(2, \mathbb{R})$, 258
 - for holomorphic modular forms, 262
 - for modular forms, 262
- Hecke ring, 256
 - commutative, 257
- height function, 234
- Heisenberg group, 114
- Heisenberg parabolic, 114, 150
 - for non-split groups, 478
- helicity supertrace, 424
- highest weight representation, 44
 - of $GL(n, \mathbb{C})$, 280
- highest weight vector, 44
- Hilbert symbol, 457
- Hitchin moduli space, 440
- holomorphic discrete series, 103
- homological mirror symmetry, 414, 439
- Howe–Harish–Chandra expansion, 147
- ideles, 33
- idempotent, 266

- Igusa cusp form, 413, 425
- index versus degeneracy, 408
- induction, 116
- instanton, 357, 377
 - action, 371, 379
 - anti-instanton, 357
 - charge, **129**, 372
 - contribution, 328
 - measure, 8, 138, 141, 372
- intertwiner, 137, **178**, 181, 184, 232, 272
- invariant bilinear form, 41
- Iwahori subgroup, 51
- Iwasawa decomposition, 43, **51**
- Iwasawa gauge, 513
- j -function, 64, 417
- Jacobi form, 66, 412, 423
 - cusp, 66
 - holomorphic, 66
 - weak, 66
- Jacobi identities, 291
- Jacobi symbol, 293
- Jacobi theta function, *see also* theta function
 - characteristics, 290
 - generalised, 290
- Jacobi–Eisenstein series, 67
- Jacobson–Morozov triple, 146
- Jacquet–Whittaker integral, 137, **188**, 278
- Joseph ideal, 148
- K -finite, 68, 76, **77**
- K -spherical, 2, 72, **77**
- K -trivial, 72
- K -type decomposition, 95
- Kähler potential, 461
- Kac–Moody group, 487
 - affine, 487
 - hyperbolic, 487
- Kaluza–Klein mode, 360
- Kawazumi–Zhang invariant, 397
- Killing
 - group, conformal, 330
 - metric, 41
 - spinor equation, 382
- Kirillov’s orbit method, 149
- Kloosterman sum, 523
- Koba–Nielsen factor, 331, 398
- Kronecker limit formula
 - first, 222
 - second, 399
- L -function
 - Artin, 433
 - completed, 264
 - global Langlands, 284, 286
 - Hecke, 263
 - local factor, 283
 - partial Langlands, 284, 286
 - standard, 283
- L -group, **205**, 274
 - connected, 274
- Langlands constant term formula, 9, **171**
 - methods for evaluating, 232
- Langlands decomposition, 46, 47, 107
- Langlands dual group, *see* L -group
- Langlands duality, 204
- Langlands functoriality, 289, 432
- Langlands program, 431
 - classical, 431
 - geometric, 434
- Langlands–Shahidi method, 285
- Laplace operator, 368, 513
 - for $SL(2, \mathbb{R})$, 69
 - on Eisenstein series, 85
 - on upper half-plane, 2, 72
- Laplace–Beltrami operator, *see* Laplace operator
- lattice
 - even, 292
 - integral, 291
 - Leech, *see* Leech lattice
 - Narain, *see* Narain lattice
 - Niemeier, *see* Niemeier lattice
 - representation number, 293
 - unimodular, 292
- Leech lattice, 293, 418
- Legendre symbol, 293, 475
- Levi
 - decomposition, 46, 47
 - subalgebra, 46
- Lie algebra, 39
 - nilpotent, 40
 - rank, 40
 - simple, 42
 - solvable, 40
 - split real, 39, 42
- Lie group, 39
 - split real, 43
- lift from $\mathbb{H}$ to $SL(2, \mathbb{R})$, 67
- light-cone formulation, 338
- line model, 116
- local coefficient, 288
- local system, 440
- local-global principle, 8, 32
- loop algebra, 490
- loop group, 490
- Lorentz group, 309

- low-energy
 - effective theory, 327
 - expansion, 325
 - limit, 317
- lower central series, 40
- LU decomposition, 116
- M-theory, 313, 488
 - limit, 373
- Mœglin–Waldspurger theorem, 147
- Maaß form, 72, 392
 - cuspidal, 90
- Maaß operators, 104
- Maaß wave form, 257
- Maaß form
 - arbitrary weight, 103
 - of non-zero weight, 73
- Mandelstam variables, 326
- mapping class group, 339
- Mathieu
 - group, 423
 - moonshine, 423
- Maurer–Cartan form, 513
- maximal compact subgroup, 2
- Maxwell gauge theory, 351
- McKay–Thompson series, 418
- metaplectic cover, 294
- minimal representation, 115, 148
 - for E_6 , 146
- Minkowski space, 309, 321
- mirror symmetry conjecture, 439
- mock modular form, 423
- mode numbers, 129
- modular form
 - for congruence subgroup, 64
 - holomorphic, 61
- modular function, 62
- modular graph function, 15, 398, 401
 - one-loop, 401
 - two-loop, 401
- modular group, 60
- modular invariant j -function, 64
- modularity theorem, 442, 448
- moduli
 - in string theory, 321
 - space, 321
- moduli space of Riemann surfaces, 318
- modulus character, 83, 108
- monster group, 417
- monstrous moonshine, 416
- Montonen–Olive duality, 440
- moonshine
 - Mathieu, *see* Mathieu moonshine
 - monstrous, *see* monstrous moonshine
 - umbral, 424
- multiple zeta values, 370
- multiplicative
 - completely, 263
- multiplicativity
 - twisted, 457, 459
- multiplicity-one theorem
 - for $SL(2, \mathbb{R})$, 516
- Nambu–Goto action, 314
- Narain lattice, 342
- Neumann boundary condition, 349
- Neveu–Schwarz five-brane, *see* NS5-brane
- Neveu–Schwarz sector, 352
- newform, 65, 448
- next-to-minimal representation, 149
- Niemeier lattice, 293, 424
- nilpotent orbit, 144, 145
 - admissible, 145
 - co-adjoint, 144
 - minimal, 148, 244
 - next-to-minimal, 149
 - special, 145
- non-archimedean space, 20
- non-linear sigma model, 316
- non-perturbative effects, 327, 378
- non-perturbative terms, 319
- non-renormalisation theorem, 372
- normalising factor, 227
- NS5-brane, 364
- number field
 - quadratic, 463
- oldform, 65
- one-parameter subgroup, 48, 128
- operator product expansion, 331
- opposite parabolic, 289
- orbit method, 232
- Ostrowski theorem, 22
- p -adic
 - additive character, 26
 - additive measure, 23
 - Bessel function, 30, 31
 - characteristic function, 26
 - conductor, 26
 - Fourier transform, 28
 - Gaussian, 26, 30
 - group, 50
 - integers $\mathbb{Z}_p$, 19
 - integration, 23
 - multiplicative measure, 24
 - multiplicatively invertible element, 22
 - norm, 20
 - number, fractional part, 25

- numbers $\mathbb{Q}_p$, 8, 20
- ultrametric property, 20
- valuation, 20
- partial amplitude, 398
- partition function, 336
- path integral, 309
 - formalism, 315, 316
- Pauli exclusion principle, 308
- period matrix, 476
- Petersson inner product, 65
- Piatetski-Shapiro
 - method of, 151
- Picard modular group, 415, 462, 474
- place
 - archimedean, 22
 - non-archimedean, 22
- Poincaré
 - group, 308
 - series for $SL(2, \mathbb{Z})$, 521
 - sum, 221
 - upper half-plane, 2
- Poisson resummation, 7, 37, 178, 291, 509
- Polyakov action, 315
- prime
 - ideal, 463
 - inert, 463
 - ramified, 463
 - split, 463
- principal congruence subgroup, 64
- principal ideal domain, 463, 474
- principal series representation, 96
- principle of functoriality, 432
- pure spinor formalism, 311
- q -expansion, 126, 417
- quantum
 - cosmological billiards, 489
 - field theory, 308, 316
 - gravity, 308, 311
 - group, 452
- quasi-conformal action, 149
- quaternionic discrete series, 479
- quaternionic Kähler manifold, 461
- Quillen metric, 336
- R-symmetry, 388
- Radon–Nikodym derivative, 68
- Ramanujan
 - sum, 524
 - τ -function, 64
- Ramond sector, 353
- Ramond–Neveu–Schwarz formalism, 311, 328, 339
- rank of a Lie algebra, 40
- Rankin–Selberg method, 346, 405
- Rankin–Selberg product, 289
- real form
 - quaternionic, 479
- reflection representation, 504
- Regge slope, 313
- representation
 - admissible, 95
 - degenerate principal series, 110
 - fundamental, 48
 - highest weight, 43
 - induced, 116, 137
 - minimal, 148, 149
 - next-to-minimal, 149
 - principal series, 96
 - projective, 294
 - small, 148, 238
 - spherical, 95, 139
 - trivial, 44, 148
 - unitarisable, 45
 - unramified, 95
 - Weil, 295
- residual spectrum, *see* spectrum, 150
- residues of Eisenstein series, 98
- restricted direct product, 32
- restricted root system, 465, 520
- Riemann conjecture, 220
- Riemann surface
 - in geometric Langlands correspondence, 434
- Riemann zeta function, 3
 - adelic analysis, 35
 - completed, 7, 36
 - properties, **219**
- Riemann–Hilbert correspondence, 435
- Riemann–Roch theorem, 330
- right-regular action, 5, 68
- Robin boundary conditions, 350
- root
 - height, 40
 - highest, 40
 - imaginary, 491
 - negative, 40
 - non-divisible, 466
 - positive, 40
 - simple, 40
 - space decomposition, 39
 - system, 39
- S-duality, 313
- Saito–Kurokawa–Maaß lift, 426
- Satake isomorphism, 272, 275
- Satake parameter, 206, 274, 286
 - for $GL(n)$, 275
- Satake transform, 272

- scattering amplitude, 316
 - perturbative, 318
- Schottky problem, 325
- Schur polynomial, 206
- Schwartz functions, 28
- Schwartz–Bruhat space, 28
- seed function, 521
- Sekiguchi isomorphism, 70
- Selberg trace formula, 90
- semi-group, 257
- series
 - multiplicative, 141
- Serre conjecture, 449
- Serre relations, 42
- Shalika
 - method of, 151
- Siegel modular form, 71, 413
- Siegel upper half-plane, 71, 413
- Siegel–Eisenstein series, 299
- Siegel–Narain theta function, 344
- Siegel–Weil formula, 299, 347
 - regularised, 300
- Siegel–Weil section, 304
- σ -model, 331
- single-valued polylogarithm
 - elliptic, 401
 - elliptic, multiple, 401
- singleton, 119
- $SL(2, \mathbb{R})$ and $\mathfrak{sl}(2, \mathbb{R})$, 58
 - action on upper half-plane, 59
 - Casimir operator, 59
 - Iwasawa decomposition, 59
 - maximal compact subgroup, 59
- slash operator, 62
- small representation, *see* representation
- space-time, 309
- special Lagrangian submanifold, 440
- spectral zeta function, 335
- spectrum
 - continuous, 98
 - decomposition, 85
 - discrete, 98
 - residual, 98, 150
- sphere packing, 293
- spherical vector, **95**, 139
- spin structures, 339
- spinors, 308
- stabiliser of a weight, 233
- standard section, 96
- Stark–Heegner sequence, 474
- Steinberg presentation, 43, **48**
- step operator, 40
- Stone–von Neumann theorem, 410
- string coupling constant, 316, 380
- string dualities, 313
- string length, 313
- String perturbation limit, 374
- string perturbation theory, *see* string theory
- string tension, 313
- string theory
 - α' -expansion, 325
 - derivative expansion, 327
 - dilaton, 321
 - four-graviton scattering, 324
 - loop, 319
 - low-energy expansion, 325
 - low-energy limit, 317
 - non-perturbative effects, 325
 - perturbation theory, 324
 - tree-level, 328
- strong approximation, 8, **53**
- subalgebra
 - Borel, 40
 - Levi, 46
 - maximal compact, 43
 - nilpotent, 46
 - parabolic, 46
 - $\mathfrak{sl}(2, \mathbb{R})$, 42
- subgroup
 - abelian, 43
 - Borel, 4, **45**
 - co-compact, 90
 - commutator, 128
 - compact, 43
 - congruence, 64
 - Iwahori, 51
 - Levi, 47
 - maximal compact, 2, **50**
 - maximal parabolic, 47
 - mirabolic, 143
 - parabolic, 45
 - unipotent, 43, **47**
- subquotient, 244
- subrepresentation, 244
- sum over images, 4
- super-Poincaré group, 311
- supercharges, 309
- superfield, 388
- supergravity, 313, 322, 354
- superspace, 388
- superstring theory, 312
- supersymmetry, 309, 311, 321
 - global, 388
- T-duality, 313
- tachyon, 311
- Taniyama–Shimura–Weil conjecture, 448
- target manifold, 309

- Teichmüller space, 318
- tensor decomposition theorem, 95
- theta function
 - characteristics, 290
- theta constant, 291
- theta correspondence, 149, **296**, 333, 346
 - and moonshine, 420
 - singular, 421
- theta function, 290
 - attached to a lattice, 292
 - characteristics, 340
 - global, 38
- theta kernel, 296, 297
- theta lift, 296, 346
- theta nullwert, 291
- Tits cone, 45
- Tokuyama function, 452
- toroidal compactification, 321
- torus
 - Cartan, 43
 - dual, 205
- twining genera, 424
- twistor space, 479
- U-duality, 313
- ultrametric property, 20
- umbral moonshine, 424
- uniformisation theorem, 435
- unimodular lattice, 292
- unipotent radical, 47
- unitary dual, 89
- universal enveloping algebra, 59
 - quantum deformation, 452
- unramified representation, *see* representation
- upper half-plane, 59
- UV-finite, 311
- Verma module, 452
- vertex algebra, 418
- vertex operator, 318, 328
- vertex operator algebra, 418
- Virasoro
 - algebra, 418
 - constraint, 315
 - generator, 316
- wall-crossing, 416
- wave-packet, 6
- wavefront set, **145**, 244, 250
 - global, 145
 - Matumoto theorem, 146
 - Mœglin–Waldspurger theorem, 146
- weak coupling limit, 373, 379
- Weierstraß function, 443
- weight
 - fundamental, 41
 - holomorphic modular form, 61
 - multiplicity, 44
 - of a Lie algebra, 41
 - of a Maaß form, 73
- weighted Dynkin diagrams, 146
- Weil representation, 295, **297**
- Wess–Zumino term, 352
- Weyl character formula, 44
 - Tokuyama’s deformation, 452
- Weyl group, 41
- Weyl orbit algorithm, 234
- Weyl symmetric normalisation, 223
- Weyl transformations, 316
- Weyl unitary trick, 519
- Weyl vector, 40
 - for restricted root system, 520
- Weyl word, 42
 - length, 42
 - longest, 42
- Whittaker coefficient, 125, **132**
 - p -adic, 12
 - degenerate, 199
 - for $SL(2)$, 126
 - for $SL(2, \mathbb{R})$, 157
 - generic, 197
 - method for evaluating, 242
 - spherical, **132**, 186
- Whittaker function, 125
 - q -deformed, 207
 - as sum over crystal, 453
 - degenerate, 199
 - finite, 138
 - holomorphy, 193
 - metaplectic, 459
 - spherical, 139, 277
 - unramified, 277
- Whittaker functions, 137
- Whittaker model, 137
 - uniqueness, 137
- Wick contraction, 331
- Wigner classification, 308
- Witten index, 361, 409
- Wolf space, 479
- world-sheet, 309
 - components, 358
- Yang–Baxter equation, 459
- Yang–Mills gauge theory, 354
- Young tableau, 280
- $\mathbb{Z}$ -finite, 76
- zeta function
 - Dedekind, 463
 - Riemann, *see* Riemann zeta function
 - spectral, 335