

## Index

- A-B-C model of habit disorders, 675
- a priori* memory, 197
- abnormal auditory efferent activity, 585
- Acceptance and Action Questionnaire (AAQ), 272
- Acceptance and Action Questionnaire Version 2 (AAQ-II), 272
- acceptance and commitment therapy (ACT), 268, 775, 809
- accommodation process, 731
- acting-out behavior in children, 403
- acupuncture, 837
- acute-care psychiatric inpatient unit, 231
- acute fear, 206–207, 466, 469–471
- acute stress disorder (ASD)
  - adjustment disorder and, 699
  - assessment measures, 382–383
  - biomarkers in traumatic stress, 706–708
  - clinical considerations, 699–700
  - clinical dimensions, 711–712
  - dimensional constructs in understanding, 708
  - in DSM-5, 309–310, 382–383, 685, 690–695, 691–693*t*, 704, 709
  - in DSM-IV, 371, 382–383, 690–695, 691–693*t*, 704
  - epidemiology and risk factors, 701–703
  - etiology of, 701
  - in ICD, 689–690
  - introduction, 685
  - major depressive disorder and, 695–699
  - neurobiology, 703–704
  - neuroimaging, 712
  - other posttraumatic syndromes, 695, 696–697*t*
  - prevention strategies, 838
  - psychophysiology, 713
  - psychotic and dissociative disorders, 699
  - PTSD and, 694–695, 702, 707–708
  - Research Domain Criteria, 708–711, 710*t*
  - stress response, 704, 706*f*
  - summary, 713–714
  - traumatic events, defined, 686
  - traumatic events, individual reactions, 687*f*, 688, 689*f*
- Acute Stress Disorder Interview (ASDI), 382
- Acute Stress Disorder Scale (ASDS), 383
- adjustment disorder (AD), 4, 386–387, 699
- Adjustment Disorder New Module (ADNM), 386
- Adult Separation Anxiety-27 (ASA-27)*, 566
- adult separation anxiety disorder (ASAD), 550, 551
- affective decision mechanism (ADM), 62
- affiliation-related dysfunction in GAD, 532, 534
- age of onset for anxiety disorders, 2
- agoraphobia
  - acute fear, 466, 469–471
  - biological vulnerabilities, 459–462
  - cognitive biases and automatic thoughts, 464–465
  - defined, 98
  - differential diagnosis and comorbidity, 455–458, 457*f*
  - dispositional beliefs, 463–464
  - DSM-5 vs. DSM-IV, 311, 314–315*t*
  - epidemiology and course, 455
  - evolutionary preparedness, 458–459
  - intolerance of uncertainty, 202
  - introduction to, 454
  - learning processes, 462–463
  - potential (threat) anxiety, 467–468
  - Research Domain Criteria, 466–467
  - summary, 471–472
- Albany Panic and Phobia Questionnaire (APPQ), 97–98
- alcohol use disorder (AUD), 141–147, 231
- alpha oscillatory activity in visual cortex, 76
- alprazolam (*Xanax*), 835
- altered synaptic transmission, 703
- Alternate DSM-5 Model for Personality Disorders*, 330
- Alzheimer disease, 707
- ambivalent attachment, 531
- American Academic of Child and Adolescent Psychiatry (AACAP), 385
- American Psychiatric Association, 451, 808
- amygdala
  - attachment behaviors, 757

- amygdala (cont.)
  - basolateral amygdala, 71, 707
  - high-level perceptual processing, 70
  - hyperactivation of, 520
  - neural circuitry, 675
  - output from, 70
  - prefrontal-cortex-amygdala circuit pathology, 77
  - reduction in activity, 524
  - survival actions, 458
- amygdaloid nuclei, 18
- anger, 108, 409
- animal-reminder disgust, 163, 166, 169
- animal-type phobia, 426, 429
- anorexia nervosa, 625
- anterior cingulate cortex (ACC), 18, 147–149, 173, 240–241, 652
- anterior cingulate gyrus, 757
- anterior insula cortex, 173
- anticipatory processing, 483, 490–491
- anxiety. *See also* learning mechanisms in fear and anxiety
  - acute fear and potential anxiety, 206–207
  - bivariate relations, 105–107
  - defined, 350
  - experiential avoidance link, 255–258
  - health anxiety, 178–179, 203
  - multivariate relations, 107
  - selective mutism and, 578
  - symptoms and neuroticism, 100–102, 101*t*, 105–108, 106*t*
  - trait anxiety, 62
  - with trauma, 411
  - treatment for, 236
- Anxiety, Depression, and Anger Proneness facet scales, 96
- Anxiety and Related Disorders Interview Schedule for *DSM-5* (ADIS-5), 321, 382–383
- anxiety attacks, 452
- anxiety-disconfirming information, 53
- anxiety disorder
  - negative valence systems, 205
- anxiety disorder not otherwise specified (NOS), 310
- anxiety disorders. *See also* learning mechanisms in fear and anxiety; perceptual mechanisms of anxiety disorders
  - arousal/regulatory systems, 529
  - childhood anxiety disorders, 1, 123
  - classification directions/trends, 330
  - clinical interviews, 320–326, 323–325*t*
  - distress tolerance and, 229–230
  - DSM-IV vs. DSM-5, 309–311, 320–326
  - emotion regulation, 290–291, 298
  - etiology of, 18–22
  - gender differences in, 311, 550–551
  - hierarchical taxonomy of psychopathology, 331–332
  - hybrid dimensional-categorical classification, 332–338, 336*f*
  - introduction, 1–5, 309
  - multiple anxiety disorders, 241
  - neuroticism with, 91
  - overview of, 5–6
  - problem-solving in, 201, 269, 292
  - profile-based classification system, 335, 336*f*, 337–338
  - Reactive Attachment Disorder, 791
  - reliability in DSM-5, 326–328
  - selective mutism and, 578
  - self-report questionnaires for, 322–326, 323–325*t*
  - summary of, 338
  - treatment for, 4–5
  - validity in DSM-5, 328–330
- anxiety disorders, cross-cultural perspective
  - generalized anxiety disorder, 401–406
  - introduction to, 394
  - panic disorder, 395–401, 396*f*
  - posttraumatic stress disorder, 406–411, 407*f*, 412–413
  - self-treatment of worry episodes, 405–406
  - summary of, 411–413
  - trauma-/stressor-related disorders, 406–411, 407*f*
  - worry domains, 401–403
- Anxiety Disorders Interview Schedule for DSM-5* (ADIS-5), 377, 378
- Anxiety Disorders Interview Schedule for DSM-IV, Child and Parent Version* (ADIS-IV-C/P), 562, 587
- anxiety disorders treatment
  - acceptance and commitment therapy, 775
  - applied relaxation, 778, 779
  - cognitive behavior therapy, 771–774, 791
  - cognitive enhancers, 777–778
  - cognitive restructuring, 786–788
  - exposure techniques, 781–786
  - introduction, 4–5, 771
  - mindfulness-based therapies, 774, 775–776, 788–789
  - pharmacotherapy, 776–777
  - psychodynamic therapy, 778–779
  - psychoeducation, 780–781
  - relaxation techniques, 789–790
  - summary, 791–792
  - third wave therapies, 774–776
  - transdiagnostic factors/processes, 790–791
  - treatment components, 779–780
- anxiety mutism, 583
- anxiety-potentiated startle, 467
- anxiety-provoking situations, 492
- anxiety-related somatic symptoms, 400

- anxiety sensitivity (AS)
- alcohol use disorders, 141–147
  - anxiety psychopathology and, 122–126
  - childhood anxiety psychopathology, 123
  - disgust proneness, 175, 181
  - dispositional beliefs, 463–464
  - distress tolerance and, 237–238
  - explanatory platform for transdiagnostic risk, 149
  - fear of uncertainty, 200
  - generalized anxiety disorder and, 123–124
  - introduction to, 121–122
  - longitudinal studies on, 124
  - mood/suicide, 132–141
  - neurobiology of, 147
  - neurocognitive mechanisms of interoception, 147–149
  - obsessive-compulsive disorder and, 124
  - panic disorder and, 266
  - phobic anxiety disorders, 123
  - PTSD and, 561
  - structure of, 122–123
  - substance use disorders, 141–147
  - trauma disorders and, 126–132
  - treatment and, 124–125
- Anxiety Sensitivity Index (ASI), 467
- anxiolytic effects, 141, 532
- anxiotypic interoceptive experiences, 237
- anxious-communication delayed group, 582
- anxious-mildly oppositional group, 582
- applied relaxation (AR), 778, 779
- argumentativeness, 583
- arousal-caused attention amplification, 404
- arousal-caused catastrophizing, 404
- arousal-caused inducibility, 404
- arousal-dampening effects, 141
- Arousal/Regulatory domain, 205
- arousal systems
- in GAD, 528–530
  - Reactive Attachment Disorder, 755–756
  - with specific phobia, 438–439
  - trauma-focused psychotherapies, 851
- assessments. *See also* specific assessments; specific inventories
- acute stress disorder, 382–383
  - anxiety disorders, 320–326, 323–325
  - body dysmorphic disorder, 354–357
  - distress tolerance, 228–229
  - emotion regulation, 296–297
  - evidence-based practices, 371, 827–828
  - excoriation disorder (ED), 359–360
  - hoarding disorder, 357–358
  - intellectual/achievement assessment, 588
  - laboratory-based behavioral assessment, 229
  - obsessive-compulsive disorder, 351–353
  - PTSD diagnostic criteria, 376
  - selective mutism, 587–588
  - separation anxiety disorder, 562, 565–566
  - speech/language assessment, 588
  - transdiagnostic factors/processes, 336–337
  - trauma-/stressor-related disorders, 828, 840–844
  - trichotillomania, 360–361
- assimilation process, 731
- associated disability, 1
- associative learning paradigm, 213
- associative learning responses, 585
- associative network model of memory, 41
- asthma attacks, 454
- Attachment-Based Family Therapy (ABFT), 567
- attachment behaviors, 757
- attachment theory, 499–500, 750–752
- Attention Deficit/Hyperactivity Disorder (ADHD), 384, 654, 744, 815
- Attention Feedback and Awareness Training (A-Fact), 50
- attentional bias
- attentional control theory, 51–52
  - away from positive social information, 487–488
  - biased attentional direction account, 51
  - body dysmorphic disorder, 633–635
  - cognitive-motivation model, 51
  - developmental studies, 47–48
  - dichotic listening task, 42–43
  - dot probe task, 43, 48
  - emotional stroop task, 42, 48
  - experimental manipulation, 49–50
  - eye-tracking methodology, 44–45
  - introduction to, 41–42
  - main research findings, 45
  - major theoretical models, 50–52
  - measurements of, 42–45
  - modification tasks, 488–489
  - nature of, 45–47
  - negative valence systems, 42
  - prospective studies, 48–49
  - self-regulatory executive function (S-REF) model, 51–52
  - spatial cueing task, 44
  - summary and future challenges, 52–53
  - threat vs. correlate to anxiety disorders, 47
  - toward social threat, 487
  - visual search task, 43–44
- attentional bias modification (ABM), 49–50
- attentional control theory, 51–52, 488–489
- attentional deployment, 287
- audio-recording method in diagnostic agreement, 327
- auditory stimuli, 15
- augmented reality, 17
- Australian National Survey of Mental Health and Well-Being, 727
- autism and selective mutism, 584

- Autism Spectrum Disorder, 744
- automatic thoughts, 464–465
- automaticity of attentional bias, 46
- autonomic nervous system (ANS), 528, 529
- avoidance behavior, 5, 16, 493, 607
- avoidance dimension strategies, 334
- avoidance models of worry, 201
- avoidant attachment, 531
- avoidant coping style, 703
  
- Barlow's Triple vulnerability model, 464
- basolateral amygdala, 71, 707
- Beck Depression Inventory (BDI), 650
- bed nucleus of the stria terminalis (BNST), 211, 521
- behavior/behavior profiles. *See also* body-focused repetitive behavioral disorders
  - acting-out behavior in children, 403
  - attachment behaviors, 757
  - avoidance behavior, 5, 16, 493, 607
  - body image, 628
  - compulsive behaviors, 350, 637
  - emotional/behavioral mutism, 583
  - fear and parenting behavior, 426
  - health risk behaviors after trauma, 688
  - hoarding disorder, 650, 653, 655–656
  - internalizing behaviors, 578–579
  - intolerance of uncertainty and, 213–214
  - maladaptive behavior triggers, 674, 771
  - measures in disgust proneness, 167–168
  - oppositional behaviors, 579
  - primary behavioral processes, 492–493
  - repetitive behaviors, 267, 608
  - responses to potential harm, 437
  - safety behaviors, 482, 493–496, 637, 658
  - selective mutism, 582–583
  - specific phobia, 432–433, 437
  - trichotillomania, 815, 816
- behavioral approach tasks (BATs), 167–168, 170
- behavioral genetic studies, 429
- Behavioral Indicator of Resiliency to Distress task (BIRD), 231
- behavioral inhibition system (BIS), 48, 197–198, 208
- behavioral mutism, 583
- behaviorism, 730
- benzodiazepines, 145, 776, 835
- biased attentional direction account, 51
- Big Five Inventory (BFI), 96
- bilateral medial frontal gyrus, 240–241
- bimodal threat cues, 68
- binocular rivalry, 44
- bioinformational theory of fear, 731
- biological models/vulnerabilities
  - agoraphobia, 459–462
  - inherited biological symptoms, 404
  - introduction to, 20
  - learning theory perspective, 462
  - neuroticism/negative affectivity, 92–93
  - obsessive-compulsive disorder, 618–619
  - panic disorder, 459–462
  - selective mutism, 584–585
  - separation anxiety disorder, 554–555
- biological reductionism, 807
- biopsychological process, 240
- biopsychosocial factors of childhood anxiety, 421
- bipolar disorder, 91
  - manic phase of, 133
- bivariate analyses of neuroticism, 103*t*, 103–104
- blocking procedure, 26
- blood-injection-injury (BII) phobia, 168, 176, 181, 426, 431, 439
- bodily effects of trauma, 410
- bodily sensations and panic disorder, 266
- body dysmorphic disorder (BDD), 320
  - assessment of, 354–357
  - attentional bias, 633–635
  - clinician-rated measures, 355–357
  - cognitive-behavioral models, 630–631, 633–640
  - comorbidity, 812
  - compulsive behaviors, 637
  - defined, 624–625, 807
  - in DSM-5, 608
  - emotional memories, 640
  - etiology of, 629–630
  - genetic factors, 631–632
  - life experience/learning history, 637–640
  - MINI-5 interview, 320
  - models overview, 630–631
  - neuro-anatomy, 633
  - neurobiological models, 631–633
  - neuropsychology and, 632–633
  - overview of, 609
  - phenomenology of, 625–629
  - Research Domain Criteria, 632
  - self-report instruments, 354–355
  - summary, 640
  - treatment outcomes, 812–813
- Body Dysmorphic Disorder Examination (BDDE), 355–357, 627
- Body Dysmorphic Disorder Modification of the Y-BOCS (BDD-Y-BOCS), 354, 356–357
- Body Dysmorphic Disorder Questionnaire (BDDQ), 354, 355
- body-focused repetitive behavior disorders (BFRBDs)
  - cognitive-affective neuroscience, 674–677
  - genes and environment, 676
  - introduction to, 669
  - neurocircuitry, 675
  - other behaviors, 672–673
  - Research Domain Criteria, 669
  - summary, 677

- trichotillomania, 669–671
- body image, 625–626
- Body Image* (Cash), 625
- body mass index (BMI), 130
- borderline personality disorder, 228
- brain. *See also* amygdala; threat processing in brain
- cerebral cortex, 617
  - defensive motivational system of, 197
  - disorders of, 4
  - dorsomedial prefrontal cortex, 210
  - hyperactivity in, 210
  - hypothalamic-pituitary-adrenal (HPA) axis, 659
  - hypothalamus, 530, 532
  - medial prefrontal cortex, 705, 753
  - medial temporal lobe, 756
  - neutral stimuli, 43
  - traumatic brain injury, 846
- brain-derived neurotrophic factor (BDNF), 651, 706–707
- breath-holding duration, 231
- broad threat-non-threat categorization, 66
- bullying, 41, 639
- Cambodian anxiety disorders, 406–411, 407*f*
- campus shootings, 270
- cannabis use, 146
- car sickness (*pul laan*), 409
- carbon dioxide (CO<sub>2</sub>)-enhanced air, 265, 266, 460, 469
- cardiac flexibility (HRV), 529
- Cash, Tom, 625–626
- caste system in India, 164
- catastrophic cognitions theory of panic
- cultural variations, 396–399, 398*f*
  - introduction to, 395–399
  - panic disorders, 395–399
  - rate and severity, 395–396
  - specific phobia and, 431
  - triggers and sensations, 399
  - worry domain, 403–404
- catechol-O-methyltransferase (COMT) gene, 130, 165, 651
- central nervous system (CNS), 705
- cerebral cortex, 617
- chained mediation effect, 142
- Child and Adolescent Psychiatric Assessment (CAPA-RAD), 385
- Child Anxiety Sensitivity Index (CASI), 560, 564
- Child Behavior Checklist* (CBCL), 563, 582
- Child Disgust Scale (CDS), 166
- childhood anxiety disorders, 1, 123
- childhood maltreatment, 130
- childhood phobia, 423
- chronic distress, 728
- chronic pain, 129
- chronic stress, 706
- circuits unit of analysis, 468, 470
- citalopram, 809
- Clark-Beck Obsessive-Compulsive Inventory (CBOCI), 351
- classical conditioning, 14, 426, 611, 730
- claustrophobia, 98, 469
- Claustrophobia Questionnaire, 469
- clinical interviews in anxiety disorders, 320–326, 323–325*t*
- clinical severity rating (CSR), 321
- clinical traits, 112
- Clinician-Administered PTSD Scale for *DSM-5* (CAPS-5), 377–378
- clinician characteristic implementation strategies, 843
- Clinician Global Impression of severity score, 356
- clinician-rated measures
- body dysmorphic disorder, 355–357
  - excoriation disorder, 359–360
  - hoarding disorder, 358
  - obsessive-compulsive disorder, 352–353
  - posttraumatic stress disorder, 377–379
  - Trichotillomania, 360–361
- Clinician Rating version of the Inventory of Depression and Anxiety Symptoms (IDAS-CR), 95
- clomipramine (CMI), 808, 816
- clonazepam (*Klonopin*), 835
- cluster situations in phobias, 312
- cocaine use, 146
- cognition domain, 205
- cognitive-affective neuroscience, 674–677
- Cognitive Anxiety Sensitivity Treatment (CAST), 137
- cognitive aspects of disgust proneness, 169–173
- cognitive avoidance, 201
- cognitive behavior/behavioral models
- anxiety, 41
  - body dysmorphic disorder, 630–631, 633–640
  - emotion regulation, 289
  - generalized anxiety disorder, 522–526
  - hoarding disorder, 649, 654–657
  - obsessive-compulsive disorder, 267–268
  - Reactive Attachment Disorder, 756
  - social anxiety disorder, 481–484
  - specific phobia, 438
- cognitive behavior therapy (CBT)
- anxiety disorders, 771–774, 791
  - anxiety sensitivity and, 124, 129, 137, 145
  - attentional bias modification, 53
  - body dysmorphic disorder, 812–813
  - computerized CBT, 774
  - exposure-based cognitive-behavioral intervention, 356
  - general anxiety disorder, 531, 532

- cognitive behavior therapy (CBT) (cont.)
  - generalized anxiety disorder, 772
  - group CBT, 773–774
  - hoarding disorder, 358, 814
  - intolerance of uncertainty, 204
  - introduction to, 4
  - obsessive-compulsive disorder, 268, 615, 772
  - panic disorder, 772
  - panic self-efficacy, 464
  - posttraumatic stress disorder, 733, 849
  - Reactive Attachment Disorder, 759–760
  - separation anxiety disorder, 566–567
  - social anxiety disorder, 203, 481, 772
  - treatment formats, 773
- cognitive biases, 464–465, 612
- cognitive change, 287
- cognitive control, 523
- cognitive deficit models, 611–612
- cognitive-motivation model, 51, 62–63
- cognitive processing therapy (CPT), 127, 756, 826, 832, 839
- cognitive reappraisal, 498–499
- cognitive regulation of emotion, 789
- cognitive restructuring, 771
- cognitive specificity modes, 612–616
- cognitive therapy (CT), 808, 831–832
- cohort effects, 93
- Cold-Pressor Task, 228
- common cause model, 109
- communication problems/disorders, 581–582, 584, 586
- comorbidity
  - ADHD, 744
  - agoraphobia, 455–458, 457*f*
  - anxiety disorders, 2
  - body dysmorphic disorder, 812
  - depression, 3, 553, 772
  - in different cultures, 436
  - eating disorders, 2
  - emotional disorders, 202
  - generalized anxiety disorder, 3, 481, 518, 553
  - major depressive disorder, 319, 435, 553
  - mood disorders, 2
  - multivariate comorbidity models, 455
  - of OCD, 3, 350, 553
  - panic attacks, 453–454
  - panic disorder, 553
  - PTSD, 3, 481, 744
  - separation anxiety disorder, 481, 552–553
  - Severe-Comorbid profile, 335
  - skin-picking disorder, 672
  - social anxiety disorder, 481
  - specific phobia, 435–436
  - substance use disorders, 2
- complementary health treatment, 836–838
- complex agoraphobia, 454
- complex dynamic systems of interacting
  - symptoms (network theory), 394
- complication model, 109
- compulsive behaviors, 350, 637
- compulsive shopping, 653
- computerized AS intervention, 129
- computerized CBT, 774
- concomitants model, 109
- conditional response (CR), 14, 15
- conditional stimulus (CS), 14, 15, 17–29
- conditioned inhibition procedure, 24
- conditioning paradigms, 213
- conduct disorders, 91
- Consolidated Framework for Implementation
  - Research (CFIR), 841, 844
- construct validity, 18
- Contamination Cognitions Scale (CCS), 169
- contamination disgust, 163, 166, 168
- contamination fears, 181
- contamination-focused exposure, 182
- context conditioning, 23–24
- context-independent known, 198
- contextual renewal, 27–28
- Continuous Performance Test, 656
- continuum model, 110
- Contrast Avoidance Model of Worry, 292
- convergent validity, 357
- core disgust, 166, 169
- correlates of disgust proneness, 174–175
- cortical-striatal circuitry, 675
- cortico-striatal-thalamic-cortical loops, 675
- corticotropin, 209
- corticotropin-releasing factor (CRF), 468
- corticotropin-releasing hormone receptor gene
  - (CRHR1), 468
- crime victimization, 726
- criteria-focused revisions in DSM-III, 309
- criterion creep, 373
- Critical Incident Stress Debriefing (CISD), 838
- Cronbach's alphas, 355
- cross-cutting symptom measures, 322
- cue-controlled anticipation, 520
- cultural considerations in specific phobia, 424–425
- cultural-syndrome-caused attentional
  - amplification, 405
- D-cycloserine (DCS), 778
- danger schemas, 41
- decision-making with uncertainty, 214
- default stress response, 212
- defensive motivational system, 197, 198, 206
- delayed distress, 728
- deliberate self-harm (DSH), 130
- Delis-Kaplan Executive Functioning Scale
  - (D-KEFS), 655

- demographic correlates of disgust proneness, 174–175
- demoralization, 688
- depersonalization/derealization, 264, 294, 375, 382, 452, 699, 725
- depression
- anxiety sensitivity and, 132–141
  - bivariate relations, 107–108
  - comorbidity, 3, 553, 772
  - intolerance of uncertainty, 203, 204
  - multivariate relations, 108
  - negative self-beliefs and, 612
  - perfectionism and, 112
  - persistent depressive disorder, 320
  - with trauma, 411, 707
- depressive disorders, 139, 518. *See also* major depressive disorder
- detail-focused processing, 633
- Detailed Assessment of Posttraumatic Stress (DAPS), 380
- development problems, 581–582
- developmental psychology, 586–590
- developmental studies in attentional bias, 47–48
- diagnosis-congruent situations, 200
- Diagnostic and Statistical Manual of Mental Disorders* (DSM)
- anxiety disorders, 100
  - anxiety sensitivity, 121
  - attachment disorder, 743
  - emotional disorders, 202
  - health anxiety, 178
  - hierarchical taxonomy of psychopathology, 331–332
  - introduction to, 3, 309
  - neuroticism, 91, 96
  - panic attacks, 285
- Diagnostic and Statistical Manual of Mental Disorders-III* (DSM-III)
- criteria-focused revisions in, 309
  - generalized anxiety disorder, 517
  - introduction to, 309
  - polythetic criteria sets in, 309, 326
  - posttraumatic stress disorder, 373, 723–724
  - Reactive Attachment Disorder, 746
  - social anxiety disorder, 480
  - specific phobia, 421
- Diagnostic and Statistical Manual of Mental Disorders-IV* (DSM-IV)
- acute stress disorder, 371, 382–383, 690–695, 691–693*t*, 704
  - agoraphobia, 311–315, 313*t*
  - anxiety disorders, 309–311, 320–326
  - categories vs. dimensions, 328
  - comorbidity and diagnostic boundaries, 329–330
  - generalized anxiety disorder, 319
  - introduction to, 309
  - OCRDs in, 807–808
  - panic disorder, 311–315, 313*t*
  - posttraumatic stress disorder, 371, 373, 375, 724
  - simple phobia, 422
  - social anxiety disorder, 315–319, 317–318*t*
  - trauma-/stressor-related disorders, 371
  - trauma exposure, 686
- Diagnostic and Statistical Manual of Mental Disorders-5* (DSM-5)
- acute stress disorder, 382–383, 685, 690–695, 691–693*t*, 704, 709
  - agoraphobia, 311–315, 313*t*
  - Anxiety and Related Disorders Interview Schedule for, 321
  - anxiety disorders, 309–311, 320–326
  - avoidance dimension strategies, 334
  - body-focused repetitive behavior disorders, 673
  - categories vs. dimensions, 328
  - comorbidity and diagnostic boundaries, 329–330
  - Disinhibited Social Engagement Disorder, 383–386, 747–749
  - generalized anxiety disorder, 319, 329
  - hoarding disorder, 646
  - introduction to, 309
  - Life Events Checklist in, 376
  - obsessive-compulsive disorder, 606
  - panic disorder, 311–315, 313*t*, 451
  - posttraumatic stress disorder, 309–310, 372, 375, 724–725, 827
  - Reactive Attachment Disorder, 371, 383–386, 747–749
  - reliability of anxiety disorders, 326–328
  - Research Domain Criteria and, 330–331
  - selective mutism, 576
  - separation anxiety disorder, 552
  - social anxiety disorder, 315–319, 317–318*t*
  - specific phobia, 421, 422
  - trauma exposure, 686
- Diagnostic Interview for Adjustment Disorder (DIAD), 386
- Diagnostic Interview for Anxiety, Mood, and Obsessive-Compulsive and Related Neuropsychiatric Disorders (DIAMOND), 321, 327
- Dialectical Behavior Therapy, 228
- diathesis-stress model, 630
- dichotic listening task, 42–43
- differential inhibition procedure, 24
- difficult to control emotions, 291
- Difficulties in Emotion Regulation Scale (DERS), 112, 288, 291
- Dimensional Obsessive-Compulsive Scale (DOCS), 352
- disease-avoidance, 163



- Disgust Emotion Scale (DES), 166
- disgust proneness
- anxiety sensitivity, 175, 181
  - behavioral measures, 167–168
  - cognitive aspects of, 169–173
  - correlates of, 174–175
  - demographic correlates, 174–175
  - direct measures, 169–170
  - effects of, 180–181
  - future directions, 183–184
  - generalized anxiety disorder, 181
  - health anxiety, 178–179
  - implicit measures, 170–173
  - introduction, 163–165
  - measuring of, 165–174
  - neural correlates, 173–174
  - obsessive-compulsive disorder, 170, 175, 177–178, 181
  - personality correlates, 175
  - physiological aspects of, 169
  - posttraumatic stress disorder, 179–180
  - psychopathology and, 175–180
  - self-reports of, 165–167, 177
  - specific phobias, 176–177
  - treatment of, 181–183
- Disgust Propensity and Sensitivity Scale-Revised (DPSS-R), 180
- Disgust Ratings, 166
- Disgust Scale (DS), 166
- Disgust-Scale-Revised (DS-R), 166
- Disinhibited Social Engagement Disorder (DSED)
- attachment theory, 750–752
  - diagnostic categories, 758–760
  - in DSM-5, 383–386, 747–749
  - further understanding of, 744
  - overview of, 383–386, 724, 743, 745
  - Reactive Attachment Disorder vs., 747, 752–753
  - social neglect, 749–750
- disordered attachment, 703
- dispositional beliefs, 463–464
- dispositional vulnerability factors, 454
- dissociative disorders, 91, 699
- Dissociative Disorders Sub-Work Group (SWG), 372
- Dissociative Subtype of PTSD Scale (DSPS), 382
- distractor representation, 63
- Distress Intolerance Index (DII), 229
- distress tolerance (DT)
- anxiety disorders and, 229–230, 791
  - anxiety sensitivity and, 237–238
  - assessment approaches, 228–229
  - discussion, 239
  - generalized anxiety disorder and, 230, 233–235
  - historical context and definition, 227–228
  - intolerance of uncertainty, 236–237
  - introduction to, 227
  - limitations and future research, 239–241
  - obsessive-compulsive disorder and, 230, 232–233, 267
  - panic attacks/panic disorder, 232
  - posttraumatic stress disorder and, 230–232
  - summary of, 242
  - as transdiagnostic process, 235–239
- Distress Tolerance Scale (DTS), 229
- distressful worry, 409
- dizygotic twins studies, 459
- dopamine, 757
- dopaminergic dysfunction, 350
- dorsolateral periaqueductal gray (dIPAG), 460
- dorsolateral prefrontal cortex (dlPFC), 210
- dorsomedial prefrontal cortex (dmPFC), 210
- dot-probe task, 43, 48, 488
- down-regulation of emotion, 523
- dual representation theory, 733
- dysfunctional beliefs, 268, 612, 616
- dysfunctional family dynamics, 530
- Dysmorphic Concern Questionnaire (DCQ), 355
- dysphoria, 133, 270, 828
- early neural response to threat, 67–69
- eating disorders, 2, 91, 203, 625
- Ebola virus fears, 179
- effortful avoidance symptoms, 374
- ego dystonicity, 605–606
- electro-oculography, 172
- electroencephalography (EEG), 173, 656
- electromyogram (EMG), 167
- electrophysiological data of associative learning, 74
- embarrassment feelings, 433
- emotion activation model of Ohman, 62
- emotion misregulation, 288
- Emotion Regulation Interview (ERI), 296
- emotional anti-saccade task, 488
- emotional disorders, 202–203
- Emotional Freedom Technique (EFT), 837
- emotional intensity problems, 285
- emotional memories, 640
- emotional mutism, 583
- emotional processing theory, 731–732
- emotional regulation
- anxiety disorders, 290–291, 298
  - assessment, 296–297
  - clinical implications, 296–298
  - cognitive behavioral models, 289
  - distress tolerance, 238–239
  - experiential avoidance, 256, 282
  - failure of, 288
  - future research, 298
  - generalized anxiety disorder, 291–292, 520–521



- heightened emotional reaction, 534  
 introduction to, 282–283  
 maladaptive emotion regulation patterns, 264, 497, 522  
 negative affectivity, 227, 282  
 panic disorder, 294–296  
 perception in causal maintenance, 635–636  
 poor emotional regulation, 411  
 processes and problems, 286–288  
 Research Domain Criteria, 282, 289, 297, 298–299  
 social anxiety disorder, 293–294, 497–499  
 strategies and stages, 286–287  
 summary of, 300  
 transdiagnostic factors/processes, 282, 288, 299–300  
 treatment, 297–298  
 emotional stroop task, 42, 48  
 emotions. *See also* fear  
   anger, 108, 409  
   appraisal processes, 197  
   cognitive regulation of, 789  
   difficult to control emotions, 291  
   down-regulation of, 523  
   duration problems, 285  
   embarrassment feelings, 433  
   frequency problems, 285–286  
   generation problems, 283–286  
   generation processes, 283, 284*f*, 287  
   heightened emotional reaction, 534  
   in long-term memory, 425  
   negative emotional contrast, 259  
   neural networks and, 426  
   poor regulation of, 411  
   quality problems, 286  
   shame, 627  
   socioemotional information, 238  
   temporal stages of emotion processing, 65  
 endogenous opioids, 461  
 endophenotypes, 387  
 environmental risk factors, 453–454  
 episodic functional endogenous opioid deficit, 461  
 equifinality, 427  
 error-related negativity (ERN), 523, 656  
 ethnic considerations in specific phobia, 424–425  
 ethnophysiology, 400  
 etiology of anxiety disorders, 18–22  
 event-related potentials (ERPs), 173–174, 212  
 evidence-based treatment/practices  
   anxiety disorders, 779  
   assessments, 371, 827–828  
   conceptualization of disorders, 351  
   separation anxiety disorder, 566–568  
   trauma-focused psychotherapies, 836, 840–844  
 evolutionary preparedness, 458–459  
 ex consequentia, 438  
 excessive worry, 551–552  
 excoriation disorder (ED). *See also* skin-picking disorder  
   assessment of, 359–360  
   classification of, 360  
   clinician-rated measures, 359–360  
   self-report instruments, 359  
 executive functioning maturation, 47  
 expectancy ratings, 15  
 expected-symptom panic attack, 452  
 experiential avoidance  
   anxiety link, 255–258  
   challenges and future research, 271–273  
   emotional regulation, 282  
   generalized anxiety disorder and, 258–261  
   introduction to, 255  
   obsessive-compulsive disorder, 267–268  
   panic attack/disorder, 264–267  
   posttraumatic stress disorder, 269–271  
   social anxiety disorder and, 262–264  
 experimental manipulation in attentional bias, 49–50  
 experimental psychopathology research, 60  
 experimentally induced worry, 524  
 explicit memory, 525, 850  
 exposure-based treatment  
   anxiety disorders, 781–786  
   cognitive-behavioral intervention, 356  
   maximizing effects of, 783–784  
   overview of, 27, 28  
   prognosis following, 434  
   psychotherapy, 829–831  
   safety behaviors in, 785–786  
   selective mutism, 588–589  
   summary, 590  
   variants of, 782–783  
 exposure plus response prevention (ERP), 351, 808–809, 813  
 exposure techniques, 781–786  
 expressive suppression, 498  
 external validity of fear conditioning model, 17–29  
 externalizing behaviors, 579–580  
 exteroceptive threats, 437  
 eye-blink reflex, 15  
 Eye-gaze Contingent Attentional Training (ECAT), 50  
 Eye Movement Desensitization and Reprocessing (EMDR), 830–831  
 eye-tracking methodology, 16, 44–45, 487, 634  
 face validity, 17  
 Facial Action Coding System (FACS), 167  
 family-based treatment (FBT), 567–568  
 family factors/systems in selective mutism, 583–584, 586

- fear. *See also* learning mechanisms in fear and anxiety  
 acute fear, 206–207, 466, 469–471  
 bioinformational theory of fear, 731  
 conditioning model in humans, 21  
 contamination fears, 181  
 in DSM-5, 319  
 of dying, 264  
 Ebola virus fears, 179  
 external validity of fear conditioning model, 17–29  
 of losing control, 264  
 micro-fear expressions, 68  
 parenting behavior and, 426  
 persistent and excessive, 552  
 phobia-related, 312–315, 425–428, 438  
 self-reported fear, 785  
 of serious consequences, 558  
 of uncertainty, 200  
 worry and, 519  
 fear-based reasoning, 817  
 fear conditioning model in humans  
   complex procedures in, 22–26  
   construct validity, 18  
   context conditioning, 23–24  
   effect of interventions, 27–28  
   etiology of anxiety disorders, 18–22  
   external validity of, 17–29  
   face validity, 17  
   generalization, 23, 24–26  
   individual factors, 28–29  
   inhibitory conditioning, 23–24  
   introduction to, 14–16  
   learning mechanisms, 14–16  
   predictive validity, 26–27  
 fear load, 851  
 fear network, 460  
 fear of being abandoned (FBA), 558, 559  
 “fear of fear” model, 407, 463, 467  
 fear of negative evaluation (FNE), 485, 490  
 Fear of Pain Questionnaire-III (FPQ-III), 148  
 fear of positive evaluation (FPE), 485–486  
 fear of the unknown (FOTU), 196–198, 199, 200  
 fear-potentiated startle (FPS), 15, 470  
 Fears About Decision Making subscale, 649  
 field perspective of body dysmorphic disorder, 626  
 Field Trial analysis, 327  
 “fight or flight” reaction, 431, 705  
 financial worries, 403  
 FK506 binding protein 51 (FKBP5) protein, 707  
 Florida Obsessive-Compulsive Inventory (FOCI), 351  
 fluoxetine (*Prozac*), 834  
 food contamination disgust, 164  
 Four-dimensional Symptom Questionnaire (4DSQ), 386  
 Freud, Sigmund, 729  
 fright neuroses, 723  
 Frost Indecisiveness Scale, 649  
 Frustration Discomfort Scale (FDS), 229  
 full-symptom panic attack, 451–452  
 functional impairment, 687  
 functional magnetic resonance imaging (fMRI), 209, 651, 712  
 future-oriented ruminative-like approach, 292  
 future-oriented thinking, 788  
 GAD. *See* generalized anxiety disorder  
 $\gamma$ -aminobutyric acid (*GABA A-Y2*) gene, 631  
 gamified training procedures, 50  
 gender differences in anxiety disorders, 311, 550–551  
 generalization, 18, 23, 24–26  
 generalized anxiety disorder (GAD)  
   acceptance and commitment therapy, 775  
   anxiety sensitivity and, 123–124  
   arousal/regulatory systems, 528–530  
   avoidance dimension strategies, 334  
   cognitive systems in, 522–526  
   comorbidity, 3, 481, 518, 553  
   cross-cultural perspective of worry domains, 401–406  
   diagnosis and symptoms, 517  
   disgust proneness, 181  
   distress tolerance and, 230, 233–235  
   DSM-5 vs. DSM-IV, 319, 329  
   emotion duration problems, 285  
   emotion regulation, 291–292, 520–521  
   experiential avoidance, 258–261  
   hyperreactivity with, 285  
   intolerance of uncertainty and, 201–202, 203  
   introduction, 1, 3  
   intrusive cognitions, 333–334  
   negative valence systems, 289, 519–522  
   negative valence systems in, 519–522  
   neurotic temperament in, 333  
   neuroticism with, 109, 110  
   positive valence systems, 526–528  
   prevalence of, 518  
   self-rated symptoms, 97  
   separation anxiety disorder and, 561–562  
   social processes in, 530–534  
   summary, 534–535  
   worry, role in, 288, 289  
 generalized unsafety theory of stress (GUTS), 211  
 genes/genetic heritability  
   body dysmorphic disorder, 631–632  
   body-focused repetitive behavior disorders, 676  
   hoarding disorder, 650–651, 658  
   intolerance of uncertainty, 207–209  
   neuroticism, 520

- obsessive-compulsive disorder, 618
  - unit of analysis, 468, 470–471
  - variation in, 459
- genome wide association studies (GWAS), 207
- glucocorticoid receptor gene promoter, 754
- glutamatergic variants, 676
- goal engagement system (GES), 62, 63
- goal-oriented processing system, 64
- Google Scholar, 322
- grief and trauma, 700
- group CBT, 773–774
- guided threat evaluation system (GTES), 63
- Gulf War Syndrome, 409
- H1N1 influenza pandemic (2009–2010), 178
- hair-pulling disorder, 608–609
- health anxiety, 178–179, 203
- health risk behaviors after trauma, 688
- health worries, 403
- healthcare utilization costs for OCD, 349
- heart rate variability (HRV), 212, 213, 528
- heightened emotional reaction, 534
- Hermans, Dirk, 30
- heroin use, 146
- hierarchical structure of personality, 94
- hierarchical taxonomy of psychopathology (HiTOP), 331–332
- high-tech platforms for TRPs, 848–849
- higher order conditioning, 18
- higher-order internalizing disorder factor, 329
- hippocampus, 18, 458, 525, 756
- HIV/AIDS, 163
- Hoarding Assessment Scale (HAS), 357
- hoarding disorder (HD)
  - assessment of, 357–358
  - behavior/behavior profiles, 650
  - behavior profiles, 650, 653, 655–656
  - classification of, 358
  - clinician-rated measures, 358
  - cognitive behavior therapy, 358, 814
  - cognitive systems, 649, 654–657
  - defined, 350, 807
  - in DSM-5, 608
  - genetic heritability, 650–651, 658
  - introduction to, 646–649, 647–648*t*
  - negative valence systems, 646, 649–652
  - neurocircuitry, 653, 657
  - overview of, 609–610
  - positive valence systems, 646–649, 652–653
  - Research Domain Criteria, 646, 647–648*t*, 657
  - self-report instruments, 357, 649–650, 652–653
  - summary, 657–660
  - treatment outcomes, 813–815
- hoarding-specific cognitive-behavioral intervention, 358
- homogeneous components in symptom manifestations, 331
- homophone-words task, 208
- Huntington disease, 707
- hybrid dimensional-categorical classification, 332–338, 336*f*
- hybrid panic attacks, 400–401
- hybrid worry attacks, 406
- hydrocortisone, 839
- hyperactivity, 210, 241
- hyperarousal symptoms, 126, 271
- hyperreactivity, 285, 520
- hyperventilation, 461, 529
- hypervigilance, 394, 408
- hypnagogic hallucinations, 408
- hypnopompic hallucinations, 408
- hypnotherapy, 834
- hypomania, 133, 134
- hypothalamic-pituitary-adrenal (HPA) axis, 659, 706, 753
- hypothalamus, 530, 532
- iatrogenic effects, 834, 838
- ideation-to-action framework, 139
- identification stage in GAD, 293, 295
- imagery-based cognitive content, 201
- imaginal exposure, 829
- Impact of Event Scale-Revised (IES-R), 380–381
- impersonal aspects of OCD, 607–608
- implementation science, 841–844
- implementation stage in GAD, 294, 295
- Implicit Association Test (IAT), 170, 171
- implicit memory, 525, 850
- Implicit Relational Assessment Procedure (IRAP), 171
- impression-management safety behaviors, 493
- impulse control disorders, 350, 608
- in-the-moment processes of cognition, 526
- in-vivo exposure, 829
- information processing models, 60–65, 61*f*
- information relevance/sufficiency, 198
- inherited biological symptoms, 404
- inhibitory conditioning, 23–24
- inhibitory IU, 200
- inhibitory learning, 784
- insecure-ambivalent attachment pattern, 751
- insecure attachment style, 499–500
- inside view of human appearance, 625
- insight toward OCD, 606
- insomnia, 133, 530
- insula, 18, 210
- integrative attention model of Bar-Haim et al., 63
- integrative health treatment, 836–838
- intellectual/achievement assessment, 588
- internalizing behaviors, 578–579
- internalizing psychopathology, 207–208, 209

- International Classification of Diseases*  
(ICD-10), 552, 576, 624
- International Classification of Diseases*  
(ICD-11), 624, 671, 673, 689–690, 725
- Internet-based approach, 590
- interoceptive exposure, 782–783, 784
- interoceptive threats, 437
- interpersonal disgust, 163
- interpersonal relationship impairment, 500–501
- Interpersonal Therapy, 833
- interpersonal trauma, 270, 530–531
- interpretation bias, 489–490
- intrater reliability of all DSM-5 disorders, 327
- intervention. *See also* psychotherapy; treatment/  
treatment outcomes
- characteristic implementation strategies, 843–844
  - computerized AS intervention, 129
  - effect on fear conditioning model in humans,  
27–28
  - hoarding-specific cognitive-behavioral  
intervention, 358
  - just-in-time interventions, 472
  - reinstatement intervention, 28
  - scalable preventive interventions, 139
  - in selective mutism, 588–590
  - trauma-/stressor-related disorders, 847–852
  - trauma-focused psychotherapies, 847–852
- Interview for Mood and Anxiety Symptoms, 332
- intolerance of internal experiences, 233
- intolerance of uncertainty (IU), 20
- behavior and, 213–214
  - defined, 198–199
  - distress tolerance and, 236–237
  - emotional disorders and, 202–203
  - facets of, 199–201
  - fear of the unknown, 196–198, 199, 200
  - future research, 204
  - generalized anxiety disorder and, 201–202
  - genes and, 207–209
  - introduction to, 196
  - molecules and cells, 209
  - neuroanatomical structures, 210–211
  - obsessive-compulsive disorder, 203, 606–607
  - physiology and, 211–213
  - RDoC and, 204–207
  - summary of, 215–216
  - as transdiagnostic construct, 201–204
  - treatment outcome, 203–204
- Intolerance of Uncertainty Scale (IUS), 199
- Intolerance of Uncertainty Therapy (IUT), 203,  
791
- intracranial source estimation, 67
- intrusive cognitions/thoughts, 333–334
- intrusive thoughts and OCD, 267, 613–614
- Inventory of Depression and Anxiety Symptoms,  
331
- Janet, Pierre, 729
- just-in-time interventions, 472
- khyâl* attack, 397–399, 398f
- Klein's Suffocation false alarm theory  
of PD, 461
- Kuhn, Thomas, 808
- laboratory-based behavioral assessment, 229
- late positive potential (LPP), 65
- learned alarms, 463
- learning history in BDD, 637–640
- learning mechanisms in fear and anxiety
- case study, 13
  - classical conditioning, 14
  - external validity of fear conditioning,  
17–29
  - fear conditioning model in humans, 14–16
  - introduction to, 30
  - summary of, 29–30
- learning safety, 212
- leveraging mechanisms of action, 849–852
- Liebowitz Social Anxiety Scale, 322
- Life Events Checklist in DSM-5 (LEC-5), 376
- life experience in BDD, 637–640
- life-threatening accident, 726
- limited efficacy support, 833
- limited-symptom panic attack, 452
- Linehan, Marsha, 228
- Little Albert case study, 730
- locus coeruleus (LC), 705
- long-term memory, 425
- Looming of Disgust Questionnaire  
(LODQ), 170
- low functioning mutism, 583
- lower basal HRV, 528
- lower respiratory sinus arrhythmia, 528
- macaque temporal cortex, 68
- magical thinking, 169
- magnetic resonance spectroscopy (MRS), 617
- maintenance of consciousness, 711
- major depressive disorder (MDD)
- acute stress disorder and, 695–699
  - anxiety disorders and, 132
  - comorbidity, 319, 435, 553
  - direct treatment for, 772
  - distress tolerance, 235
- maladaptive behavior triggers, 674, 771
- maladaptive beliefs, 5, 615, 788
- maladaptive drinking, 130
- maladaptive emotion regulation patterns, 264,  
497, 522
- mania, 133, 134
- manipulability theories of causation, 629
- marijuana use, 143, 231

- Massachusetts General Hospital Hairpulling Scale (MGH-HPS), 360
- matching-to-sample task, 26
- maturation in executive functioning, 47
- mean-level change, 93
- measure of experiential avoidance, 272–273
- medial frontal gyrus (MFG), 652
- medial prefrontal cortex (MPFC), 705, 753
- medial temporal lobe, 756
- medication
- hoarding disorder, 814
  - pharmacotherapy, 356, 834–836
  - potential iatrogenic effects, 835
  - psychotherapy vs., 835–836
  - psychotropic medications, 4
  - serotonergic medication, 618
  - strong efficacy support, 834–835
- medication management (MM), 811
- Meehl, Paul, 236
- memory
- associative network model of, 41
  - deficits with GAD, 524
  - emotional memories, 640
  - emotions in long-term memory, 425
  - explicit memory, 525, 850
  - glucocorticoid receptors in, 706
  - hoarding disorder, 654
  - implicit memory, 525, 850
  - long-term memory, 425
  - a priori* memory, 197
  - situationally accessible memory (SAM) system, 733
  - verbally accessible memory (VAM) system, 733, 736
  - working memory, 655, 758
- mental effects of trauma, 410
- mental health treatment, 702, 728–729
- met/met* genotype, 651
- metacognitive processes, 61, 66, 788
- metaphor-guided somatization, 405
- micro-fear expressions, 68
- Mildly-Neurotic profile, 335
- military populations and PTSD, 726–727
- Milwaukee Inventory for Dimensions of Adult Skin-Picking scale, 672
- Milwaukee Inventory for Subtypes of Trichotillomania scale, 670
- Milwaukee Inventory for Subtypes of Trichotillomania-Adult Version (MIST-A), 360
- Milwaukee Inventory for the Dimensions of Adult Skin Picking (MIDAS), 359
- Mindfulness-Based Stress Reduction (MBSR), 836–837
- mindfulness-based therapies, 774, 775–776, 788–789, 836
- Mini-International Neuropsychiatric Interview (MINI), 96, 377, 379, 386
- Mini International Neuropsychiatric Interview for DSM-5 (MINI-5), 320–321
- minute environmental threat, 63
- Mirror Tracing Persistence Task (MTPT), 228
- Mississippi Scale for Combat-Related PTSD (M-PTSD), 381
- modulatory systems with specific phobia, 438–439
- molecular biology, 703
- molecules and cells, 209
- molecules unit of analysis, 468, 470
- monitoring stage in GAD, 292, 294, 295
- monoamine oxidase, 130
- monoamine oxidase inhibitors (MAOIs), 776
- mood disorders, 2, 132–141
- Mowrer, Orval Hobart, 730
- multi-sensory stimulus configurations, 17
- Multidimensional Anxiety Scale for Children* (MASC), 564
- multifinality, 427
- multiple anxiety disorders, 241
- multivariate analyses of neuroticism, 104*t*, 105
- multivariate comorbidity models, 455
- NACM cluster, 374
- Narrative Exposure Therapy (NET), 830
- National Comorbidity Survey, 480, 701
- National Epidemiologic Survey on Alcohol and Related Conditions (NESARC), 734
- National Institute of Mental Health (NIMH), 4, 134, 183, 196, 282, 330, 669
- National Institute of Mental Health Trichotillomania Impairment Scale (NIMH-TIS), 360
- National Institute of Mental Health Trichotillomania Impairment Scale and Severity Scale (NIMH-TSS), 360
- National Organization for Women, 723
- National Stressful Events Survey, 723
- National Vietnam Veterans Readjustment Study (NVVRS), 727
- natural recovery, 839
- Negative Affect scale, 92
- negative affectivity, 227, 282, 703. *See also* neuroticism/negative affectivity
- negative alterations in cognition and mood (NACM), 372
- negative emotional contrast, 259
- negative emotionality. *See* neuroticism/negative affectivity
- negative self schemas, 410–411
- negative spiritual schemas, 410
- negative valence systems
- acute threat/fear, 437–438, 466
  - anxiety disorder, 205

- negative valence systems (cont.)  
     attentional bias, 42  
     experiential avoidance, 273  
     generalized anxiety disorder, 289, 519–522  
     hoarding disorder, 646, 649–652  
     obsessive-compulsive disorder, 610  
     Reactive Attachment Disorder, 753–754  
     social anxiety disorder, 485
- negative world schemas, 411
- Negligible-Mild profile, 335
- neural correlates of disgust proneness, 173–174
- neural mapping of threat processing, 65–67
- neural networks and emotion, 426
- neuro-anatomy of body dysmorphic disorder, 633
- neurocircuitry, 653, 657, 675
- neuroanatomical structures, 210–211
- neurobiology of acute stress disorder, 703–704
- neurocognitive mechanisms of interoception, 147–149
- neurodevelopmental disorders, 584
- neuroimaging, 67, 703, 712
- neuropsychological testing, 675
- neuroscience literature on GAD, 527
- neurosensory account of anxiety, 72–77, 73*f*, 75*f*
- neurotic temperament (NT), 329, 333
- neuroticism/negative affectivity  
     as an effect, 110–111  
     anxiety disorder diagnoses, 99*t*, 99  
     anxiety symptoms and, 100–102, 101*t*, 105–108, 106*t*  
     basic features of, 92–94  
     behavioral inhibition system, 198  
     biological basis of, 92–93  
     bivariate analyses, 103*t*, 103–104  
     as a cause, 110  
     cohort effects, 93  
     diagnostic analyses, 108  
     emotional dysregulation, 227  
     emotional regulation, 282  
     experiential avoidance, 255  
     future research directions, 113  
     genetic basis of, 92  
     genetic heritability, 520  
     hierarchical structure of personality, 94  
     introduction to, 91  
     mean-level change, 93  
     measures of, 96–97  
     methodology, 94–97  
     multivariate analyses, 104*t*, 105  
     neuroticism scale, 96  
     PANAS-X analyses, 102–103  
     participants and procedures, 95–96  
     personality trait of, 631  
     rank-order stability, 93  
     relations with negative affect, 92  
     self-rated symptoms, 97–98  
     stability vs. change, 93  
     symptoms analyses, 109  
     third variable models, 111  
     transdiagnostic traits, 112  
     underlying causal mechanisms, 109–111
- neurotransmitters in panic disorder, 460
- neutral stimuli, 43
- “New Look” movement, 76
- nightmares, 408
- 9-item Generalized Anxiety Disorder Questionnaire-IV (GADQ-IV), 97
- nocturnal panic, 408
- nomological net, 236
- non-anxious controls, 285
- non-associative processes, 427, 428
- non-CBT psychotherapy, 792
- non-shared environmental influences, 208
- non-suicidal self-injury, 673
- nonperceptual-based generalization, 25
- nonserotonergic antidepressants, 618
- noradrenergic cell bodies, 705
- norepinephrine (NE), 705
- NPU respiratory threat test (NPUr), 211–213, 467
- observational learning, 19
- Observational Schedule for RAD (OSR), 385
- observer perspective of body dysmorphic disorder, 626
- Obsessed-Worried profile, 335
- obsessional distress, 808
- Obsessive-Compulsive and Related Disorders (OCDs). *See also* body dysmorphic disorder; hoarding disorder; skin-picking disorder; trichotillomania  
     introduction to, 805–806  
     overview of, 805–806  
     summary, 817–819  
     treatment outcomes, 808–817
- Obsessive-Compulsive Cognitions Working Group, 232
- obsessive-compulsive disorder (OCD)  
     ADIS-5 interview, 321  
     anxiety sensitivity and, 124  
     arousal/regulatory systems, 529  
     assessment of, 351–353  
     avoidance, 604–605  
     avoidance behavior, 607  
     biological models of, 618–619  
     body dysmorphic disorder overlap, 354–357  
     certainty and, 606–607  
     classification of, 358, 360, 361  
     clinician-rated measures, 352–353  
     cognitive behavior therapy for, 268, 615, 772  
     cognitive deficit models, 611–612  
     cognitive specificity modes, 612–616  
     comorbidity with, 3, 350, 553  
     compulsions, 604

- conditioning and learning theory models, 610–611
- current debate over, 349–351
- disgust proneness, 170, 175, 177–178, 181
- distress tolerance and, 230, 232–233, 267
- in DSM-5, 309–310
- ego dystonicity, 605–606
- excoriation disorder and, 359–360
- experiential avoidance, 267–268
- Exposure-Response Prevention therapy, 351
- future directions, 361–362
- genetic contributions, 618
- hoarding disorder and, 357–358
- impersonal aspects of, 607–608
- insight toward, 606
- intolerance of uncertainty, 203, 606–607
- introduction to, 603
- neurological models of, 617–619
- neuroticism symptoms with, 91, 102, 109
- obsessions, 603–604
- PCCP ratings, 95
- perfectionism and, 112
- phenomenology of, 603
- prevalence and course of, 607
- relationship conflict, 608
- repetitive behaviors, 267, 608
- Research Domain Criteria, 610
- self-rated symptoms, 98
- self-report instruments, 351–352
- separation anxiety disorder and, 561–562
- serotonin hypothesis, 617
- structural models of, 617–618
- summary of, 362–363
- symptom accommodation, 607
- symptom dimensions, 605
- treatment, 236, 808–812
- Trichotillomania and, 360–361
- Obsessive-Compulsive Inventory-Revised (OCI-R), 351
- Obsessive-Compulsive Spectrum Disorders (OCSs), 349–351, 608–610, 675
- olfactory cortical activity, 68
- operant conditioning, 527–528, 611, 729–730
- Operation Iraqi Freedom (OIF), 727
- opiate use, 145, 146
- oppositional behaviors, 579
- oppositional defiant disorder, 579
- optogenetic methods, 675
- orbitofrontal cortex (OFC), 617, 651, 652
- orbitofrontal-subcortical circuits, 350, 617
- orienting mode, 61
- other specified anxiety disorder (OSAD), 310
- outside view of human appearance, 625
- overactive defense system, 59
- overlapping criteria in DSM-5, 312
- oxytocin, 532, 757, 759
- Paced Auditory Serial Addition Test (PASAT), 228, 241
- Padua Inventory-Palatine Revision (PI-PR), 351
- Padua Inventory-Revised (PI-R), 351
- Padua Inventory-Washington State University Revision (PI-WSUR), 351
- panic attacks
- agoraphobia and, 454
  - differential diagnosis and comorbidity, 453–454
  - distress tolerance, 232
  - DSM-5 vs. DSM-IV, 315
  - epidemiology and course, 453
  - expected-symptom panic attack, 452
  - experiential avoidance, 264–267
  - full-symptom panic attack, 451–452
  - hybrid panic attacks, 400–401
  - limited-symptom panic attack, 452
  - need for diagnostic category, 412
  - with panic disorder symptoms, 409
  - responding to, 24
  - unexpected-symptom panic attack, 452
  - worry escalation to, 406
- panic disorder (PD). *See also* catastrophic cognitions theory of panic
- acceptance and commitment therapy, 775
  - acute fear, 466, 469–471
  - anxiety sensitivity and, 134, 266
  - arousal/regulatory systems, 529
  - biological vulnerabilities, 459–462
  - cognitive biases and automatic thoughts, 464–465
  - comorbidity, 553
  - context conditioning, 23
  - cross-cultural perspective, 395–401, 396*f*
  - cultural variations, 396–399, 398*f*
  - dispositional beliefs, 463–464
  - distress tolerance, 230, 232
  - DSM-5 vs. DSM-IV, 311–315, 313*t*
  - emotion regulation, 294–296
  - emphasized symptoms, 399–400
  - evolutionary preparedness, 458–459
  - experiential avoidance, 264–267
  - hyperreactivity with, 285
  - intolerance of uncertainty, 202
  - introduction to, 451–453
  - khyâl* attack, 397–399, 398*f*
  - learning processes, 462–463
  - potential (threat) anxiety, 467–468
  - rate and severity, 395–396
  - Research Domain Criteria, 466–467
  - self-rated symptoms, 98
  - separation anxiety disorder and, 560
  - summary, 471–472
  - triggers, 612
  - triggers and sensations, 399
- panic self-efficacy, 464



- Panic-Somatic profile, 335  
 panic spectrum liability, 461  
 paradigms unit of analysis, 467, 469  
 parasympathetic activity during disgust, 169  
 parasympathetic nervous system, 528  
 parent-based contingency management, 589–590  
 parent-child interaction, 430, 584  
 parent report measures, 565  
 parenting behavior and anxiety disorders, 426, 556–557  
 paroxetine (*Paxil*), 834  
 past-oriented thinking, 788  
 pathological stress responses, 4  
 pathoplasty model, 109  
 Patient Protection and Affordable Care Act, 842  
 Pavlov, Ivan, 14, 729–730  
 Pavlovian conditioning. *See* classical conditioning  
 Pediatric OCD Treatment Study (POTS), 810, 811  
 people sickness (*pul menuh*), 409  
 perception, defined, 59  
 perception stimulus generalization, 24–25  
 perceptual mechanisms of anxiety disorders  
   cognitive-motivation model of Mogg and Bradley, 62–63  
   emotion activation model of Ohman, 62  
   information processing models, 60–65, 61f  
   integrative attention model of Bar-Haim et al., 63  
   introduction to, 59–60  
   schema-based information processing model, 60–61  
   selective processing model of Mathews and Mackintosh, 63  
   synthesis of dominant models, 63–65  
   threat processing in brain, 65–77  
 perfectionism, 112, 268  
 performance-only specifiers, 316–319  
 periaqueductal gray (PAG), 458  
 peritraumatic distress/dissociation, 270, 380  
 perpetual biases, 432  
 perseverative thought, 527  
 persistent depressive disorder, 320  
 persistent worry, 551–552  
 Personality, Cognitions, Consciousness, and Perceptions Interview (PCCP), 95  
 personality, hierarchical structure, 94  
 personality correlates of disgust proneness, 175  
 personality disorders, 91  
 personality traits, 20  
 pharmacotherapy, 356, 776–777, 834–836  
 phobias. *See also* agoraphobia; specific phobias  
   animal-type phobia, 426, 429  
   blood-injection-injury (BII) phobia, 168, 176, 181, 426, 431, 439  
   childhood phobia, 423  
   claustrophobia, 98, 469  
   cluster situations in, 312  
   induced, 14  
   school phobia, 48  
   small animal phobias, 176  
   social phobia, 110, 316, 578  
   specific phobia, 98  
 phobic anxiety disorders, 123  
 physical exercise, 837–838  
 physiological aspects of disgust proneness, 169  
 physiological reactivity, 374  
 physiology and intolerance of uncertainty, 211–213  
 physiology unit of analysis, 469–470  
 Piaget, Jean, 731  
 Pittsburgh Clinic Sample, 424  
 pituitary adenylate cyclase activating polypeptide (PACAP), 707  
 polarization of intolerance of ambiguity, 199  
 polythetic criteria sets in DSM-III, 309, 326  
 poor concentration and trauma, 408–409  
 poor emotional regulation, 411  
 poor sleep and trauma, 408  
 positive affect, 282, 496–497  
 Positive and Negative Affect Schedule (PANAS), 92, 102–103  
 positive belief domains of worry, 201  
 positive valence systems, 205, 496–497  
   anxiety disorder, 205  
   generalized anxiety disorder, 526–528  
   hoarding disorder, 646–649, 652–653  
   obsessive-compulsive disorder, 610  
   overview of, 496–497  
   Reactive Attachment Disorder, 755  
 positron emission tomography (PET), 617  
 post-event processing (PEP), 491–492, 495  
 Posttraumatic Cognitions Inventory (PTCI), 381  
 Posttraumatic Diagnostic Scale for DSM-5 (PDS-5), 379–380  
 Posttraumatic Maladaptive Beliefs Scale (PMBS), 381  
 posttraumatic stress disorder (PTSD)  
   acute stress disorder and, 694–695, 702, 707–708  
   alcohol use, 144  
   alpha oscillatory activity in visual cortex, 76  
   assessment overview, 376  
   classification of, 372, 724–725  
   clinical dimensions, 711–712  
   clinician-administered measures, 377–379  
   cognitive behavior therapy, 733, 849  
   comorbidity, 3, 481, 744  
   concerns about having, 409–410  
   Criterion A changes, 373  
   cross-cultural perspective, 406–411, 407f, 412–413  
   development of, 728–729

- disgust proneness, 179–180  
 distress tolerance and, 230–232  
 in DSM-5, 309–310, 372, 375, 724–725, 827  
 in DSM-III, 373, 723–724  
 in DSM-IV, 371, 373, 375, 724  
 dual representation theory, 733  
 dysphoria, 270, 828  
 emerging models, 734–735  
 emotional processing theory, 731–732  
 etiology and phenomenology, 723–724  
 experiential avoidance, 269–271  
 global incidence, 727  
 historical theories of trauma, 729–731  
 hybrid panic attacks, 400–401  
 in ICD-11, 690, 725  
 IDAS-CS ratings, 95  
 impaired learning, 29  
 intolerance of uncertainty, 203  
 introduction to, 371  
 in military populations, 726–727  
 neuroticism symptoms with, 101–102, 109  
 new anxieties, 21  
 other criteria and specifiers, 375–376  
 other measures, 380–381  
 pathological stress responses, 4  
 prevalence of, 726  
 related measures, 381–382  
 Research Domain Criteria, 709–711, 734–735  
 self-rated symptoms, 97  
 self-report measures, 379–380  
 separation anxiety disorder and, 560–561  
 social cognitive theory, 732–733  
 summary, 735–736  
 symptom criteria, 374–375  
 theoretical models of, 729–735  
 trauma disorders and, 126–132  
 trauma exposure, 376–377  
 understanding clinical presentation, 559  
 posttraumatic stress symptoms (PTSS), 126–132  
 potential (threat) anxiety, 206–207, 466, 467–468  
 potential iatrogenic effects, 835  
 Potential Threat construct, 273  
 prazosin (*Minipress*), 835  
 pre-selected semi-structured interview, 327  
 preattentive threat evaluation system (PTES), 63  
 predictive validity, 26–27  
 predisposition model, 109  
 prefrontal cortex (PFC), 651  
 prefrontal-cortex-amygdala circuit pathology, 77  
 premenstrual symptoms, 128  
*Preschool Age Psychiatric Assessment* (PAPA), 565  
 prevention practices, 838–840  
 primal mode, 61  
 primary behavioral processes, 492–493  
 primary cognitive processes in SAD, 487–490  
 probe-elicited P300 deflection, 212  
 problem-solving in anxiety disorders, 201, 269, 292  
 process-based understanding, 297  
 profile-based classification system, 335, 336f, 337–338  
 progressive muscle relaxation (PMR), 790  
 Prolonged Exposure (PE), 826, 830, 845–846  
 Prospective IU, 200  
 prospective studies in attentional bias, 48–49  
 psychodynamic therapy, 778–779  
 psychoeducation, 780–781, 838  
 psychometrics of attentional bias indexes, 46  
 psychophysiology, 703  
 psychosocial risk factors, 453–454  
 psychotherapy  
   cognitive therapy, 808, 831–832  
   exposure therapy, 829–831  
   insufficient efficacy support, 833–834  
   limited efficacy support, 833  
   medication *vs.*, 835–836  
   non-CBT psychotherapy, 792  
   strong efficacy support, 829  
   trauma-/stressor-related disorders, 828–834  
   trauma-focused psychotherapies, 828  
 psychotic disorders, 699  
 psychotropic medications, 4  
 PTSD Checklist-Civilian Version (PCL), 97  
 PTSD Checklist for DSM-5 (PCL-5), 379  
 PTSD Symptom Scale Interview for DSM-5 (PSSI-5), 377, 378  
 punishment decision-making task, 527  
  
 quality of life (QOL), 1, 772  
  
 racial considerations in specific phobia, 424–425  
 randomized controlled trials (RCTs), 772, 773  
 rank-order stability, 93  
 rapid serial visual presentation, 44  
*Rating Scale for Elective Mutism*, 587  
 Reactive Attachment Disorder (RAD)  
   anxiety disorders, 791  
   arousal and regulatory systems, 755–756  
   attachment theory, 750–752  
   cognitive processes, 756  
   diagnostic categories, 758–760  
   Disinhibited Social Engagement Disorder *vs.*, 747, 752–753  
   in DSM-5, 371, 383–386, 747–749  
   DSM-III, 746  
   history of, 745–746  
   introduction to, 743–745  
   negative valence system, 753–754  
   overview of, 724  
   positive valence system, 755  
   Research Domain Criteria, 745, 752–753, 759  
   social neglect, 749–750  
   social processes, 757–758  
   working memory, 758

- Reconsolidation of Traumatic Memories (RTM), 830
- recurrent excessive distress, 551
- reexperiencing symptoms, 374
- regulatory systems, 528–530, 755–756, 851
- reinstatement intervention, 28
- relationship conflict with OCD, 608
- relaxation techniques, 789–790, 834
- repetitive behaviors in OCD, 267, 350, 608
- repetitive negative thinking (RNT), 204
- Research Domain Criteria (RDoC)
- acute fear and potential anxiety, 206–207
  - acute stress disorder, 708–711, 710*t*
  - agoraphobia, 466–467
  - anxiety sensitivity, 121, 134
  - body dysmorphic disorder, 632
  - body-focused repetitive behavior disorders, 669
  - catastrophic cognitions, 394
  - cultural considerations with anxiety disorders, 394
  - disgust proneness, 183
  - distress tolerance, 235
  - domains and units of analysis, 205–206
  - DSM-5 revisions, 330–331
  - DSM-III revisions, 309
  - emotional regulation, 282, 289, 297, 298–299
  - experiential avoidance, 273
  - hoarding disorder, 646, 647–648*t*, 657
  - intolerance of uncertainty, 196, 204–207
  - introduction to, 4, 42
  - obsessive-compulsive disorder, 610
  - Obsessive-Compulsive Spectrum Disorders, 805
  - panic disorder, 466–467
  - posttraumatic stress disorder, 734–735
  - PTSD and, 709–711
  - Reactive Attachment Disorder, 745, 752–753, 759
  - selective mutism, 586
  - separation anxiety disorder, 550, 555
  - social anxiety disorder, 484
  - specific phobia, 428, 437
  - trauma-/stressor-related disorders, 387
  - trauma-focused psychotherapies, 850, 851
- resource allocation mechanism (RAM), 62
- resource allocation system (RAS), 63
- response modulation, 287
- responsibility appraisals of intrusive thoughts, 614
- Revised Child Anxiety and Depression Scale-Parent Version* (RCADS-P), 565
- Revised Children's Manifest Anxiety Scale* (RCMAS), 564
- reward decision-making task, 527
- reward response, 527
- right inferior frontal gyrus, 240–241
- rumination in emotional regulation, 289–290
- safety behaviors, 482, 493–496, 637, 658
- safety worries, 403
- Saving Cognitions Inventory (SCI), 649
- Saving Inventory-Revised (SI-R), 357
- scalable preventive interventions, 139
- scar model, 109, 110
- Schedule for Affective Disorders and Schizophrenia for School Age Children, Present and Lifetime Version* (K-SADS-PL), 563
- Schedule of Compulsions, Obsessions, and Pathological Impulses (SCOPI), 351
- schema-based information processing model, 60–61
- schizophrenia, 625, 707
- school phobia, 48
- School Speech Questionnaire*, 587
- Screen for Adult Anxiety Related Disorders* (SCARED), 566
- Screen for Child Anxiety Related Emotional Disorders-Revised* (SCARED-R), 564
- secondary behavioral processes, 493–496
- secondary cognitive processes, 490–492
- selection stage in GAD, 291, 293–294
- selective mutism
- assessment of, 587–588
  - behavioral perspective of, 585
  - behavioral profiles, 582–583
  - biological perspective of, 584–585
  - clinical presentations, 578–580
  - communication and development problems, 581–582
  - course of, 577–578
  - developmental psychology, 586–590
  - in DSM-IV, 310, 320
  - epidemiology, 576–577
  - externalizing behaviors, 579–580
  - family factors, 583–584
  - family systems, 586
  - internalizing behaviors, 578–579
  - intervention, 588–590
  - introduction to, 576
  - social problems, 580–581
  - temperament, 581
  - theoretical perspectives of, 584–586
- Selective Mutism Comprehensive Diagnostic Questionnaire*, 583
- Selective Mutism Questionnaire*, 587
- selective processing model of Mathews and Mackintosh, 63
- selective serotonin reuptake inhibitors (SSRIs), 5, 357, 589, 617, 805, 808, 815, 816, 834
- selective serotonin reuptake inhibitor/serotonin and norepinephrine reuptake inhibitor (SSRI/SNRI) pharmacotherapies, 356

- self as an aesthetic object, 629
- self-blame subscales, 381
- self-consciousness, 629
- self-correction of maladaptive beliefs, 615
- self-disgust, 627
- self-efficacy, 212, 237, 786
- self-focused attention, 489
- self-harm, 227
- self-rated symptoms in neuroticism, 97–98
- self-regulation, 256, 261
- self-regulatory executive function (S-REF) model, 51–52
- self-reported fear, 785
- self-reports/self-report instruments
- anxiety disorders, 322–326, 323–325*t*
  - body dysmorphic disorder, 354–355, 639
  - children with separation anxiety disorder, 563–565
  - disgust proneness, 165–167, 177
  - distress tolerance, 229
  - emotional disorders, 202
  - excoriation disorder, 359
  - experiential avoidance, 273
  - fear, 785
  - general anxiety disorder, 234
  - hoarding disorder, 357, 649–650, 652–653, 654
  - intolerance of uncertainty, 199
  - obsessive-compulsive disorder, 351–352
  - posttraumatic stress disorder, 379–380
  - questionnaires for, 322–326, 323–325*t*
  - Trichotillomania, 360
  - trichotillomania, 360
  - unit of analysis, 467, 469
- self-treatment of worry episodes, 405–406
- self-worth, 627
- sensory cortex, 69, 70–72, 72*f*
- sensory/pathology mutism, 583
- sensory perception of threat, 59
- Separation Anxiety Assessment Scale-Child and Parent Versions* (SAAS-C/P), 563
- Separation Anxiety Avoidance Inventory- Parent Version* (SAAI-P), 565
- separation anxiety disorder
- acceptance and commitment therapy, 775
  - assessment approaches, 562, 565–566
  - biological vulnerability, 554–555
  - child self-report measures, 563–565
  - classification, 551–552
  - cognitive behavior therapy, 566–567
  - comorbidity, 481, 552–553
  - consultation with caregivers, 562
  - developmental course, 553–554
  - diagnostic interviews, 562–563
  - dimensional conceptualization of, 558–559
  - in DSM-IV, 310, 320
  - etiology and maintenance, 554
  - evidence-based treatment, 566–568
  - family-based treatment, 567–568
  - introduction to, 550
  - MINI-5 interview, 320
  - neurobiological dimensions, 555
  - panic disorder and, 560
  - parent report measures, 565
  - parent training, 566–567
  - parental accommodation and intrusiveness, 556–557
  - parental attachment, 556
  - posttraumatic stress disorder and, 560–561
  - prevalence and epidemiology, 550–551
  - seeking safety in, 558–559
  - special populations, 565–566
  - subtypes, 559
  - transdiagnostic mechanisms, 555–556
- Separation Anxiety Symptom Inventory* (SASI), 565
- separation-related somatic complaints, 551
- serotonergic medication, 618
- serotonergic dysfunction, 350, 705
- serotonin hypothesis, 617
- serotonin-norepinephrine reuptake inhibitor (SNRI), 5, 776, 834
- serotonin reuptake inhibitors (SRIs), 808, 812
- serotonin transporter gene promoter region (5-HTTLPR), 20
- serotonin transporter polymorphism (5-HTTPRL) short allele, 632
- sertraline (*Zoloft*), 834
- 7-item Anxious Mood scale from the Inventory of Depression and Anxiety Symptoms (IDAS), 97
- severe chronic course trajectory, 4
- Severe-Comorbid profile, 335
- shame, 627
- shared phenomenological features, 3
- Sheehan Disability Scale (SDS), 386
- significance evaluator, 62
- single-nucleotide polymorphisms (SNPs), 468
- single photon emission computed tomography (SPECT), 617
- situation modification, 286
- situation selection, 286, 288
- situationally accessible memory (SAM) system, 733
- skin conductance response (SCR), 15, 656
- skin-picking disorder (SPD), 671. *See also*
- excoriation disorder
  - clinical features and comorbidity, 672
  - defined, 807
  - diagnostic classification and criteria, 671
  - introduction to, 608, 609
  - treatment outcomes, 816–817
- Skin Picking Impact Scale (SPIS), 359, 672
- Skin Picking Reward Scale, 674

- Skin Picking Scale-Revised (SPS-R), 359
- Skin Picking Symptom Assessment Scale (SP-SAS), 359
- Skin Picking Treatment Scale (SPTS), 359
- sleep paralysis, 408
- sleep-related disturbances and trauma, 408
- sleep-wake cycle, 530
- small animal phobias, 176
- small-talk conversation condition, 262
- smoking cessation, 227, 232
- social anxiety, defined, 48
- social anxiety disorder (SAD)
  - agoraphobia and, 455
  - anticipatory processing, 490–491
  - attachment theory, 499–500
  - attentional bias toward social threat, 487
  - attentional control, 488–489
  - avoidance dimension strategies, 334
  - case study, 13
  - cognitive behavior therapy, 203, 481, 772
  - cognitive-behavioral models of, 481–484
  - comorbidity, 481
  - distress tolerance and, 230, 239
  - DSM-5 vs. DSM-IV, 315–319, 317–318
  - early threat processing, 68–69
  - emotion regulation, 293–294, 497–499
  - experiential avoidance, 262–264
  - fear of negative evaluation, 485
  - fear of positive evaluation, 485–486
  - hyperreactivity with, 285
  - interpersonal relationship impairment, 500–501
  - interpretation bias, 489–490
  - intolerance of uncertainty, 202
  - introduction to, 480–481
  - neurotic temperament in, 333
  - positive valence domain/system, 496–497
  - post-event processing, 491–492
  - primary behavioral processes, 492–493
  - primary cognitive processes, 487–490
  - Research Domain Criteria, 484
  - rumination and, 289–290
  - secondary behavioral processes, 493–496
  - secondary cognitive processes, 490–492
  - self-focused attention, 489
  - self-rated symptoms, 97–98
  - summary, 501–502
  - system for social processes, 499–501
- social cognitive theory, 732–733
- Social-Depressed profile, 335
- social evaluation concerns, 333
- social-evaluation threat (SET) principle, 483
- social functioning/processes, 433–434, 530–534
- social isolation, 434
- social phobia, 110, 316, 578. *See also* social anxiety disorder
- Social Processes domain, 205
- social support, 838
- socio-moral disgust, 163
- socioemotional information, 238
- somatic anxiety, 333
- somatic complaints, 558
- somatic symptom disorders, 91, 321
- somatoform disorders, 518, 700
- spatial attentional allocation, 43
- spatial cueing task, 44
- specific phobia
  - adult samples, 423–424
  - arousal/modulatory systems, 438–439
  - behavior, 432–433
  - clinical presentation of, 431–434
  - cognitions, 431–432
  - cognitive systems, 438
  - comorbidities, 435–436
  - course of, 434–435
  - cultural, racial, and ethnic considerations, 424–425
  - diagnostic criteria, 421–422
  - disgust proneness, 176–177
  - epidemiology of, 423
  - etiology of, 425–428
  - genetics, 428–429
  - impairment associated with, 422–423
  - introduction to, 98, 421
  - link to later psychopathology, 435–436
  - negative valence systems, 437–438
  - parent-child interaction, 430
  - physiological reaction, 431
  - Research Domain Criteria and, 437
  - social functioning, 433–434
  - subjective affective experience, 433
  - temperament, 429–430
  - youth samples, 424
- specific severity measures, 322
- spectrum model, 110
- speech/language assessment, 588
- Spence Children's Anxiety Scale* (SCAS), 564
- spider phobias, 69
- spiritual worries, 403
- split-half reliability, 46
- spontaneous recovery, 27
- spontaneous remission, 311
- standard object categorization, 66
- Stanford Acute Stress Reaction Questionnaire (SASRQ), 383
- startle response, 408
- state anxiety, 62
- state model, 109, 111
- State-Trait Anxiety Inventory for Children* (STAIC), 565
- stereotypic movement disorder (SMD), 673
- stigma, 434
- stimulus generalization, 24

- Strange Situation Procedure, 385, 750–751
- Stressful Life Events Screening Questionnaire (SLESQ), 377
- strong efficacy support, 829, 834–835
- Stroop interference, 49, 432
- structural models of OCD, 617–618
- Structured Clinical Interview for DSM-5 (SCID-5), 320, 377, 378, 382–383, 386
- subfactors in symptom dimensions, 331
- subjective affective experience, 433
- substance use disorders (SUD)
- ADIS-5 interview, 321
  - anxiety sensitivity, 141–147
  - cannabis use, 146
  - cocaine use, 146
  - comorbidity, 2
  - heroin use, 146
  - marijuana use, 143, 231
  - neuroticism with, 91
  - opiate use, 145, 146
  - PTSD and, 561, 707
- Suffocation false alarm theory of PD, 461
- suicidality/suicidal ideation/attempts, 2, 132–141
- suprachiasmatic nucleus of the hypothalamus, 530
- survival guilt, 410
- sympathomotor control areas, 460
- symptom accommodation, 607
- symptom dimensions in OCD, 605
- system for social processes, 499–501
- taxonic structure, 205
- temper tantrums, 579, 583
- temperament, 20, 329, 333, 429–430, 581
- temporal stages of emotion processing, 65
- 10-item Worry Domains Questionnaire-Short Form, 97
- terrorist attack exposure, 701
- test-retest reliability, 46, 381
- Theory of Mind, 533–534
- thinking traps, 786
- third variable models, 111
- third wave therapies, 774–776
- threat evaluation system (TES), 63, 64
- threat imminence model, 458, 466
- threat perception, defined, 59
- threat processing in brain
- early neural response to threat, 67–68
  - early neural response to threat in anxiety, 68–69
  - neural mapping of, 65–67
  - neurosensory account of anxiety, 72–77, 73*f*, 75*f*
  - perceptual mechanisms of anxiety disorders, 65–77
  - sensory cortex, 69, 70–72, 72*f*
  - underlying mechanisms, 69–70
- threat-relevant information, 496
- threat “tagging,” 77
- Three-Domain Disgust Scale (TDDS), 167
- threshold disagreements in DSM-5, 328
- time course of attentional bias to threat, 46
- tolerance for uncertainty, 200
- Tourette Syndrome, 676, 806, 808
- trait anxiety, 62
- Trait Meta-Mood Scale, 285
- transdiagnostic factors/processes
- anxiety disorders, 790–791
  - dimensional assessment of, 336–337
  - distress tolerance, 235–239
  - emotion regulation, 282, 288, 299–300
  - panic disorder, 459
  - posttraumatic stress disorder, 734
  - with RDoC framework, 330
  - separation anxiety disorder, 555–556
- transdiagnostic phenotype dimensions, 332–333
- transdiagnostic traits of neuroticism, 112
- transdiagnostic vulnerability factor, 136, 258
- trauma-/stressor-related disorders (TSRDs). *See also* acute stress disorder; posttraumatic stress disorder
- ADIS-5 interview, 321
  - adjustment disorder, 4, 386–387
  - anxiety sensitivity, 126–132
  - anxiety sensitivity and, 126–132
  - clinical literature, 840
  - complementary/integrative health treatment, 836–838
  - cross-cultural perspective, 406–411, 407*f*
  - Disinhibited Social Engagement Disorder, 383–386
  - evidence-based assessment, 828, 840–844
  - implementation science, 841–844
  - intervention innovations, 847–852
  - introduction to, 321
  - pharmacotherapy, 834–836
  - prevention practices, 838–840
  - psychotherapy, 828–834
  - Reactive Attachment Disorder, 371, 383–386
  - Research Domain Criteria (RDoC), 387
  - summary of, 387–388
  - treatments for, 826
  - VHA rollouts, 844–846
- trauma-focused psychotherapies (TFP)
- defined, 828
  - groups, 847
  - high-tech platforms, 848–849
  - implementation strategies, 842–843
  - innovation in packaging, 847
  - intervention innovations, 847–852
  - leveraging mechanisms of action, 849–852
  - massed format, 848
  - medication *vs.* psychotherapy, 835–836
  - primary care, 847–848



- trauma-focused psychotherapies (TFP) (cont.)  
     strong efficacy support, 829  
     summary, 852  
 trauma-network activation, 404–405  
 Trauma-Related Guilt Inventory (TRGI), 381  
 trauma/traumatic events  
     anger and, 409  
     anxiety and depression with, 411  
     attribution of symptoms to cultural syndrome, 409  
     biomarkers in, 706–708  
     bodily effects of, 410  
     defined, 686  
     depression and, 411, 707  
     exposure in PTSD, 376–377  
     fear conditioning model in humans, 21  
     grief and, 700  
     historical theories of, 729–731  
     hypervigilance and, 408  
     individual reactions, 687*f*, 688, 689*f*  
     mental effects of, 410  
     neuroticism with, 91  
     poor concentration, 408–409  
     poor sleep and, 408  
     protective factors, 21  
     sleep-related disturbances and, 408  
     startle and, 408  
     stress response, 704, 706*f*  
     triggers and, 269  
     unwanted recall of, 408  
 Traumatic Avoidance scale, 97  
 traumatic brain injury (TBI), 846  
 Traumatic Intrusions scale, 97  
 Traumatic Life Events Questionnaire (TLEQ), 376  
 traumatic re-experiencing and distress, 334  
 treatment-related referrals, 550  
 treatment/treatment outcomes. *See also* anxiety disorders treatment; evidence-based treatment/practices; exposure-based treatment; intervention; psychotherapy  
     anxiety, 236  
     anxiety sensitivity, 124–125  
     body dysmorphic disorder, 812–813  
     complementary health treatment, 836–838  
     differences in panic attacks and agoraphobia, 311  
     disgust proneness, 181–183  
     emotion regulation, 297–298  
     emotional regulation, 297–298  
     family-based treatment, 567–568  
     hoarding disorder, 813–815  
     integrative health treatment, 836–838  
     intolerance of uncertainty, 203–204  
     major depressive disorder, 772  
     mental health treatment, 702, 728–729  
     Obsessive-Compulsive and Related Disorders, 808–817  
     obsessive-compulsive disorder, 236, 808–812  
     self-treatment of worry episodes, 405–406  
     skin-picking disorder, 816–817  
     trauma-/stressor-related disorders, 826  
     trichotillomania, 815–816  
 trichotillomania (TTM)  
     assessment of, 360–361  
     body-focused repetitive behavior disorders, 669–671  
     classification of, 361  
     clinician-rated measures, 360–361  
     defined, 807  
     diagnostic classification and criteria, 669–670  
     in DSM-5, 608  
     self-report instruments, 360  
     treatment outcome, 815–816  
 Trichotillomania Diagnostic Interview (TDI), 360–361  
 Trichotillomania Impact Project (TIP), 670  
 tricyclic antidepressants (TCAs), 776, 777  
 two-factor theory, 730  
     uncertainty symptoms, 268  
     unconditional stimulus (US), 14–15  
     unexpected-symptom panic attack, 452  
 Unified Protocol, 790  
 universal change process, 204  
 US Veterans Health Administration (VHA), 841  
     *val/val* genotype, 651  
 valence evaluation system (VES), 51, 62  
 Vancouver Obsessional Compulsive Inventory (VOCI), 351  
 Vancouver Obsessional Compulsive Inventory-Revised (VOCI-R), 351  
 vasopressin systems, 757  
 venlafaxine (*Effexor*), 834  
 ventral mPFC (vmPFC), 458  
 ventral periaqueductal gray (vPAG), 460  
 ventromedial prefrontal cortex (VmpFC), 18, 210, 212, 241, 651  
 verbally accessible memory (VAM) system, 733, 736  
 VHA rollouts, 844–846  
 vigilance-avoidance hypothesis, 487  
 vigilance-avoidance pattern of attentional bias, 46  
 virtual reality, 17, 45, 849  
 visual search task, 43–44  
 visuospatial delayed recall, 655  
 vulnerability model, 109  
     Wanting scale, 674  
     Wechsler Adult Intelligence Scale (WAIS), 655



	Index	885
Wisconsin Card Sort Task (WCST), 655		
working memory, 655, 758		
World Federation of Societies of Biological Psychiatry, 776		
World Health Organization (WHO), 624		
World Health Organization (WHO) World Mental Health (WHM) Survey Initiative, 727		
World Health Organization Quality of Life-BREF, 386		
World Mental Health surveys, 552, 701		
worry		
as adaptive, 258		
catastrophic cognitions theory of panic, 403–404		
cognitive models of, 522–526		
cross-cultural perspective of, 401–406		
distress tolerance, 235		
distressful worry, 409		
escalation to panic, 406		
experimentally induced worry, 524		
financial worries, 403		
generalized anxiety disorder and, 258–261		
health worries, 403		
hybrid worry attacks, 406, 412		
negative valence systems in, 519–522		
persistent and excessive, 551–552		
positive valence systems, 526–528		
role in GAD, 288, 289, 517		
safety worries, 403		
self-treatment of, 405–406		
symptoms induced by, 404–405		
worry attacks, 406, 412		
worry of calamitous events (WCE), 558, 559		
Written Exposure Therapy (WET), 830		
Yale-Brown Obsessive Compulsive Scale (Y-BOCS), 352–353, 656		
Yale-Brown Obsessive Compulsive Scale Modified for Neurotic Excoriation (NE-Y-BOCS), 359		
Yale-Brown Obsessive Compulsive Scale-Second Edition (Y-BOCS-II), 352, 353		
yoga practices, 837		