

Index

abdominal pregnancy definition, locations of, and death rates from, 60 diagnosis, 60 treatment options and considerations, 60 treatment of spleen and liver pregnancies, 60	vasectomy reversal and, 128–30 azoospermia, 138. <i>See also</i> surgical sperm retrieval clinical evaluation of prior to surgical sperm retrieval, 138–9 cystic fibrosis (CFTR) genetic testing and, 138 ejaculatory duct obstruction and, 146 non-obstructive azoospermia (NOA), 138, 144 obstructive azoospermia (OA), 138, 144 pregnancy rates for men with NOA subsets post-microTESE, 144	ovarian tissue autotransplantation (orthotopic ovarian autotransplantation ovarian medulla technique), 93–4 ovarian tissue autotransplantation (orthotopic ovarian autotransplantation peritoneal window technique), 94 ovarian tissue autotransplantation (orthotopic ovarian autotransplantation surgical technique), 93 ovarian tissue autotransplantation after OTC, 93 Ovarian Tissue Cryopreservation (OTC) (for ovarian tissue harvesting), 92 Ovarian Tissue Cryopreservation (OTC) (for prepubertal patients), 92 Ovarian Tissue Cryopreservation (OTC) (for women with cancer, autoimmune disease, or anemia), 92 Ovarian Tissue Cryopreservation (OTC) (for women who cannot undergo IVF), 92 ovarian tissue harvesting (for prepubertal patients), 92 ovarian tissue harvesting and, 92 ovarian tissue harvesting prior to OTC via laparoscopy (surgical technique), 92–3 ovarian transposition for pelvic irradiation, 89 ovarian transposition via laparoscopy, 90 ovarian transposition via laparoscopy (surgical technique), 90–2 ovarian transposition via laparotomy for pelvic irradiation, 89	cervical pregnancy diagnosis, 59 prevalence of, 59 treatment options, 59 cervical ripening agents for office hysteroscopy, 3 cesarean scar pregnancy, 59 diagnosis, 59 outcomes of, 59 treatment options, 59 climacturia, 151 complete uterine septum, 24 intraoperative considerations, 24–5 cornual pregnancy defined, 58 diagnosis, 58 pregnancy rates after surgical and non-surgical treatment, 58 risk factors for, 58 surgical treatment options and techniques, 58–9 cystic fibrosis (CFTR) genetic testing, 138, 147 Da Vinci robotic surgical system, 130 Deeply Infiltrating Endometriosis (DIE), 77 distal tubal occlusion. <i>See also</i> tubal factor infertility causes, 46 neosalpingostomy (as preferred treatment option for), 48 neosalpingostomy/ fimbrioplasty, 46 neosalpingostomy/ fimbrioplasty (intra-operative procedures), 46 neosalpingostomy/ fimbrioplasty (postoperative considerations), 47 neosalpingostomy/ fimbrioplasty (pre-operative considerations), 46 pregnancy and ectopic pregnancy rates and, 46 salpingectomy, 48
adhesions from reproductive surgery, 3, 11. <i>See also</i> <i>under</i> hysteroscopy classification of, 4 clinical consequences from, 13–15, 18 Gore-Tex use in, 16, 17, 18 Icodextrin 4% (ADEPT) use in, 16, 17, 18, 36 Interceed use in, 16, 17–18, 36, 39, 46, 68, 94 intrauterine adhesion risk, treatment, and prevention, 18 pain relief post-lysis of bowel or adnexal, 16 pathogenesis and prevalence, 13–15 post-septum incision, 23 risk, treatment, and prevention of from reproductive surgery, 16–18 Seprafilm use in, 16, 17, 18, 68 surgical barrier use effect on pain and fertility and, 18 surgical results and pregnancy rates post-lysis, 16 surgical treatment techniques, 15–16	bicornuate uterus, 25 pregnancy rates post-cervical cerclage for, 26 treatment (indications for), 25–6 treatment (intraoperative considerations), 26 treatment (postoperative considerations), 26–7 treatment (pre-operative considerations), 6 treatment (Strassman metroplasty for), 26 birth control. <i>See also</i> surgical sterilization; tubal ligation; vasectomy Essure tubal occlusion device, 48, 50, 51 most common method of surgical sterilization in US, 50 recommendation for length of after a robotic myomectomy or adenomyomectomy, 109 cancer and female fertility preservation, 89 cancer treatment impact on reproductive system, 89 ovarian tissue autotransplantation (heterotopic autotransplantation surgical technique), 93		

Index

- distal tubal occlusion (*cont.*)
 salpingectomy
 (intra-operative procedure), 47–8
 salpingectomy (postoperative IVF), 48
 salpingectomy (pre-operative considerations), 47
 distension media and fluid management
 for hysteroscopy, 2, 8, 11
 ectopic pregnancy. *See also*
 abdominal pregnancy;
 cervical pregnancy;
 cesarean scar pregnancy;
 cornual pregnancy;
 heterotopic pregnancy;
 ovarian pregnancy
 diagnosis, 55, 56
 distal tubal occlusion
 and, 46
 mortality rate and ethnicity in
 US, 55
 non-surgical
 management of, 55
 post-tubal reanastomosis
 (robotic-assisted), 51
 pregnancy rates
 post-salpingostomy vs.
 salpingectomy, 56
 risk factors for, 55
 rudimentary horn pregnancy
 diagnosis and surgical
 treatment, 59
 surgical techniques
 (salpingectomy and
 salpingostomy), 56–8
 surgical treatment
 (considerations), 55–6
 surgical treatment
 (salpingectomy and
 salpingostomy), 56
 treatment of spleen and liver
 pregnancies, 60
 ejaculatory duct obstruction. *See also*
 transurethral resection
 of the ejaculatory duct
 (TURED)
 cystic fibrosis (CFTR) genetic
 testing and, 147
 male infertility and, 146
 persistent post-TURED, 151
 pre-operative evaluations
 for, 146–7
 endometrial polyps, 6. *See also*
 under hysteroscopy
 endometriosis
 appendectomy for, 81
 bladder endometriosis
 surgical treatment options
 and techniques, 83–6
 diagnosis and pre-operative
 evaluation, 74
 gastro-intestinal tract, 78
 gastro-intestinal tract (bowel
 endometriosis discoid
 resection technique), 79–80
 gastro-intestinal tract
 (bowel endometriosis
 laparoscopic segmental
 resection technique), 81
 gastro-intestinal tract
 (bowel endometriosis
 shaving technique), 78–9
 gastro-intestinal tract
 (surgical technique and
 treatment), 78
 management of Deeply
 Infiltrating Endometriosis
 (DIE), 77
 management of ovarian
 endometriomas, 76–7
 management of
 superficial
 peritoneal, 75–6
 pararectal and
 rectovaginal, 77–8
 prevalence and incidence
 rates, 74
 robotic-assisted surgery for,
 86, 109
 robotic-assisted surgery
 for (bowel preparation
 and perineal access), 110
 robotic-assisted surgery
 for (intra-operative
 procedure), 110–12
 robotic-assisted surgery
 for (postoperative
 considerations), 112
 robotic-assisted surgery
 for (pre-operative
 considerations), 109–10
 surgical treatment of
 pelvic, 74–5
 symptoms, 74
 types and ASRM stage
 classification, 74
 ureteral endometriosis
 (extrinsic and intrinsic
 types of), 81
 ureteral endometriosis
 (laparoscopic ureter
 resection and
 anastomosis for ureter
 invasion), 83
 ureteral endometriosis
 (ureterolysis for
 lesions near pelvic
 ureter), 82–3
 epididymis, 122
 Essure tubal occlusion
 device, 48, 50
 pregnancy and live birth rates
 after reversal of, 51
 female infertility. *See* cancer and
 female fertility preservation;
 in vitro fertilization
 (IVF); laparoscopic
 ovarian diathermy (LOD);
 pregnancy rates; tubal
 anastomosis; tubal factor
 infertility; uterine fibroids
 fibroids. *See* uterine fibroids
 fimbrioplasty
 distal tubal occlusion
 (intra-operative
 considerations), 46
 distal tubal occlusion
 (postoperative
 considerations), 47
 distal tubal occlusion
 (pre-operative
 considerations), 46
 Gore-Tex, 16, 17, 18
 hematoma
 following vasectomy
 reversals, 128
 heterotopic pregnancy
 defined, 60
 diagnosis, 60
 methotrexate as
 contraindicated for, 60
 prevalence and risk of
 post-ART, 60
 treatment options and
 considerations, 60
 hydrocelectomy, 154–5
 hydrocele defined, 154
 hysterectomy
 vs. myomectomy for uterine
 fibroids, 69
 hysterosalpingogram (HSG)
 for diagnosing tubal factor
 infertility, 43
 hysteroscopes, 1
 hysteroscopy. *See also* office
 hysteroscopy
 benefits of, 1
 complications from, 3, 11
 distension media and fluid
 management, 2, 8, 11
 for endometrial polypectomy
 (diagnosis and treatment
 guidelines), 6
 for endometrial polypectomy
 (indications for
 procedure), 6
 for endometrial polypectomy
 (outcomes and pregnancy
 rates), 7
 for endometrial polypectomy
 (pain management), 6
 for endometrial polypectomy
 (pre-procedure planning), 6
 for endometrial polypectomy
 (surgical approach and
 technique), 6–7
 for septate uterus
 treatment, 22, 23
 heavy bleeding and, 11
 hysteroscopic morcellators, 1
 infection and, 11
 lysis of intrauterine
 adhesions, 3
 lysis of intrauterine adhesions
 (classification of adhesions), 4
 lysis of intrauterine adhesions
 (diagnosis and treatment
 guidelines), 3
 lysis of intrauterine
 adhesions (indications for
 procedure), 3
 lysis of intrauterine adhesions
 (pain management for), 4
 lysis of intrauterine adhesions
 (postoperative management
 of), 11
 lysis of intrauterine
 adhesions (postoperative
 management), 5
 lysis of intrauterine adhesions
 (pre-procedure planning
 for), 4
 lysis of intrauterine adhesions
 (prognosis), 4–5
 lysis of intrauterine adhesions
 (surgical approach and
 technique), 4–5
 myomectomy for uterine
 fibroids (diagnosis and
 treatment guidelines), 7
 myomectomy for uterine
 fibroids (indications for
 procedure), 7, 69
 myomectomy for
 uterine fibroids (pain
 management), 7
 myomectomy for uterine
 fibroids (postoperative
 management), 10
 myomectomy for uterine
 fibroids (pre-procedure
 planning), 7
 myomectomy for uterine
 fibroids (risk of and
 methods for excess fluid
 absorption), 8
 myomectomy for uterine
 fibroids (surgical approach
 and technique), 7–10, 69
 myomectomy for uterine
 fibroids (three main
 techniques for), 7
 tubal cannulation for proximal
 tubal occlusion, 44, 48
 uterine perforations and, 11
 Icodextrin 4% (ADEPT), 16,
 17, 18, 36
 in vitro fertilization (IVF)
 advantages and disadvantages
 of vs. tubal anastomosis, 50
 financial considerations, 50
 intracytoplasmic sperm
 injection (ICSI) and, 138
 IVF vs. surgical correction
 of tubal factor
 infertility, 43–4
 prior removal of
 endometriomas and, 37
 prior salpingectomy effect on
 success rates of, 47, 48
 robotic ovarian surgery
 for endometriomas and
 dermoid cysts and, 113
 robotic tubal reanastomosis
 and, 117

Index

- SART.org (IVF success rate registry), 43
 tubal ligation's effect on success rates of, 48
 incontinence, 151
 informed consent
 for robotic myomectomy, 100
 for robotic ovarian surgery for endometriomas and dermoid cysts, 112–13
 for robotic tubal reanastomosis, 115
 Interceed, 16, 17–18, 36, 39, 46, 68, 94
 defined, 36
 in ovarian surgery, 94
 interstitial pregnancy. *See* cornual pregnancy
 intracytoplasmic sperm injection (ICSI), 138
 intrauterine adhesions.
 See adhesions from reproductive surgery

 laparoscopic myolysis
 for uterine fibroids, 69
 laparoscopic ovarian diathermy (LOD), 38–9
 complications, 39
 for CC resistant anovulation with PCOS, 38–9, 40
 outcomes, 40
 pregnancy rates and, 39, 40
 techniques for, 39
 laparoscopic tissue removal
 risk and risk factors for sarcomas and, 70–1
 surgical technique for fibroids, 71
 laparoscopy. *See also* robotic-assisted laparoscopic surgery
 as best method for salpingectomy, 47
 for ovarian pregnancy, 60
 myomectomy for uterine fibroids, 65
 ovarian tissue harvesting prior to OTC for fertility preservation from cancer treatment (surgical technique), 92–3
 ovarian transposition for fertility preservation from cancer treatment, 90
 ovarian transposition for fertility preservation from cancer treatment (surgical technique), 90–2
 ureter resection and anastomosis for ureteral endometriosis, 83
 laparotomy
 ovarian transposition for fertility preservation for pelvic irradiation cancer treatment, 89
 lasers, 16

 male infertility. *See also* azoospermia; ejaculatory duct obstruction; scrotal surgery (fertility concerns); surgical sperm retrieval; transurethral resection of the ejaculatory duct (TURED); varicoceles and varicocele repair; vasectomy reversal
 azoospermia and, 138
 table of distribution of diagnostic categories of, 132
 methotrexate, 56, 59, 60
 as contraindicated for heterotopic pregnancy, 60
 as contraindicated for ovarian pregnancy, 60
 microdissection testicular sperm extraction (microTESE), 141–4
 pregnancy rates for men with NOA subsets, 144
 microsurgical epididymal sperm aspiration (MESA), 140, 144t14.1
 morcellators. *See also* laparoscopic tissue extraction
 hysteroscopic morcellators, 1
 risk and risk factors for sarcomas and, 70–1
 Mullerian anomalies, 31. *See also* bicornuate uterus; septate uterus; unicornuate uterus and associated rudimentary horn; vaginal septum
 ASRM classification of, 20
 defined, 20
 incidence, 20
 incidence of abortions, preterm birth and lower live birth rates with, 20
 myolysis
 for uterine fibroids, 69
 myomas. *See* uterine fibroids
 myomectomy. *See under* hysteroscopy; uterine fibroids; *See* robotic myomectomy

 neosalpingostomy, 46
 distal tubal occlusions (as preferred treatment option for), 48
 distal tubal occlusions (intra-operative considerations), 46
 distal tubal occlusions (postoperative considerations), 47
 distal tubal occlusions (pre-operative considerations), 46
 Novy Cornual Cannulation Set (Cook Medical), 44

 office hysteroscopy, 2. *See also* hysteroscopy
 anesthesia choice and, 2–3
 cervical ripening agents and, 3
 complications, 2
 endometrial polypectomy and, 6
 indications for, 2
 pain and, 2
 vaginostomy and, 2
 orchidopexy, 155–6
 in children and adolescents, 155
 orchiectomy, 155–6
 ovarian cystectomy, 33. *See also* robotic ovarian surgery (endometriomas and dermoid cysts)
 differential diagnosis and diagnosis, 33–4
 surgical management of cysts, 34–7
 ovarian endometriomas, 76–7.
 See also robotic ovarian surgery (endometriomas and dermoid cysts)
 pregnancy rates post-excisional vs. ablative surgery, 76
 ovarian pregnancy
 diagnosis, 59, 60
 diagnosis (Spiegelberg's criteria), 59
 methotrexate as contraindicated for, 60
 salpingo-oophorectomy for, 60
 treatment options and considerations, 60
 ovarian reserve, 112
 cancer treatment and, 89
 post-salpingectomy, 56
 robotic ovarian surgery for endometriomas and dermoid cysts and, 113
 ovarian surgery (reproductive focus), 33, 40. *See also* laparoscopic ovarian diathermy (LOD); ovarian cystectomy; ovarian torsion
 ovarian tissue
 autotransplantation, 93
 heterotopic autotransplantation surgical technique, 93
 Interceed use in, 94
 orthotopic ovarian autotransplantation (ovarian medulla technique), 93–4
 orthotopic ovarian autotransplantation (peritoneal window technique), 94
 orthotopic ovarian autotransplantation surgical technique, 93

 Ovarian Tissue Cryopreservation (OTC), 92
 ovarian tissue harvesting and, 92
 ovarian tissue harvesting for fertility preservation prior to OTC via laparoscopy (surgical technique), 92–3
 ovarian torsion, 40
 defined, 37
 diagnosis, 37
 prevalence of, 37
 risk factors for, 37
 treatment, 37
 treatment (intra-operative procedure), 38
 treatment (postoperative considerations), 38
 treatment (pre-operative considerations), 37
 ovarian transposition for fertility preservation via laparoscopy, 90
 for fertility preservation via laparoscopy (surgical technique), 90–2
 for fertility preservation via laparotomy for pelvic irradiation cancer treatment, 89
 for fertility preservation with pelvic irradiation cancer treatment, 89

 pain management
 for hysteroscopic endometrial polypectomy, 6
 for hysteroscopic lysis of intrauterine adhesions, 4
 for hysteroscopic myomectomy for uterine fibroids, 7
 for office hysteroscopy procedures, 2
 for post-surgical sperm retrieval, 143
 for post-vasectomy pain syndrome (PVPS), 123–4
 laparoscopic excision and laparoscopic ablation for endometriosis, 74, 75
 lysis of bowel or adnexal adhesions effectiveness, 16
 post-vasectomy reversal, 128
 pre-TURED, 147
 scrotal surgery for chronic testicular pain, 155, 156
 surgical barrier use effectiveness, 18
 partial salpingectomy, 50
 percutaneous epididymal sperm aspiration (PESA), 139–40, 144t14.1
 peritonitis, 112
 polycystic ovary syndrome (PCOS), 38. *See also* laparoscopic ovarian diathermy (LOD)

Index

- polypectomy. *See under* hysteroscopy
- post-vasectomy pain syndrome (PVPS), 123–4
- pregnancy rates
 adhesions effect on, 13
 distal tubal occlusion and, 46
 fibroids effect on, 7
 IVF success rates tracking via SART.org, 43
 post-cervical cerclage in women with a bicornuate uterus, 26
 post-Essure tubal occlusion device removal, 51
 post-excisional vs. ablative surgery for endometriomas, 76
 post-hysterosalpingogram (HSG), 43
 post-hysteroscopic endometrial polypectomy, 7
 post-hysteroscopic septoplasty, 21
 post-hysteroscopic vs. fluoroscopic guided tubal cannulation, 44
 post-laparoscopic ovarian diathermy (LOD), 39, 40
 post-lysis of postoperative adhesions, 16
 post-MicroTese surgical sperm retrieval for men with NOA subsets, 144
 post-robot assisted laparoscopic vs. laparotomic ovarian surgery, 112
 post-salpingostomy vs. salpingectomy (ectopic pregnancy), 56
 post-septum incision, 24
 post-surgical sperm retrieval in men with OA, 143
 post-tubal anastomosis, 50, 51
 post-tubal reanastomosis (robotic-assisted), 51
 post-TURED, 150
 post-varicocele repair, 136
 post-vasectomy reversal, 122, 123, 124, 125, 127, 128
 post-vasectomy reversal (robotic-assisted), 130
 prior removal of endometriomas and IVF success rates, 37
 tubal factor infertility and, 43
- proximal tubal occlusion. *See also* tubal factor infertility causes and diagnosis, 44
 pregnancy rates post-tubal cannualization, 44
 tubal cannualization, 44, 48
 tubal cannualization (intra-operative procedures), 44
 tubal cannualization (postoperative considerations), 44
 tubal cannualization (pre-operative considerations), 44
- reproductive surgery. *See also* adhesion from reproductive surgery; by procedure
 goal of, 96
- robotic myomectomy, 65
 child birth delivery recommendations after, 109
 intra-operative considerations, 100
 intra-operative considerations (general technical considerations), 100–1
 intra-operative considerations (hemostasis), 101
 intra-operative considerations (techniques for larger myomas < 7–10 CM diameter), 104–7
 intra-operative considerations (techniques for small myomas < 7 CM diameter), 101–4
 intra-operative considerations (techniques for very large myomas > 10 CM diameter), 107
 port placement in, 101, 104, 107
 postoperative considerations, 108–9
 pre-operative considerations, 99
 pre-operative considerations (case selection), 99
 pre-operative considerations (informed consent), 100
 pre-operative considerations (need for proficiency at stimulation), 99
 pre-operative considerations (pre-operative misoprostol), 99, 102
 pre-operative considerations (pre-treatment with GnRH α), 99
 pre-operative considerations (timing of surgery with menstrual cycle), 99
 pre-operative considerations (tranexamic acid for AUB), 100
 pre-operative considerations (use of MRI myoma mapping), 99
- robotic adenomyomectomy, 98, 99, 100
 robotic adenomyomectomy (child birth delivery recommendations after), 109
 robotic adenomyomectomy (intra-operative considerations), 107–8
 robotic adenomyomectomy (postoperative considerations), 108–9
 safety and efficacy of, 97
- robotic ovarian surgery
 (endometriomas and dermoid cysts), 112.
See also ovarian cystectomy; ovarian endometriomas
 intra-operative technique, 113–15
 port placement in, 113
 post-operative considerations, 115
 pregnancy rates after laparoscopic vs. laparotomic surgery, 112
 pre-operative considerations, 112
 pre-operative considerations (informed consent), 112–13
 pre-operative considerations (IVF considerations), 113
 pre-operative considerations (ovarian reserve), 113
- robotic tubal reanastomosis, 115.
See also tubal anastomosis
 intra-operative technique, 117–18
 port placement in, 117
 post-operative considerations, 118–19
 pregnancy and ectopic rates, 51, 118
 pre-operative considerations, 115
 pre-operative considerations (defining type of sterilization), 117
 pre-operative considerations (informed consent), 115
 pre-operative considerations (IVF considerations), 117
 pre-operative considerations (need for proficiency at stimulation), 117
- robotic-assisted laparoscopic surgery, 119. *See also* robotic myomectomy; robotic ovarian surgery; robotic tubal reanastomosis; robotic-assisted vasectomy reversal
 as option for reproductive surgeons, 96
 FireFly video imaging in, 109
 for endometriosis, 86, 109
 for endometriosis (intra-operative procedure), 110–12
 for endometriosis (postoperative considerations), 112
 for endometriosis (pre-operative considerations), 109–10
 port placement in, 96–7
 port placement in (for endometriosis), 110, 112
 pre-operative considerations (need for proficiency at stimulation), 109
 robotic-assisted vasectomy reversal, 130
- rudimentary horn pregnancy
 diagnosis and surgical treatment of, 59
- salpingectomy, 46
 effect on IVF success rates, 47, 48
 laparoscopy as best method for, 47
 ovarian reserve and, 56
 surgical techniques for ectopic pregnancy, 56–8
 tubal occlusions, 48
 tubal occlusions (intra-operative procedure), 47–8
 tubal occlusions (postoperative IVF), 48
- salpingo-oophorectomy for ovarian pregnancy, 60
- salpingostomy
 surgical techniques for ectopic pregnancy, 56–8
- sarcomas
 morcellation and risk of, 70–1
- SART.org (IVF success rate registry), 43
- scrotal surgery (fertility concerns), 154, 156
 hydrocelectomy, 154–5
 indications for scrotal surgery, 154
 need for prior counseling on fertility potential, 156
 orchiectomy/orchidopexy, 155–6
 spermatocele excision, 155
- Seprafilm, 16, 17, 18, 68
 defined, 18
- septate uterus, 20
 complete uterine septum, 24
 complete uterine septum (intraoperative considerations), 24–5
 defined, 20
 diagnosis, 20
 indications for treatment, 21–2
 intraoperative procedure, 22–3
 partial septate uterus, 21
 postoperative considerations, 23–4
 pregnancy rates post-hysteroscopic septoplasty for, 21

Index

- preoperative
 considerations, 22
 treatment (hysteroscopic techniques for), 22, 23
- sperm granuloma
 defined, 124
 vasectomy reversal and, 124
- spermatocele excision, 155
 spermatocele defined, 155
- Spiegelberg's criteria, for
 diagnosing ovarian
 pregnancy, 59
- Strassman metroplasty
 for bicornuate uterus, 26
- surgical sperm retrieval, 138,
 144. *See also* azoospermia
 clinical characteristics
 and success rates of SSR
 techniques for patients with
 OA, 143
 clinical evaluation prior
 to, 138–9
 complications (NOA
 techniques), 144
 complications (OA
 techniques), 143
 cystic fibrosis (CFTR) genetic
 testing and, 138
 goal of, 138
 OA or NOA as determining
 method of, 139
 outcomes for patients with
 NOA, 143, 144
 outcomes for patients with
 OA, 143, 144t14.1
 pain management after, 143
 postoperative care, 143
 preferred technique for men
 with NOA, 143, 144
 pregnancy rates after, 143
 pregnancy rates after
 MicroTese sperm retrieval
 for men with NOA
 subsets, 144
 preoperative preparation and
 considerations, 139
 surgical techniques
 (microdissection testicular
 sperm extraction
 (microTESE)), 141–4
 surgical techniques
 (microsurgical epididymal
 sperm aspiration (MESA)),
 140, 144t14.1
 surgical techniques
 (percutaneous epididymal
 sperm aspiration (PESA)),
 139–40, 144t14.1
 surgical techniques (testicular
 sperm aspiration (TESA)),
 140–1, 144t14.1
 surgical techniques (testicular
 sperm extraction (TESE)),
 141, 144t14.1
 surgical techniques (vasal
 aspiration), 139, 144t14.1
 techniques for men with
 OA, 144
- varicocele
 varicocele for men with
 NOA prior to, 139
 surgical sterilization, 50
 regret after female, 50
- testicular sperm aspiration
 (TESA), 140–1, 144t14.1
- testicular sperm extraction
 (TESE), 141, 144t14.1
- testosterone replacement
 therapy, 123
- transurethral resection of
 prostate (TURP), 148, 151
- transurethral resection of the
 ejaculatory duct (TURED),
 146. *See also* ejaculatory
 duct obstruction
- long-term
 management, 151–2
- postoperative complications
 (ejaculation of urine at
 orgasm/climacturia), 151
- postoperative complications
 (incontinence), 151
- postoperative complications
 (persistent ejaculatory duct
 obstruction), 151
- postoperative complications
 (rectal injury), 151
- postoperative complications
 (retrograde
 ejaculation), 151
- postoperative complications
 (urethral stricture), 151
- postoperative complications
 (urinary reflux to
 excurrent ductal
 system), 150–51
- postoperative complications
 (vasal obstruction), 151
- pre-operative counseling
 for, 147
- pre-operative evaluations
 for, 146–7
- vasographic surgical
 approach, 147
- vasographic surgical approach
 (anesthesia), 148
- vasographic surgical approach
 (outcomes), 150
- vasographic surgical approach
 (perioperative antibiotics
 for UTI), 148
- vasographic surgical approach
 (positioning), 148
- vasographic surgical approach
 (postoperative care), 150
- vasographic surgical approach
 (pregnancy rates), 150
- vasographic surgical approach
 (procedure), 148–50
- tubal anastomosis, 53. *See also*
 robotic tubal reanastomosis
 advantages and disadvantages
 of vs. IVF, 50
 contraindications to, 50
 financial considerations, 50
 operative technique, 51
- postoperative timeline for
 conception attempts, 51
- pregnancy and ectopic rates
 after robotic-assisted, 51
- pregnancy rates after, 50, 51
- surgical approaches to, 51
- tubal cannulization, 44
- tubal factor infertility, 43, 48.
See also distal tubal
 occlusion; proximal tubal
 occlusion
- diagnosis of, 43
- pregnancy and birth rates, 43
- risk factors, 43
- surgical correction of vs.
 immediate IVF, 43–4
- treatment
 considerations, 43–4
- tubal ligation, 48
- tubal ligation, 48
 effect on IVF success rates, 48
- unicornuate uterus and
 associated rudimentary
 horn, 27
- diagnosis, 28
- treatment, 28
- treatment (indications for
 treatment), 28
- treatment (intraoperative
 considerations), 28–31
- treatment (postoperative
 considerations), 31
- treatment (preoperative
 considerations), 28
- ureterolysis, 82–3
- uterine anomalies. *See* Mullerian
 anomalies
- uterine fibroids, 7. *See also under*
 hysteroscopy
- abdominal (open)
 myomectomy for, 64, 65
- abdominal (open)
 myomectomy (surgical
 techniques and
 considerations), 65–8, 69
- considerations for
 best approach for
 myomectomy, 64
- diagnosis, 63
- health consequences and
 symptoms of, 63
- hysterectomy vs.
 myomectomy, 69
- hysteroscopic myomectomy
 (fibroid size and
 surgical techniques and
 considerations), 69
- laparoscopic myolysis, 69
- laparoscopic myomectomy, 65
- laparoscopic myomectomy
 (surgical techniques and
 considerations), 65–9
- laparoscopic tissue removal
 (risks and risk factors for
 sarcomas), 70–1
- laparoscopic tissue removal
 (surgical technique), 71
- pre-operative
 evaluation, 63–64
- uterine perforation
 hysteroscopic procedures
 and, 11
- vaginal septum, 24
- intraoperative
 considerations, 24–5
- vaginotomy, 2
- varicoceles and varicocele
 repair, 137
- complications and recurrence
 rates after repair, 136, 137
- diagnosis and varicocele
 grading, 132, 133
- for men with NOA prior
 to surgical sperm
 retrieval, 139
- surgical approaches and
 techniques, 132
- surgical approaches
 and techniques
 (embolization), 136
- surgical approaches and
 techniques (inguinal
 or Ivanissevich
 approach), 135–6
- surgical approaches and
 techniques (microscopic
 subinguinal varicocele
 ligation), 132–5
- surgical approaches and
 techniques (retroperitoneal
 (Palomo) approach), 136
- surgical approaches and
 techniques (transperitoneal
 laparoscopic approach), 136
- surgical outcomes and
 pregnancy rates, 136
- testicular function and, 132
- treatment indications for
 repair, 132
- vas deferens, 122
- vasectomy, 122
- techniques for vas deferens
 division in, 124
- vasectomy reversal, 130
- assisted reproductive
 technologies (ART)
 and, 128–30
- complications following, 128
- epididymis obstruction
 and sperm granuloma
 and, 124
- new advances in, 130
- outcomes, 128
- pain management
 after, 128
- patient evaluation, 123
- patient evaluation (age of
 female partner), 123
- patient evaluation (age of
 male), 123
- patient evaluation (obstructive
 interval), 123
- patient evaluation (repeat
 reversals), 123

Index

vasectomy reversal (<i>cont.</i>) patient evaluation (testosterone replacement therapy), 123 physical exam and, 124 postoperative care, 128 post-vasectomy pain syndrome (PVPS), 123–4 pregnancy rates after, 122, 123, 124, 125, 127, 128	pregnancy rates after robotic-assisted, 130 reasons for, 122 relevant surgical anatomy, 122 relevant surgical anatomy (blood supply), 122 relevant surgical anatomy (epididymis), 122 relevant surgical anatomy (sperm production overview), 122	relevant surgical anatomy (vas deferens), 122 robotic-assisted, 130 stents and glues as anastomotic adjuncts in, 130 surgical technique, 124–5 surgical technique (decision to continue with VV or perform a VE based on vasal effluent), 124, 125	surgical technique (modified one-layer anastomosis), 125 surgical technique (two-layer anastomosis), 125 surgical technique (vasoepididymostomy), 125–28
---	--	---	---