

INDEX

- a contrario* observer, 45
 acuity, 23, 96
 adaptive education, 478
 advanced quantitative metric, 408
 alternative-forced-choice (AFC), 32, 58, 265, 278, 432
 alternative free-response ROC (AFROC), 141, 217
 ambient light, 442–443, 447–448, 458, 460–461, 510
 American College of Radiology (ACR), 470
 amplitude discrimination task, 33
 analysis of variance (ANOVA), 248, 395
 anatomic pathology, 495
 anatomical background, 79, 422
 anatomical noise, 67, 424
 anisotropic resolution, 198
 area under the ROC curve (AUC), 13, 216, 246, 393, 432
 Kolmogorov-Smirnov index, 235
 symmetry index, 235
 Youden index, 235
 interpretation, 234
 artifacts, 79–80
 diagnostic error, 83
 performance measurement, 80–84, 85, 278
 artificial intelligence, 330, 389, 490
 attentional lapses, 324
 augmented reality, 503
 autocovariance function, 56, 202
 availability bias, 118
- Beer-Lambert law, 419
 binary decision task, 31, 227, 277–278, 290
 binomial model, 233
 biomarker, 194, 407
 bit depth, 87, 201
 bowtie filter, 435
 breast cancer, 328, 343
 Breast Imaging Reporting and Data System (BI-RADS), 340, 385, 413, 480
 high-density breast, 349
 brightness, 101
- CAD concurrent reader, 370, 397
 CAD second reader, 370
 CAD visualization, 366
 cascaded system analysis, 428
 case-based studies, 86
 cathode ray tube (CRT), 206
 channelized model observers, 27, 58, 284–285, 293–294
 charged coupled device (CCD), 417
 chunking, 114, 263
 classification accuracy, 228
 clinical dyads, 141, 147
 clinical history, 135
 clinical pathology, 495
 clinical reality, 351
 clinical significance, 145, 147, 148, 149, 163
 clinical task, 396
 cognitive bias, 117
 color accuracy, 497
 color consistency, 497
 color display calibration, 448
 color standard display function (CSDF), 101
 color vision, 101
 colorpoint (white point), 443
 combined detection and estimation, 291
 compression, 201, 499
 computed radiography (CR), 417
 computed tomography (CT), 197, 208, 395, 408, 486
 bowtie filter, 435
 dual energy CT, 428
 low-dose lung cancer screening, 365
 model observers for CT, 53–54
 noise power spectrum, 53
 computer-aided detection (CADe), 359, 389
 computer-aided diagnosis (CADx), 361, 389
 computer-aided interpretation (CAD), 95, 140, 160, 162, 324, 490
 CAD concurrent reader, 370, 397
 CAD second reader, 370
 CAD visualization, 366
 comparative evaluation studies, 402
 computer-aided detection (CADe), 324, 359, 389
 computer-aided diagnosis (CADx), 361, 389
 generalizability, 392, 395, 402
 model selection bias, 364
 segmentation, 361, 401, 408
 variability estimation, 364
 computer vision syndrome, 103
 conceptual hook, 271
 cone beam CT (CBCT), 421, 422, 434, 436
 cones, 96
 confidence interval, 392, 394
 conspicuity, 428
 continuous data, 231
 contrast masking, 58
 contrast to noise ratio (CNR), 204, 422, 423
 contrast resolution, 35, 200, 201
 contrast sensitivity function, 24, 33, 459
 contrast studies, 150
 contrast-detail diagram, 18, 50, 456
 counterbalanced design, 267–268, 376
 covariance matrix, 292
- data augmentation, 400
 decision error, 99
 decision thresholds, 140, 155, 163, 229
 deep learning, 389, 399, 502

518 Index

- detectability (d'), 27, 32, 173, 278, 431
 detection, 290
 detective quantum efficiency (DQE), 425
 dichromacy, 102
 diffuse reflection, 442
 Digital Breast Tomosynthesis (DBT), 64–65, 345, 347, 353
 lesion detectability in DBT, 65
 direct detectors, 418
 disease staging, 393
 display LUT, 445
 display pixel noise, 449
 display response time, 129, 450
 display size, 457
 double reading, 399, 490
 drillers, 318, 501, 509
 dual energy CT, 428
 dual energy radiography, 420, 428, 433
 dual-process theory of reasoning, 111

 ensemble mean square error, 291
 episodic memory, 263, 264
 equivalence, 206
 ergodic, 55
 ergonomic factors of image viewing, 460, 462
 lighting, 460
 temperature, 462
 estimation, 291, 429
 eye-tracking, 97, 131, 152, 164, 168, 172, 312, 456, 500

 false negative, 15, 227
 false positive, 15, 227, 278
 fatigue, 102, 119, 484
 feature extraction, 361, 389, 410
 Fisher-Hotelling observer (Hotelling), 40–41, 58, 283, 292
 fixation, 179, 182, 189, 190, 314, 332, 350, 456, 476, 486, 501
 fixed factor, 248
 flash experiments, 111
 focal search, 112
 focal spot blur, 428
 fovea, 96, 473
 foveal sampling, 154
 framing effect, 118
 free-response ROC (FROC), 15, 217, 302, 363
 free search, 136
 full-width-half-max (FWHM), 198

 Gabor channels, 26
 gaze dwell time, 131, 145, 152
 global (gestalt) impression, 98, 99
 gold standard, *see* ground truth
 grating frequency, 96
 grayscale standard display function (GSDF), 444, 458, 498
 ground truth, 15, 218, 363, 386, 396, 398, 401

 handheld image viewers, 465
 hard copy, 87
 Health Insurance Portability and Accountability Act (HIPAA), 217
 hindsight bias, 118
 historical control studies, 380, 397
 holistic recognition, 178, 189
 Hotelling observer, *see* Fisher-Hotelling observer
 hue, 101
 human memory
 chunking, 263
 episodic memory, 263, 264
 long-term memory, 263
 memory consolidation, 268
 priming effects, 271
 conceptual hook, 271
 remember-know paradigm, 264
 semantic memory, 263
 sensory memory, 263
 short-term memory, 263
 synaptic consolidation, 268
 techniques to manage effects
 counterbalanced methods, 267–268
 length of viewing, 268–269
 ordering images, 267–268
 time gaps, 268–269
 working memory, 263
 human visual system, 96
 acuity, 23, 96
 color vision, 101
 cones, 96
 contrast resolution, 96
 deficiencies, 102
 dichromacy, 102
 monochromacy, 102
 protanomaly, 102
 trichromacy, 102
 deuteranomaly, 102
 fovea, 96, 473
 grating frequency, 96
 liminal brightness increment, 96
 rods, 96
 spatial resolution, 96
 tritanomaly, 102
 bias, 410
 precision, 410, 411
 repeatability, 411
 reproducibility, 411
 test-retest (coffee break), 411

 ideal observer, 5001, 32, 279, 283, 294–295
 illuminance (ambient light), 442, 443, 460, 484
 image display, 205
 bit depth, 87
 cathode ray tube (CRT), 206
 color standard display function (CSDF), 101
 coefficient of, 448
 diffuse reflection, 442
 display LUT, 445
 display pixel noise, 449
 display response time, 129, 450
 grayscale standard display function (GSDF), 444, 458, 498
 hard copy, 87
 illuminance (ambient light), 442, 443, 460, 484
 Ishihara color test set, 101
 light-emitting diode (LED), 440
 liquid crystal display (LCD), 206, 440, 452
 luminance, 442, 444, 449, 458, 463
 organic light-emitting diodes (OLED), 441, 446
 personal digital assistant, 87
 picture archiving and communication system (PACS), 4, 308, 310–313, 509–510
 secondary form of display, 87
 soft copy, 87
 spatial resolution, 453, 456
 specular reflection, 442
 standard red green blue (sRGB), 101
 image intensifier (II), 52, 417

- image quality (diagnostic quality), 18, 84, 197–208
 case-based studies, 86
 contrast resolution, 35, 200, 201
 bit depth, 201
 compression, 201, 499
 low contrast detectability, 201
 quantization, 201
 relationship with spatial resolution, 201
 noise, 54–57, 77, 201, 422
 anatomical noise, 67, 424
 autocovariance function, 56, 202
 magnitude, 202
 noise power spectrum (NPS), 53, 56–57, 202, 207f. 13.19, 280, 423, 426
 power law noise, 60, 424
 quantum noise, 66
 relationship between noise and resolution, 202
 spatially correlated noise, 28
 spectral leakage, 56
 system noise, 68
 texture, 202
 weakly stationary, 56
 white noise, 28, 424
 wide sense stationary (WSS), 56
 spatial resolution, 197
 anisotropic resolution, 198
 effects on image perception, 199, 203
 full-width-half-max (FWHM), 198
 modulation transfer function (MTF), 96, 197, 201, 280, 423, 426, 444
 pixel size, 198
 point spread function (PSF), 197, 201
 relationship with contrast resolution, 201
 task transfer function (TTF), 198, 201
 visual grading analysis, 86
 image segmentation, 361
 image size, 455
 indirect detectors, 418
 internal noise, 33, 36–37, 277
 International Color Consortium (ICC), 498
 interpretation, 15, 95, 108–119
 Ishihara color test set, 101
- jackknife-AFROC (JAFROC), 395
 just-noticeable difference (JND), 23, 458
- Kolmogorov-Smirnov index, 235
 Kundel-Nodine method, 133
- laboratory study, 367, 375, 381
 lesion insertion, 400
 lesion texture, 194, 347
 light-emitting diode (LED), 440
 likelihood ratio, 30–31
 liminal brightness increment, 96
 limitations of imaging
 anatomical background, 79, 422
 artifacts, 79–80
 quantum limited, 76–79
 reader, 80
 linear observer, 277, 291–293
 liquid crystal display (LCD), 206, 440, 452
 localization, 192
 location effects, 67
 localization ROC (LROC), 217, 302, 394, 474
 long-term memory, 263
 low contrast detectability, 201
- low-dose lung cancer screening, 365
 luminance, 442, 444, 449, 458, 463
- Mach bands, 472
 machine learning, 389
 data augmentation, 400
 overfitting, 391, 400
 testing data, 390, 400, 402
 training data, 390, 400
 transfer learning, 391
 tuning data, 391, 400
 validation data, 391
 Magnetic Resonance Imaging (MRI), 408, 486
 mammography, 205, 420
 double reading, 399, 490
 matched filtering, 77
 maximum intensity projections, 309
 memory consolidation, 268
 mental models, 103
 minimum intensity projections, 309
 model observers for SPECT, 54
 model selection bias, 364
 modulation transfer function (MTF), 96, 197, 201, 280, 423, 426, 444
 monitor resolutions, 340
 monochromacy, 102
 Monte Carlo simulation, 428
 multimodality examination, 508
 multiple channels hypothesis, 25
 multiple-reader, multiple case (MRMC) ROC, 14, 80–84, 245, 367, 398, 399
- natural language, 155
 negative predictive value (NPV), 228, 392
 noise, 54–57, 77, 201, 422
 noise equivalent quanta (NEQ), 280, 424
 noise power spectrum (NPS), 53, 56–57, 202, 207f. 13.19, 280, 423, 426
 noninferiority, 237
 nonprewhitening matched filter (NPW), 39–40, 58, 281, 282–283, 431
 nonprewhitening matched filter with eye filter (NPWE), 39–40, 58, 283
 nonstationary background, 44–45
 numerical aperture, 498
- observer efficiency, 279
 observer model, 23, 86, 220, 276, 300
a contrario observer, 45
 auto-correlator, 35
 channelized model observers, 27, 58, 284–285, 293–294
 cross-correlator, 35
 desirable properties of observers, 300, 302
 Fisher-Hotelling Observer (Hotelling), 40–41, 58, 283, 292
 Gabor channels, 26
 ideal observer, 5001, 32, 279, 283, 294–295
 induced noise, 36–37
 internal noise, 33, 36–37, 277
 linear observer, 277, 291–293
 matched filtering, 77
 nonprewhitening matched filter (NPW), 39–40, 58, 281, 282–283, 431
 nonprewhitening matched filter with eye filter (NPWE), 39–40, 58, 283
 prewhitening matched filter (PW), 31–32, 39–40, 280, 283–284, 431
 multiple channels hypothesis, 25

520 Index

- observer model (*cont.*)
 - observer efficiency, 279
 - observer templates, 32, 62–64
 - Piper law, 23
 - Ricco law, 23
 - Rose model (DeVries-Rose model), 4500, 28–30, 77
 - task definition, 300, 301, 302, 428, 436
 - visual discrimination model (VDM), 45–46
 - Weber-Fechner law, 23
- observer study, 367
 - clinical study, 367
 - counterbalanced design, 267–268, 376
 - cross-sectional design, 397
 - laboratory study, 367, 375, 381
 - patient case variability, 367
 - reader efficiency, 207, 399
 - reader variability, 245, 367, 381
 - inter, 383, 396, 408
 - intra, 396
 - retrospective, 398
 - sequential study, 377, 397
- observer templates, 32, 62–64
- optimization
 - of image acquisition, 88, 432
 - of perception, 86–88
 - of workload and system errors, 89–90
- ordinal data, 231
- organic light-emitting diodes (OLED), 441, 446
- over reading, 15
- overfitting, 391, 400

- partial area under the ROC curve (pAUC), 217, 235, 246, 393
- patient case variability, 367
- patient structure, 59, 66
- perception, 15, 80–90, 95
- perception experiments, 215
 - case crossing, 220
 - case-limited, 221
 - case sample variability, 220
 - disease prevalence, 218
 - gold standards, 217
 - Health Insurance Portability and Accountability Act (HIPPA), 217
 - hybrid images, 55, 123, 158, 218
 - interobserver variability, 84, 220
 - intraobserver variability, 221
- methodology of analysis
 - alternative free-response ROC (AFROC), 141, 217
 - area under ROC curve (AUC), 216
 - free-response ROC (FROC), 15, 217, 302, 363
 - localization ROC (LROC), 217, 302, 394, 474
 - partial area under the ROC curve (pAUC), 217
 - receiver operating characteristic (ROC), 216
 - region-of-interest-based ROC (ROIROC), 217
 - observer-limited, 221
 - phased approach, 216
 - reading environment, 222
 - relative truth, 218
 - session design, 224
 - simulated datasets, 218
- perception of volumetric images, 308
- perceptual learning modules (PLM), 184
- perceptual training, 472
- personal digital assistant, 87
- personalized medicine, 389
- perturbations, 114

- phantom, 411
 - anthropomorphic, 86
 - contrast-detail diagram, 18, 50, 456
 - Rose-Burger, 51f. 5.2
 - test-object sets, 85
- photometers, 443
- photon counting, 418
- picture archiving and communication system (PACS), 308, 399, 509
- Piper law, 23
- pixel size, 198
- point spread function (PSF), 197, 201
- positive predictive value (PPV), 228, 392
- positron emission tomography (PET), 409
- power law noise, 60, 424
- precision medicine, 407
- prevalence, 88, 335
 - cancer, 381
 - disease, 376
 - low effect, 489
- prevalence enhancement, 398, 401
- prewhitening matched filter (PW), 31–32, 39–40, 280, 283–284, 431
- priming effects, 271
- protonomaly, 102
- psychophysics, 17–19
 - communication, 109, 110
 - dual-process theory of reasoning, 111
 - errors
 - availability bias, 118
 - cognitive bias, 117
 - fatigue, 102, 119, 484
 - framing effect, 118
 - hindsight bias, 118
 - interpretation errors, 109
 - satisfaction of search bias, 118
 - system errors, 109, 110
- mental models, 103
- recognition, 111, 112
 - chunking, 114
 - cognition, 111
 - flash experiments, 111
 - focal search, 112
 - perception, 111
 - perturbations, 114
- schemata, 110

- quantitative imaging, 409
- quantitative imaging biomarkers (QIB), 410
- Quantitative Imaging Biomarkers Alliance (QIBA), 411
- quantization, 201
- quantum efficiency, 424
- quantum limited, 76–79
- quantum noise, 66

- radiography, 197, 205, 419
 - anatomical background, 67, 420
 - dual energy radiography, 420, 428, 433
- radiologist, 470
 - apprenticeship, 470
- radiomics, 389
- random factor, 248
- randomized controlled clinical trial, 378, 381
- rank-order experiments, 266
- rating-scale experiments, 278
- reader efficiency, 207, 399
- reader variability, 245, 367, 381, 383, 396, 408

- receiver operating characteristic (ROC), 13–15, 80–90, 124, 227–242, 302, 335, 375, 381, 384, 392, 432
- binomial model, 233
- comparison, 236–238
- equivalence, 206
- non-inferiority, 237
- critical ratio, 14
- decision threshold shifts, 127
- decision thresholds, 140, 155, 163, 229
- decision variables, 277, 290
- empirical method, 156, 164
- multi-reader ROC, 245
- correlated alternative decisions, 44
- Dorfman-Berbaum-Metz (DBM) method, 248
- Obuchowski-Rockette (OR) method, 248–249
- multiple-reader, multiple case (MRMC) ROC, 14, 80–84, 245, 367, 398, 399
- non-parametric, 233, 246
- operating points, 238
- parametric, 233
- semi-parametric, 233, 246
- software packages, 229, 239, 240, 250
- recognition, 111, 112
- recognition error, 99
- recommendation systems, 479
- content, 479
- recording, 15
- reference standard, *see* ground truth
- reformatting, 309
- region of interest (ROI), 408
- region-of-interest-based ROC (ROIROC), 217
- remember-know paradigm, 264
- rendering, 309
- Ricco law, 23
- rods, 96
- Rose model (DeVries-Rose model), 4500, 28–30, 77
- saccade, 100, 314, 332
- sample size calculations, 240–241
- satisfaction of search (SOS), 15, 17, 118, 121, 487
- satisfaction of search bias, 118
- saturation, 101
- scan paths, 99
- scanners, 318, 501, 509
- scatter, 418, 428
- schemata, 110
- screen-film, 417
- screening, 88
- search error, 99
- search patterns, 97, 474
- segmentation, 361, 401, 408
- semantic memory, 263
- sensitivity, 176, 228, 278, 384
- sensory memory, 263
- sequential-viewing experiments, 266
- shape features, 347
- short-term memory, 263
- signal to noise ratio (SNR), 28, 29–30, 291
- signal detection theory, 13, 30
- amplitude discrimination task, 33
- binary decision task, 31, 227, 277–278, 290
- contrast masking, 58
- figures of merit (FOM), 279–280
- likelihood ratio, 30–31
- location effects, 67
- non-stationary background, 44–45
- patient structure, 59, 66
- tasks
- combined detection and estimation, 291
- detection, 290
- estimation, 291, 429
- signal-known-exactly-background-known-exactly (SKE/BKE), 29
- signal-known-exactly-but-variable (SKEV), 35, 280, 281
- signal-known-statistically (SKS), 43–44, 281
- twinned background, 58
- signal-known-exactly-background-known-exactly (SKE/BKE), 29
- signal-known-exactly-but-variable (SKEV), 35, 280, 281
- signal-known-statistically (SKS), 43–44, 281
- simulated environments, 472, 475
- simulated lesions, 126
- simulated workstation, 477
- soft copy, 87
- spatial resolution, 197
- spatially correlated noise, 28
- specificity, 176, 228, 278
- specular reflection, 442
- standard red, green, blue (sRGB), 101
- strictly stationary, 55
- structured reporting, 490
- suboptimal gold standards, 241
- symmetry index, 235
- synaptic consolidation, 268
- talking template (vocalized checklist), 138, 139
- task definition function (templates), 161, 429
- task-dependent image quality, 18, 85, 300
- task transfer function (TTF), 198, 201
- teledermatology, 95
- telemedicine
- teledermatology, 95
- virtual pathology, 95
- testing data, 390, 400, 402
- texture analysis, 193
- training data, 390, 400
- transfer learning, 391
- trichromacy, 102
- true negative, 156, 227
- true positive, 227, 228, 278
- tuning data, 391, 400
- twinned background, 58
- under reading, 15
- utility analysis, 392, 394
- validation data, 391
- variability estimation, 364
- verbal reading protocol, 138
- viewing angle, 449, 454, 484
- viewing distance, 455
- virtual endoscopy, 309
- virtual pathology, 95
- virtual reality, 503
- visual accommodation, 485
- visual acuity, 454
- visual discrimination model (VDM), 45–46
- visual grading analysis, 86
- visual search, 16–17, 96–100, 170, 302
- decision error, 99, 316
- recognition error, 99, 316
- scan paths, 99, 317
- search error, 99, 316
- search patterns, 97, 321, 474

522 *Index*

- visual search (*cont.*)
 - useful field of view, 316
 - visual search strategies, 473
- visual search strategies, 473
- volumetric imaging, 296

- Weber-Fechner law, 23
- whole slide imaging (digital pathology), 495
 - pattern recognition, 496
- wide sense stationary (WSS), 56
- Wiener estimator, 293
- Wilcoxon signed-rank test, 144
- working memory, 263

- x ray beam quality, 426
- x ray fluoroscopy, 51
 - image intensifier (II), 52, 417
- x ray detectors
 - charged coupled device (CCD), 417
 - direct detectors, 418
 - indirect detectors, 418
 - photon counting, 418
 - scatter, 418, 428
 - screen-film, 417

- Youden index, 235