

# Index

- AbdElgawad, H., 192  
*Abelmoschus moschatus*, 151  
 aboveground net primary production (ANPP),  
 43, 84  
   effects of carbon dioxide (CO<sub>2</sub>), 90  
   effects of snow cover, 90–1  
   estimation of changes from baseline, 42–3  
   studies on the effect of precipitation, 84–9  
   studies on the effect of temperature, 89  
 Adler, P. B., 19, 180, 182, 183  
 advanced very-high-resolution radiometer  
 (AVHRR) instruments, 51  
*Aegilops triuncialis*, 151  
*Agave*  
   *A. americana*, 151  
   *A. sisalana*, 151  
*Ageratum conyzoides*, 151  
 agricultural intensification, 150, 166  
 agricultural systems, changes in, 257  
 Agriculture, Forestry and Other Land Uses  
 (AFOLU), 10  
 agroforestry, 14, 132, 327  
*Agrostis*  
   *A. capillaris*, 151  
   *A. gigantea*, 151  
   *A. tenuis*, 219  
 Alaskan tundra, 327  
 Alexander, J. M., 167  
 alpine meadow, 104, 106, 119, 120, 181, 210  
 Alvar grassland, 180  
 Amazonia, conversion of forest to pasture, 77  
 Anadon, J. D., 76  
*Andropogon*  
   *A. gayanus*, 165  
   *A. gerardii*, 225  
   *A. virginicus*, 151  
 annual coastal grassland, 106  
 Antarctica, 4, 100  
*Anthoxanthum odoratum*, 219  
 Anthropocene, 323–4  
   novel ecosystems and biodiversity changes,  
   325–9  
   research and conservation priorities, 329–31  
   research gaps  
     general experimental, 331–2  
     management, 333  
     modelling, 332  
     specific experimental, 332  
 anthropogenic biomes (anthromes), 324–5  
 aphids, 194, 196  
*Arabidopsis thaliana*, 222  
 arbuscular mycorrhizal (AM) fungi, 205–6,  
 208  
*Artemisia tripartita*, 178, 179, 180, 183  
*Arundo donax*, 151  
 ASTER system, 53  
*Austrodanthonia caespitosa*, 178, 181  
*Austroepatorium inulifolium*, 151  
 bacteria, 206–7  
 Bai, X., 323  
 Bansal, S., 166  
 Barnes, J., 285  
 Beale, C. M., 197  
 Becker, A., 288  
 Beerling, D. J., 77  
 belowground grassland, 203  
   feedbacks, 210–11  
     climate change and, 203–7  
     climate change mitigation and, 208–10  
 belowground net primary production (BNPP),  
 86, 92  
   estimation of changes from baseline, 42–3  
*Bidens pilosa*, 151  
 bioclimatic envelope models (BEMs), 70, 72,  
 76  
 biofuels, 165–6, 167  
 biogeography, 70, 148, 234–6  
 biome distribution  
   bioclimatic envelope models (BEMs), 72  
   dynamic global vegetation models  
   (DGVMs), 72–5  
 biomes, definition, 67  
 birds, 197, 227, 229  
 Björkman, O., 237  
 black-tailed prairie dogs (*Cynomys ludovicianus*),  
 329  
 Blair, J. M., 316  
*Boechera stricta*, 222  
 Bönsel, A. B., 224  
*Bothriochloa pertusa*, 151  
*Bouteloua*

- B. curtipendula*, 179  
*B. eriopoda*, 179  
*B. gracilis*, 179  
*B. hirsuta*, 179  
*B. rothrockii*, 179  
*Brachiaria*, 165  
 Bradley, B. A., 282  
*Brassica tournefortii*, 151  
*Bromus*, 161, 164  
   *B. inermis*, 152  
   *B. madritensis* ssp. *rubens*, 90  
   *B. rubens*, 152  
   *B. tectorum*, 117, 152, 165, 178, 182  
 Bryson, C. T., 282, 286, 287  
 butterflies, 140, 224  
  
 C<sub>3</sub> and C<sub>4</sub> grasses/grassland, 67–8, 135, 178  
   biogeography, 234–6  
   changes in coverage, 73–5  
   competition between, 7, 75, 148  
   distribution, 244–6  
   effects of drought, 85  
   effects of elevated CO<sub>2</sub>, 181, 189, 190, 194,  
     234–6, 237–8, 241, 259, 333  
   effects of grazing, 242  
   effects of warming, 163, 181, 190, 205, 241,  
     259  
   fertiliser effect, 70  
   fire tolerance, 102, 239–42  
   litter production, 120  
   models on the abundance of, 236–9  
   phylogenetic perspectives, 242–4  
   productivity, 90  
   calcareous grassland, 104  
*Calluna vulgaris*, 152  
*Camelina sativa*, 152  
 cameras and photography, 52–3  
 Campos grassland, 327  
*Campuloclinium macrocephalum*, 152  
 carbon cycle, 70, 72, 123  
   elevated carbon dioxide and, 116–18  
   feedbacks, 203, 204–5, 207, 208  
   precipitation and, 118–19  
   warming and, 119–20  
 carbon dioxide  
   effect of elevated levels on invasive species,  
     166  
   effect of increased levels on insects, 193–4,  
     196  
   effect on C<sub>3</sub> and C<sub>4</sub> grasses, 181, 189, 194,  
     234–6, 237–8, 241, 334  
   effect on forage quality, 190–2  
   effect on population growth rates, 182  
   effect on primary productivity, 36, 82–3, 90  
   effect on soil biota, 205–6  
   elevated and carbon cycling, 116–18  
   fertiliser effect, 70  
   increased and forage production, 135  
   nitrogen responses to elevated, 120–1  
   studies of elevated levels, 27, 35  
   temperature and, combined effects, 70–1,  
     77  
   carbon sequestration, 10–15, 16, 115, 116–18,  
     131, 137, 209, 211, 258  
     belowground processes, 203  
     effect of warming on, 120  
     precipitation and decline in, 118–19  
     progressive nitrogen limitation, 120–1  
   carbon sink, 5, 9–14, 82, 116, 120, 206  
   carbon storage, 3, 4, 136, 137, 266  
*Carduus nutans*, 152  
 Carter, D. J., 316  
 Carter, R., 282, 286, 287  
*Cenchrus*  
   *C. ciliaris*, 152, 165  
   *C. clandestinus*, 152  
   *C. echinatus*, 152  
   *C. macrourus*, 152  
   *C. polystachios*, 152  
   *C. setaceus*, 152  
*Centaurea*  
   *C. diffusa*, 152  
   *C. melitensis*, 152  
   *C. solstitialis*, 152, 161  
   *C. stoebe*, 161  
*Chamaecrista fasciculata*, 221  
 change analysis, 40  
   changes from baseline, 42–3  
   future directions for use of remote sensing,  
     53–5  
   process of, 40–2  
   remote sensing approaches, 45–53  
   trend analysis and step changes, 43–4  
 Chelli, S., 87  
 Chen, G., 85  
 Chenopod Shrublands, 157  
 Cherwin, K., 88  
*Chromolaena odorata*, 152  
 Chu, C., 180, 183  
 ciliates, 205  
 clean development mechanism (CDM), 10  
 climate change adaptation, 166  
 climate change models, 83–4  
 climate change policy, 9–14  
 climate change research  
   articles and reports, 7–9  
   data inconsistencies, 22–3  
   effect size reporting and data archiving,  
     29–31  
   gaps in and future requirements, 36–7  
   literature search, 21–2  
   meta-analysis of variables, 32–5  
   parameter estimates, 31–2  
   prediction and detection, 19–20  
   prediction models, 20–1  
   spatial scaling challenges, 35  
   studies of grassland responses to climate  
     drivers, 70–1  
   temporal scaling challenges, 35–6  
   types of studies, 23–7  
   variables measured, 27–9  
 climate change science, 288–9  
 climate projection, sources of uncertainty,  
   334–6

- CO<sub>2</sub>. *See* carbon dioxide  
 cogongrass. *See* *Imperata cylindrica*  
 cold events, effect of grasses on, 102  
 Collatz, G. J., 236, 238–9  
 collembolans, 205  
 Community Land Models' DGVM  
   (CLM-DGVM), 73  
 Compagnoni, A., 182  
 Conklin, H. C., 279  
 Copeland, S. M., 86  
*Coronilla varia*, 153  
*Cortaderia jubata*, 153  
 Coupled Model Intercomparison Project, 37  
   Phase 5 (CMIP5), 73  
 Craine, J. M., 75, 89  
 critical thresholds, 98–100  
   evidence of crossing, 103–7  
   feedback and competition switches, 100–3  
 cultural services of grasslands, 139–40  
*Cynara cardunculus*, 153  
*Cynodon dactylon*, 153  
*Cynoglossum officinale*, 153  
  
*Dactylorhiza lapponica*, 178, 181, 184  
 Dahlgren, J. P., 180  
 Dalglish, H. J., 177  
 damping effect, 71  
 de Graaff, M. A., 117  
 De Kauwe, M. G., 75  
 decoupling of plant and soil subsystems,  
   207–8  
 Del Prado, A., 15  
 demographic models, 173, 176, 183, 184–5  
 desert grassland, 87, 106, 107, 119  
 Dieleman, W. I. J., 32, 36  
 digital elevation models (DEMs), 53  
 dispersal, 135, 148, 163, 164, 208, 218, 223,  
   311, 313, 327  
   effects of climate change, 224  
   mechanisms, 223–4, 225  
   migration and range shift of species, 224–5  
 disturbance, 42–3, 67–8, 77, 101–2  
   climate change and, 98–100, 103–4  
   extreme climatic events, 164–5  
 Driscoll, D. A., 166  
 drones (unmanned aircraft systems), 52  
 drought, 5–7, 43, 100, 147, 259, 267, 296–8  
   effect on carbon sequestration, 118–19  
   effect on nitrogen, 121  
   effect on phenology, 192–3  
   effect on population growth, 177–80  
   effect on productivity, 88, 91  
   effect on rangeland health, 298–301  
   effects of interaction with grazing, 181  
   effects of precipitation event frequency on,  
   84  
   effects on soil biota, 206–7  
   facilitation of invasive species, 164–5  
   grazing and, 317  
   increase in fires and, 102  
   insect pest outbreaks and, 194, 196  
   measures to increase resilience to, 315  
  
   mitigating effects of CO<sub>2</sub>, 90  
   recovery from, 134, 135  
   regime shifts and, 104–7  
   species diversity and, 139–40  
   species tolerance, 75, 137, 166, 167, 172,  
   242, 244  
 DroughtNet, 91  
 Dukes, J. S., 117  
 dust storms, 285  
 dustbowl, 147  
 dynamic global vegetation models (DGVMs),  
   72–5, 332  
 dynamic modelling, 70  
  
 early succession systems, 107  
 earth system models, 69  
*Echeveria longissima*, 178, 181  
 ecological response uncertainty, 336–7  
 ecosystem adaptation, 75–6  
 ecosystem services  
   climate change and management  
     implications, 140–2  
   climate change effects, 132–3  
   climate change effects on forage, 133–6  
   grasslands as sources of, 131–2  
   related to plant and soil biodiversity,  
   136–7  
 ecosystems, novel, 325–9  
 Edwards, E. J., 117  
 Egypt, wheat cultivation, 285  
 Ehleringer, J. R., 236, 237–8  
 El Niño–Southern Oscillation (ENSO), 69  
 electromagnetic radiation (EM), 45, 46–9  
 Ellis, E. C., 324–5, 326  
 EO-1 sensor Hyperion, 53  
 Epstein, H. E., 89  
*Erodium cicutarium*, 153  
*Euphorbia esula*, 153  
 European Space Agency, 52, 55  
 eutrophication, 108, 109  
 Evju, M., 181  
 evolution/evolutionary change, 35, 72, 147–8,  
   160, 208, 227, 310, 314, 337  
   application of theory to restoration, 314,  
   315, 317  
   C<sub>3</sub> and C<sub>4</sub> grasslands, 234–6, 241–4  
   climate change and, 203, 211, 218–19,  
   221–3, 227–9, 258  
   grazing history, 139  
   herbicide resistance, 166, 219  
   *Homo sapiens*, 253  
   pastoral systems, 257  
   phenology and, 46  
   research gaps, 332  
   trade-offs, 101  
 extreme climate events  
   effect of grasses on, 102  
   effects on soil biota, 206–7  
   facilitation of invasive species, 149–50, 158,  
   164–5  
   implications for restoration of grasslands,  
   316

- fertiliser effect, 70  
 fertilisers, 208  
*Festuca* grassland (Czech Republic), 86  
 fire, 10, 43, 68, 123, 327  
   accidental wildfires, 106, 108  
   as management tool, 13, 109, 195, 280, 317  
   changes in aboveground biomass, 41  
   climate change and, 7  
   detection of, 48  
   drought and frequency of, 6  
   effects of reduced burning, 285  
   effects on C<sub>3</sub> and C<sub>4</sub> grasses, 241, 246  
   effects on forage quality, 191, 193  
   effects on grasslands, 102, 234, 238  
   facilitation of invasive species, 164, 165  
   forest, 77  
   increase in wildfire, 100, 102, 165  
   influence on plant performance and population dynamics, 173, 185  
   resilience of *Imperata cylindrica* to, 280, 282, 283, 287  
 FLEX (FLuorescence EXplorer) mission, 55  
 floods, 7, 10, 102, 207, 259, 277  
   facilitation of invasive species, 164  
   recovery from, 106  
   regulation of, 131  
 FLORIS (FLuORescence Imaging Spectrometer), 55  
 flowering time, 221–3  
 food security, 5  
 forage production and quality  
   climate change effects, 6, 133–6, 140–1, 188–9  
   effects of carbon dioxide and temperature, 190–2  
   effects of fire, 193  
   effects of precipitation changes, 192–3  
   insects' response to climate-induced changes in, 193–4  
   vertebrates' responses to climate-induced changes in, 195–6  
 forest fires, 77  
 forest nitrogen (N) cycling, 206  
 forest–grassland dynamics, 239–42  
 Forrester, E. J., 117  
 fragmentation of grasslands, 258  
 Frank, D. A., 86  
*Fumana procumbens*, 179, 180, 183  
 functional types, 73, 76, 87, 100, 236, 239, 242–4, 246  
 fungi  
   drought resistance, 206–7  
   elevated carbon dioxide levels and, 205–6  
   endophytic, 195  
   mycorrhizal, 137  
 Galvin, K. A., 258  
 Gao, Q., 84  
 Geostationary Carbon Cycle Observatory (GeoCarb), 55  
*Geranium sylvaticum*, 178, 181  
 Gherardi, L. A., 87  
 global climate models (GCMs), 69, 73  
 Global Invasive Species Database (GISD), 157  
 global warming, 5–7, 69, 253  
   changes in distribution of grassland biomes, 72  
   effect on invasive species, 182  
   policy, 10  
   projected climates of grasslands and, 69–70  
 Golodets, C., 88  
 Gore, Al, 253  
 grasshoppers, 224  
 grassland  
   climate change policy and, 9–14  
   definitions, 3–4  
   detecting and predicting climate change effects, 19–20  
   extent and distribution, 3–4  
   goods and services, 4–5  
   threat from climate change, 5–9  
 grassland management, 208–10, 276–7  
   Chinese policy, 285, 288  
   cultural ecology, 277–80  
   impacts of climate change on, 284, 289–90  
   invasive species, 166  
   policy interventions, 284  
   political ecology, 281–3  
   practices for rangeland health, 301–5  
   research gaps, 333  
   restoration, 317  
   scientific research and, 285–6  
   socio-political impacts on, 285  
 grassland species  
   adaptive potential and eco-evolutionary change, 221–3  
   dispersal mechanisms, 223–4  
   ecological decoupling, 336–7  
   effects of climate change on dispersal, 224  
   epigenetic modification, 220  
   evolutionary change, 218–19  
   genetic change, 220–1  
   interactions with human landscapes, 227  
   migration and range shifts, 224–7  
   persistence, 228–9  
   phenotypic plasticity, 219–20  
 grazing, 106, 108  
   disturbance caused by, 68  
   effects on C<sub>3</sub> and C<sub>4</sub> grasses, 242  
   influence of regimes on effects of climate change, 184  
   management, 210  
   revenue from, 109  
 grazing systems  
   climate as a driver for change in, 258–60  
   farm abandonment, 261  
   government, economic and innovative enablers of change, 269–72  
   past changes in, 450–54,  
   possible future adaptations, 262–7  
 Great Plains Systems and Climate Change Report, 9  
 greenhouse gases (GHGs), 5, 82, 209, 257, 266  
 grazing and, 210

- greenhouse gases (GHGs) (cont.)  
 mitigation of emissions, 9–14  
 predicted increase in, 69  
 Griffith, D. M., 238, 241  
*Gunnera manicata*, 153  
 Guo, Q., 85  
 Gustafson, D. J., 315
- Hadiwidjojo, G. P., 277  
 heatwaves, 7, 71, 89, 102, 164, 206, 298  
*Hedychium*, 153  
*Heliotropium curassavicum*, 153  
*Heracleum mantegazzianum*, 153  
 herbicides, 166  
 herbivores/herbivory. *See* forage production  
 and quality; grazing; grazing systems;  
 invertebrate herbivores; vertebrate  
 herbivores  
*Hesperostipa comata*, 177–9  
*Heteropogon contortus*, 153  
*Hibiscus meyeri*, 179, 184  
*Hieracium*  
*H. aurantiacum*, 153  
*H. pilosella*, 153  
 Higgins, S. I., 76–7  
 Hill, M. J., 53  
 HilleRisLambers, J., 19  
 Hirota, M., 76  
 Hobbs, R. J., 325–6  
 Holdridge, L. R., 68  
 Holm, L. G., 282, 284, 286–7  
 Hoover, D. L., 71  
 Hopkins, A., 15  
 Hopkins, D., 20  
 human activity effects, 77  
 Humboldt, Alexander von, 5, 65  
 Hungate, B. A., 117  
 Hurley Pasture Model, 83  
 Hutchinson, G. E., 72  
 Huxman, T. E., 84, 89  
*Hyparrhenia rufa*, 165  
*Hypericum perforatum*, 153  
 hyperspectral cameras, 52  
*Hypochaeris radicata*, 178, 182  
 HypsIRI spectrometer, 53  
 hysteresis in grasslands, 98–100, 103,  
 107–8
- IKONOS satellite, 52  
*Impatiens glandulifera*, 153  
*Imperata cylindrica*, 153, 253, 277, 278, 281–3,  
 289  
 conflicting views of, 286–7  
 cultural significance, 277–8  
 diminishing cultivation of, 285  
 governments' view of, 283  
 instability of, 278–80  
 origins, 287–8  
 scientific research on, 285–6  
 spread of, 284  
 insects, 6, 140  
 responses to climate change-induced  
 changes in forage quality, 193–4  
 trophic levels, 196–9  
 integral projection models (IPMs), 174  
 Intergovernmental Panel on Climate Change  
 (IPCC), 6, 15, 69  
 International Vegetation Classification (IVC),  
 4  
 invasive species, 43, 77, 108, 137, 147, 149–50  
 adaptability to new environmental  
 conditions, 161–3  
 adaptation to extreme climate events,  
 164–5  
 capacity to move to suitable environmental  
 conditions, 161–3  
 current levels, 150–8  
 exacerbation from climate change, 158  
 human response to climate change and,  
 165–6  
 tracking of, 52  
 invertebrate herbivores, 27, 31, 134,  
 188  
 plant palatability, 193  
 pollination, 138  
 responses to climate change-induced  
 changes in forage quality, 193–4  
 trophic levels, 196–9  
 invertebrate predators, 196–7  
*Ischaemum polystachyum*, 154
- Jastrow, J. D., 117  
 Jax, K., 325  
 Johnson, S. N., 194
- Kemp, P. R., 117  
 Knapp, A. K., 87, 88  
 Konza Prairie Biological Station, 88, 89  
 Kruger National Park, 229  
 Kyoto Protocol (KP), 10–15
- ladybirds, 196  
 Land Use, Land-Use Change and Forestry  
 (LULUCF), 10  
 Landsat, 51–2, 54  
*Lantana camara*, 178, 182  
*Larrea tridentata*, 90, 328  
 Lauenroth, W. K., 236  
 Le Houérou, H. N., 77  
 leaf litter decomposition, 117  
 leaf nitrogen concentration, 134  
*Leontodon taraxacoides*, 178, 182  
*Lepidium latifolium*, 154  
*Lespedeza cuneata*, 154  
 Leuzinger, S., 71  
 Li, A., 288  
 lidar (light detection and ranging), 49  
*Linaria vulgaris*, 154  
 Liu, Y., 164  
 livestock, 188, 258, 310  
 breed conservation, 271  
 changes in production systems, 450–54,  
 effects of climate change on, 259  
 high-value products, 271  
 index-based insurance, 271  
 intensification of production, 77

- management, 253, 311
- management adaptations, 262–7
- locust outbreaks, 194
- Long, A. L., 76
- Louthan, A. M., 184
- Luo, Y. Q., 117
  
- Ma, W., 89
- MacDonald, G. E., 277, 282, 285, 286, 287
- Mankin, J. S., 288
- Mann–Kendall (MK) trend test, 44
- manures, 208
- Martorell, C., 181
- Mediterranean grasslands, 87, 104, 106
- Melilotus alba*, 154
- Melinis minutiflora*, 165
- mesic grasses/grassland, 69, 85, 86, 87, 91, 100, 150, 184, 236, 242, 317
- methane, 11–14
- microwave radiometers, 48, 51
- migration, 148, 175, 224–5, 227, 302
  - labourers, 260, 264
  - predicting, 224–7
  - wildlife, 12, 192
- Miscanthus*, 165
  - M. sacchariflorus*, 165
  - M. sinensis*, 165
- mites, 205
- mixed grass prairie, 119, 315
- Mojave Desert, 90
- Mongolian steppe, 241
- montane grasslands, 162
- Moore F. C., 288
- Munson, S. M., 76
- Murray, B. G., 315
  
- Nardus* grassland, 86
- NASA, 53
- Nassella*
  - N. neesiana*, 154
  - N. tenuissima*, 154
- nematodes, 205, 206, 210
- net primary production (NPP), 82–3, 91–2, *See also* aboveground net primary production (ANPP); belowground net primary production (BNPP)
  - climate change models, 83–4
  - rangeland health and, 300
- Neyraudia reynaudiana*, 154
- nitrogen, 136–7
  - addition to shortgrass steppe, 105
  - concentrations and forage quality, 135
  - effect of elevated levels on invasive species, 166
  - effects of warming, 121–2
  - effects on insect herbivores, 193–4
  - mineralisation, 121, 122, 137, 206, 209
  - precipitation effects, 121
  - responses to elevated carbon dioxide, 36, 90, 120–1, 190
- nitrogen cycle, 121, 206, 323, 330
- nitrogen deposition, 5, 77, 115, 135, 150, 196, 330, 332
- normalised difference vegetation index (NDVI), 84
- North American Prairie Pothole Region, 227
  
- Olson biomes, 324–5
- Onopordum acanthium*, 154
- Oppenheimer, M., 282
- Orbital Carbon Observatory (OCO-2), 55
- Osborne, C. P., 77
- overgrazing, 7, 139, 140, 147, 288, 317, 328, 330
- Oxalis*
  - O. latifolia*, 154
  - O. pes-caprae*, 154
  
- Panicum*, 11
  - P. maximum*, 165
  - P. virgatum*, 165
- parasitoids, 148, 196
- Paris Agreement, 10, 15, 257
- Parmesan, C., 225
- Parthenium hysterophorus*, 154
- Paruelo, J. M., 236
- Pascopyrum smithii*, 179
- Paspalae, 244
- Paspalum scrobiculatum*, 154
- pastoralism/pastoralists, 188, 253
  - adaptations to climate change, 262–7
  - Chinese resettlement policy, 281, 288
  - climate change and, 258–60
  - cultural importance of grasslands, 131
  - resilience of, 257, 271–2, 330
  - threats to, 269–71
- pasture, 4
- pathogens, 207–8
- Pennisetum*
  - P. cetaceum*, 165
  - P. polystachyon*, 165
- phenolics, 137, 190, 192, 193
- phenology, 7, 42, 76, 197, 207, 327
  - plant flowering, 221
- photosynthesis, 33, 82, 117, 132, 298
  - C<sub>3</sub> pathway, 68, 75, 205, 234, 237–8, 239, 301
  - C<sub>4</sub> pathway, 68, 75, 205, 234, 237–8, 239, 242, 301
  - downregulation, 35–6
  - fertiliser effect and, 70
  - increased, 119
  - increases in CO<sub>2</sub> and, 190, 205
- photosynthetically active radiation (PAR), 46, 48
- plant biodiversity, 136–7
- plant diversity, manipulation of, 209–10
- Poa*
  - P. pratensis*, 154
  - P. secunda*, 178, 179, 183
- pollination, 131, 132, 133, 137–9, 141, 176
- Pooideae grasses, 235, 242, 246
- population dynamics

- population dynamics (cont.)  
 demographic approach to assess the effects  
 of climate on grassland species, 174–6  
 demographic studies examining the effects  
 of climate on grassland plants, 176–84  
 population fitness homeostasis, 161  
 population models, 174–5, 176  
 prairie, 147. *See also* mixed grass prairie;  
 tallgrass prairie  
 precipitation, 3, 4, 5, 6, 20  
 carbon cycling and, 118–19  
 changes in and forage quality, 192–3  
 effect on net primary production, 82–3  
 effect on population growth, 177–82, 183  
 effects on nitrogen, 121  
 effects on rangeland health, 296–301  
 future trends in, 69  
 increase in locust outbreaks, 194  
 studies of changes in, 27  
 studies on its effect on production, 84–9  
 predators, 148, 196–7, 207  
 Prevéy, J. S., 182  
*Primula farinosa*, 177, 178, 180  
 Prober, S. M., 227  
 production/productivity. *See* forage  
 production and quality; net primary  
 production  
 Program for Climate Model Diagnosis and  
 Intercomparison, 37  
 progressive nitrogen limitation (PNL), 36,  
 120–1  
 projection matrix models, 174  
 protozoa, 206  
*Pseudoroegneria spicata*, 178, 179, 180, 183  
 Qinghai-Tibetan Plateau, 91, 210  
 quantum yield threshold model/hypothesis,  
 236, 237–8, 241, 244  
 radar (radio detection and ranging), 49, 51  
 Raghu, S., 182  
 Ramankutty, N., 324–5  
 rangeland health, 293–6  
 biotic integrity, 294, 303  
 climate change effects, 298–301  
 definition, 301  
 hydrologic function, 294, 296–8, 303  
 management practices, 253, 301–3  
 implications of climate change for,  
 304–5  
 mitigation of greenhouse gas emissions, 9–14  
 monitoring of under climate change, 303–4  
 soil and site stability, 293–4, 303  
 rangelands  
 anthrome concept, 324–5, 329  
 Australian, predicted climate changes, 6  
 biofuel production, 165  
 carbon cycling, 118  
 effects of climate change, 259–60  
 farming adaptations to climate change, 132  
 invasive species, 137, 151–5  
 management adaptations, 15, 262–7  
 nitrogen fertiliser use, 330  
 pasture cover, 4  
 possible future system changes, 267–69  
 resource degradation, Ethiopia, 261  
 threats to Mongolian, 330–1  
 Reducing Emissions from Deforestation and  
 Forest Degradation (REDD), 10, 284  
 regime shifts in grasslands, climate-induced,  
 103–9  
 Regional Climate Models (RCMs), 69  
 remote sensing, 40  
 improved monitoring of soil moisture  
 dynamics, 54  
 observable phenomena, 45–6  
 observing opportunities across the  
 electromagnetic spectrum, 46–9  
 process of change analysis and, 40–2  
 repeat observations at quicker tempos, 54  
 sensors, data, products used in, 51–3  
 spaceborne observations of solar-induced  
 fluorescence (SIF), 54–5  
 representative concentration pathways  
 (RCPs), 69  
 resilience, 209  
 restoration of grasslands, 310–12  
 effects of climate change on community  
 assembly, 316–17  
 goals, 312–13  
 management, 317  
 sourcing and suitability of species, 314–16  
 species survival under climate change,  
 313–14  
 rewilding, 330  
 riparian grassland, 106–7  
 Robertson, T. R., 87  
 Rockström, J., 323  
*Rottboellia cochinchinensis*, 155  
 Ruddiman, W. F., 323  
 ruderal species, 164  
*Rumex crispus*, 155  
*Saccharum spontaneum*, 278  
*Sacciolepis indica*, 155  
 sagebrush steppe, 119, 177, 182  
*Sagina procumbens*, 155  
 Sala, O. E., 87  
 savannas, 4, 68, 77, 108  
 CO<sub>2</sub> and increased tree density, 192  
 fire suppression, 241  
 grazing mammals, 188, 192  
 semi-arid, 106  
 shifts in bird species, 197  
 species decline, 329  
 subtropical, 104, 107  
 transition from forest to, 329  
 Sayre, N. F., 324  
 Scheiter, S., 76–7  
*Schizachyrium*  
*S. condensatum*, 165  
*S. scoparium*, 179  
 Seasonal Kendall (SK) trend test, 44  
 Seastedt, T. R., 182, 327

- semi-arid grassland, 71, 75, 119, 120, 122  
 climate-induced regime shifts, 106, 108  
 CO<sub>2</sub> enrichment, 90  
 drought sensitivity, 88  
 effects of elevated CO<sub>2</sub>, 121  
 invasive species, 105  
 nitrogen cycling, 122  
 population growth, 180  
 warming effects on C cycling, 120
- Senecio*  
*S. angulatus*, 155  
*S. viscosus*, 155  
*S. vulgaris*, 155
- Sentinel satellites and data, 52, 53, 54
- serpentine grassland, 104
- Sheley, R. L., 166
- Sherman, G., 280
- Shoko, C., 41
- shortgrass steppe, 88, 104, 105, 106, 107, 121, 236
- shrublands, 4, 15, 108, 157, 317, 328  
 species decline, 329
- Shuttle Radar Topography Mission (SRTM), 53
- silicon (Si), 192, 193, 195
- silvopastoralism, 10–15
- Sletvold, N., 181, 183
- Smith, A. B., 225, 313
- Smith, S. D., 90
- snow cover, 5, 27, 82–3, 102, 122, 223  
 effect on productivity, 90–1  
 effects of reduced, 119, 122, 135
- snowfall, increased late winter, 180
- Society for Ecological Restoration, 310
- soil biodiversity, 136–7
- soil biota  
 adaptation to climate change effects, 136, 210  
 effect of species invasion, 312  
 impact of climate change, 203–7  
 plant diversity effects, 210
- soil erosion, 7, 147, 293, 330  
 human-induced, 330
- soil food webs, 137, 203, 204, 205, 207, 208, 209
- soil moisture, 120, 121–3, 294, 296–8  
 remote sensing of, 54
- soil temperature, 27, 33, 89
- solar-induced fluorescence (SIF), 48–9, 54–5
- Sonneck, A.-G., 224
- Southeast Asia  
 culture and grasses, 277–8  
 grassland management systems, 277  
 instability of grasslands, 278–80  
 perceptions of *Imperata* grasslands, 281–3
- spectrometers, 53, 55
- Sphagneticola trilobata*, 155
- Sporobolus*  
*S. flexuosus*, 179  
*S. indicus* var. *capensis*, 155
- statistical downscaling (SD), 69
- Stellaria alsine*, 155
- Still, C. J., 238
- storms/storm surges, 164
- Stowe, L. G., 236
- Striga asiatica*, 155
- subalpine meadow, 119
- synthetic aperture radars (SARs), 49, 51, 53
- tallgrass prairie, 5, 88, 89, 104, 106, 315  
 burning, 317  
 effects of precipitation, 86–7  
 effects of warming, 205  
 leaf litter decomposition, 117, 120  
 migration, 225  
 variability of aboveground net primary production, 43
- tannins, 190, 193
- Taraxacum officinale*, 155
- Taub, D. R., 244
- Teeri, J. A., 236
- temperate grasslands, 67–8, 241
- temperature, 132  
 CO<sub>2</sub> and, combined effects, 70–1, 77  
 effects on C<sub>3</sub> and C<sub>4</sub> grasses, 236–9, 259  
 effects on forage production, 134, 136, 138  
 effects on forage quality, 190–2, 195  
 effects on insect herbivores, 193, 194, 196, 224  
 effects on invasive species, 149–50, 160, 161–3, 166–7  
 effects on net primary production, 82–3  
 experimental studies, 89  
 observational studies, 89  
 effects on population growth, 177–84  
 effects on rangeland health, 296–301  
 extremes, 71  
 phenological adjustments in response to, 76  
 projected increases in, 5–7, 69, 296  
 remote sensing of, 48  
 studies of, 23–7, 37  
 temperate grasslands seasonal, 67  
 warming and decoupling of plant and soil subsystems, 207–8  
 warming and the carbon cycle, 119–20  
 warming effects on nitrogen, 121–2  
 warming effects on soil biota, 204–5, 210  
 winter, 90–1
- terrestrial laser scanning (TLS), 49
- Thébaud, A., 77
- Themeda triandra*, 178, 181
- tipping points, 76–7
- Trifolium*  
*T. dubium*, 155  
*T. repens*, 155
- trophic levels, 29, 148, 188, 314, 332  
 climate change impacts, 191  
 response of higher, 196–9  
 within soil food networks, 207
- tropical grasslands, 67–8, 241, 244
- two-phase resource dynamics hypothesis, 87
- Underwood, N., 35
- United Nations Framework Convention on Climate Change (UNFCCC), 10, 15



- van Groenigen, K. J., 117  
 Vegetation and Environment monitoring on  
 a New MicroSatellite (Venµs), 54  
*Verbena*  
*V. brasiliensis*, 155  
*V. rigida*, 155  
 vertebrate herbivores, 134, 188  
 plant palatability, 193  
 pollination, 138  
 responses to climate change-induced  
 changes in forage quality, 195–6  
 seed dispersal, 224  
 trophic levels, 197–9  
 vertebrate predators, 197  
 Victoria (Australia), invasive species, 157  
*Vulpia*, 161  
*V. bromoides*, 155  
 water availability, 84, 87, 132, 134, 190, 266  
 effect on C<sub>3</sub> and C<sub>4</sub> grasses, 238  
 effect on rangeland health, 294, 296–8,  
 300–1  
 forage quality and, 192–3, 194, 196, 199  
 remote sensing of, 304  
 studies of, 27  
 Watt, James, 323  
 Weaver, John, 147  
 weeds, 100, 182, *See also Imperata cylindrica*  
 definition, 283  
 encroachment of, 7  
 management of, 15, 166  
 Wilcove, D. S., 282  
 wildfires. *See* fire  
 Williams, A. L., 181  
 Wilson, E. O., 328  
 Wilson, L. R., 316  
 wind/windstorms, 10, 100, 301  
 plant dispersal and, 163, 164, 223, 224  
 soil erosion, 294  
 Wittmer, M. H. O. M., 241  
 Wolff, J. U., 277  
 Woodward F., 68  
 Wu, Z. T., 32, 36  
 Wyoming, 71, 75  
 Yarime, M., 288  
 Yellowstone National Park grasslands, 86  
 Yohe, G., 225  
 Young, A. G., 315  
 Yu, M., 73