

Index

- β -decay, 78, 178
- β -stability valley, *see* valley of stability
- η Carinae, 218, 327, 435
- 30 Doradus, *see* Tarantula Nebula
- absorption
 - continuum, 40
 - line, 40
- abundance, 59
- accretion
 - accretion-induced phenomena, 415
 - disks, 406, 408
 - Eddington luminosity, 218
 - efficiency, 414
 - limiting rate, 413
 - nova, 422
 - power, 412
 - Roche lobe overflow, 372, 373, 401, 406, 408, 421, 487, 488
 - streams, 406
 - temperature, 413
 - wind-driven, 401, 410
 - X-ray burst, 425
- accretion disks
 - as elevators, 409
 - as energy-storage reservoirs, 415
 - formation, 222, 408
 - heating, 408
 - internal angular momentum transfer, 222, 409
 - luminosities, 409
- active galactic nuclei, 416, 469
- adiabatic index, 57
- ADS astronomy abstract service, 522
- advection, 90
- AGB stars, 308
 - and planetary nebulae, 316
 - carbon stars, 318
 - deep convection, 308, 314
 - dredge-up episodes, 317
 - ejection of envelope, 315
 - mass loss, 308, 314
 - sources of PAHs, 318
 - superwind, 317
 - thermal pulses, 308
- AGN, *see* active galactic nuclei
- Algol paradox, 416
- Algol variables (algols), 418
- angular size of stars, 13
- arXiv preprint server, 522
- asteroseismology, 233, 338, 358
- AT 2017gfo, 491
- atomic mass unit, 55
- Avogadro constant, 55
- Balmer series, 37, 40
- BAT, 464
- BATSE, 462
- BeppoSAX, 463
- binary pulsars, 372
 - formation, 372
 - Hulse–Taylor binary (Binary Pulsar), 373
 - tests of general relativity, 373
- binary star system, 14
 - accretion, 387, 401
 - Algol, 20, 416
 - and novae, 421
 - binary neutron stars, 372
 - Castor, 14
 - circularization of orbits, 387, 406
 - classification, 405
 - common-envelope evolution, 373, 486
 - contact binary, 405
 - detached binary, 405
 - eclipsing, 14, 19, 25
 - evolution, 405
 - formation of massive, 486
 - geometry, 15
 - mass function, 387
 - primary star, 406
 - secondary star, 406
 - semidetached binary, 405
 - Sirius, 15
 - spectroscopic, 17, 387
 - tidal interactions, 387, 406
 - tilt angle, 18, 387
 - true orbit, 18
 - visual, 18
 - X-ray binaries, 387, 411
- binding energy
 - Q -values, 108
 - curve of, 105, 106
 - nuclear, 105, 106, 108
- bipolar outflows, 201, 221

- black hole central engines
 - causality and source size, 390
 - for gamma-ray bursts, 465, 469
- black holes, 378
 - and frame dragging, 386, 474
 - and gravitational waves, 392, 396, 478, 482, 487, 488
 - and magnetic fields, 386, 474
 - as central engines, 470
 - as endpoint of stellar evolution, 297, 330, 378, 487, 488
 - at center of Milky way (Sgr A*), 392
 - candidates in X-ray binaries, 391, 392
 - Cygnus X-1, 389, 411
 - event horizons, 378
 - evidence for stellar-mass black holes, 386, 387
 - extremal Kerr, 386, 485
 - formation of supermassive, 489
 - formed by direct stellar collapse, 331
 - Hawking, 393
 - imaging event horizons, 394
 - in X-ray binaries, 387, 396
 - intermediate-mass, 393
 - jets, 416
 - Kerr, 470
 - known masses of, 396
 - mini, 393
 - natal kick, 450
 - negative heat capacity of, 98
 - supermassive rotating, 416, 474
- blackbodies, 9–11, 13, 78
- blue stragglers, 418
- Boltzmann equation, 32, 36
- Bose–Einstein distribution, 69
- BPM 37093, 358
- bremsstrahlung radiation, 158, 179
- broken symmetries, 255
- brown dwarfs, 215
- carbon–nitrogen–oxygen cycle, *see* CNO cycle
- cataclysmic variables, 415
- causality and source size, 390, 468
- Chandrasekhar limit, 303, 350, 352, 353
- Cherenkov radiation, 240
- chirality, 181, 274
- chromosphere, 32
- clusters
 - age of, 44
 - globular, 3, 43
 - open or galactic, 3, 43
 - turnoff point, 43, 44, 418
- CNO cycle, 110–113, 135, 136, 451
- collapsar model of gamma-ray bursts, 471
 - and long-period bursts, 471
 - and Wolf–Rayet stars, 471
 - jets, 471
- color index, 12
 - and surface temperature, 12, 13
 - B, 12
 - B–V, 12
 - of Antares, 13
 - of Spica, 13
 - U–B, 12
- common envelope evolution, 372, 373, 405, 487–489
- Compton Gamma-Ray Observatory (CGRO), 462
- Compton scattering, 157, 179
- concentration variables
 - abundance, 59
 - mass density, 59
 - mass fraction, 59
 - number density, 59
- convection
 - actual temperature gradients, 170, 189
 - adiabatic temperature gradient, 167, 189
 - and helium core burning, 306
 - convective fluxes, 517
 - convective instability, 163
 - convective velocity, 516
 - critical temperature gradient, 167
 - fully convective stars, 212
 - in core collapse supernova, 447, 448
 - in red giant stars, 303, 308, 314
 - in stellar cores, 175, 306
 - in the Sun, 174
 - Ledoux, 165
 - macroconvection, 162
 - microconvection, 162
 - mixing-length theory, 171, 173, 516
 - pressure scale height, 172
 - radiative temperature gradients, 171
 - role of adiabatic index, 168
 - role of pressure gradient, 169
 - salt-finger, 166, 167
 - Schwarzschild, 164
 - standing accretion shock instability (SASI), 449
 - surface ionization zones, 177
- coordinates
 - Eulerian, 88
 - Lagrangian, 88, 94
- Coulomb barrier, 117
- Coulomb forces, 107
- Crab Pulsar, 369
- Cygnus X-1, 389, 411
- Dalton’s law of partial pressures, 58
- dark ages, 330
- de Broglie wavelength, 67, 71, 78
- deflagration, 437
- deflection of light by gravity
 - gravitational curvature radius, 381
 - gravitational lensing, 395, 484
- degeneracy
 - lifting of, 305, 423
 - of white dwarfs, 348, 349
- degenerate matter, 67
 - electron, 66, 74, 423

- degenerate matter (cont.)
 - helium flash, 305
 - neutron, 66
 - thermonuclear runaway in, 305, 423, 426
 - white dwarfs, 349
- density exponents, *see* nuclear reactions, density exponents
- detonation, 437
- deuterium burning in protostars, 211, 247
- differentials, exact and inexact, 57
- Dirac neutrinos, 257
- distance
 - Cepheid distance scale, 26
 - parallax, 6
 - parsec, 6
 - spectroscopic parallax, 48
 - to α Centauri by spectroscopic parallax, 48
 - to Arcturus by spectroscopic parallax, 48
 - to stars in a cluster, 41
- distance modulus, 8
- DOI number, 522
- Doppler spectroscopy method, 223
- double pulsars, 372
 - formation, 372
 - tests of general relativity, 373
- doubly-diffusive instability, *see* salt-finger convection
- dredge-up episodes, 303

- Eddington luminosity, 218, 314
- Eddington model (of star), 81
- effective temperature
 - and blackbody radiators, 10
 - and stellar radii, 11
 - of Sun, 11
- Einstein equation, 382
- electron capture, 178, 180, 182, 360
- energy conservation for stars, 95
- energy production rate, 123, 137
 - CNO cycle, 137
 - triple- α reaction, 142
- energy transport, 153
 - bound–bound absorption, 158
 - bound–free absorption, 158
 - conduction, 153, 156
 - convection, 153, 162–171, 173
 - diffusion, 154
 - free–free absorption, 158
 - in degenerate matter, 158
 - Kramer’s law, 160
 - mean free path, 155
 - neutrino emission, 153, 178, 327, 329
 - photon absorption, 158
 - photon opacities, 159
 - radiation, 153, 157
 - Thomson scattering, 157
- energy widths, 116

- equation of state, 53
 - nonrelativistic gas, 70
 - adiabatic, 65
 - and de Broglie wavelength, 67, 71
 - and quantum mechanics, 67, 353
 - and quantum statistics, 67
 - and special relativity, 353
 - Bose–Einstein distribution, 69
 - classical gas, 69, 70
 - closing stellar equations, 190
 - degenerate, 66, 72, 74, 78
 - density of quantum states, 71
 - Fermi–Dirac distribution, 69
 - ideal gas, 54
 - isothermal helium cores, 304
 - matter and radiation, 79
 - Maxwell distribution, 70
 - neutron star, 482
 - nonrelativistic degenerate gases, 75
 - perfect gas, *see* ideal gas
 - photons, 78
 - polytropic, 63, 64, 76, 192
 - pressure integral, 54
 - quantum critical density, 70
 - quantum gas, 69, 70
 - transition from classical to quantum gas, 72, 78
 - ultrarelativistic degenerate gases, 76, 353
 - ultrarelativistic gases, 72
 - white dwarf, 347, 353
- equivalence principle, 379
- Euler equation, 406
- Eulerian coordinates, 88
- Eulerian derivative, 90
- event horizons, 378
- exascale computers, 449
- exoplanets, 222
 - Doppler spectroscopy method, 223
 - transits, 224
- extensive properties, 92
- extrasolar planets, *see* exoplanets

- Fermi energy, 74
- Fermi momentum, 74, 78
- Fermi–Dirac distribution, 69
- Feynman diagrams, 258
- first law of thermodynamics, 56, 94
- fluence, 461, 462
- function of state, *see* state functions

- Gaia mission, 7, 48
- gamma-ray bursts, 460
 - afterglows, 464, 491, 495
 - and energy conservation, 468
 - and gravitational waves, 491
 - and multimessenger astronomy, 491
 - and star-forming regions, 468

- association with core collapse supernovae, 469, 470
- association with galaxies, 468
- association with neutron star mergers, 469, 474, 491
- beamed emission, 464, 468, 491, 495
- causality and source size, 468
- central engine, 469
- characteristics, 464
- collapsar model, 471
- cosmological origin, 464
- discovery, 460
- duration, 466
- fireball model, 464
- fluence, 462
- hardness of spectrum, 462
- isotropic distribution on sky, 462, 464
- localization, 463, 491
- long-period, 416, 461, 464, 469
- long-period bursts and Wolf–Rayet stars, 470
- Lorentz γ -factor, 469
- nomenclature, 464
- nonthermal emission, 464
- off-axis emission, 495
- optical depth, 467
- power-law spectrum, 467
- short-period, 461, 464, 469, 491
- the gamma-ray sky, 460
- Gamow window, 120
- general covariance, 379
- general relativity, *see* gravity
- geometrized units, 502
- giant stars, 43
- GPS and relativistic corrections, 379
- gravitational curvature radius
 - and deflection of light, 381
 - and strength of gravity, 381
- gravitational lensing, *see* deflection of light by gravity
- gravitational stability, 78, 80, 96
 - and adiabatic index, 354
 - collapse of protostar, 207, 208
 - in adiabatic approximation, 206, 207
 - Jeans density, 204
 - Jeans length, 203
 - Jeans mass, 203
- gravitational waves, 478
 - and equations of state, 482
 - and late stellar evolution, 482, 487, 489
 - and multimessenger astronomy, 476, 490
 - as standard sirens, 495
 - determining the Hubble parameter, 495
 - frequency, 490
 - from binary pulsars, 373
 - from black hole formation, 331
 - from merger of black hole binaries, 482, 487, 488
 - from neutron star mergers, 476, 491
 - from supernovae, 476
- GW150914, 482, 483, 487, 488
 - luminosity, 485
 - multimessenger astronomy, 491
 - strain, 481, 483, 490
 - template waveforms, 480
 - test of general relativity in strong gravity, 476
- gravity
 - and curved spacetime, 380, 381
 - general covariance, 379
 - general relativity, 78
 - Newtonian, 78, 86
 - Newtonian versus general relativity, 378
 - Poisson equation, 86
 - principle of equivalence, 379
 - strength of (table), 381
- GRB, *see* gamma-ray bursts
- GW150914
 - detection, 482
 - luminosity, 485
 - properties of (table), 485
 - waveform, 483
- GW170817, 491
- Hayashi tracks,
 - dependence on composition and mass, 214
 - forbidden zone, 212
- heat
 - and inexact differentials, 57
 - and work in non-adiabatic pulsations, 340
 - change is not a state function, 57
 - flow through mass shell, 95
- Heisenberg uncertainty principle
 - and crystallization of white dwarfs, 358
 - and delocalized electrons, 318
 - and momentum, 78
 - and neutrino oscillations, 259
 - and quantum pressure, 77
- energy widths, 116
- statement of, 67
- virtual particles, 258
- helicity, 180, 181
- helioseismology, 233
 - and asteroseismology, 358
 - and speed of sound in Sun, 236
- g-modes, 233, 358
- p-modes, 233
- helium burning
 - and anthropic principle, 146
 - energy production rate, 142, 143
 - equilibrium population of ^8Be , 139
 - ground state of ^{12}C , 141
 - helium flash, 140
 - helium ignition on the RGB branch, 304
 - helium main sequence, 306

- helium burning (cont.)
 - Hoyle resonance, 140
 - NSE, 140
 - outcome, 146
 - production of neon, 143
 - production of oxygen, 143
 - simulated, 145
 - temperature sensitivity, 142, 306
 - triple- α , 138, 139
- helium flash, 140, 305
- helium main sequence, 306
- helium shell flashes, *see* thermal pulses
- Herbig–Haro objects, 201
- Hertzsprung gap, 303, 488
- Hertzsprung–Russell (HR) diagram, 32
 - evolution of, 49
 - excitation and ionization, 32
 - for globular clusters, 43
 - for open clusters, 43, 44
 - for stars near the Sun, 41, 42
 - from Hipparcos data, 42
 - giant stars, 43, 46
 - instability strip, 337
 - ionization and Saha equations, 33
 - luminosity classes, 45
 - main sequence, 42, 46
 - Morgan–Keenan (MK) system, 45
 - spectral classes, 32, 38
 - supergiant stars, 43, 47
 - temperature boundaries of instability strip, 343
 - white dwarfs, 43
- hierarchical triple-star system, 371
- Hipparcos satellite, 7, 42, 48
- homology, 208
- hot CNO cycle, 423
- Hoyle resonance in ^{12}C , 140
- HR diagram, *see* Hertzsprung–Russell (HR) diagram
- Hubble parameter, 495
- hydrogen burning
 - CNO catalysis, 112
 - CNO cycle, 110–113
 - competition of PP chains and CNO cycle, 113
 - efficiency of, 109
 - in earliest stars, 113
 - PP chains, 110, 113
- hydrostatic equilibrium, 86
 - and radiation pressure, 435
 - conditions for, 86
 - contrasting Eulerian and Lagrangian descriptions, 89
 - Eulerian description, 88, 188
 - for polytropes, 192
 - for Sun, 229
 - in general relativity, 365
 - Lagrangian description, 88, 188
 - onset in protostar collapse, 209
 - Oppenheimer–Volkov equations, 366
 - Poisson equation, 86
 - virial theorem, 92
- IMF, *see* initial mass function (IMF)
- initial mass function (IMF), 201, 219, 335
- instability
 - convective, 163–166, 168–170, 230, 448
 - doubly diffusive, 167
 - gravitational, 80, 203, 207, 354
 - of iron core, 324
 - pair-instability supernova, 434, 435
 - pulsational, 27, 337, 342, 343
 - Schönberg–Chandrasekhar, 303, 304
 - thermal pulses, 308
 - thermonuclear runaway in degenerate matter, 305, 415, 416, 421–423, 426, 430, 434, 435
 - thin-shell, 308, 310
- instability strip,
 - and κ -mechanism, 342
 - temperature boundaries, 343
- intensive properties, 92
- interstellar reddening, 41
- ionization
 - and mean molecular weight, 59
 - and Saha equations, 33, 35, 68
 - by pressure, 66, 68, 77
 - by temperature, 33, 38, 68
 - helium ionization zones, 343
 - hydrogen ionization zones, 343
 - in solar surface, 36
 - of helium, 35, 343
 - of hydrogen, 35, 343
 - of metals, 62
- iron peak, 107
- jets
 - collapsar model, 471
 - from gamma-ray bursts, 464
 - Lorentz γ -factor, 469
- Kelvin–Helmholtz timescale, *see* timescale
- Kepler’s laws, 16, 18, 387
- Kerr spacetime
 - metric, 385
 - vacuum solution, 385
- kilonova, 493, 495, 496
- kinetic energy for stars, 95
- Kramer’s law, 160
- Lagrange points, 403, 404
- Lagrangian coordinates, 88, 94
- Lagrangian derivative, 90
- Lane–Emden equation, 193, 195, 349
- lanthanides and opacity, 495

- Large Magellanic Cloud (LMC), 440, 451
- LBV, *see* luminous blue variables
- lifecycles, *see* stellar lifecycles
- LIGO, 373, 392, 476, 478, 482
- limiting lower mass for stars, 214
- limiting upper mass for stars, 217, 218
- line element, *see* metric
- Lorentz factor
 - definition, 384, 467
 - for gamma-ray bursts, 468
 - for LHC, 469
 - for quasars, 469
- luminosity
 - and magnitudes, 3
 - expression for, 171, 189
 - for mass shell, 95
 - of stars, 3
 - of Sun, 11
 - photon, 4
 - relationship to density, 28
 - relationship to mass, 22
- luminosity classes, 45
 - pressure broadening of spectral lines, 46
 - spectroscopic parallax, 48
 - surface densities, 47
- luminous blue variables, 327
- macronova, *see* kilonova
- magnetars, 374
- magnitude, 3, 12
 - absolute, 8, 28
 - apparent, 5
 - blue sensitive (B), 5
 - bolometric, 8
 - normalizations, 6
 - of the Sun, 8
 - photovisual (V), 5
 - ultraviolet (UV), 5
 - visual, 5
- main sequence stars, 42
- Majorana neutrinos, 257
- mass density, 59
- mass fraction, 59
- mass loss
 - and black hole formation, 486
 - and massive black hole binaries, 487
 - evidence from white dwarf masses, 4
 - from AGB stars, 314
 - from RGB stars, 304
 - from Wolf–Rayet stars, 326
 - from young stars, 326, 487
 - soot and interstellar dust, 318
 - source of luminosity, 4
- mass–luminosity relationship, 20, 22
- masses
 - atomic, 106
 - binding energy, 108
 - effective neutrino mass in medium, 273
 - effective plasmon mass in medium, 179
 - for binary stars, 387
 - gravitational, 379
 - inertial, 379
 - mass excess, 107
 - mass matrix, 274
 - nuclear, 106
- Maxwell distribution, 70, 115
- mean free path, 155
- mean molecular weight, 55, 58–60
- metal-poor stars, 24, 330, 487
- metallicity, 62
 - and binary black holes, 487
 - and gamma-ray bursts, 469
 - and opacity, 470
 - and the r-process, 457
 - enrichment in galaxies, 334
 - massive stars as primary source, 335
 - of Large Magellanic Cloud, 451
 - of Pop III stars, 330
- metals, 61, 330
- metric
 - and line element, 382
 - Kerr, 385
 - Minkowski, 383
 - Schwarzschild, 384
- metric tensor
 - and geometry of spacetime, 381
 - Kerr, 385
 - Minkowski, 383
 - Schwarzschild, 384
 - source of gravitational field, 380
- millisecond pulsars, 370, 371
- Minkowski spacetime
 - metric, 383
 - vacuum solution, 383
- mirror principle, 299, 307
- mixing-length theory, *see* convection
- moles, 55
- Morgan–Keenan (MK) system, 45
- MSP recycling, *see* millisecond pulsars
- MSW effect, *see* neutrino oscillations
- multimessenger astronomy, 476, 490, 491
- natal kick, 450, 487
- natural units, 502, 504
- Navier–Stokes equations, 406
- negative heat capacity
 - black holes, 96, 98
 - stars, 96, 98
- neutrino cooling, 178, 183, 327, 329, 356, 357
- neutrino oscillations
 - adiabatic condition, 286
 - adiabatic resonance flavor conversion, 283

- neutrino oscillations (cont.)
 - adiabaticity parameter ξ , 286
 - antineutrino matter resonance, 281
 - CP violation, 266
 - effective neutrino mass in medium, 273
 - energy dependence of flavor conversion, 290
 - interaction of neutrinos with matter, 271
 - mass matrix, 274
 - matter mixing angle, 277
 - matter oscillation length, 278
 - MSW effect in matter, 271
 - MSW flavor conversion, 279, 285, 287
 - MSW resonance condition, 280
 - MSW solutions in matter, 276
 - neutrino mass hierarchy, 267
 - oscillations with three flavors, 265
 - propagation of left-handed neutrinos, 274
 - Super-K evidence for oscillations, 291
 - time-average or classical probabilities, 263
 - vacuum oscillation length, 262
 - vacuum oscillations, 260
- neutrinoless double β -decay, 257
- neutrinos
 - and cooling of massive stars, 183, 329
 - and parity, 181
 - bremsstrahlung, 179
 - chirality, 181, 274
 - coherent scattering, 184
 - cooling by neutrino emission, 153, 178, 183, 304, 327, 329, 356, 357
 - cooling rates, 182
 - cross section, 178
 - Dirac, 257
 - emission, 4, 178, 327, 329
 - emission during silicon burning, 183
 - finite mass, 260
 - flavor mixing, 242, 259
 - flavor production, 182
 - helicity, 180, 181
 - Majorana, 257
 - mass hierarchy, 267
 - masses, 256
 - masses in Standard Model, 256
 - pair annihilation, 179
 - photoneutrinos, 179
 - plasma neutrinos, 179, 180, 356, 357
 - production mechanisms, 178
 - recombination, 180
 - reheating in core collapse supernova, 446, 447
 - solar, 236, 357
 - solar neutrino spectrum, 236
 - trapping in core collapse supernova, 444
 - Urca process, 180, 182
- neutron capture reactions
 - no Coulomb barrier, 125
 - rapid neutron capture (r-process), 125, 456, 457
 - slow neutron capture (s-process), 125, 310
- neutron stars
 - as dense quantum liquids, 365
 - as endpoint of stellar evolution, 297, 330
 - basic properties, 359
 - binary neutron stars, 372
 - Cas A, 364
 - cooling, 362
 - equation of state, 482
 - internal structure, 361
 - luminosity, 360
 - magnetars, 374
 - magnetic field, 374
 - mass, 360
 - natal kick, 450
 - neutronization, 360
 - Oppenheimer–Volkov equations, 366
 - prediction of, 359
 - protoneutron star, 362
 - pulsars, 367
 - size, 360
 - superfluidity in, 364
 - Urca process, 362
 - X-ray emission, 362
- neutronization, 360
- nonthermal emission, 465
 - from gamma-ray bursts, 464, 467
 - implications of, 465
 - polarization, 465
 - requires optically thin medium, 467
 - synchrotron radiation, 465
- nova, 421
 - breakout from CNO to hot CNO, 126
 - hot CNO cycle, 126, 423
 - lightcurve, 422
 - Nova Cygni 1992, 421
 - nucleosynthesis, 425
 - recurrence, 421, 425
 - RS Ophiuchi, 425
- NSE, 140
- nuclear forces
 - Coulomb repulsion, 107
 - pairing interactions, 107
 - quadrupole interactions, 107
 - saturation, 106
 - shell effects, 107
 - surface effects, 106
 - symmetry energy, 107
 - volume effects, 106
- nuclear reactions
 - advanced burning, 147
 - angular momentum, 127
 - barrier penetration factor, 118
 - carbon burning, 147
 - Caughlan–Fowler rates, 507

- CNO cycle, 135, 136
- competition of capture and β -decay, 126
- Coulomb barrier, 117
- cross section parameterization, 116, 123
- cross sections, 114, 115, 121
- density exponents, 123
- deuterium burning in protostars, 247
- deuterium burning in stars, 211
- energy widths, 116
- Gamow window, 120, 121
- Hoyle resonance, 140
- isotopic abundance changes, 189
- isotopic spin, 127
- neon burning, 147
- neutron capture, 125
- neutron reactions, 124
- nonresonant, 116, 117
- nuclear statistical equilibrium (NSE), 140, 141
- oxygen burning, 147
- parity, 127
- PP chains, 131
- rate libraries, 123, 507
- rate of energy production, 123, 137
- rates, 78, 114, 115
- ReacLib library, 507
- reaction networks, 510, 511
- resonant, 116, 121
- rp-process, 425
- S-factor, 119
- selection rules, 127
- silicon burning, 148, 149, 514
- Sommerfeld parameter, 118
- temperature exponents, 123, 133, 142
- thermal averaging, 115
- timescales for advanced burning, 151
- triple- α , 138, 140, 141, 304
- weak interactions, 124
- nuclear statistical equilibrium, *see* NSE
- nucleosynthesis
 - big bang, 139, 211
 - CNO cycle, 135, 136
 - hot CNO cycle, 425
 - isotopic abundance changes, 189
 - nova, 425
 - PP chains, 131
 - r-process, 310, 314, 456
 - rp-process, 425, 426
 - s-process, 308, 310, 314, 315
 - triple- α , 138
 - X-ray burst, 426
- number density, 59
- OB associations, 201
- opacity, 159
 - and metallicity, 469, 470, 487
 - and optical depth, 230, 231, 236
 - contributions to, 160
 - dominant contributions, 161
 - Kramer's law, 160
 - Rosseland mean, 159, 161, 230, 344
 - solar opacity, 160
 - temperature and density dependence, 78, 161
 - Thomson opacity, 160
- Oppenheimer–Volkov equations, 366
 - comparison with Newtonian gravity, 366
 - hydrostatic equilibrium in general relativity, 366
- optical depth
 - altered by relativity, 468
 - and solar surface, 230, 231, 236
 - definition, 230, 231, 236
 - in gamma-ray burst, 467
- P Cygni, 327
- P Cygni profiles, 201
- PAH (polycyclic aromatic hydrocarbon), 318
- pair-instability supernova, *see* supernova
- parallax
 - α Centauri, 7
 - measured by Gaia, 7
 - measured by ground-based telescopes, 7
 - measured by Hipparcos, 7
 - parallax angle, 6
 - range of, 26
 - spectroscopic, 48
- parity
 - and chirality of neutrinos, 181
 - and nuclear reactions, 127
 - nonconservation in weak interactions, 181
- parsec, 6, 7
- partition function, 33
- phase transition
 - quantum, 77
 - thermal, 77
- photoneutrinos, 179
- Planck law, 9, 78
- planetary nebulae, 297, 330
- plasmons, 179
 - as heavy photons, 180
 - decay of, 180
 - in condensed matter, 179
 - source of neutrino–antineutrino pairs, 180
- Poisson equation, 86
- Pop I, Pop II, Pop III, *see* stellar populations
- PP chains
 - competition with CNO cycle, 113
 - dominant energy source for Sun, 110
 - minimum temperature for, 214
 - reactions of, 110, 131
- pressure
 - broadening, 46
 - for ideal gases, 54, 60
 - from electrons, 60

- pressure (cont.)
 - from ions, 60
 - integral, 54
 - ionization, 66, 68
 - quantum, 77
 - radiation, 435
 - scale height, 172
- proper motion, 22
- proton–proton chains, *see* PP chains
- protoplanetary disks, 221
- protostar
 - contraction to main sequence, 207, 247
 - deuterium burning, 247
 - initial free-fall collapse, 208
 - onset of hydrostatic equilibrium, 209
- PSR J0337+1715, 371
- pulsars, 367
 - and tests of general relativity, 373
 - as spinning neutron stars, 367
 - basic properties, 367
 - binary pulsars, 372
 - binary spinup, 371
 - Crab Pulsar, 369
 - discovery, 369
 - double pulsars, 372
 - gamma-ray emission, 461
 - glitches, 369
 - lighthouse mechanism, 367
 - magnetars, 374
 - magnetic fields, 368, 374
 - millisecond pulsars, 370, 371
 - nomenclature, 370
 - pulsar–WD–WD triplet PSR J0337+1715, 371
 - spindown, 369
- pulsation, 337
 - ε -mechanism and stability of massive stars, 344
 - adiabatic radial, 337
 - and heat engines, 340
 - fundamental mode, 339
 - nearly adiabatic, 340
 - non-adiabatic radial, 340
 - non-radial, 344
 - opacity and κ -mechanism, 342
 - overtones, 339
 - partial ionization zones and instability strip, 342
 - radial acoustic modes, 338
 - role of radiative opacity, 342
 - thermodynamics of sustained, 340
 - work done, 340
- quantum mechanics, 519
 - de Broglie wavelength, 67
 - exclusion principle and degeneracy, 67
 - matrix elements, 520
 - observables, 520
 - operators, 519
 - quantum field theory, 521
 - quantum statistics, 67
 - relativistic quantum field theory, 521
 - uncertainty principle, 67
 - unitary transformations, 520
 - wave equations, 519
 - wavefunctions, 519
- quantum statistics, 67
- quasars, 330, 416, 469
- Q -values, 108, 134
- r-process
 - and Solar System abundances, 310
 - and the origin of heavy elements, 456
 - competition with s-process, 314
 - heavy r-process nuclei, 495–497
 - in neutron star mergers, 495–497
 - kilonova, 495–497
 - light r-process nuclei, 495–497
 - time delay, 457
 - timescales, 457
- radial velocities (stars), 22
- radiation laws, 9
 - Planck law, 9
 - Stefan–Boltzmann law, 9
 - Wien law, 9
- random walk, 100
- recombination transition, 330
- recycling of stellar material, *see* stellar lifecycles
- red giant evolution, 297
 - asymptotic giant branch (AGB), 300, 307
 - crossing the Hertzsprung gap, 303
 - deep convection, 303, 308, 314
 - development of isothermal core, 303
 - evolution away from main sequence, 246
 - helium flash, 305
 - helium ignition, 304
 - horizontal branch (HB), 300, 306
 - mass loss, 308
 - mirror response of mass shells, 299, 307
 - red giant branch (RGB), 300, 302
 - Schönberg–Chandrasekhar limit, 303, 304
 - shell burning, 298
 - thermal pulses, 308
- reionization transition, 330
- restricted 3-body problem, 402
- Roche lobes, 372, 373, 404
- Roche potential, 402
- Rosseland mean, *see* opacity
- rp-process, 426
- s-process, 310, 314
- S0-2, 392
- Saha equations, 33, 36, 140
- Sakurai’s Object (V4334 Sgr), 311
- Sanduleak –69 202, *see* Sk –69 202
- Schönberg–Chandrasekhar limit, 303, 304
- Schwarzschild spacetime
 - metric, 384
 - vacuum solution, 384

- selection rules, 127
 - conservation of angular momentum, 127
 - conservation of isospin, 127
 - conservation of parity, 127
- Sgr A*
 - and the star S0-2, 392
 - evidence for a supermassive black hole, 393
 - mass, 393
- shell burning, 298
 - helium shell source, 307
 - hydrogen shell source, 138, 301
 - mirror principle, 299, 307
- shell sources
 - helium shell source, 307, 308
 - hydrogen shell source, 307, 308
 - thermal pulses, 308
 - thin-shell instability, 308, 310
- shockwave
 - excluded in mixing-length models, 172
 - in core collapse supernova, 444
- silicon burning, 148, 149, 336
- Sk −69 202, 440, 451
- SN 1987A, *see* Supernova 1987A
- soft gamma-ray repeater (SGR), *see* magnetars
- solar neutrino problem
 - astrophysics versus particle physics, 241
 - Davis chlorine experiment, 238
 - gallium experiments, 239
 - KamLAND constraints on mixing angles, 292
 - large mixing angle and MSW, 294
 - neutrino deficit, 238
 - neutrino flavor mixing, 259
 - resolution of, 290
 - SNO mixing solution, 292
 - SNO observation of flavor mixing, 291
 - Super Kamiokande results, 239
 - total SNO solar neutrino flux, 292
- sound speed
 - and expansion timescale, 91
 - in Sun, 236
- space velocities (stars), 22
- special relativity
 - Lorentz γ -factor, 469
 - relationship with general relativity, 379
- spectral classes, 32
 - (table), 38
 - and absorption spectra, 38
 - as color index sequence, 39
 - as temperature sequence, 39
 - carbon stars (C), 39
 - hot blue stars with strong emission, 39
 - IR objects (L, T, Y), 39
 - old R, N, S classes, 39
 - special classes, 39
 - white dwarfs (D), 39
- spectral index, 467
- spectroscopic binaries, 17
- spectroscopic parallax, 48
- spectrum–luminosity diagram, *see* Hertzsprung–Russell (HR) diagram
- speed of sound, *see* sound speed
- stability valley, *see* valley of stability
- Standard Model of elementary particle physics, 254
 - beyond the Standard Model, 268
 - CP symmetry, 266
 - CPT symmetry, 266
 - electroweak interactions, 182
 - Feynman diagrams, 258
 - finite neutrino mass, 260
 - leptonic flavor mixing, 259
 - neutrino masses, 256
 - quark flavor mixing, 259
- standard sirens, 495
- Standard Solar Model, 228
 - assumptions of, 228
 - constraints and solution, 230
 - testing with helioseismology, 233
 - testing with neutrinos, 236, 237
- standardizable candle, 431, 436
- star formation, 201
 - brown dwarfs, 215
 - collapse of protostar, 207
 - dependence on composition, 205
 - development of radiative core, 213
 - exoplanets, 222
 - fragmentation, 204
 - fully convective stars, 212
 - gravitational stability in adiabatic approximation, 206, 207
 - Hayashi forbidden zone, 212
 - Hayashi tracks, 212
 - Herbig–Haro objects, 201
 - homology, 208
 - in the early Universe, 464
 - initial free-fall collapse, 208
 - initial mass function, 201, 219
 - Jeans criteria for gravitational collapse, 203
 - limiting lower mass, 201, 214
 - limiting upper mass, 201, 217, 218
 - OB associations, 201
 - onset of hydrostatic equilibrium, 209
 - protoplanetary disks, 201, 221
 - T Tauri stars, 201
 - termination of fragmentation, 212
- starbursts, 334
- state functions, 57
- Stefan–Boltzmann law, 9, 10
- stellar lifecycles, 333
- stellar luminosities, 22
- stellar masses, 13, 17, 21, 22
- stellar populations, 23
 - features of, 24

- stellar populations (cont.)
 - Pop I, 23, 24
 - Pop II, 23, 24
 - Pop III, 24, 113, 330
- stellar radial velocities, 17
- stellar radii, 11, 13, 21, 22
- stellar structure equations
 - boundary conditions, 196
 - general solutions, 190, 196
 - Lane–Emden solution, 192, 195
 - stiffness, 196
 - summary, 188
- stress–energy tensor, 382
- structure formation, 464
- subgiant stars, 303
- Sun, 228
 - 5-minute oscillations, 233
 - bolometric magnitude, 8
 - CNO reactions, 135
 - composition, 61, 229
 - degeneracy of core, 73
 - dynamical timescale, 91
 - effective surface temperature, 11
 - energy generation, 229
 - energy transport, 230
 - engulfing Earth, 319, 320
 - evolution on the main sequence, 242
 - helioseismology, 233
 - Kelvin–Helmholtz timescale, 99
 - luminosity, 11
 - neutrino production, 236
 - optical depth, 230, 231, 236
 - PP chains, 131
 - pressure of atmosphere, 34
 - red giant phase, 319, 320
 - rotation rate, 236
 - solar constant, 11
 - solar neutrino spectrum, 236
 - speed of sound, 236
 - Standard Solar Model, 228
- superfluid
 - in helium-3, 365
 - in neutron stars, 364
 - phase transition, 365
- supergiant stars, 43
- supernova, 429
 - 1987A, 357
 - and formation of black holes, 486
 - association with gamma-ray bursts, 470
 - convection in, 447
 - core collapse, 297, 330, 360, 431, 440, 442
 - double-degenerate mechanism, 435
 - entropy of core, 442
 - failed, 331
 - lightcurves, 429, 474
 - neutrino emission, 357
 - nucleosynthesis, 438, 456
 - observational classification, 429
 - pair-instability, 330, 434, 435
 - remnants, 439
 - remnants of core collapse, 449
 - single degenerate mechanism, 435
 - standing accretion shock instability (SASI), 449
 - Supernova 1987A, 440, 450
 - thermonuclear, 434
 - Type Ia, 416, 430, 434
 - Type Ib, 431, 470
 - Type Ic, 431, 470
 - Type II, 433
 - Supernova 1987A, 440, 450, 451
- SWIFT, 464
- symmetric matter, 61, 348
- synchrotron radiation, 465
- T Tauri stars, 201
- tangential velocities (stars), 22
- Tarantula Nebula, 43, 440, 451
- temperature
 - effective, 10
 - effective of Sun, 11
- temperature exponents, *see* nuclear reactions
- tensors, 380
- thermal adjustment timescale, *see* Kelvin–Helmholtz timescale
- thermal equilibrium, 94
- thermal pressure, 77
- thermal pulses, 308
 - and dredge-up episodes, 318
 - duration, 308
 - for Sakurai’s Object, 311
 - number of, 308
 - thin-shell instability, 308, 310
- thermonuclear reactions, *see* nuclear reactions
- thermonuclear runaway, 305, 423, 426, 439
- thin-shell instability, 308, 310
- Thomson scattering
 - cross section, 157, 467
 - opacity, 160
 - relation to Compton scattering, 157
- timescale
 - contraction, 100
 - dynamical, 91, 92, 101, 191
 - evolutionary timescales, 245
 - expansion, 91
 - for advanced burning, 151, 192
 - free-fall, 28, 91, 101, 208
 - hydrodynamical, 92
 - Kelvin–Helmholtz, 97, 99–101
 - main sequence lifetime, 243
 - nuclear burning, 133, 191, 192
 - nuclear burning of helium, 306
 - random walk, 100
 - table of timescales, 191
 - thermal adjustment, 97, 191
- Tolman–Oppenheimer–Volkov (TOV) equations,
see Oppenheimer–Volkov equations

- total energy of a star, 95
 - triple- α reaction, *see* nuclear reactions and helium burning
 - triple-star systems, 372, 373
 - uncertainty principle, *see* Heisenberg uncertainty principle
 - unitary transformations, 520
 - Urca process, 180, 182
 - valley of stability, 125, 313
 - variable stars, 337
 - δ Sct, 338
 - ε -mechanism, 344
 - κ -mechanism, 342
 - as heat engines, 340
 - Cepheid, 25, 28, 338, 343
 - eclipsing, 25, 337
 - eruptive, 25, 337
 - instability strip, 337
 - long-period red, 28, 338
 - Mira, 28, 338
 - nomenclature, 26
 - non-adiabatic radial pulsations, 340
 - non-radial pulsating, 344
 - partial ionization zones in pulsating, 342
 - period–luminosity relations, 25, 26, 28
 - pulsating, 25, 27, 28, 337, 338
 - role of radiative opacity in pulsating, 342
 - RR Lyra, 26, 28, 338
 - W Vir, 338
 - white dwarf, 39, 357
 - ZZ Ceti, 39, 338, 358
 - virial theorem
 - and negative heat capacities, 96
 - for ideal gas, 92
 - VLBA, 394
 - weak interactions, 106, 124
 - and neutrino physics, 254
 - charged currents, 257
 - electron capture, 134
 - neutral currents, 257
 - white dwarf, 346
 - and degeneracy, 348
 - and novae, 421
 - and polytropic equation of state, 76
 - and special relativity, 347
 - as AGB core, 316
 - as endpoint of stellar evolution, 297, 330
 - as Sun’s destiny, 319
 - asteroseismology, 233, 358
 - asteroseismology of BPM 37093, 358
 - Chandrasekhar limiting mass, 350, 352, 353
 - cooling, 356
 - cooling curves as age indicators, 356, 358
 - crystallization, 358
 - density and gravity, 347
 - equation of state, 347, 349
 - high-mass, 76
 - in HR diagram, 43
 - insulating blanket model of cooling, 356
 - internal structure, 355
 - ions in, 348
 - Lane–Emden equation, 349
 - low-mass, 76, 349
 - masses as evidence for mass loss, 4
 - photons in, 348
 - properties, 346
 - Sirius B, 15, 346
 - spectral classes, 39
 - temperature profile, 355
- Wien law, 9
- Wolf–Rayet star
 - and gamma-ray bursts, 470, 471, 474
 - and Type Ib and Ic supernovae, 433
 - characteristics, 326
 - collapsar model, 473
 - direct collapse to black holes, 489
 - mass emission, 327, 328, 335, 470, 471
 - spectral classification, 39
- work
 - and inexact differentials, 57
 - done by mass shell, 95
 - done by pulsation, 340
 - is not state function, 57
- X-ray binaries
 - and black holes, 389, 396
 - classification, 411
 - Cygnus X-1, 389
 - high-mass X-ray binaries, 387, 411, 415
 - low-mass X-ray binaries, 372, 373, 411, 415
- X-ray burst, 415, 425
- X-rays, 426
- ZAMS, *see* zero age main sequence (ZAMS)
- zero age main sequence (ZAMS), 61, 219, 246, 297, 301, 488