

Author Index

- Acker, P., 39
Al-Shaikh, A.H., 245
Arzamendi, M., 257
Attiogbe, E.K., 167

Baldie, K.D., 47
Banthia, N.P., 217, 224
Bentur, A., 224
Bischoff, P.H., 151
Boulay, C., 39

Chen, E.P., 63
Cheong, H.K., 245
Choi, K-B., 87

Darwin, D., 167
Du, J.J., 203

El-Rahman, M., 139

Fu, G., 87

Galloway, R.G., 79
Glinicki, M.A., 93
Gong, J.C., 119

Hawkins, N.M., 203
Hobbs, B., 235

Jenkins, D.A., 119
John, R., 21

Kobayashi, A.S., 203

Malier, Y., 39
Malvern, L.E., 119
Mindess, S., 217, 224

Naaman, A.E., 97
Nammur, G.G., 97

Oldroyd, P.N., 235

Perry., S.H., 151, 245
Pratt, P.L., 47

Reinhardt, H.W., 1
Ritter, A., 217
Rossi, P., 39

Shah, S.P., 21, 181
Shrive, N.G., 139

Sierakowski, R.L., 257
Skalny, J.P., 217
Soroushian, P., 87

Takeda, J-I., 15
Tang, T., 119

Watson, A.J., 235
Wolfe, W.E., 257

Cambridge University Press

978-1-107-40564-6 - Cement-Based Composites: Strain Rate Effects on Fracture:

Materials Research Society Symposia Proceedings: Volume 64

Editors: Sidney Mindess and Surendra P. Shah

Index

[More information](#)

Cambridge University Press

978-1-107-40564-6 - Cement-Based Composites: Strain Rate Effects on Fracture:

Materials Research Society Symposia Proceedings: Volume 64

Editors: Sidney Mindess and Surendra P. Shah

Index

[More information](#)

269

Subject Index

- aggregates, 167
 - failure, 93
- anisotropy, 172
- backscattered electron
 - images, 52
- bending, 88, 206, 217, 226, 259
- bond, 169
- calcium hydroxide, 55
- calcium silicate hydrate, 55
- cement-aggregate interface, 167
- Charpy impact test, 26, 193
- compact tension specimen, 257
- compliance method, 41
- compression, 15, 119, 139, 151, 246, 258
- confinement, 245
- constitutive model, 184
- continuum damage model, 63, 79
- crack
 - density, 169, 174
 - development, 55, 219
 - distribution, 167
 - growth,
 - subcritical, 29, 47
 - thermally activated, 23
 - length, 240
 - opening rate, 39
 - orientation, 171
 - propagation, 17, 24, 29, 42, 47, 139, 174, 188
 - resistance, 188
 - size, 171
 - tip blunting, 69
 - tip opening displacement, 187
 - velocity, 17, 26, 47, 206, 218
 - width, 240
- cracking,
 - submicroscopic, 167, 169
- crater, 238
- creep, 59, 156
- cyclic loading, 245
 - envelope curve, 245
- damage
 - mechanics, 63, 79, 182
 - mechanism, 242
 - model, 63, 79, 182
 - parameters, 235
 - surface, 79
 - zone, 63, 240
- double cantilever beam, 39
- double torsion specimen, 50
- drop hammer, 163
- ductility, 245
- dynamic
 - compressive strength, 119
 - fracture, 203
 - loading, 235
- end confinement, 162
- energy,
 - absorption, 97, 191, 245
 - dissipation, 245
 - release rate, 139
- explosive loading, 235
- fatigue crack growth, 260
- fiber reinforced concrete, 93, 97, 182, 217
 - pullout of fibers, 101
- finite element models, 63, 204
- flaw size,
 - critical, 139
- fracture
 - brittle, 15, 39, 151
 - criterion, 15, 205
 - ductile, 39
 - mechanics, 1, 21, 139, 152, 187, 257
 - linear elastic, 2, 21, 257
 - non-linear, 5
 - mixed mode, 23
 - mode I, 21
 - mode II, 21
 - process,
 - compression, 158, 159
 - reinforced concrete, 227
 - tension, 159
 - process zone, 204
 - toughness, 39, 47, 187, 257
- Griffith criterion, 34, 43
- hardened cement paste, 48, 167, 217
- high speed photography, 217
- impact, 26, 97, 151, 163, 181, 203, 217, 225
 - velocity, 234
- impulsive loading, 237
- inertial load, 226

Cambridge University Press

978-1-107-40564-6 - Cement-Based Composites: Strain Rate Effects on Fracture:

Materials Research Society Symposia Proceedings: Volume 64

Editors: Sidney Mindess and Surendra P. Shah

Index

[More information](#)

270

- confinement, lateral, 119, 162
- K_{IC} (see also fracture toughness), 26, 39, 187, 257, 261
- Kolsky apparatus, 119
- lightweight aggregate concrete, 236
- linear elastic fracture mechanics, 2, 21, 257
- load-deflection behaviour, 191, 227
- load relaxation, 58
- loading,
 - monotonic, 168, 248
- macrocracks, 176
- macro-defect free (MDF) cement, 257
- microcracks, 57, 63, 80, 158, 162, 167, 182
- modulus of rupture, 88
- mortar, 21, 119, 167
- non-linear fracture mechanics, 5
- nonlinearity, 167
- plain concrete, 1, 16, 21, 39, 63, 87, 93, 100, 203, 236
 - high strength, 119, 168
 - saturated, 88
- polymer grid, 235
- post-peak behaviour, 43, 97, 197
- process zone, 5, 57
- rate of loading, 1, 21, 48, 93, 193
- reinforced concrete, 19, 217, 225, 235, 245
- reinforcement, 19, 217, 225, 235, 245
- scanning electron microscope, 168
 - backscattering, 52
- single edge-notch beam, 26, 51, 257
- skewness, 172
- slabs, 235
- spalling, 238
- split cylinder test, 88
- split Hopkinson's pressure bar, 119
- stiffness, 252
- strain, 173
 - critical compressive, 151
- strain rate, 1, 15, 21, 65, 93, 97, 119, 151, 179, 184, 235, 245
- strain softening, 63, 167
- strength, 225, 245
- stress-displacement relationship, 97
- stress intensity factor, 18, 47
- stress-strain relationship, 16, 93, 168, 177, 245
- sustained loading, 168
- tensile,
 - strain, 79
 - strength, 1, 65, 87, 93, 152, 258
- thermodynamics, 1, 184
- V- K_I plot, 26, 47
- viscoelastic behaviour, 39