

Author Index

Bailey, J.E., 107	Malek, R.I.A., 41
Baker, M.D., 73	Manz, B.A., 129
Biggs, D.L., 21	Manz, O.E., 129, 195, 213
Bruns, J.J., 21	Maskerinec, M.P., 227
	McCarthy, G.J., 165, 187
Chanda, S., 107	Mitchell, M.J., 195
	Montgomery, D., 119
Day, R.L., 31	
Demirel, T., 51, 85	Natt, G.S., 31
Diamond, S., 3	
Fajun, W., 65	Parker, J.H., 249
Francis, C.W., 227	
Galbreath, K.C., 165	Risbud, S.H., 61
Garcez, I., 237	Roy, D.M., 3, 41, 65, 95
Goyert, J.C., 227	
Groenewold, G.H., 213	Sarker, A.K., 141
Grutzeck, M.W., 65	Scheetz, B.E., 53
	Schlorholtz, S., 51, 85
Hassett, D.J., 187, 213	Severson, D.E., 195
Henke, K.R., 187	Steinwand, A.L., 165
Hornibrook, C.A., 249	Stevenson, R.J., 165, 177
Joshi, R.C., 31	
Keller, L.P., 165	Tamás, F.D., 95
Koob, R.D., 213	Tilleman, D.D., 31
Korynta, E.D., 187	Tittlebaum, M.E., 237
Laguros, J.G., 73	Watson, J.S., 151
Larsen, R.A., 177	White, E.L., 95
Lenkei, M., 95	White, W.B., 53
Luke, K., 3	

Cambridge University Press

978-1-107-40567-7 - Fly Ash and Coal Conversion By-Products Characterization, Utilization, and Disposal: Symposium held November 29-30, 1984, Boston, Massachusetts, U. S. A.

Gregory J. McCarthy and Robert J. Lauf

Index

[More information](#)

Cambridge University Press

978-1-107-40567-7 - Fly Ash and Coal Conversion By-Products Characterization, Utilization, and Disposal: Symposium held November 29-30, 1984, Boston, Massachusetts, U. S. A.

Gregory J. McCarthy and Robert J. Lauf

Index

[More information](#)

Subject Index

- ASTM tests, 3-4, 7, 12, 31, 51-52, 73, 87-88, 129-130, 144, 249
- alkaline leachant neutralization, 213-236
- aluminum recovery, 151-160
- anhydrite, 6-8, 56-58, 77-78
- artificial reef, 249
- attenuation of trace elements, 217, 223-225
- autoclave expansion test, 7, 51-52, 85-93
- blended cement (fly ash cement), 13-18, 31-32, 65-72, 73-83, 85-93, 95-106, 107-118, 141-150, 197-200
- Ca(OH)₂, 42, 44-49, 51-52, 65-72, 77-78, 85-93, 115-116, 141, 144, 146, 170, 192, 249
- calcite, 27, 77-78, 168-175, 179-186, 192
- calcium aluminate, tri- (C₃A), 7, 54, 58, 77-83, 85-93, 131
- calcium silicate, di- (C₂S), 7, 34, 54, 58-60, 77-79, 112, 168-175, 182-185, 191-193
- calcium silicate, tri- (C₃S), 7, 25-29, 54, 58-60, 77-83
- calorimetry, 13-17, 65-67, 75-76
- carnegieite, 7, 170-175, 183-184, 191-193
- cenospheres, 5, 11-12, 16, 35-36, 61, 81, 146-147
- ceramic wall tile, 204-205
- co-disposal, 227-235, 249
- coal (residual in ash), 9-10, 27-28, 31, 167
- coal gasification ash, 165-176, 177-186, 187-194, 195-210
- coal washery wastes, 119-128
- compressive strength, 17, 75-76, 135-137, 144-150, 249
- concrete containing fly ash, 13-18, 31-32, 73-83, 85-93, 95-106, 107-118, 125-128, 141-150, 197-202, 249
- density of fly ash cement, 141-150
- devitrification, 61-62, 174-175, 177-186
- disposal of fly ash, 213-226, 249
- drinking water standards, 191
- EPA extraction procedure (EP), 188-194, 227, 232, 237-248, 249
- economics, 129-140, 157-160, 195-210
- ettringite, 7, 46, 65, 68-69, 77-83, 85, 167, 170
- ferrite spinal (magnetite), 6-8, 23-28, 47, 58, 169-175, 179-186, 192
- flexural strength, 107-118, 200-202
- flue gas desulfurization waste, 153, 197, 213-214, 227
- fluidized bed combustion, 119-128
- fly ash
- classification, 11-13
 - composition, 4-5, 9-11, 21, 33, 42, 51-52, 66, 74, 89, 98, 108, 135, 156, 197, 231, 239, 249
 - disposal, 213-226, 249
 - etching, 8-9, 32-39
 - glass component, 5-9, 18, 28, 34-35, 53, 61-62
 - high calcium (Class C), 11-12, 15-17, 31-38, 42, 53, 66, 73-83, 85-93, 95-106, 129-140, 141-150, 195-209, 213-226, 239
 - leaching, 154-156, 187-194, 213-226, 227-235, 237-248, 249
 - low calcium (Class F), 11-13, 15-17, 21, 32, 53, 66, 85-93, 95-106, 107-118, 141-150, 249
 - mineralogy, 4, 6-7, 24-28, 31-35, 42, 51-52, 54-59, 77-79, 85-93
 - morphology, 5-9, 22-28, 35-38, 46-47, 79-81, 88, 97, 111-115
 - optical microscopy, 23-29
 - utilization, 13-16, 31-38, 65-72, 73-83, 85-93, 95-106, 107-118, 125-128, 141-150, 197-202, 249
 - vittrification, 61-62, 198-201
 - water reactions, 31-35, 41-49, 65, 85-93, 213-226, 249
- free lime determination, 51-52, 88
- gasification ash
- composition, 168, 178-181, 187-194, 197
 - genesis, 174-175, 185-186
 - leaching, 187-194
 - mineralogy, 165-175, 177-186, 191-194
 - morphology, 177-186
 - utilization, 195-210
 - vittrification, 166, 185-186, 198-201
- gasification process, 165-176, 185-186
- geochemical modeling, 187-194
- groundwater analyses, 213-226
- gypsum, 7, 42, 47, 54, 56-58, 69, 77-79, 158, 149

Cambridge University Press

978-1-107-40567-7 - Fly Ash and Coal Conversion By-Products Characterization, Utilization, and Disposal: Symposium held November 29-30, 1984, Boston, Massachusetts, U. S. A.

Gregory J. McCarthy and Robert J. Lauf

Index

[More information](#)

272

- hematite, 6-8, 23-28, 47, 58, 142, 159, 169-175
- high flexural strength concrete, 200-202
- hydration of fly ash cement, 13-17, 65, 73-83, 85-93, 107-118, 148-149
- irrigation water standards, 191
- laser Raman microprobe, 53
- leaching of ash, 154-156, 187-194, 213-226, 227-235, 237-248, 249
- lime (crystalline), 6-8, 27, 51-52, 77-78, 85-93, 131, 175
- low density cements, 144-148
- magnetic enrichment, 22-23, 152
- melilite, 7, 168-175, 182-185, 191-193
- merwinite, 7, 168-175, 182-185, 191-193
- metals recovery from ash, 151-160
- microfocus Raman spectroscopy, 53
- mineral wool, 198-199
- mullite, 6-9, 26-27, 54, 58, 115, 152-153, 170
- municipal waste leachate, 227-235
- nepheline, 7, 169-175, 184-185, 191-193
- nucleating agents, 61-62
- ocean disposal, 249
- oil well cement, 95-106, 141-150
- periclase, 6-8, 51, 54, 58, 85-93, 168-175, 181-186, 192-193
- petrographic microscopy, 21
- pozzolanic properties, 15-17, 31-38, 65-72, 79-83, 115, 129-140, 141-150, 213, 227, 232
- quartz, 25-28, 31-38, 54-56, 141, 168-175
- RCRA standards, 151, 187-194, 213-226, 227, 237, 246-247, 249
- retardation of hydration, 31-38, 65, 144
- rheology, 95-106, 141-150
- roadbed stabilization, 129-140, 237-248
- scanning electron microscope, 5, 8, 16, 31-38, 46-47, 79-81, 97, 111-115, 167, 172-173, 177-186
- soil attenuation, 213-226
- soil stabilization, 129-140, 202-203, 237-248
- stress intensity factor, 107-118
- strip mine reclamation, 213-226
- Sulfurcrete, 204-206
- superplasticizers, 95-106
- synthetic groundwater, 188-193
- TEM, 61-62
- trace elements, 154-156, 190-194, 213-226, 237-248, 249
- utilization
 - in artificial reefs, 249
 - in ceramics, 204
 - in concrete, 13-18, 31-38, 65-72, 73-83, 85-93, 95-106, 107-118, 141-150, 197-202
 - for metal recovery, 151-160
 - in mineral wool, 198-200
 - in road construction, 129-140, 202-2-3, 237-248
- water equilibrium modeling, 187-194
- water quality monitoring, 213-226
- x-ray diffraction, 6-9, 23-28, 34-35, 42, 51-52, 77-79, 88, 167-172
- Young's modulus, 107-118
- zeolite, 170-175, 193
- zeta-potential, 41-50