

## Index

- 1-parameter subgroup (1-PS), 110, 212  
 normalised, 224
- $A_5$ , 17
- affine quotient map, 159
- Abel, xix
- Abel's Theorem, 288, 334, 345, 347
- Abel-Jacobi map, 287, 334
- abelian differential, 337
- abelian varieties, xv, 399
- action of an affine algebraic group, 103
- action of ray type, 322
- adjoint of a bundle map, 456
- adjoint functors, 286
- adjoint representation, 127
- adjugate matrix, 58
- affine algebraic group, 100
- affine algebraic variety, 85
- affine charts, 95
- affine curves, 288
- affine hyperelliptic curve, 234, 271
- affine hypersurface, 81
- affine Jacobian  
 of a plane curve, 424  
 of a spectral curve, 424
- affine line, 172  
 is not complete, 104
- affine quotient map, 164, 176, 182, 184, 190,  
 315, 402
- affine space, 77, 78, 158, 163, 181
- affine variety, 81, 123
- algebraic curve, xvii, xviii
- algebraic de Rham cohomology, 327, 332
- algebraic family of vector bundles on  $C$   
 parametrised by  $\text{Spm } A$ , 408
- algebraic function field, xvii  
 of  $\text{Spm } R$ , 85
- algebraic group, xvii, 77, 100, 399  
 is always nonsingular, 124
- algebraic Jacobian, 399
- algebraic number field, 270, 397
- algebraic representation, 117
- algebraic torus, 122  
 is linearly reductive, 131
- algebraic variety, xvi, 77, 91, 398
- alternating group, 10
- ample, 447
- analytic Jacobian, 341, 452
- anharmonic, 32
- Apollonius, 7
- approximation of the quotient functor, 402
- Approximation Theorem, 112
- arithmetic genus, 287, 293, 337
- arithmetic Jacobian, 426
- Artin ring, 312
- ascending chain condition, 54
- automorphic form, 43
- averaging map, 14
- axis of a double point, 224
- Base Change Theorem, 400, 405
- base point free, 308
- basic open set, 79
- best approximation (by an algebraic variety),  
 399, 402
- Betti numbers, 336
- Big Bang, 485
- bigraded ring, 73  
 support of, 70
- bilinear relations for differentials of divisor  
 type, 344–345
- bilinear relations for differentials of the second  
 kind, 339–341
- binary dihedral group, 17
- binary forms, 139, 177, 196, 219
- binary icosahedral group, 17
- binary octics, 177
- binary polyhedral groups, 18
- binary quartic, 1, 26, 29, 172, 176, 220  
 classical invariants of, 27

496

binary quintics, 177  
 binary sextics, 177  
 binomial coefficient identity, 474  
 binomial coefficients, 145  
 birational map, 203  
 birational quotient, 182, 183  
 blow-up, 203

canonical divisor, 329  
 canonical line bundle, 330, 346, 354, 447  
 Casimir element, 116, 128–129  
   for  $SL(n)$ , 133  
   of  $SL(2)$ , 140  
 Casimir operator, xii, 129, 134  
 Catalan number, 246, 250, 444, 467  
 categorical quotient, 183  
 Cauchy's residue formula, 331  
 Cauchy's residue theorem, 341, 345, 440  
 Cauchy-Riemann equations, 338, 342  
 Cayley, xi, 23  
 Cayley transformation, 30  
 Cayley's  $\Omega$ -process, 131  
 Cayley-Hamilton Theorem, 135, 271, 356  
 Cayley-Sylvester formula, xii, 116, 147  
 centroid, 221  
 character, 13, 121, 157, 182, 200  
 Chern character, 452  
 Chern class, 248, 448  
 class number, 274  
 classical binary invariant, 25  
 classical invariant, 168, 174  
 classical semiinvariant, 191  
 classification morphism, 284  
 classifying map (for a family of line bundles), 409  
 closed immersion, 86, 94  
 closed map, 104  
 closed orbit, 162  
 closed subvariety of  $\mathbb{P}^n$ , complete, 106  
 closure-equivalent, 185  
   orbits, 161  
 coaction, 183  
 coarse moduli, xix, 401  
   space, 402  
 coboundary map, 353, 359  
 cofactor matrix, 431  
 cohomology module, 404  
 cohomology ring, xxii, 247  
   of the Grassmannian, 439, 467  
 cohomology space, 292  
    $H^1$ , 404  
   of a vector bundle, 306  
   of the structure sheaf, 298  
 coidentity, 100  
 coinverse, 100  
 comparison map in cohomology, 338  
 complete, 78

*Index*

complete affine variety, the single point, 104  
 complete algebraic variety, 104  
 complete intersection of two quadrics, 436  
 completeness, 355  
   of a toric variety, 110  
 complex, 214  
 complex analytic space, 78  
 complex torus, 287, 346, 451  
 composition of valuation rings, 68  
 cone over a twisted cubic, 435  
 conic, 7, 435  
   nondegenerate, 2  
   transmigration of, 7  
 conic bundle, 435  
 continuous, 160  
 convergent power series ring, 61  
 convex polyhedral cone, 107  
 convolution product, 125  
 coordinate functions on the quotient space, 4  
 coordinate ring, 86, 117, 183  
   of  $\text{Spm } R$ , 85  
 coproduct, 100  
 cotangent bundle, 312  
 Cousin's Problem, 298  
 covariants of a plane cubic, 430  
 covering of a module, 254  
 critical point, 209  
 cross-ratio, 30, 32  
 cubic form, 24  
 cubic Pfaffian, 246  
 cubic surfaces in  $\mathbb{P}^3$ , 224  
 cup product in cohomology, 307, 328, 339, 354  
 curve, 290, 348  
 cyclic group, 101, 115, 230

decomposable vector bundle, 355  
 deformation theory, 89  
 degree of a divisor, 292  
 degree of a line bundle, 305  
 degree of a quasiparabolic vector bundle, 476  
 degree of a vector bundle, 352  
 Deligne cohomology, 343  
 derivation, 121, 156  
   at a point, 123  
   of a field, 309  
 descent under a faithful flat morphism, 257  
 destabilising line subbundle, 365  
 determinant line bundle, 350, 458  
 determinantal section, 460  
 de Rham cohomology, 288  
 de Rham cup product, 333  
 diagonal, 88, 94, 115  
 diagonal 1-PS, 213  
 differentiable manifold, 438  
 differential module, 346  
 differential of the first kind, 331

- differential of the second kind, 331, 332  
 differential of the third kind, 331  
 dimension, 124  
 Dimension Formula, 14  
   for a finite group, 142  
   for invariants of  $SL(2)$ , 141  
 Dirichlet section, 216  
 discrete valuation ring, 64, 258  
 discriminant, 3, 5, 21, 23, 45, 151, 168, 170  
 distribution, 156  
 distribution algebra, 116, 125, 140  
 divisor, 292  
   analogous to a fractional ideal, 304  
   divisor class group, 234  
   of a curve, 295  
   of a number field, 270  
   divisor group, 292  
   divisor of zeros, 307  
   divisor type, 342  
   divisors correspond to line bundles, 305  
   dominance of local rings, 65  
   dominant morphism, 89  
   Donaldson invariants, xvii  
   double marking, 316  
   doubly periodic complex functions, 1, 41  
   dual fan, 108  
   dual of a locally free module, 264  
   dualising line bundle, 327, 328, 346  
   duality, 288  
   duality theorem, xix  
   Dynkin diagram, 19, 20  
  
 eccentricity, 1, 6, 7  
 effective polyhedron, 207  
 Eisenstein series, 1, 42, 43  
 elementary sheaf, xi, 77, 79, 80, 403  
 elementary sheaf of  $\mathcal{O}$ -modules, 277  
 elementary symmetric polynomials, 10  
 ellipses, 6  
 elliptic curves, xvii  
 elliptic integral, 48  
 equianharmonic, 32  
 Euclidean algorithm, 55  
 Euclidean geometry, 37  
 Euclidean group, 4  
 Euclidean space, 115  
 Euclidean topology, 78, 81, 83, 94, 103  
 Euclidean transformation, 1  
 Euclidean transformation group, 2, 8  
 Euler number, 337, 444  
 Euler operator, 121, 127  
 Euler sequence, 450  
 Euler's Theorem, 139  
 Euler-Poincaré characteristic, 447  
 evaluation homomorphism for a line bundle, 308  
 evaluation map, 123, 319  
  
 exact differential, 332  
 exact functor, 266  
 exact sequence  
   of modules, 264  
   of vector bundles, 351  
 exceptional set, 203  
 extension class, 359  
 extension of coefficients, 403  
 extensions of vector bundles, 361–365  
  
 family, 398, 400  
 fan, 107  
 fattening, 89  
 Fermat's Last Theorem, xvii  
 field, xx  
 field of formal Laurent series, 62  
 field of fractions, 174, 184  
   of a valuation ring, 66  
 fine and coarse moduli space, 398  
 fine moduli space, 401  
   for stable rank 2 vector bundles, 399  
 finite field, 76  
 finite group is linearly reductive, 130  
 finite subgroups of  
    $SL(2, \mathbb{C})$ , 17  
    $SO(3)$ , 17  
    $SU(2)$ , 17  
 first direct image, 404  
 first fundamental theorem of invariant theory, 239  
 Fitting ideal, 459  
 Five Lemma, 396  
 flat module, 234, 261  
   not free, 266  
 flatness, 234  
 flip, 204  
 flop, 182, 203, 484  
 formal character, 141  
 formal neighbourhood, 89  
 formal power series ring, 13, 62  
 fractional ideal, 270  
 framed extension, 362  
 free basis, 257  
 free closed orbit, 288, 313, 393  
 free cover of a module, 259  
 free module, 234, 257, 286  
   is flat, 261  
   is torsion free, 258  
 functor, left-exact, 157  
 functorial characterisation of nonsingular varieties, 312  
 functorial morphism, 401  
  
 $G$ -invariant, 118, 127, 158, 161, 181, 183  
 $G$ -linearisation, 199, 314  
 $G$ -linearised invertible sheaf, 181  
 $GR$ -module, 199

$\mathbb{G}_a$ , 126, 131, 163  
 additive group, 102, 119  
 $\mathbb{G}_m$ , 125, 127, 184, 190  
 action equivalent to a grading, 120  
 multiplicative group, 102, 119  
 on affine plane, 159  
 Galois group, 32  
 gap value, 287, 290  
 Gauss, 273  
 Gauss's Lemma, 51, 275  
 general linear group, xi, 26, 102, 127, 195, 212  
 $GL(n)$  is linearly reductive, 132  
 characters of, 121  
 generated by global sections, 346, 359  
 generating function, 11  
 generic point, 277  
 genus, 287  
 equals  $\dim H^1(\mathcal{O}_C)$ , 299  
 equals half Betti number, 337  
 equals number of gap values, 297  
 equals number of regular differentials, 331  
 is finite, 294  
 gives by degree of canonical division, 330  
 of a plane curve, 303  
 genus of a curve, xix  
 geography of abelian differentials, 343  
 geometric genus, 331  
 geometric interpretation of stability, 219  
 Geometric Invariant Theory, xiii, xviii, 181  
 geometric quotient, 159, 195  
 geometric reductivity, 117, 155  
 Gieseker matrices, xiv, 211, 377  
 Gieseker point, 349, 371, 376–379, 419  
 as matrix of Plücker coordinates, 387  
 for higher rank vector bundles, 394  
 global sections, space of, 306  
 gluing, 35, 77, 91, 92, 95, 96, 108, 174, 189, 364  
 gluing principles, 256  
 good quotient, 322  
 Gorenstein ring of codimension 3, 152  
 graded bundle  $\text{gr}(E)$ , 367  
 graded ring, 11, 69, 115, 188, 202  
 of semiinvariant, 192  
 graph of a gluing, 93  
 Grassmann functor, 282, 402  
 Grassmannian, xviii, 234, 375, 387  
 as a projective variety, 245–247  
 as a quotient variety, 235–250  
 as projective spectrum, 236  
 cohomology ring, 249  
 degree of  $\mathbb{G}(2, n)$ , 246, 247  
 Hilbert series, 237  
 homogenous coordinate ring of  $\mathbb{G}(2, n)$ , 242  
 is nonsingular, 312  
 Grothendieck, xi  
 Grothendieck-Riemann-Roch, 438

for curves, 453–455  
 for a projection, 454  
 Grothendieck's Theorem, 359, 360  
 group law on a plane cubic, 100  
 group ring, 101  
 $H^0$ -semistable, 381, 394  
 $H^0$ -stable, 381  
 Hausdorff, 93, 94, 115, 161  
 height 1 prime ideal, 57  
 Hermite reciprocity, 147  
 Hessian, 173, 431  
 Hessian cubic, 49  
 Hessian determinant, 19  
 Hessian form, 24  
 Hilbert, xi, 135  
 Hilbert polynomial, 245  
 Hilbert scheme, xviii  
 Hilbert series, 1, 9, 11, 13, 26, 43, 137, 286, 468  
 for binary forms, 146, 148  
 of a classical binary invariant ring, 143  
 Hilbert's 14th problem, 51, 68  
 Hilbert's Basis Theorem, xiii, 51, 116  
 Hilbert's Nullstellensatz, xiii, 51, 61, 82, 162  
 Hilbert-Mumford numerical criterion, xviii, 212, 349, 382  
 Hirzebruch-Riemann-Roch for a line bundle, 451  
 Hirzebruch-Riemann-Roch for a vector bundle, 453  
 Hirzebruch-Riemann-Roch for the structure sheaf, 450  
 Hodge filtration, 332, 341  
 holomorphic functions, 336  
 homogeneous element in field of fractions of a graded ring, 96  
 homogeneous polynomial, 11, 23, 25, 35, 72, 167  
 homomorphism of algebraic groups, 126  
 homomorphism of elementary sheaves, 279  
 Hopf fibration, 103  
 hyperbola, 6  
 hyperelliptic curve, 291, 433, 463  
 of genus  $p$ , 276  
 hyperplane intersecting a curve transversally, 346  
 icosahedron, 17  
 ideal, finitely generated, 52  
 idempotent, 263, 286, 355  
 image sheaf, 351, 377  
 imaginary area, 7  
 imaginary quadratic field, 234, 286  
 imaginary region, 5  
 Implicit Function Theorem, 33  
 indecomposable vector bundle, 355, 356, 366

- index of speciality, xix, 295, 297  
 infinitesimal neighbourhood, 89  
 inflection point, 47  
 inflectional tangent, 224  
 integral, over a ring, 58  
 integral domain, 55, 76, 84, 88, 189, 269, 276  
 integral quadratic form, 272  
 integral ring extension, 86  
 intersection formula, 438  
 intersection numbers, 247, 437, 469  
 invariant, 9  
 invariant field, 183  
 invariant function field, 183, 200  
 invariant polynomial, 3, 9  
 invariant ring, 18, 158, 189  
   finitely generated, 137  
   size and shape of, 12  
 inverse flip, 205  
 invertible  $GR$ -module, 182  
 invertible ideal, 268, 286  
 invertible modules, 234  
 invertible ring element, 55  
 invertible  $R$ -module, 199, 268, 286  
 invertible sheaf, 279  
 irreducible plane curve, 39  
 irreducible ring element, 55  
 irreducible topological space, 84  
 irrelevant ideal, 186, 190  
 irrelevant set, 196, 212  
   upper semicontinuous, 406  
 Italian problem, 182, 183, 200  
  
*j*-invariant, xv  
 Jacobian variety, xii, xv, 234, 287, 316, 400  
 Jacobian as a complex manifold, 334–345  
 Jacobian determinant, 19  
 Jacobian of a curve of genus 1, 29, 425–431  
 Jacobian of a plane quartic, 422  
 jumping phenomenon, 399, 414  
  
*k*-algebra, 60, 78, 98  
 Kepler's Principle, 6  
 Klein subgroup of  $S_4$ , 32  
 Kodaira Vanishing Theorem, 447  
 Kodaira-Spencer map, 462  
 Krull's intersection theorem, 311  
 Krull's Principal Ideal Theorem, 171  
 Kummer quartic surface, 435  
 Kummer variety, 400, 422  
 Kähler differential module, 310  
 Kähler manifolds, 182  
 Künneth decomposition, 461  
  
 language of functors, 98  
 Laplace expansion, 244  
 lattice, 42  
 lattice of periods, 287; *see also* period lattice  
  
 Laurent polynomials, 93, 108  
 leading term, 53–54  
   principle of, 53  
 Leibniz rule, 122  
 Lie algebra, 124, 126, 156  
 Lie group, xv  
 Lie space, xii, 116, 124, 324  
 lift, 312  
 limit, of a 1-parameter subgroup, 110, 212  
 line bundle, 279  
   generated by global sections, 308  
 linear equivalence, 294  
 linear reductivity, 161, 315  
   of  $SL(2)$ , 152  
 linear representation, 117  
 linearisation, 197–201  
 linearly reductive, 116, 130, 157, 159, 183,  
   318  
 Liouville's Theorem, 44, 51, 73, 290, 298,  
   334  
 local Artinian ring, 375, 390  
 local distribution, 123  
 local freeness  
   in terms of localisations, 262  
 local models, 77  
 local property, 91  
 local ring, 93, 252  
 local versus global, 254–257  
 localisation, 174, 234, 288  
   at a prime ideal, 252  
 localisation  $R_m$ , discrete valuation ring, 288  
 localisation at one element, 252  
 locally factorial, 200  
 locally free module, 234, 262  
 locally free sheaf, 279  
 locally integral, 189  
 locally nilpotent, 120  
 localness, 255  
 logarithmic derivative of the Chern class, 455,  
   464  
 logarithmic exact differential, 342  
 logarithmic type, 342  
 long exact sequence of cohomology, 353  
  
*M*-valued derivation, 122  
*M* sheaf associated to a module  $M$ , 277  
 manifold, 77, 91, 336  
 marked vector bundle, 376  
 maximal homogeneous ideals, 186  
 maximal ideal, 64, 76  
   in a polynomial ring, 82  
 maximal line subbundles, 365–366  
 maximal spectrum, 82  
 maximum modulus principle, 336  
 meromorphic functions, 336  
 minimal model, 204  
 minimal system of generators of a module, 253

Mittag-Leffler's problem, 298; *see also*  
 Cousin's problem  
 model of an algebraic function field, 91  
 modular group, *see*  $SL(2, \mathbb{Z})$ , 43  
 modules over a ring, 234, 251–267  
 moduli functor for vector bundles, 413  
 Moduli prism, xviii  
 moduli problem, xviii, 400  
 moduli space, xvii, 179, 398, 401  
   for plane conics, 5  
 moduli space of hypersurfaces, 177  
 moduli space of semistable cubic surfaces,  
 230  
 moduli space of smooth hypersurfaces,  
 172  
 moduli space of stable hypersurfaces,  
 179  
 moduli space of vector bundles, 398  
 Molien's Formula, 1, 13  
 Molien series, *See* Hilbert series, 11  
 Molien's Theorem, 18, 144  
 moment map, 182, 208  
 Mordell's Conjecture, xvii  
 morphism, 86, 398  
   image, not necessarily a variety, 87  
   of algebraic varieties, 94  
 Morse function, 209  
 moving quotients, 201–210  
 multiplicative period, 344  
 multiplicative principal parts, 300  
 multiplicative version of Cousin's problem,  
 300  
 multiplicatively closed, 252  
 multiplicity of a point on a plane curve, 34, 37,  
 72  
 Mumford, xiii, 161, 179, 401  
 Mumford relations, 438, 465, 466, 475  
 Nagata, xiii, 68–69, 161  
 Nagata's trick, 70–73  
 Nagata-Mumford Theorem, 178  
 Nakayama's Lemma, 253, 262, 269, 288, 315,  
 404, 406, 411  
 natural transformation, 401  
 nef polyhedron, 207  
 Newstead classes, 438, 461–463, 465, 475  
 nilpotent, 76, 88  
   element in a ring, 60  
 Noether's formula, 450  
 Noetherian ring, 51, 54, 83  
 nonseparated algebraic space, 436  
 nonsingular, 169  
   affine quotient, 316  
 nonsingular algebraic curve, 289  
 nonsingular implies stable, 179  
 nonsingular point on a variety, 311  
 nonsingular variety, 312

nonsingularity of quotient spaces, 316,  
 308–316  
 nonstable vector bundles, 366–368  
 nullform, 175, 182, 221  
 numerical criterion, 173  
 octahedron, 16, 17  
 open immersion, 90, 115  
 orbit, 158, 185  
   of binary quartics, 29  
 order of vanishing at a point, 307  
 ordinary double point, 35, 224  
 oriented area, 41  
 $p$ -adic integers, 64  
 Pappus, 7  
 parabola, 6  
 parabolic bundles, xiv  
 parabolic vector bundle, 484  
 parameter space, 1, 9, 319  
   of binary quartics is  $\mathbb{A}^1$ , 30  
 partial derivatives, 122  
 partial ordering, 226  
 partition of unity, 91, 254  
 Pascal triangle, truncated, 248  
 path integral, 341  
 pencil of plane conics, 28  
 period lattice, 342  
 period of an abelian differential, 338  
 period parallelogram, 41, 44, 49, 73  
 Pfaffian of a skew-symmetric matrix, 372, 349  
 Pfaffian semiinvariants, 371  
 Picard functor, 398, 399, 408  
 Picard group, 234  
   of a curve, 287  
   of a hyperelliptic curve, 275  
   of a ring, 268  
   of a variety, 280  
   of an imaginary quadratic field, 273  
 Picard group of a curve, isomorphic to its  
 divisor class group, 306  
 Picard variety, 389, 399  
 pinching, 459  
 plane conic, 1  
 plane cubics, 73, 172, 178, 221  
 plane curves, 72, 290  
 plane quartics, 223, 432  
 Platonic solid, 17  
 Plücker coordinates, xx, 375  
 Plücker embedding, 245  
 Plücker relations, xx, 244  
 Poincaré duality, 339, 342  
 Poincaré line bundle, 400, 412, 426  
 Poincaré series, *See* Hilbert series, 11  
 points of inflection, 49  
 pole of order  $n$ , 289  
 polyhedral groups, 15

- polynomial ring, regular at all maximal ideal, 312  
 Pontryagin classes, 449  
 positive characteristic, 117, 155, 156, 327  
 positive divisor, 292  
 power series rings, 61–62  
 primary ring, 88, 115, 278  
 prime ideal, 88  
 prime, ring element, 55  
 primitive polynomial, 56  
 principal divisor, 294  
 principal fractional ideal, 270  
 principal part, 298  
 principal part map, 292, 298, 346, 353  
   for a vector bundle, 306  
 principal part space, 298  
 products of varieties, 87  
 Proj, 174, 181, 186  
   as a quotient by  $\mathbb{G}_m$ , 189  
   as projective, 96  
 Proj quotient, xi, xviii, 190, 319, 393  
   coming from a  $GR$ -module, 200  
   is complete, 197  
   is locally an affine quotient, 190  
   is moduli space for  $G$ -orbits, 194  
   satisfies Italian condition, 195  
 Proj quotient in direction  $\chi$ , 192  
 Proj quotient map, 182  
 Proj quotient map in direction  $\chi$ , 193  
 Proj  $R$ , complete, 114  
 projective, 96  
 projective geometry, 37  
 projective line, 31, 345  
   as a toric variety, 109  
 projective plane, as a toric variety, 110  
 projective quotient map, 177, 411  
 projective space, 95, 181, 185, 451  
   is complete, 106  
   is nonsingular, 312  
 projective spectrum, 186–189  
 projective variety, xvi  
 projectively equivalent, 38  
 pull-back, 280, 403  
  
 $q$ -binomial coefficients, 145  
 $q$ -Hilbert series, 144  
 quadratic form, 24  
 quadratic number field, 272  
 quadratic straightening, 245  
 quadric hypersurface, 170, 203  
 quantum field theory, xxii  
 quartic del Pezzo surface, 485  
 quasiparabolic homomorphism, 479  
 quasiparabolic Mumford relations, 482  
 quasiparabolic vector bundle, 439, 476  
   semistable, 476  
   stable, 476  
  
 quaternion group, 15, 16  
 Quot scheme, xiii, xiv, xviii  
 quotient bundle, 351  
 quotient functor, 402  
 quotient singularity, 5  
 quotient space, 19, 42, 43  
 quotient varieties, xvii, 156, 158, 181  
  
 $R$ -module, 251  
 $R$ -valued  
   derivation, 122  
   points, 98  
 radical, 164  
 radical ideal, 82  
 radical vector of an odd skew-symmetric matrix, 374  
 rank 2 vector bundles, 365–370  
 rank of a conic, 39  
 rank of a double point, 224  
 rank of a free module, 258  
 rank of a locally free module, 263  
 rational differential, 330  
 rational double point, 19, 20  
 rational function field, 25, 50, 95, 290  
 rational function regular at a point, 289  
 ray type, 159, 189, 192, 201  
   not of, 205  
 reducible topological space, 84  
 reduction modulo an ideal, 403  
 reduction of a module, 251  
 Rees, 76  
 regular, at a maximal ideal, 311  
 regular functions, 4  
 regular parameter at the maximal ideal  $\mathfrak{m}$ , 288  
 regular system of parameters, 311  
 relative characteristic polynomial, 27  
 representability of a functor, xix, 401  
 representation, linear, 13  
 representation, locally finite-dimensional, 118  
 representations of the fundamental group, 438  
 residue, 330  
 resultant, 20, 471  
 reverse characteristic polynomial, 13  
 reverse flip, 484  
 Reynold's operator, 131, 132, 135  
 Riemann, xvii  
 Riemann sphere, 17, 18  
 Riemann surface, xvi, 1, 47, 291, 334, 340  
 Riemann zeta function, 440, 441  
 Riemann's inequality, xix, 287, 294  
 Riemann-Roch for vector bundle, 349, 352, 354  
 Riemann-Roch formula, 288, 304, 438, 447–457  
 Riemann-Roch with involution, 455–457  
 right exactness of  $\otimes_R$ , 265

- ring of germs of holomorphic functions, 214
- ring of invariants, 10
- rotation group, 3
- rubber tube, 337
- $SL(2, \mathbb{C})$ , 15
- $SL(2, \mathbb{Z})$ , 42, 272
- $SO(3)$ , 27
- $SO(6)$ , 434
- $SU(2)$ , 143, 438
- S-equivalence, 420, 432
- S-equivalence classes of semistable bundles, 400
- saturated subsemigroup, 111
- saturation, 350, 369, 418
- secant number, 444
- secant ring, 439, 466, 468
- second fundamental theorem of invariant theory, 244
- Segre map, 239
- Segre variety, 202, 205, 240, 247
- semigroup, 69
- semiinvariant, xviii, 121, 122, 191, 319
- semiinvariant ring, as invariant ring, 193
- semistable, 175, 192, 211
  - point set, 231
- semistable vector bundle, 357, 366
- separable, 161
- separated algebraic variety, 93
- separated gluing, 93
- separation of orbits, 156
- Seshadri, 155–156
- sextic binary forms, 50
- sextic del Pezzo surface, 205, 208
- sheaf homomorphism, 278
- sheaf quotient, 350
- Shioda, 151–157
- short exact sequence, 265
- simple gluing, 92
- simple rank 2 vector bundles, 435
- simple singularity, 35
- simple vector bundle, 357, 366
- singular point, 34, 37, 49, 169
  - of a plane curve, 33
- skew-symmetric matrices, 371
- skyscraper sheaf, 278
- slope, 357
- slope stability, 357
- slope-semistable, 381
- smooth hypersurface, 159, 167
- Snake Lemma, 266, 353
- solution of the general quartic equation, 28
- space curve, 302
- space of differentials, 309
- special linear group, 100, 102, 128, 132
  - is linearly reductive, 132
- specialisation map, 62
- spectral curve, 425
- spectrum of a ring, 82
- sphere, 103, 209
- split exact sequence, 351
- splitting, 351
- splitting field, 25
- stabiliser, 161, 165
- stability, 159, 165, 179, 348
- stability of Gieseker points, 461
- stable implies semi-stable, 175
- stable points, xviii
- stable set, 166
- stable vector bundle, 348, 357, 366
  - simple, 358
- stable with respect to  $\chi$ , 195
- stack, xviii
- stalk, 277
  - at the generic point, 276
  - of the structure sheaf, 277, 289
- standard line bundle, 437, 458
- standard monomial, 240, 244
- standard tableau, 242
- Stokes' Theorem, 338
- straightening higher monomials, 241
- straightening quadratic monomials, 240
- structure morphism, 188
- structure sheaf, 78, 186
  - of  $\text{Spm } R$ , 85
- subbundle, 350
- subfactorial, 372
- submersion, 165
- subsheaf, 350
- Sylvester, 23
- symmetric group, 10, 50
- symmetric product, 230
- symmetric product  $\text{Sym}^d C$ , 418
- symplectic reductions of symplectic manifolds, 182
- tacnode, 223–224
- tangent number, 444
- tangent space, 323, 387
  - of Jacobian,  $H^1(\mathcal{O}_C)$ , 327
- tangent space of a functor, 436
- tangent space of the Grassmann functor, 268–284
- tangent vectors, 284
- tautological line bundle on  $\mathbb{P}^n$ , 281
- tautological line bundle on  $\text{Proj } R$ , 281
- tautological line bundle on projective space, 305
- tautological subbundle, 248
- Taylor expansion, 34
- tensor product, 234, 259, 260
- theta divisor, 322, 424
- theta functions, 287
- theta line bundle on the Jacobian, 452



- Todd characteristic, 449  
 Todd class, 448, 462  
 topological genus, 337  
 toric varieties, 78, 107, 109, 182  
 torsion free, 254  
 torsion module, 254  
 total Chern class, 448  
 total fraction module, 254, 310  
 total fraction ring, 89, 252  
 total set of a sheaf, 276  
 trace, 3, 50  
 transcendence degree, 185, 310  
 trivial vector bundle, 279  
 twisted Pascal triangle, 445, 446, 469
- unique factorisation domain, 55  
 universal bundle, 417  
 universal line bundle, 410  
 universal quasiparabolic bundle, 479  
 universal subbundle on  $\mathbb{G}(r, n)$ , 282  
 universal vector bundle, 396, 437  
 unstable, 175, 182, 192  
 unstable orbits, 201  
 upper semicontinuous, 407
- valuation, 63  
   of a formal Laurent series, 62  
 valuation group, 63, 215  
 valuation ring, 51, 63, 64  
   not discrete, 67  
   *see also* local ring  
 Valuable Criterion for completeness, 51, 78, 105–106  
 vanishing condition on cohomology, 358  
 Vanishing Theorem, 296  
 variety, 77  
 variety as a functor, 98–99  
 vector bundle, rank of a, 279  
 vector bundle on  $C_A$ , 403  
 vector bundle on a curve, 346  
 vector bundles on a curve of genus 2, 433–436  
 vector bundles on a spectral curve, 431–433  
 vector bundles on an elliptic curve, 369–370  
 vector bundles on the projective line, 359  
 Verlinde formula, xii  
 Verlinde formula for quasiparabolic bundles, 476–486  
 Verlinde formulae, xx, 437, 452  
 Veronese embedding, 484  
 very ample, 447
- wall crossing, 205  
 Weierstrass  $\wp$ -function, 44–46, 291  
 Weierstrass  $\zeta$ -function, 345  
 Weierstrass canonical form of a plane cubic, 426  
 weight decomposition, 119  
 weight of an automorphic function, 43  
 weight of a semiinvariant, 122  
 weight shift, 140  
 weighted hypersurface, 177  
 weighted projective line, 9, 177, 178  
 weighted projective space, 97, 113, 115, 429  
 Weil, 431  
 Weyl, 429  
 Weyl measure, 142–143
- Young diagram, 241  
 Young tableau, 242
- Zariski tangent space, 124, 284, 309  
 Zariski tangent vector, 310  
 Zariski topology, 77, 78, 186  
   of an affine space, 79  
   on  $\text{Spm } R$ , 83  
 zeroth direct image, 404  
 zigzag numbers, 446