

Cambridge University Press

978-1-107-41102-9 - Materials Research Society Symposium Proceedings: Volume 103:

Multilayers: Synthesis, Properties and Non-Electronic Applications

Editors: T. W. Barbee, F. Spaepen and L. Greer

Index

[More information](#)

359

**Author Index**

- Abeles, B., 179  
 Atzmon, M., 277  
  
 Barbee, Jr., Troy W., 307  
 Barber, Z.H., 29  
 Bienenstock, Arthur, 69  
 Bionta, R.M., 257  
 Brown, Dennis B., 301  
 Bruynseraede, Y., 211, 217  
  
 Cammarata, R.C., 191  
 Cammarata, Robert C., 315  
 Carnahan, B., 55  
 Chaiken, A., 295  
 Chang, L.L., 355  
 Clemens, Bruce M., 159  
 Clevenger, L.A., 191  
 Conde, J.P., 271  
 Copley, J.R.D., 115  
 Cucolo, Annamaria, 287  
  
 Delage, S.L., 185  
 Denlinger, J.D., 95  
 Dinardo, R.P., 115  
 Do, Khiem Ba, 167  
 Dodson, Brian W., 141, 153, 199  
 Dresselhaus, G., 295  
 Drewery, J.S., 235  
  
 Eres, D., 23  
  
 Falco, Charles M., 287  
 Farrow, R.F.C., 205  
 Freitag, Ralph K., 301  
 Fritz, I.J., 141  
  
 Gardner, Donald S., 343  
 Geohegan, D.B., 23  
 Gilfrich, John V., 301  
 Gilmer, George H., 13  
 Grabow, Marcia H., 13  
 Green, K., 327  
 Greer, A.L., 235  
 Gualtieri, G.J., 265  
  
 Hager, G., 271  
 Hamm, R.A., 79  
 Heald, S.M., 101  
 Heremans, J., 133  
 Highmore, R.J., 29  
 Hirth, J.P., 55  
 Holloway, Karen, 167  
 Home, R.J., 29  
 Homma, H., 211, 217  
  
 Hong, J.M., 355  
  
 Iyer, S.S., 185  
  
 Jacobson, D.C., 173  
 Jain, A., 251  
 Jankowski, A.F., 257, 327  
 Jeong, Jichai, 109  
 Johnson, William C., 61  
  
 Kamat, Samir V., 55  
 Kao, Y.H., 355  
 Kawaguchi, Kenji, 281  
 Keem, J.E., 87  
 Koo, J.Y., 41  
 Kortright, J.B., 95  
 Krol, A., 355  
  
 Lamble, G.M., 101  
 Lang, M., 205  
 Leavitt, John A., 287  
 Lee, J.C., 109  
 LeGoues, F.K., 185  
 List, F.A., 35  
 Locquet, J.P., 211, 217  
 Lowndes, Douglas H., 23  
  
 Majkrzak, C.F., 115  
 Makous, John L., 287  
 Makowiecki, D.M., 257, 327  
 Marinero, E.E., 245  
 Maritato, Luigi, 287  
 Mashburn, D.N., 23  
 McIntyre, Jr., Laurence C., 287  
 McKee, R.A., 35  
 McKernan, M.A., 327  
 Milnes, A.G., 109  
 Moustakas, T.D., 41  
  
 Nathan, Menachem, 223  
 Neerincck, D., 211  
 Neumann, D.A., 115  
 Ng, W., 355  
 Notarys, H., 245  
 Nutt, S.R., 87, 327  
  
 Oosting, Piet H., 229  
 Ozekcin, A., 41  
  
 Page, K., 29  
 Pai, C.S., 173  
 Panish, M.B., 79  
 Park, B., 173  
 Parkin, S.S.P., 205

Cambridge University Press

978-1-107-41102-9 - Materials Research Society Symposium Proceedings: Volume 103:

Multilayers: Synthesis, Properties and Non-Electronic Applications

Editors: T. W. Barbee, F. Spaepen and L. Greer

Index

[More information](#)

---

360

Partin, D.L., 133  
Pennycook, S.J., 23  
Persans, P.D., 179  
Picraux, S. Thomas, 141, 153  
Poate, J.M., 173  
Priolo, F., 173

Raaijmakers, Ivo J.M.M., 229  
Reader, Alec H., 229  
Resat, H., 355  
Roche, K.P., 205  
Rosen, David L., 301  
Ruane, M., 251  
Ruppert, A.F., 179

Salamanca-Young, L., 133  
Saraswat, Krishna, 343  
Sayers, D.E., 101  
Schlesinger, T.E., 109  
Schuller, Ivan K., 211, 217,  
335  
Schwartz, G.P., 265  
Sellmyer, D.J., 239  
Sevenhans, W., 211, 217  
Shahid, M.A., 109  
Shan, Z.S., 239  
Sher, C.J., 355  
Shin, Shigemitsu, 281  
Short, K.T., 173  
Sinclair, Robert, 167  
Somekh, R.E., 29  
Spaepen, F., 173  
Sprokel, G.S., 245  
Stobbs, W.M., 121  
Sunder, W.A., 265

Tedrow, P.M., 295  
Thompson, C.V., 191  
Tiwald, Thomas E., 239  
Tsao, Jeffrey Y., 141, 153,  
199  
Tu, K.N., 185, 191

Vaglio, Ruggero, 287  
Vandenberg, J.M., 79  
Vanderstraeten, H., 217  
Vook, R.W., 3

Wagner, S., 271  
Walker, F.J., 35  
White, A.E., 173  
Williamson, D.L., 159  
Wilson, Lane, 69  
Woollam, John A., 239  
Woronick, S.C., 355  
Wuttig, M., 133

Zangwill, Andrew, 47  
Ziegler, E., 101

Cambridge University Press

978-1-107-41102-9 - Materials Research Society Symposium Proceedings: Volume 103:

Multilayers: Synthesis, Properties and Non-Electronic Applications

Editors: T. W. Barbee, F. Spaepen and L. Greer

Index

[More information](#)

361

## Subject Index

- $\text{Al}_{0.3}\text{Ga}_{0.7}\text{As}/\text{GaAs}$ ,  
 Transmission Electron  
 Microscopy (cross-section),  
 126-128  
 $\text{Al}_2\text{O}_3\text{-TiO}_2$ , MBE synthesis, 39  
 Al, Si-Ti  
   contacts (barrier  
   materials), 348  
   electrical resistivity, 346-  
   348  
   stress effects-layering  
   dependence, 350-352  
   surface smoothness  
   (Hillocks), 345-346  
   VLSI interconnects, 343-  
   352  
 a Si-Ge  
   hydrogen bonding: a Si,  
   Ge:H,F, 272-276  
   infrared transmittance,  
   272-276  
   ion implantation-effect  
   on interdiffusion,  
   174-178  
   laser photochemical vapor  
   deposition, 26-27  
   mixing length-ion  
   implantation, 174-178  
   photoconductivity:  $T_d$ ,  
    $T_{ph}$ , 272-276  
   Transmission Electron  
   Microscopy (cross-  
   section), 174  
   rapid thermal annealing,  
   224  
 Cu, Ni-Pd, transmission  
   electron microscopy,  
   (cross-section), 125-127  
 differential scanning  
   calorimetry  
   activation energy, 191-196  
   kinetic analysis, 191-196  
   silicide formation, 186-190  
 diffusion  
   development of local short  
   range order, 277-280  
   mechanism-relaxation in  
   dislocation free strained  
   layer superlattices, 186-  
   190  
   minimization of free  
   energy, 63-66  
   Mo-Si, 170-172  
   Monte-Carlo simulations,  
   277-280  
   Ni-Si, 186-190  
   Si-Ge interdiffusion,  
   effects of  
     Ar ion implantation,  
     176-177  
     B ion implantation,  
     175-176  
     Si ion implantation,  
     174-175  
   Ti-Si, 168-170  
 dislocations  
   dislocation motion, relaxa-  
   tion mechanism in  
   GeSi/Si, 186-190  
   epitaxial, 6-10, 16, 51-54,  
   154-158  
   forces in multilayer  
   structures, 55-60  
   stability diagrams, 157-158  
   standoff distance, 57-60  
 Dy-Fe  
   magneto-optic coefficients,  
   240-244  
   zero field ellipsometric  
   analysis, 240-243  
 Dy-LaF<sub>3</sub>  
   epitaxy, 205-207  
   magnetic characterization,  
   temperature dependence of  
   Dy magnetic moment, 207-  
   208  
 Co-Si  
   lack of solid-phase  
   amorphization, 224-227  
   rapid thermal annealing, 224  
 condensation regimes (thin  
   films)  
   Frank and van der Merwe  
   (layer by layer), 3, 6-8,  
   15-20, 47  
   instabilities, 50-53,  
   kinetic considerations, 5,  
   48, 51-53  
   metastable, 10, 16, 51-53  
   Stranski-Krastanova, 3, 9,  
   15-20, 47  
   thermodynamic basis, 4-5  
   Volmer-Weber, 3, 6, 15-20,  
   47  
 Cr-Si  
   lack of solid phase amor-  
   phization, 224-227

Cambridge University Press

978-1-107-41102-9 - Materials Research Society Symposium Proceedings: Volume 103:

Multilayers: Synthesis, Properties and Non-Electronic Applications

Editors: T. W. Barbee, F. Spaepen and L. Greer

Index

[More information](#)

362

- molecular beam epitaxy, 206-207
- elastic and mechanical properties
  - apparatus: measurements on free-standing samples, 235-238
  - mechanical properties, 327
  - micro samples for mechanical testing, 237
  - supermodulus effect, 315-317, 327-329
  - theories of supermodulus effect, 319-322
- epitaxy
  - Cu(111) on Ag(111), 6
  - Cu<sub>2</sub>O on Cu, 4, 9
  - Dy-LaF<sub>3</sub>, 205-207
  - kinetically limited relaxation, 155-158
  - Pt(111) on Au(111), 7-8
  - stability diagrams, 154-158
  - stand-off distance (dislocation), 57-60
- extended x-ray absorption fine structure (EXAFS)
  - Mo-Ge, 71-76
  - W-C
    - (glancing angle), 101-107
    - annealed (glancing angle), 101-107
- Fe-TbFe
  - hysteresis:VSI 240-243
  - longitudinal Kerr rotation, 240
  - magnetic exchange coupling, 247-249
- Fe-Zr
  - amorphous interface width, 161-165
  - comparison-electron beam evaporation and sputter deposition, 161-165
  - Mössbauer effect, 160-165
  - x-ray diffraction (lattice), 160-161
- GaAs-AlAs
  - interfacial roughness, 355-358
  - modeling: specular reflection, 355-356
  - substrate roughness, 355-358
  - surface roughness, 355-358
  - x-ray reflection (specular), 355-358
- GaSb-AlSb
  - Raman spectroscopy, 266-270
  - study of structural disorder, 266-270
- graphite-KHg
  - critical field, 296-300
  - critical temperature, 296
  - structure, 295-296
- In<sub>x</sub>Ga<sub>1-x</sub>As-GaAs
  - MBE synthesis, 110
  - photoluminescence, 113-114
  - x-ray diffraction
    - experiment, 111-113
    - model, 110
- InGaAs-InP
  - high resolution x-ray diffraction, 80-81
  - interfacial width, 83
  - strained layer superlattice, 83-85
  - x-ray diffraction-kinematical theory and simulation, 80-83
- ion implantation (Si-Ge)
  - enhanced interdiffusion in Si-Ge, 174-178
  - mixing length dose dependence for B, Si and Ar ion implantation into Si-Ge, 174-178
- lattice misfit
  - coherence, 18-20
  - coherency strain, 57
  - coherent-incoherent transition, 52
  - critical thickness, 7, 15-20, 144-145
  - definition, 4, 14
  - dislocation formation-relaxation mechanism on annealing, 186-190
  - large misfit regime, 51-54
  - misfit dislocations, 6-10
  - strain relaxation, 147-149
  - models, 145-147
- magnetic structures
  - buried epitaxial Dy in LaF<sub>3</sub>-magnetic moment, 206-207
  - Curie temperature, 337
  - magnetic anisotropy Fe-TbFe, 246-248
  - magnetic exchange coupling Fe-TbFe, 246-249
  - magneto-optic coefficients (of) Fe Dy multilayers, 240-244
  - (of) proximity and interfacial effects, 338

Cambridge University Press

978-1-107-41102-9 - Materials Research Society Symposium Proceedings: Volume 103:

Multilayers: Synthesis, Properties and Non-Electronic Applications

Editors: T. W. Barbee, F. Spaepen and L. Greer

Index

[More information](#)

363

- RKKY intralayer coupling, 339-341
- TbFeCo, 252-256
- thin film effects- ( $M_s$ ):
  - Mo-Ni, 335-337
  - zero field ellipsometric analysis Fe-Dy, 240-243
- Mo-Ge
  - amorphous interface width, 71, 76-77
  - Ge layer structure, 71-78
  - Mo layer structure, 71-76
  - sputter deposition, 69-70
  - x-ray diffraction and EXAFS, 71-78
- Mössbauer effect
  - Fe-Zr, 160-166
- Mo-Si
  - annealing, 168-172
  - interface structure, 170-172
  - stability, 170-172
  - Transmission Electron Microscopy (cross-section), 170-172
- Mo-Ta
  - sputter deposition, 287-288
  - superconducting critical temperatures, 289-290
  - x-ray analysis, 288-289
- multilayer diffraction
  - gratings
    - efficiency, 311
    - modeling, 308-311
  - Rh-C, 307-314
  - x-ray prism, 312-314
- multilayer growth techniques
  - chemical vapor deposition, 49-50
  - control, 24-25, 30
  - electron beam evaporation, 159-160, 191
  - gas source molecular beam epitaxy (GSMBE), 79-80
  - laser photochemical vapor deposition (LPVD), 23-28
  - molecular beam epitaxy (MBE), 35-40, 186, 207, 265
  - monitoring, 24-25, 30
  - reactive deposition, 281-282
  - sputter deposition, 29-34, 41-42, 88, 95-96, 117-119, 159-160, 257-258, 287-288, 329-330
- Nb-Cu, x-ray diffraction-analysis of effects of interfacial disorder, 212-216
- neutron optics
  - Co-Ti, 119
  - Fe-Ag, 119
  - $\text{Fe}_{0.85}\text{Si}_{0.15}$ -Si, 119
  - Fe-W, 116-120
  - polarization-neutron, 118-119
  - reflectivity, 116-120
  - supermirrors, 116-120
- Ni-Si
  - differential scanning calorimetry, 192-194
  - explosive formation of  $\text{Ni}_2\text{Si}$ , 194
  - kinetic analysis-silicide formation, 193-194
  - rapid thermal annealing, 224
  - silicide formation, 193-195, 224-227
  - Transmission Electron Microscopy, 195
- Ni-Ti
  - amorphous interface width, 37
  - MBE synthesis, 36-37
  - Ti layer structure, 36
- Ni-Zr
  - amorphous interface width, 30-31
  - texturing, 30
- Pb-C
  - existence of superlattice above Pb, melting point, 221
  - melting-Pb layers, 221
  - superlattice x-ray reflections, 221
- $\text{Pb}_{1-x}\text{Eu}_x\text{Te}$ 
  - spinodal decomposition, 133-138
  - Transmission Electron Microscopy (lattice images), 133-138
- Pb-Ge
  - crystallization-Ge, 214
  - effects of interfacial disorder on high angle x-ray diffraction, 213-214
  - melting-Pb layers, 220-221
  - texture-annealing, 219-220
- photoluminescence,
  - $\text{In}_x\text{Ga}_{1-x}\text{As}$ -GaAs, 113-114
- quantum well structures,
  - $\text{In}_x\text{Ga}_{1-x}\text{As}$ -GaAs, 109-114
- Raman spectroscopy
  - crystallized volume, 181

Cambridge University Press

978-1-107-41102-9 - Materials Research Society Symposium Proceedings: Volume 103:

Multilayers: Synthesis, Properties and Non-Electronic Applications

Editors: T. W. Barbee, F. Spaepen and L. Greer

Index

[More information](#)

364

- GaSb-AlSb, 266-270  
 interfacial disorder, 182  
 a Si:H-SiO<sub>x</sub>, 180  
 study of structural disorder, 266-270  
 x-Si-SiO<sub>2</sub>, 180-181
- Rh-C  
 experimental dispersion, 310-312  
 multilayer diffraction gratings, 308-314  
 x-ray prism, 312-314
- Si-Si<sub>3</sub>N<sub>4</sub>, laser photochemical vapor deposition, 27-28  
 spinodal decomposition, Pb<sub>1-x</sub>Eu<sub>x</sub>Te, 133-138  
 stability (multilayer)  
   crystallization: Ge in Pb-Ge, 218-220  
   dislocation motion-strain relaxation, 200-202  
   intermetallic compound formation NiSi, 191-195  
   metastability (stressed SLS systems), 61-66, 141-142  
   Mo-Si annealing, 170-172  
   multiple equilibrium states, 65-66  
   phase coexistence, 61-66  
   Raman spectroscopy  
     a Si-SiO<sub>2</sub>, 180-184  
   solid state amorphization, 30-31, 37, 161-166  
   stability diagrams, 154-158  
   strain relaxation, 147-149  
     models, 145-147, 199-200  
   Ti-Si annealing, 168-169, 225-227  
   W-C (annealing), 99-107  
 strained layer superlattice (SLS)  
   dislocation  
     motion-strain relaxation, 200-202  
     stand-off distance, 57-60  
   forces on dislocations, 55-60  
   kinematical x-ray  
     diffraction theory and simulation, 80-81, 83-85  
   metastability, 141-142, 168  
   multiple metastable states, 65-66  
   phase coexistence, 61-66  
   phenomenological growth model, 10  
   stability, 141-142, 168-172  
     diagrams, 154-158  
   strain relaxation, 147-149, 168-172, 185-186  
     models, 145-147, 186-188  
   superconductivity  
     graphite-KHg: magnetic critical field, 296-300  
   Mo-Ta: critical temperature, 283-284  
   MoN-TiN: critical temperature, 282-284  
   tunneling-Mo-Ta energy gap, 284  
   YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub>, 291-292
- TiO<sub>2</sub>-CuO, MBE synthesis, 37-38
- Ti-Si  
   annealing, 168-169  
   crystallization: TiSi<sub>2</sub>, 231-233  
   interface structure, 168-169  
   rapid thermal annealing, 224  
   solid phase amorphization, 225-227, 230-231  
   stability, 168-169  
   thermodynamic analysis, 225-227  
   Transmission Electron Microscopy (cross-section), 168-169, 230  
   Transmission Electron Microscopy cross-section  
     Al<sub>0.3</sub>Ga<sub>0.7</sub>As/GaAs, 126-128  
     critical review, 121-129  
   Cu, Ni-Pd, 127-128  
   GeSi-Si, 168-172  
   interface characterization, 122-125  
   Mo-Si, 168-172  
   multilayer characterization, 125-129  
   Ni-Si, 195  
   Ni-Au, 330  
   Pb<sub>1-x</sub>Eu<sub>x</sub>Te, 133-138  
   Pb, Ge, 219  
     a Si-Ge, 26-27, 174  
     a Si-Si<sub>3</sub>N<sub>4</sub>, 27  
   Ti-Si, 168-170, 230  
   WC-Co, 43-46  
   W-Si, 88-94  
   lattice imaging  
     Al<sub>0.3</sub>Ga<sub>0.7</sub>As/GaAs, 126-128  
     critical review, 125-129  
   Cu, Ni-Pd, 127-128  
   Pb<sub>1-x</sub>Eu<sub>x</sub>Te, 135-138  
   WC-Co, 45

Cambridge University Press

978-1-107-41102-9 - Materials Research Society Symposium Proceedings: Volume 103:

Multilayers: Synthesis, Properties and Non-Electronic Applications

Editors: T. W. Barbee, F. Spaepen and L. Greer

Index

[More information](#)

365

- V-Si
  - rapid thermal annealing, 224
  - solid phase amorphization, 225-227
- VLSI interconnections
  - Al, Si-Ti, 343-350
  - contacts (barrier materials), 348
  - electrical resistivity, 346-348
  - stress effects-layering dependence, 350-352
  - surface smoothness (Hillocks), 345-346
- W-C
  - annealing, 99-100
  - EXAFS, 101-107
  - grazing incidence scattering, 97-100
  - radial distribution functions, 98-100
  - x-ray dispersion device characterization, 302-305
- WC-Co
  - Co layer structure, 44-45
  - sputter deposition synthesis, 41-43
  - WC layer structure, 42
- W-Si
  - interfacial roughness, 31
  - thickness, 92-94
  - reflectivities, 30-31
  - Transmission Electron Microscopy (cross-section), 88-94
  - W layer character, 33
- x-ray diffraction
  - lattice
    - Fe-Zr reflection, 160-161
    - Fe-Zr transmission, 160-161
  - grazing incidence scattering, 97-100
  - high resolution x-ray diffraction, 79-85
  - In<sub>x</sub>Ga<sub>1-x</sub>As-GaAs, 110-113
  - InGaAs-InP, 79-85
  - interfacial disorder effects-analysis, 212-216
  - kinematical theory, 81-83
  - Mo-Ge
    - reflection, 72, 74-75
    - transmission, 72, 74-75
  - MoN-TiN, 282
  - Mo-Ta, 287-290
  - Pb-Ge, 213-214, 218-221
  - strained layer superlattice-kinematic theory and simulation, 83-85
  - W-C, Seeman-Bohlin geometry, 97-98
  - W-Si, 33
  - superlattice; low angle
    - Mo-Ge, 72
    - MoN-TiN, 282
    - Pb-Ge, 218
    - Si-Ge, interdiffusion by superlattice peak relaxation, 174-177
  - W-C, 96
  - W-Si, 30-31, 89-93
  - x-ray optics
    - integrated reflectivity, 302-305
    - multilayer diffraction gratings, 307-314
    - sputter deposition, 257-258
    - substrate roughness, 302-305
    - thin lens multilayer gratings, 258-260
    - zone plates, 258-261
  - x-ray prisms, 312-314
  - x-ray total external reflection
    - interfacial roughness, 356-358
    - modeling, 356-357
    - substrate roughness, 355-358
    - surface roughness, 355-358
- Y<sub>2</sub>O<sub>3</sub>-CuO, MBE synthesis, 37-38