

## CONTENTS

CHAPTER I	
THE DEFINITION OF A POTATO VARIETY . . .	page 1
A variety is an individual, not a race . . . . .	1
Reproduction from tubers as equivalent to cuttings from a plant	1
Character of a "Clone" . . . . .	1
Definition of a distinct variety . . . . .	2
CHAPTER II	
HISTORICAL SKETCH OF THE DEVELOPMENT OF PRESENT-DAY VARIETIES . . . . .	3
The two original importations of the Potato into Europe as described by Clusius and Gerarde . . . . .	3
The characters of the above varieties and the possibility of deriving all our varieties therefrom . . . . .	4
The introduction of fresh blood from America in 1851 . . . . .	7
Persistence of old varieties . . . . .	7
The influence of the Blight in 1845 on the production of new varieties . . . . .	7
The recognition of Wart Disease and the production of immune varieties . . . . .	10
Recent developments . . . . .	11
CHAPTER III	
THE LIFE OF A VARIETY . . . . .	12
The theory of senility . . . . .	12
Degeneration due to virus diseases . . . . .	13
CHAPTER IV	
THE METHODS OF PRODUCING NEW VARIETIES	15
Selection: Mass, Tuber and Hill Selection . . . . .	15
Variations in shape . . . . .	16
Graft hybridization . . . . .	17
Bud mutation . . . . .	19
McKelvie's Arran Victory Mutations . . . . .	21
Mass Mutations in wild varieties . . . . .	24
The production of new varieties from true seed . . . . .	25
Methods of fertilization in nature . . . . .	25
Selfing and crossing . . . . .	26
Vigour and heterosis . . . . .	27

*b2*

## CONTENTS

CHAPTER V	
THE APPLICATION OF GENETICS TO VARIETY RAISING . . . . .	page 28
Inheritance of immunity to Wart Disease . . . . .	28
Genetic factors controlling tuber colour, eye colour, flesh colour	29
Inheritance of stolon length . . . . .	30
Inheritance of tuber shape . . . . .	30
Genetic composition in relation to vigour . . . . .	31
Inheritance of maturity . . . . .	31
Genetic factors affecting yield . . . . .	31
Possible genetic influences in regard to cooking quality . . . . .	33
Failure to discover any genetic control in regard to immunity to <i>Phytophthora infestans</i> . . . . .	33
Genetic factors controlling immunity to Wart Disease, <i>Synchytrium endobioticum</i> . . . . .	35
Possible genetic factor in respect to resistance to virus diseases . . . . .	36
Genetic factors affecting the posture of the haulm . . . . .	37
Inheritance of Foliage Characters . . . . .	37
CHAPTER VI	
THE TECHNIQUE OF HYBRIDIZATION . . . . .	38
Methods of inducing flower formation . . . . .	38
Male sterility . . . . .	39
Female fecundity . . . . .	39
Importance of Technique . . . . .	39
Outfit required for artificial fertilization . . . . .	39
Sterilization . . . . .	40
Fertilization . . . . .	40
Maturity of berry . . . . .	42
Extraction of seed . . . . .	43
Germination of seed . . . . .	43
CHAPTER VII	
THE CLASSIFICATION OF VARIETIES . . . . .	44
Various systems: Vilmorin's system . . . . .	44
Stuart's system . . . . .	44
Scotch Board's system . . . . .	45
Objections to the same . . . . .	45
Synonymity and study of linkages pre-essentials for a classification	46
A field guide is of more importance than strict classification . . . . .	47
CHAPTER VIII	
CLASSIFICATORY GUIDE . . . . .	49

CONTENTS xiii

CHAPTER IX

CORRELATIONS OR LINKAGES . . . . .	page 57
Estimates of degree . . . . .	57
Schedule showing correlation between the various characters of the plant both morphological and physiological . . . . .	57

CHAPTER X

VARIETAL DIFFERENCES OF MATURITY . . . . .	60
Influence of climate on maturity . . . . .	60
Preliminary sprouting . . . . .	60
Maturity trials . . . . .	61
Tables of Earlies, Second Earlies, Maincrops and Lates . . . . .	62

CHAPTER XI

THE YIELD OR CROP OF THE POTATO, AND THE GENETIC FACTORS AFFECTING THE SAME . . . . .	64
Genetic factors controlling "cropping" . . . . .	64
Methods of determination . . . . .	65
Standard cropping curves . . . . .	65
Possible genetic interpretation . . . . .	69
Existence of zero cropping . . . . .	69
Relation of wild varieties to domestics, in part due to crop inhibitors . . . . .	71
Relation of vigour to crop . . . . .	71
Application to practical breeding . . . . .	73

CHAPTER XII

THE YIELD OR CROP OF THE POTATO, AND THE ENVIRONMENTAL FACTORS AFFECTING THE SAME . . . . .	74
Rest period . . . . .	74
Selection of seed tubers for healthy crop . . . . .	75
Place of origin of seed tuber . . . . .	76
The size of seed tubers . . . . .	78
Number of tubers in 1 cwt. of different varieties passed over the same riddle . . . . .	78
Relation of crop to size of tuber . . . . .	78
Economic size of seed tuber . . . . .	82
Maturity of seed tuber and its effect on yield . . . . .	83
Immature secondary tubers and outgrowths . . . . .	84
Artificial Immaturity . . . . .	85

Selection from large <i>versus</i> small plants . . . . .	page 85
Selection from heavy <i>versus</i> light crops . . . . .	85
Cut Sets: their use . . . . .	85
Methods of cutting the tuber sets . . . . .	87
Crown end <i>versus</i> heel end . . . . .	87
Explanation of superiority of the crown end . . . . .	87
Means of equalizing the two ends . . . . .	87
Variation in cropping capacity of two halves of the same tuber .	87
Relation of number of stalks to number of eyes on tuber set .	88
The sprouting of tuber sets . . . . .	88
Sprouting boxes . . . . .	88
Methods of use . . . . .	89
Greening and sprouting . . . . .	89
The relation between yield and the formation of blooms and berries . . . . .	89
The presence of virus diseases outweighs all other factors in respect to crop . . . . .	90
Loss of yield in Great Britain through virus diseases amounts to over £5,000,000 annually . . . . .	90
Lack of adequate research in England . . . . .	90

## CHAPTER XIII

YIELD TRIALS . . . . .	91
Requirements in respect to the seed and its conservation . . .	91
Fallacies induced by virus disease . . . . .	92
Size of plot . . . . .	92
Number of tubers in each plot . . . . .	92
The shape of the plot . . . . .	93
The number of replications . . . . .	93
The shape of the trial ground and arrangement of plots . . .	93
Border rows . . . . .	93
Cultivation of the plots . . . . .	93
Interference effects . . . . .	93
The weighing of the plots . . . . .	94
Standard of accuracy . . . . .	94
Definition of probable error . . . . .	95
Use of the same . . . . .	95
Is it necessary to repeat trials? . . . . .	96
The N.I.A.B. First Early yield trials . . . . .	96
Comparison of results . . . . .	97
Order of merit of Early varieties tested . . . . .	98
List of results of all varieties tested by the N.I.A.B. for yield .	99

CONTENTS		xv
CHAPTER XIV		
VARIETAL DIFFERENCES IN THE PRODUCTION OF WARE . . . . .	page	100
Ware production a function of the variety . . . . .		100
Table showing percentages of ware in different varieties at different stations . . . . .		100
Relation of ware production to total crop . . . . .		101
The relation of yield to maturity . . . . .		101
Practical application of recent trials . . . . .		102
Noel Bernard's theory of tuberization . . . . .		102
Magrou's work on micorrhiza . . . . .		102
CHAPTER XV		
VARIETAL DIFFERENCES AND THEIR BASIS IN CHEMICAL AND HISTOLOGICAL CHARACTERS OF THE TUBER . . . . .		103
Total dry-matter and nitrogen-content of the potato tuber . . . . .		103
Table of analyses of the same . . . . .		104
Variations in quantity of dry-matter and nitrogen due to climatic conditions . . . . .		105
Starch-content of tubers . . . . .		105
Fallacies due to synonymy of earlier observations . . . . .		106
Variations of starch-content in same variety, grown in different places . . . . .		106
Statistical considerations in relation to the estimation of starch-content . . . . .		106
Constancy of starch-content of variety when grown on same soil . . . . .		107
Comparison of starch-content of English and Continental varieties . . . . .		108
Size of starch grains . . . . .		108
Relation of same to maturity . . . . .		108
Protein-content . . . . .		109
Relation to palatability . . . . .		109
Vitamins in the potato and its preparations . . . . .		110
Nutritive value of the potato . . . . .		110
Sociological influences of the potato . . . . .		111
CHAPTER XVI		
DIFFERENTIAL HISTOLOGICAL FEATURES OF THE TUBER . . . . .		112
Size of cortical cells . . . . .		112
Area of cortex and medulla . . . . .		112
Occurrence of stone cells . . . . .		113
Thickness of periderm . . . . .		113
Chromosome numbers in the wild and domestic potato . . . . .		113

## CHAPTER XVII

VARIETAL RESISTANCE TO DISEASE . . . . .	page 114
Wart Disease . . . . .	114
Breeding of immune varieties . . . . .	115
List of immune varieties according to their seasons . . . . .	115
<i>Phytophthora infestans</i> . . . . .	116
Causes of immunity in the tuber . . . . .	116
Relation of resistance to Late maturity . . . . .	117
Absence of correlation with peculiarities of foliage . . . . .	118
Suggested relation between susceptibility and improved cooking . . . . .	119
Delayed physiological equilibrium . . . . .	119
Scab due to <i>Spongospora subterranea</i> . . . . .	119
Scab due to <i>Actinomyces scabies</i> . . . . .	119
List of varieties supposedly immune to Scab . . . . .	120
Varietal differences in respect to the attacks of the Eel-worm <i>Heterodera radicola</i> . . . . .	120
Infection by the Eel-worm <i>Tylenchus dipsaci</i> . . . . .	121
Sprain, a disease of tuber . . . . .	121
Sprain, resistant and susceptible varieties . . . . .	121

## CHAPTER XVIII

VIRUS DISEASES AND VARIETAL RESISTANCE TO THEIR INFECTION . . . . .	122
Curl and its connotation . . . . .	122
Description of Leaf Roll . . . . .	122
Description of Mosaic . . . . .	123
Resistance to Leaf Roll and Mosaic . . . . .	124
Carriers of Mosaic . . . . .	124
Coloured varieties possibly more resistant than colourless . . . . .	125
List of varieties resistant to Leaf Roll and Mosaic . . . . .	126
Varietal tolerance to Streak . . . . .	126

## CHAPTER XIX

DEGENERATIVE CHANGES OF UNKNOWN ORIGIN . . . . .	127
Description of "bolter" plant . . . . .	127
Description of "wilding" plant . . . . .	127
Perpetuation in next season's crop . . . . .	128
Leaf index of "bolters" and "wildings" . . . . .	129

## CONTENTS

xvii

## CHAPTER XX

VARIETAL DIFFERENCES IN RESPECT TO EXTREMES OF TEMPERATURE . . . . .	page 130
Freezing as preparation for "chuno" and pot-still whiskey . . . . .	130
Under-cooling of tuber and trauma . . . . .	130
Heat rot in India . . . . .	131
Blackheart and its underlying chemical causes . . . . .	131
Blackening on cooking . . . . .	132
Varietal susceptibility to Blackheart . . . . .	132
Influence of tropical conditions on tuber and sprout colour . . . . .	132

## CHAPTER XXI

THE ADAPTATION OF VARIETIES TO SPECIAL CONDITIONS OF SOIL AND CLIMATE . . . . .	133
Heavy land varieties . . . . .	134
Light land varieties . . . . .	134
Thrifty varieties . . . . .	134
Potato-growing areas where but one variety is used . . . . .	134
Localized climatic conditions affecting the culture of the potato . . . . .	135
Influence of the soil on the shape of the tuber . . . . .	136

## CHAPTER XXII

SYNONYMITY . . . . .	137
Definition of same . . . . .	137
Synonym Committee of the N.I.A.B. . . . .	137
Synonyms in trade catalogues . . . . .	138
List of distinct varieties . . . . .	140
List of synonymous varieties . . . . .	145

## CHAPTER XXIII

THE LEAF INDEX . . . . .	163
Method of determination . . . . .	163
Independence of index of place of growth . . . . .	166
Independence of index of locality of origin of seed . . . . .	166
The use of index in determining synonyms . . . . .	167
The size of the leaflet . . . . .	167
Method of determination of same . . . . .	167
Relation of leaf index to size of leaflet, and of both to maturity . . . . .	168
Lists of First Early, Second Early, Maincrop and Late varieties, with their respective indices and leaflet size classes . . . . .	169

## CHAPTER XXIV

VARIETAL DESCRIPTIONS . . . . .	page 171
General plan of description . . . . .	171
The meaning of terms used: . . . . .	171
Habit: Dwarf, short, medium, tall . . . . .	171
Character of growth: compact, open . . . . .	172
Vigour: vigorous, medium, poor . . . . .	172
Stems: Upright, sprawling, prostrate . . . . .	173
Consistency: hard, firm, flexile . . . . .	173
Wings: crinkled, straight . . . . .	173
Transverse sections: hollow, solid . . . . .	174
Stem colour: Four grades . . . . .	174
Pigmented axils . . . . .	176
Leaf: Open, intermediate, close . . . . .	176
Leaflet: Spacing wide, intermediate, close . . . . .	177
Overlapping: present or absent . . . . .	177
Texture of leaflet: Soft or hard . . . . .	177
Smooth or wrinkled . . . . .	177
Dull or glossy . . . . .	177
Hairy or glabrous . . . . .	177
Size of leaflet . . . . .	179
Colour of foliage: Yellow-green, light or dark . . . . .	179
Grey-green, light or dark . . . . .	179
Chlorosis . . . . .	179
Posture of foliage: Stiff or drooping . . . . .	179
Inflorescence: Simple, compound . . . . .	179
Presence of green bracts . . . . .	179
Flower stalks: Long or short . . . . .	179
Position of hairs on the same . . . . .	181
Flowers: Plentiful, scanty or occasional . . . . .	181
Dropping of flowers . . . . .	181
Calyx: Character of . . . . .	181
Flower colour: White, no colour in bud . . . . .	182
White, colour in bud . . . . .	182
Coloured flowers: red heliotrope, blue helio- trope, blue . . . . .	182
Size of the flower: Small or large . . . . .	183
Opening and closing of the flowers . . . . .	183
Anthers: Normal, supernumerary. . . . .	183
Cone, narrow or broad . . . . .	183
Varying colour . . . . .	184



## CONTENTS

xix

Anthers: Coloured line of dehiscence . . . . .	page 184
Relation of same to colour of tuber . . . . .	184
Pollen: Quantity, quality . . . . .	184
Male sterility . . . . .	184
Style: Long, medium, short . . . . .	184
Stigma: Simple, notched . . . . .	185
Berries: Shape and abnormalities . . . . .	185
Stolons: Long, short, relation to size of tuber . . . . .	187
Colour present in some varieties . . . . .	187
Effect of virus diseases on length . . . . .	187
Tuber characters:	
Skin: Smooth and russeted . . . . .	187
Lenticels: Swelling of . . . . .	188
Colour: Anthocyanin-free: white, brown, yellow; thickness of corky layers . . . . .	188
Due to anthocyanin: pale red, red, beetroot-red, dilute purple (dilute black), deep purple (full black)	188
Distribution of colour . . . . .	189
Shape: Round, and variations of same . . . . .	189
Long, finger-shaped and cylindrical . . . . .	190
Kidneys, ovals . . . . .	191
Changes of shape due to environment . . . . .	191
Shape of secondary growths . . . . .	192
Flesh colour: Yellow, white, and intermediate shades . . . . .	192
National preferences in respect to colour . . . . .	192
Colour due to anthocyanin . . . . .	193
Eyes: Fleet, deep, development of brow and shoulder . . . . .	193
Robin-eye . . . . .	193
Colourless and picked . . . . .	193
Sprouts: Colour; methods of estimation . . . . .	194
Thickness of sprouts, no value as a varietal character . . . . .	195
Development of hairs on sprouts a varietal character of importance . . . . .	195
Table of varieties showing the extent of the hairiness of the sprouts . . . . .	196
Physiological characters:	
Maturity: First Early, Second Early, Early Maincrop and Late classes . . . . .	196
Cropping: Good, fair, poor . . . . .	197
Wart Disease: immunity to . . . . .	197
Virus diseases: resistance to . . . . .	197
<i>Phytophthora infestans</i> : resistance to . . . . .	197
Cooking quality: Floury, close, waxy, soapy . . . . .	197

## CONTENTS

Taste: Strong, mild, insipid . . . . .	page 197
Blackening after cooking . . . . .	198
Keeping quality: Good, fair, bad . . . . .	198

## CHAPTER XXV

COMMON EMPLOYMENT OF THE VARIETIES DESCRIBED . . . . .	199
Varieties grown in England . . . . .	199
Varieties grown in France . . . . .	201
Varieties grown in Germany . . . . .	202

## CHAPTER XXVI

DESCRIPTION OF VARIETIES WITH THEIR HISTORY AND SYNONYMS . . . . .	203
Abundance . . . . .	page 203
Adirondack . . . . .	205
Ally . . . . .	206
Alnwick Castle . . . . .	208
America . . . . .	209
Arran Chief . . . . .	211
Arran Comrade . . . . .	213
Arran Rose . . . . .	214
Arran Victory . . . . .	215
Barley Bounty . . . . .	217
Beauty of Bute . . . . .	218
Beauty of Hebron, Pink . . . . .	219
Beauty of Hebron, White . . . . .	220
Ben Cruachan . . . . .	221
Bishop, The . . . . .	222
Boston Kidney (Dargill Early) . . . . .	223
British Queen . . . . .	225
Burnhouse Beauty . . . . .	227
Cardinal . . . . .	228
Catriona . . . . .	229
Ceres (Dutch variety) . . . . .	230
Champion . . . . .	231
Champion II . . . . .	233
Colossal (St Malo Kidney) . . . . .	234
Coronation . . . . .	235
Crimson Beauty . . . . .	236
Crusader . . . . .	237
Dean, The (A. Dean) . . . . .	238
Di Vernon . . . . .	239
Duke of York . . . . .	241
Dunvegan . . . . .	243
Early Market . . . . .	244
Edgecote Purple . . . . .	246
Edinburgh Castle . . . . .	page 247
Edzell Blue . . . . .	248
Eightyfold . . . . .	249
Epicure . . . . .	250
<i>Étoile du Nord</i> . . . . .	252
Evergood . . . . .	253
Field Marshal . . . . .	255
Flourball . . . . .	256
General . . . . .	258
Gigantic . . . . .	259
Golden Wonder . . . . .	260
Great Scot . . . . .	261
Harbinger . . . . .	263
Herd Laddie . . . . .	264
Immune Ashleaf (see Juli) . . . . .	264
<i>Industrie</i> . . . . .	265
International Kidney . . . . .	266
Irish Chieftain . . . . .	267
<i>Juli</i> (Immune Ashleaf) . . . . .	269
K. of K. . . . .	271
Katie Glover . . . . .	272
Kerr's Pink . . . . .	273
King Edward VII . . . . .	274
King Edward VII, Red . . . . .	276
King George V . . . . .	277
Langworthy . . . . .	278
Leinster Wonder . . . . .	279
Lochar . . . . .	280
Lord Tennyson . . . . .	281
Magnum Bonum . . . . .	282
Majestic . . . . .	284
Marquis of Bute . . . . .	286
May Queen . . . . .	287

## CONTENTS

xxi

Mr Bresee . . . . .	page 288	Sefton Wonder . . . . .	page 302
Myatt's Ashleaf . . . . .	289	Sharpe's Express . . . . .	303
Ninetyfold . . . . .	291	Sharpe's Victor . . . . .	305
Nithsdale . . . . .	292	Sir John Llewelyn (Eclipse) . . . . .	306
Norna . . . . .	293	Snowdrop (Resistant) . . . . .	307
Northern Star . . . . .	294	Surprise . . . . .	309
President (Paul Kruger) . . . . .	295	Templar . . . . .	310
Reading Russet . . . . .	297	Tinwald Perfection . . . . .	311
Rector . . . . .	298	Towse, The . . . . .	312
Rhoderick Dhu . . . . .	299	Up-to-date . . . . .	313
Ringleader . . . . .	300	Utility . . . . .	316
Royal Kidney . . . . .	301	White City . . . . .	317

## APPENDICES

APPENDIX I . . . . .	page 318
Blank varietal Description Forms.	
APPENDIX II . . . . .	337
A Yield Test conducted by the N.I.A.B. investigated statistically by W. H. Parker, M.A.	
APPENDIX III . . . . .	359
The origin of Messrs Sutton and Sons' varieties during the last half century.	
BIBLIOGRAPHY . . . . .	361
INDEX . . . . .	369