

Index

- action principle, 110
- adiabatic condition, 72, 103, 298
- affine parameter, 76, 289
- age of the Universe, 85, 416
- Alcock–Paczynski effect, 393, 401
- angular diameter distance, 21, 93
 - comoving, 98
- anisotropic models, 424
- anisotropic stress, 69, 300, 333, 409
- anthropic principle, 124
- anti de Sitter (AdS) bulk, 277
- anti de Sitter (AdS) vacuum, 118, 121
- Anti de Sitter/Conformal Field Theory (AdS-CFT)
 - correspondence, 174
- anti-symmetric tensor, 125
- Aristotle, ix
- assisted inflation, 150
- assisted quintessence, 150
- atomic clock, 204
- attractor, 142, 142, 150, 182, 225, 264, 274
- autonomous equations, 180, 191, 219, 271
- average
 - ensemble, 28
 - sample, 28
- axion, 18
- backreaction, 293
- baryon acoustic oscillations (BAO), 5, 102, 282, 393
 - effective distance, 104, 198
 - relative distance, 104
- baryon-dominated epoch, 196
- baryon–photon plasma, 55
- baryonic/dark matter density, 252, 268
- baryons, 1, 63, 69
 - big bang nucleosynthesis, 16
 - coupling to, 190
 - decoupling, 194
 - perturbations, 55
- Bayes’ theorem, 357
- Bayesian approach, 356
 - confidence regions, 359
 - estimators, 362
 - evidence, 358
- forecasts, 368
 - Jeffrey’s scale, 366
 - marginalization, 360
 - model selection, 363
 - nuisance parameters, 360
 - posterior probability, 358
 - prior probability, 358
- Bessel functions, 96
- bias, 57, 397
 - from non-linearity, 347
 - in coupled models, 312
 - in the growth rate, 398
 - Kaiser’s formula, 83
- Big Bang Nucleosynthesis (BBN), 15, 151
- big-rip, 25, 187, 230
- bispectrum, 347
- black body radiation, 1
- black hole, 416
- Boltzmann equation, 64, 67, 93
- Boltzmann’s constant, 6
- Bose–Einstein distribution, 13, 65
- bosonic string, 174
- bosons, 14, 116
- brane tension, 123
- braneworld, 4, 277, 330
- Brans–Dicke parameter, 258, 260, 267, 326
- Brans–Dicke theory, 5, 206, 256, 258, 333
- bremsstrahlung emission, 411
- broken supersymmetry, 118
- bulk flow, 58
- Calabi–Yau (CY) manifold, 121
- Calan/Tololo Supernova Survey, 90
- cascading gravity, 130
- Cassini tracking, 213
- chameleon mechanism, 195, 205, 306
 - in $f(R)$ gravity, 248
 - in scalar-tensor models, 267
- Chandra satellite, 412, 414
- Chandrasekhar limit, 87
- Chaplygin gas, 225, 308
- chemical potential, 13
- chiral field, 117, 160

Christoffel symbol, 8
 perturbed, 44
 COBE, 2, 15, 71, 93
 coincidence problem, 3, 114, 182, 428
 Cold Dark Matter (CDM), 17, 23, 74, 106
 perturbations, 68, 72, 310
 collision term, 64
 comoving distance, 12, 19, 45
 comoving gauge, 41
 comoving wavenumber, 49, 178, 227, 256
 compactification, 118, 120, 128
 flux, 121
 complex structure moduli, 121
 Compton scattering, 66, 67
 conditional probability, 358
 conformal anomaly, 232
 conformal factor, 162, 249, 258
 conformal time, 41, 77, 384
 conformal transformation, 162, 173, 248, 258
 conservation equation, *see* continuity equation
 continuity equation, 10, 135, 280, 337
 perturbed, 48
 Copernican principle, 292
 correlation function, 28, 31, 395
 in redshift space, 401
 cosmic distance, 18
 Cosmic Lens All-Sky Survey (CLASS), 421
 Cosmic Microwave Background (CMB), 2, 15, 79, 93, 152
 acoustic peak, 99
 anisotropies, 5
 peak position, 95
 power spectrum, 97, 330, 389
 shift parameter, 98, 193, 198, 282
 variance, 97
 cosmic shear, 403
 cosmic time, 7
 cosmic transparency, 426
 cosmological constant, 3, 11, 55, 56, 109, 125
 cosmological constant boundary, 188
 cosmological constant boundary crossing, 266
 cosmological density, 13, 114, 154, 248, 252
 Coulomb scattering, 67
 counts in cells, 37
 coupled dark energy, 189, 196, 215
 higher-order perturbations, 345
 parametrization, 196
 coupled quintessence, 163, 201, 205, 222
 coupling strength, 190, 197, 202, 205, 215, 249, 259, 306
 covariant derivative, 10
 cross-correlation spectrum, 387
 crossover scale, 280
 curvature of the Universe, 7, 25, 87, 89, 278
 curvature perturbations, 98
 cycloid equation, 288, 348

 D-brane, 121, 123, 174, 277
 anti, 120, 174
 BPS, 174
 non-BPS, 174

D-term, 154
 dark energy, 1, 13, 18, 22
 clustering, 350
 effective mass, 308
 N-body simulations, 354
 papers, 427
 perturbation, 75, 391
 dark matter, 1, 17, 69
 candidate, 17
 fuzzy, 316
 perturbation, 55
 de Sitter
 point, 236, 240, 251, 255, 262, 273
 solution, 112, 158, 173, 281
 vacuum, 3, 121
 decaying mode, 53
 deceleration parameter, 166
 decoupling epoch, 2, 93
 decoupling of the cosmological constant, 129
 degeneration of the vacuum, 130
 density contrast, 29, 46
 critical value, 349
 for a scalar field, 307
 density parameter, 10
 deuterium, 16, 151
 deviation parameter, 238
 dilaton
 field, 121, 160
 gravity, 5, 189, 258, 260
 dilatonic ghost condensate model, 173, 179, 217
 dipole moment, 66, 68, 95
 Dirac's delta function, 31, 280, 455
 Dirac–Born–Infeld (DBI)
 action, 174
 field, 176
 distortion tensor, 82
 distribution function, 13, 63, 64, 351
 Doppler effect, 12
 Doppler shift, 80
 double exponential potential, 149
 drag epoch, 103
 duality relation, *see* Etherington relation
 Dvali–Gabadadze–Porrati (DGP) model, 5, 277
 perturbations, 330, 333

 early dark energy, 149
 effective equation of state, 54, 138, 145, 191, 219, 255
 for $f(R)$ models, 238
 in Gauss–Bonnet models, 271
 in Palatini formalism, 262
 effective gravitational constant, 247, 267, 326, 333
 effective potential, 201, 207, 249, 274, 313
 effective string action, 161, 173
 EGRET experiment, 188
 eigenvalues, 140, 141, 191, 219, 240, 255, 263, 274, 372
 eigenvectors, 141
 Einstein, 111, 427
 Einstein equations, 8, 110, 132
 averaging, 293
 perturbed, 44

- Einstein frame, 173, 189, 212, 248, 249, 258, 326
- Einstein tensor, 8
 - perturbed, 45
- Einstein–de Sitter universe, 386
 - non-linear perturbations, 340
 - spherical collapse, 348
- electromagnetic field, 203
- electron, 2, 15, 64, 66, 93, 103
- energy density, 9, 14, 136, 175
- energy-momentum tensor, 4, 8, 134, 136, 175
 - perturbed, 47
- entropy, 15, 26
- equation of state, 5, 11, 23, 165
 - k-essence, 175
 - phantom, 266
 - quintessence, 138
- equivalence principle, 60, 160, 211, 251, 267
- ergodic system, 29
- ESSENCE, 92
- Etherington relation, 22, 414, 426
- Euler equation, 49, 337, 345
 - non-linear, 342
- European Extremely Large Telescope (EELT), 422
- exponential potential, 139, 163, 217, 270
- extended supergravity models, 158

- $f(\mathcal{G})$ gravity, 276
- $f(R)$ gravity, 4, 189, 234, 258
- F-term, 156
- Fermi–Dirac distribution, 13, 200
- fermion, 14, 116, 153
- fermion condensate model, 153
- field potential, 117, 122, 135, 153, 174
- fifth force, 205, 210
- figure of merit, 373
- fine structure constant, 203
- fine tuning problem, 113, 114, 428
- fingers-of-god, 59, 400
- Fisher matrix, 356, 368, 396
 - addition of, 375
 - for Gaussian data, 379
 - for weak lensing, 408
 - maximization, marginalization, 371
 - of power spectrum, 377, 391, 395
 - transformation of variables, 370
- five-dimensional
 - bulk, 277
 - Einstein equations, 278
 - Einstein tensor, 279
 - Planck mass, 278
- fixed points, 139, 180, 183, 191, 218, 239, 255, 262, 271
 - instantaneous, 143
 - stability, 140
- flat universe, 85, 281, 282
- flux integers, 124
- 4-form field, 126
- four-velocity, 9, 45, 79
- Fourier space, 31, 49, 65, 325, 342, 406
 - discretization, 377
- Fourier transformation, 31, 331, 341

- free streaming, 96, 316
- frequentist approach, 357
- Friedmann–Lemaître–Robertson–Walker (FLRW)
 - spacetime, 7, 18
- future singularities, 230

- GAIA satellite, 425
- galaxy
 - ages, 418
 - clustering, 106
 - density contrast, 60
 - distribution function, 406
 - merging, 61
 - number counts, 418
 - power spectrum, 107
 - velocity distribution, 400
- galaxy clusters, 411
 - abundance, 414
 - density profile, 411
 - depletion parameter, 414
 - gas fraction, 414
 - hydrostatic equilibrium, 413
 - isothermal distribution, 413
 - mass-temperature relation (M-T), 412
 - sub-structure, 421
- Gamma-ray burst (GRB), 415
- gauge coupling, 160
- gauge field, 203
- gauge transformations, 41
- gauge-invariant variables, 41, 300
- Gauss's theorem, 110, 249
- Gauss–Bonnet dark energy, 269
- Gauss–Bonnet (GB) term, 131, 269
- Gaussian initial conditions, 47, 339
- General Relativity, 3, 111, 235
- generalized Chaplygin gas (GCG) model, 225
- geodesic equation, 19, 64, 76, 289
- ghost, 25, 162, 177, 186, 269, 276, 282
- ghost condensate model, 173
- global supersymmetric theory, 153
- globular clusters, 85, 417
- gluino condensation, 118
- Gold data, 92, 275
- gravitational constant, 6
 - bare, 234
 - variation, 195
- gravitational instability, 53, 227
- gravitational lensing
 - giant arcs, 421
 - mass estimations, 412
 - strong, 418
 - time delay, 418
- gravitational potential, 69, 72
 - large-scale solution, 51
 - local value, 247
 - present value, 74
 - small-scale solution, 56
- gravitational waves, 43
- gravitino, 157
- gravity mediation, 160
- growing mode, 51, 53

growth function, 47, 74, 387, 390, 394
 higher-order, 339
 growth index, 56
 growth rate, 56, 303, 304, 395, 398
 fit, 304
 from clusters, 412, 414
 in coupled models, 311
 in modified gravity, 328

 halo, 355, 419
 clusters, 419
 profiles, 419
 helium, 16, 151
 Helmholtz's theorem, 42
 hidden sector, 160
 hierarchy problem, 113
 High-redshift Supernova Search Team (HSST), 1, 87
 higher-order moments, 31
 hot Big Bang model, 7, 112
 Hot Dark Matter (HDM), 17
 Hubble constant, 12, 84, 101, 113, 158
 Hubble Key Project, 13, 101
 Hubble parameter, 9, 88, 416
 for big-rip models, 25
 in braneworld models, 280
 in the redshift drift, 423
 measures the age of the Universe, 84
 parametrization, 198
 radial, 286
 reconstruction of, 163
 transverse, 286
 Hubble radius, 51, 68, 179, 281
 present, 13
 Hubble radius crossing, 71
 Hubble Space Telescope (HST), 92
 Hubble's law, 12, 20, 112

 inflation, 1, 11, 71, 125, 236
 infra-red (IR) instability, 179
 initial condition, 70
 adiabatic, 80, 306
 instant preheating, 151
 instantaneous fixed point, 263
 instantaneous minima, 265, 327
 Integrated Sachs–Wolfe (ISW) effect, 74, 79, 80, 93, 384, 389
 cross-correlation, 306
 for $f(R)$ gravity, 323
 for early acceleration, 196
 intra-cluster medium, 411
 intrinsic temperature fluctuation, 80
 inverse power-law potential, 144, 154, 168, 204, 213

 Jacobian matrix, 191, 192, 219, 263, 274
 to transform the Fisher matrix, 370
 Jeans length, 52, 227
 Jordan frame, 206, 212, 259, 326, 327

 K-correction, 88
 k-essence, 4, 172, 182, 228
 attractor, 184

Kachru–Kallosh–Linde–Trivedi (KKLT) model, 121
 Kähler modulus, 121
 Kähler potential, 117, 120, 155
 Kaluza–Klein theories, 277
 kinetic energy
 as a fixed point, 140
 for a chameleon field, 209
 for phantom fields, 186
 in k-essence models, 172
 in spherical collapse, 349
 in unified models, 229
 of a scalar field, 4, 215
 kinetic points, 221, 262
 Klein–Gordon equation, 136

 Lagrangian density, 109, 173, 190, 215, 228
 Λ CDM model, 4, 74, 106, 109, 167, 200, 241
 large extra dimensions, 277
 Large Hadron Collider (LHC), 2
 large-scale structure, 70, 106
 last scattering surface, 2
 Legendre polynomial, 66, 455
 Lemaître's model, 112
 Lemaître–Tolman–Bondi (LTB) metric, 286
 lensing potential, 81, 335, 409
 Levi-Civita tensor, 43
 LHC experiments, 18
 likelihood function, 357, 369
 likelihood method, 356, 359, 367
 Limber equation, 405
 linear expansion, 247, 251
 local gravity constraints, 214, 236, 245, 252, 267, 276
 local gravity experiments, 195, 205
 long-range force, 4, 153, 189
 longitudinal component, 42
 longitudinal gauge, 41, 44
 loop quantum cosmology, 233
 low-energy effective string theory, 173
 luminosity distance, 5, 20, 87, 163, 198
 Lyman- α lines, 423

 Mach's principle, 257
 Markov chain, 367
 marginalization, 361, 371
 mass function, 352, 410
 formula, 353
 mass varying neutrino, 200
 massive neutrino, 56, 194, 202, 398
 massless
 field, 203, 267
 limit, 247, 325, 326, 333
 neutrino, 67, 69
 particles, 63
 matter Lagrangian, 129, 205, 258
 matter perturbations, 55
 at second order, 338
 growth rate, 395
 in $f(R)$ gravity, 317
 in scalar-tensor models, 324
 in the braneworld model, 330
 in the Palatini formalism, 257
 matter point, 142, 180, 240, 255, 266

- matter power spectrum, 70, 323, 394, 395
 - biased, 107
 - in $f(R)$ gravity, 328
 - in the Chaplygin model, 227
 - peak wavelength, 75
- matter-dominated epoch, 2, 71, 73, 192, 236
- membrane, 126
- metric, 7
- metric formalism, 234, 245, 264
- Minkowski background, 177, 206, 267
- Minkowski bulk, 277
- modified matter models, 134, 172
- modulus field, 118, 119
- moments
 - second-order, 39
 - third-order, 39
- momentum vector, 76
- monopole moment, 66, 94
- multipole moments, 68, 97

- N-body simulations, 61, 353, 396, 409
- Navarro–Frenk–White profile, 421
- negative instability, 179
- neutralino, 18
- neutrinos, 2, 15, 63, 69, 70
- neutrons, 16, 151
- Neveu–Schwarz (NS)–NS flux, 121
- Newtonian gauge, 41, 42, 44
- Newtonian gravity, 11, 336
- Newtonian limit, 52
- Newtonian regime, 57
- no-go theorem, 120
- no-scale models, 119, 158
- non-Gaussianity, 345, 408
- non-linear regime, 31, 49, 248, 251
- non-relativistic matter, 13, 16, 49, 67, 135, 189
- nonminimally coupled scalar field, 260
- normal ordering, 129
- number of e-foldings, 53, 138

- Oklo natural fission reactor, 203
- open universe, 86, 90
- optical depth, 66, 96, 384

- Palatini formalism, 235, 253
- parametrization, 93, 164, 282, 370
 - logarithmic, 165
 - redshift, 165
 - scale factor, 165
- particle physics, 3, 113, 144, 153
- Peccei–Quinn (PQ) symmetry, 158
- peculiar velocity, 12, 45, 56, 57
 - redshift distortion, 58
- perfect fluid, 46, 135, 302, 337
- perfect fluid model, 4, 225
- perturbations, 41
 - degrees of freedom, 305
 - entropy, 305
 - equations in General Relativity, 50
 - general fluid, 302
 - in $f(R)$ gravity, 317, 324
 - in DGP model, 330
 - large-scale limit, 300
 - linear, 296
 - metric, 297, 333
 - perfect fluid equations, 299
 - scalar field, 306
 - scalar-tensor gravity, 324
 - second-order, 336
 - small scales, 303
 - small-scale limit, 310
 - spherical, 338
 - stability, 318
- perturbed Hamiltonian, 178
- perturbed metric, 41, 42, 43, 63
- phantom, 25, 105, 173, 178, 186
- ϕ MDE, 192, 221, 239, 262
- photometric redshift, 395
- photon propagation, 76, 335, 384
- photon–baryon plasma, 70
- photons, 2, 14, 16, 63, 76
- physical distance, 12
- pivot point, 371
- Planck mass, 6
- Planck scale, 113, 159
- Planck’s constant, 6
- Plato, ix
- Poisson equation, 50, 310, 336, 386, 406
 - modified, 345
- Poissonian, 33
- polarization, 76
- positron, 15
- post-Newtonian parameter, 212, 247, 267
- power spectrum, 31, 71, 330, 388, 394, 405
 - higher-order, 346
 - noise, 36, 404
 - non-linear, 354
 - normalization, 39
- Press–Schechter theory, 349, 351, 421
- pressure, 9, 14, 136, 175
- principal component analysis (PCA), 380
- probability distribution function (PDF), 356, 369
- protons, 16, 64, 151
- Pseudo-Nambu–Goldstone Boson (PNGB), 138, 158

- quadrupole, 70, 72
- quantum
 - chromodynamics (QCD), 18, 113, 153
 - corrections, 161, 232
 - cosmology, 125
 - field theory, 116, 129
 - fluctuations, 71, 178
 - operators, 116
 - tunneling effect, 126
- quarks, 153
- quasars, 203, 423
- quintessence, 4, 134, 163
 - coupled, 306
 - freezing models, 137, 168
 - mass, 153
 - potential, 164
 - thawing models, 137, 169

quintessential inflation, 151
 quintom, 188

radiation point, 180, 243, 255
 radiation-dominated epoch, 2, 55, 72, 192
 radiation-matter equality, 23, 72, 73, 99
 radiative corrections, 159
 Ramond–Ramond (R-R) flux, 121
 real-time cosmology, 422
 reciprocity relation, *see* Etherington relation
 recombination, 67, 93
 reconstruction, 163
 redshift, 12
 distortion, 59, 61, 394, 398
 drift, 292, 422
 surveys, 398
 reduced Planck mass, 6
 Regge slope parameter, 161
 reheating, 151
 relativistic particle, 10, 13
 Ricci scalar, 8, 110, 234
 perturbed, 45
 Ricci tensor, 8
 for LTB metric, 287
 perturbed, 45
 rotational modes, 43
 runaway dilaton scenario, 161

Sachs–Wolfe (SW) effect, 78, 79, 80
 saddle point, 141, 192, 221, 240, 255, 274
 Sandage effect, *see* redshift drift
 scalar curvature, 8
 scalar field, 4, 13, 135, 172, 189, 215, 257, 269
 as dark matter, 309
 Compton wavelength, 316
 energy-momentum tensor, 307
 oscillations, 316
 scalar-field dominated solution, 140, 219, 262
 scalar-tensor theories, 4, 189, 258
 perturbations, 324
 scalaron, 235
 scale factor, 7, 12
 scale-invariant spectrum, 71, 98
 scaling attractor, 193, 195, 223
 scaling Lagrangian, 217
 scaling matter era, 181, 272, 274
 scaling solution, 140, 149, 177, 215, 220, 262, 272
 Schwinger pair creation, 126
 shear-free gauge, 44
 shot-noise, 394
 single fluid, 50, 225
 singular isothermal sphere (SIS), 419
 singularity, 223, 253
 type I, 230
 type II, 230
 type III, 231
 type IV, 231
 skewness, 343, 344, 346
 SLACS, 421

Sloan Digital Sky Survey (SDSS), 5, 38, 102, 104, 388, 392
 slow-roll parameters, 137
 smoothing, 164, 344, 351
 solar mass, 420
 solar system constraints, 212, 213
 sound horizon, 94, 98, 193
 sound speed, 47, 52, 68, 69, 94, 178, 218, 227, 230
 adiabatic, 47, 298
 in spherical collapse, 351
 non-adiabatic, 47
 of a scalar field, 307, 314
 of dark energy, 390
 total, 298, 301
 speed of light, 6
 spherical collapse, 347, 351
 spherical harmonics, 96
 spherically symmetric body, 207, 246
 stability conditions for k-essence, 177
 stability of tensor perturbations, 276
 stable node, 141
 stable spiral, 141
 standard candle, 87, 413
 GRBs, 416
 statefinder, 166
 stationary solution, 312
 statistical homogeneity, 33
 string coupling, 161
 string landscape, 4, 126, 128
 string mass, 160
 string theory, 116, 128, 157, 160, 277
 strong anthropic principle, 124
 strong CP problem, 158
 strong gravitational background, 253
 structure formation, 2, 17
 sub-horizon
 approximation, 75, 256
 scales, 51, 54
 sudden future singularity, 230
 Sunyaev–Zel’dovich effect, 290, 294
 super-horizon
 approximation, 72
 scales, 51, 69, 71, 299
 supergravity, 116, 154
 effective action, 118
 superluminal propagation, 179, 185
 supernova, 87
 absolute magnitude, 88
 apparent magnitude, 87
 flux, 87
 type Ia (SN Ia), 1, 87, 244
 type Ib, 87
 type II, 87
 Supernova Cosmology Project (SCP), 1, 87
 SuperNova Legacy Survey (SNLS), 92, 198
 superpotential, 117, 154
 supersymmetric particles, 18
 supersymmetric theories, 18, 116
 supersymmetry, 113, 116, 156
 supersymmetry breaking, 155
 Swiss-cheese model, 291

- tachyon field, 174, 175, 217
- temperature perturbation, 65
- tensor perturbation, 276
- thick-shell, 211
- thin-shell, 205
- thin-shell parameter, 211, 251
- Thomson cross section, 66
- Thomson scattering, 2
- three-cycles, 128
- tight coupling, 103
 - limit, 68, 95
- top-hat filtering, 36
- total equation of state, *see* effective equation of state
- total matter perturbation, 50, 60, 227
- trace, 189, 235
- traceless, 189
- tracker solution, 145
- tracking condition, 143
- transfer function, 73, 74
 - Bardeen–Bond–Kaiser–Szalay (BBKS), 74
- transverse component, 42
- two-degree Field (2dF) Galaxy Redshift Survey, 38, 104, 228, 392
- ultra-violet (UV) instability, 177, 220
- unbroken supersymmetry, 157
- unified models of dark energy and dark matter, 225, 228
- unstable node, 141
- unstable spiral, 141
- vacuum energy, 3, 113, 117, 125
- vacuum expectation value, 160
- vacuum instability, 187
- varying α , 203
- velocity divergence, 46
- velocity field, 56, 60, 62
- virialization, 349
 - in clusters, 412
 - radius, 349
- viscosity, 338
- visibility function, 96
- void model, 286
- warp factor, 122, 174
- warped compactification, 122
- weak anthropic principle, 124
- weak coupling limit, 162
- weak energy condition, 164
- weak lensing, 78, 81, 335, 403, 409
 - convergence, 82
 - convergence spectrum, 407
 - distortion tensor, 404
 - galaxy ellipticity, 403
 - power spectrum, 408
 - shear field, 82
 - transformation matrix, 81
- Weakly Interacting Massive Particles (WIMPs), 18
- Weinberg's bound, 125
- Weyl tensor, 280
- white dwarf, 85
- Wiener–Khinchin theorem, 32
- Wilkinson Microwave Anisotropy Probe (WMAP), 2, 17, 71, 86, 93, 99, 384
- window function, 34, 58, 345
 - top-hat function, 34
- X-ray spectra, 412
- XMM-Newton satellite, 412
- Yang–Mills coupling, 174
- Yukawa term, 314, 327
- zero-point energy, 3, 113