

INDEX

- Acacia conigera*, 73, 76
Accentor montanellus, 179
Acridia turrata, 145
Adaptations
 bionomical, 8, 13
 in Bromelia fauna, 63
 to desert conditions, 142
 physiological, 12
 structural, 8, 9, 10
 to tree-tops, 56
Adelpha, 53
Altitude, 5 (footnote)
Amastris vismiae, 96
American rabbit (*Lepus americanus*), 26
Amphibia
 of steppe, 142
 of taiga, 202
Amphibious habits, 57
Anableps tetropthalmus, 48
Anæa, 59
Andes, "life-zones" in, 20
Ani (*Crotophaga ani*), 53, 66
Ants
 abundance in tropics, 79
 army-ants (*Eciton*), 82
 Azteca, 72
 building shelters, 71
 Carebara vidua, 82
 enemies, 104
 "gardens," 75
 and Homoptera, 77, 107
 leaf-cutters (*Atta*), 79 *et seq.*
 in mimicry, 104
 and myrmecophytes, 76
 palæontology, 89
 selection of food, 111
Aphides, 18
Aphis grossulariæ, 23
Aposematic coloration, 92
 criteria, 95
 influenced by season, 97
 in Fulgoridæ, 95
 in Membracidæ, 106
 in Sphingid larva, 95
Arboreal habits, 57, 58, 204
Arctic tern (*Sterna paradisæa*), 172, 184
Associations
 Acacia and ants, 73, 76
 Associations—*contd.*
 beetle larvæ, 74
 birds, in jungle, 66; and omnibuses, 16; in tundra, 170, 171; and wasps, 77
 Cecropia and ants, 72
 Cordia and ants, 73
 Homoptera and ants, 107
 Marcgravia and humming-birds, 77
 orchids and ants, 75
 sloth and algæ, 71
 Tachigalia, ants, and beetles, 74
 Attaphila, 8
 Atticora, 137
 Automolis diluta, 100, 117
Bacterial infection, 69
Badger (*Meles taxus*), 13, 131
"Barren grounds," 149
Bartailed godwit (*Limosa lapponica*), 157, 178, 181
Batesian Mimicry, 92, 98
Bear, *Ursus arctos*, 163, 202, 207
 polar (*U. maritimus*), 168
Bee-eater (*Merops apiaster*), 135, 137
Beetles
 arboreal, 58
 dung-rolling, 145
 experiments with, 23
 mimicry in, 103
Behaviour in mimicry, 107
Bell-bird (*Chasmorhynchus niveus*), 66
"Belt's bodies," 73
Bessarabia, 31, 123, 131, 142
Bionomical complex, 2, 16, 193
Bionomics, 1, 32, 192
Bird-droppings in mimicry, 94
Birds
 breeding, in holes, 40, 134
 calls, 66, 204
 coloration, 58, 143, 203
 in Himalayas, 5 (footnote)
 in New Zealand, 209
 ecology in tundra, 179
 of steppe, 134 *et seq.*
 of taiga, 203
 of tundra, 160, 169 *et seq.*
 and wasps, 77

- Bison (*Bison americana*), 26
 Bluethroat (*Luscinia svecica*), 179, 203
Bolbonota, 109
 Bora, 124
 Bow-drill, 9
Brachystethus cribrum, 98
 Breeding environment, 19
 Brehm, A. E., 6, 122 (footnote)
 Bromelia
 composition of water, 63
 fauna, 62
Buarremon inornatus, 21
Bufo marinus, 104
 Bustard (*Otis*), 130, 134
 Butterflies
 in arctic, 190–2
 in clearings, 53
 migrations, 64
 mimicry, 94, 100
 in shade, 59
 in tree-tops, 55
 Buttress roots, 44
 Buzzard (*Buteo*), 130, 134, 180, 204
- Calf-bird (*Calvifrons calvus*), 66
Calliæra, 59
Calobata, 96, 104
Caprimulgus nigrescens, 176
 Capybara (*Hydrochærus hydrochærus*), 45, 58
 Caribou (*Rangifer tarandus*), 21
Catopsila, 64
Cecropia, 72–3
 and beetle larvæ, 78
 in clearings, 54
Cephaelis violacea, 51
 Chalcid, 24, 60, 75
 Chiff-chaffs (*Phylloscopus collybita canariensis* and *Ph. c. exsul*), 177
Chiroleptes platycephalus, 13
 Classification, 2
 Clearings
 in rain-forest, 52
 in taiga, 209
 Climate, 9, 29
 of rain-forest, 39
 of steppe, 121 *et seq.*
 of taiga, 198
 of tundra, 151 *et seq.*
Clusia insignis, 51
 Coatimundi (*Nasua*), 58
 Coccidæ, 24, 74, 78
Coccidotrophus socialis, 74
Cœlomera cayennensis, 78
Colaptes agricola, 146
 Coleoptera, 188–91
 Coloration
 in rain-forest, 58 (*see also* Part 1, chap. IV)
 in steppe, 143, 145
 in taiga, 203
 in tundra, 185–6
 Communities, origin of, 87
 Co-ordination of systematic and bionomic study, 30, 114
Cordia nodosa, 73, 76
 Coreidæ, feeding habits of, 94
Coryanthus, 75
 Coyote (*Canis latrans*), 13
 Crackling manakin (*Manacus manacus*), 67
 Critical stages, 18
 Crossbill (*Loxia curvirostra*), 10, 205
 Cuckoo (*Cuculus optatus*), 201, 209
 Curlew-sandpiper (*Scolopax testacea*), 157, 170, 171, 182
Cyclopes didactylus, 104
Cyclura ricordi, 21
Cyphonia clavata, 96, 106, 114
Cyrtocoris gibbus, 92
- Darnis*, 96, 106, 109
 Death-rate in tropics, 69
Dendrobates, 61
 Dendrocolaptidæ, 66
 Deserts, 3–5, 124, 173
 reptiles of, 142
 salt, 123
Diacrium, 75
Didelphys azaræ, 146
Dione vanillæ, 53
 Diptera
 in arctic, 188–90, 191
 in mimicry, 103
 Diver
 black-throated (*Colymbus arcticus*), 169
 great northern (*C. immer*), 175
 red-throated (*C. stellatus*), 169, 180
 white-billed (*C. adamsii*), 182
 Dollo's Law, 141
 Donkeys, 164
 Doves, 30
Drepanocarpus lunatus, 48
 Driftwood, 194
 Duckbilled platypus (*Ornithorhynchus*), 10

INDEX

213

- Ducks in taiga, 204
Dysodius lunatus, 92
- Eagle
Aquila bifasciata, 131
A. gliitchi, 130
A. imperialis, 130
A. orientalis, 130
- Edible frog (*Rana esculenta*), 142
- Embiidaria, 87
- Emesinæ, 93
- Environment, 1, 8, 13, 19, 20
- Eucereon metoidesis*, 103, 112
- Eudamus*, 57
- Euglossidæ, 86
- Eutychia*, 59
- Exudatoria, 86
- Fieldfare (*Turdus pilaris*), 202, 203
- Fisher (*Martes pennanti*), 26
- “Flash” coloration, 145
- Floods
dispersal by, 64
in taiga, 201
- Flowers
in jungle, 51, 56
in steppe, 122
in taiga, 200
in tundra, 159
- Fly-catchers, 48, 202, 209
- Flying-fish, 48
- “Food races” in insects, 22
- Forest fires, 209
- Formations
climatic, 4
in rain-forest, 42
in steppe, 130
in tundra, 157
- Fox
arctic (*Canis lagopus*), 28, 157, 168, 185
common (*C. vulpes*), 28, 163
corsac (*C. corsac*), 130
- Galapagos Islands, 21
- Gardiner, Professor J. S., 164
- Geolaptes olivaceus*, 146
- Geophila*, 51
- Goitred antelope (*Gazella subgutterosa*), 134
- Gold-bird (*Lathria cinerea*), 45
- Golden plover
American (*Charadrius d. dominicus*), 182
- Golden plover—*contd.*
Asiatic (*Charadrius d. fulvus*), 157, 170, 171, 183
- Goose
bernicle (*Branta leucopsis*), 172
red-breasted (*Branta ruficollis*), 172
white-fronted (*Anser albifrons*), 173–4
- Grass-finches (*Sporophila*), 66
- Grassland, 3, 121
- Grass-snake (*Tropidonotus*), 141
- Great ant-eater (*Myrmecophaga jubata*), 11, 104
- Green toad (*Bufo viridis*), 142
- Gregarious instinct
in jungle, 66
in steppe, 134
in tundra, 170
- Grison (*Grison allemandi*), 58
- Guiana, 37, 39, 64, 97, 100
- Guiana house-wren (*Troglodytes musculus*), 53
- Haeckel, 1
- Hare (*Lepus timidus variabilis*), 161, 167, 176, 185, 206
- Hedgehog
common (*Erinaceus europæus*), 207, 208
eared (*E. auritus*), 131, 133
- Heliconiidæ, 59, 99
- Hetera*, 59
- Heteronotus*, 96, 107, 114
- Heteroptera
diversity of form, 92
mimicry, 103
- Hibernation
in insects, 191
in mammals, 162, 206 *et seq.*
- Hoatzin (*Opisthocomus hoazin*), 48 *et seq.*
- Hobby (*Falco subbuteo*), 134
- Holymenia histrio*, 96
- Homoptera
attended by ants, 107
protected from parasites, 108
of shade jungle, 59
- Hoopoe (*Upupa epops*), 134
- Horses
in Baikal, 125
in pampas, 174
- Huanaco (*Llama huanacus*), 174
- Hudson Bay Company, 24

- Humble-bees
 in arctic, 190–2
 bionomics of, 14 16
 Humidity, 29, 39
 Humus, 43, 44, 199
Hyalymenus pulcher, 96, 104
Hyla
boans, 45
evansi, 61
maxima, 45
 Hymenoptera
 as parasites, 18, 108
 in mimicry, 91
 in tundra, 188–91
 nesting, 97
 Hyrax (*Dendrohyrax*, *Procavia*), 8
 Iceland, 185, 192
 Ichneumonoidea, 91, 103
 “Increase years,” 24, 166
 Inishtrahull, 32
 Inquilines, 86
 Irgis, 121
 Jassidæ, 59, 102
 Jumping rabbit (*Alactaga jaculus*),
 130, 133, 208
 Kangaroo-rats (*Dipodomys*), 22
 Kartabo, 38, 97, 102
 Khirghiz, 126
 Khiva, 123
 King-eider (*Somateria spectabilis*),
 171
 Kinkajou (*Pottos flavus*), 58
 Kiskadee (*Pitangus*), 53
 Knot (*Calidris canutus*), 170, 178, 184
 Labba (*Agouti paca*), 58
 Lapland bunting (*Calcarius lapponi-
 cus*), 173, 180
 Lark
 calandra (*Melanocorypha calandra*),
 130, 144
 crested (*Galerida cristata*), 144
 shore (*Otocorys alpestris*), 131, 173,
 180
 short-toed (*Alauda brachydactyla*),
 130, 144
 sky (*A. arvensis*), 130
 tatar (*A. tatarica*), 130, 144
 white-winged (*M. sibirica*), 130
 Larva
 of *Cælomera*, 78
 Larva—contd.
 of *Lasiocampa*, 23
 of Limacodid, 105, 112
 of Notodontid, 105, 112
 of *Papilio*, 93–4
 of *Prepona*, 105, 112
 risk of injury, 70
 of Sphingid, 95, 112
 of *Spilographa*, 56
 of Syrrhid, 63
 of tree-tops, 57
Lasiocampa quercus, 23
 “Law of Minimum,” 19
 Lemming (*Lemmus lemmus*), 157,
 165, 193, 203
 Lepidoptera (see also Butterflies),
 188–90, 191, 112
Leptocorissa tipuloides, 93
Leptodactylus mystacinus, 61
Leptotyphlops, 86
 Levels
 adaptation to, 10
 in rain-forest, 55, 66
 in steppe, 135
 Lianas, 42, 50, 200
 Light
 effect on birds’ migration, 175
 in rain-forest, 40
 Lister, Mr J. J., 55
 Little stint (*Calidris minuta*), 19, 158,
 171, 182
 Lizards in steppe, 141
 Locusts, bionomics of, 138 *et seq.*
Lophyraspis, 107
Loranthus, 51, 77
Lycoderes hippocampus, 96, 106
 Lynx (*Lynx canadensis*), 26
Lystra lanata, 96, 98
Mabuga, 83
 Mackenzie River, 21
 Mammals
 of rain-forest, 57, 58
 of steppe, 132 *et seq.*
 of taiga, 202, 203
 of tundra, 162 *et seq.*
 Mangrove (*Rhizophora mangle*), 47
 Maral stag (*Cervus elaphas maral*),
 134
Marcgravia, 77
 Marmot (*Marmota bobac*), 130, 133,
 207
 Mealy redpoll (*Carduelis linaria*),
 179, 203

INDEX

215

- Mecistogasterinæ, 63
 Meliponinæ, 14, 86, 96, 102
 Membracidae
 and ants, 77, 108
 coloration, 59, 96, 106
 enemies, 111
Membracis c-album, 96, 110
 Mice, 28, 56, 176
 Middendorf, 121, 156, 159, 199
 Migration
 of birds, in taiga, 205; in tundra, 174, 181 *et seq.*
 of butterflies, 64
 of geese, 173
 of lemmings, 165
 of pigeons, 128
 of sandgrouse, 127
 Mirage, 152
 Mole-rats, 133
Monedula, 53
 Monkeys, 58
 capuchin (*Cebus apella*), 58
 marmoset (*Cercopithecus midas*), 58
 red howler (*Alouatta seniculus*), 58
 sakiwink (*Saimiri sciureus*), 58
 spider monkey (*Ateles*), 58
Monolonton, 96, 103
Monotrichardia arborescens, 49, 64
Monstera, 51
 Mosquitoes, 169, 170, 193, 199
 Moulting, 173
 of tanagers, 186
 Mudhills, 153, 181
 Mud-ravines, 134
 Müllerian Mimicry, 92, 100
 "Müller's bodies," 73
 "Muskegs," 199
 Mutillidae, 145
 Myrmecophiles, 86
 Myrmecophytes, 76

 Nasutus, 84
 Natural selection
 in rain-forest, 68
 in steppe, 125
 in tundra, 160
 Nectaries, 76, 77
Nematopus indus, 98
 Neotenes, 85
 Neuroptera, 187–90, 191
 Nightjars, 66, 176
Notocyrtus gibbus, 96, 102

Ochrosidia immaculata, 31

 Odessa, 31, 121
 Ecology, 1
 Oedipodidae, 144
 Oil-bird (*Steatornis*), 176
 Opossum, 58, 79
Oreotrochilus, 21
 Orioles, 60, 135
 Orsk, 121, 146
 Orthoptera, 92, 144, 187–90, 191
 Osmeterium, 105
 Otter (*Lutra*, *Pteroneura*), 45, 58, 202
 Oven-bird (*Funerarius cuculus*), 137
 "Over-adaptation," 12
 "Owl-butterflies" (*Caligo*), 59

 Pallas's sandgrouse (*Syrrhaptes paradoxus*), 127
 Palm swamp, 46
Papilio aeneas, 93
 Parasites, 17
 of Coccidae, 75
 of Homoptera, 108
 "Parasitoid," 17
 Parrots, 65, 95
 Passenger pigeon (*Ectopistes migratorius*), 128
 Peasants in Pskov, 208
 Peccary (*Tayassu pecari*), 58, 66
Pedicularis lanata, 159, 191
 Pendant nests, 60
Pepsis chrysobapta, 96
 Phalaropes, 159, 170
 grey (*Phalaropus fulicarius*), 183
 red-necked (*P. lobatus*), 183
Phyllochirus, 78
Phyllomedusa bicolor, 61
Pierella, 59
 Pika (*Ochotona*), 133
 Pine grosbeak (*Pinicola enucleator*), 203
 Pintail duck (*Anas acuta*), 181, 205
 Pintailed snipe (*Gallinago stenura*), 204
Pipa americana, 61
 Pipit
 meadow (*Anthus pratensis*), 176
 red-throated (*Anthus cervinus*), 158, 179
 Plaice, 162
 Pocket gopher (*Thomomys*), 13
Podiceps micropterus, 21
 Pollination
 by birds, 77

- Pollination—*contd.*
 in arctic, 191
 of jungle trees, 40
Pompiliopsis tarsalis, 96, 102
Popillia japonica, 31
Poppæa, 114
 Prairie-dog (*Cynomys*), 137
 Prairie-warbler (*Dendroica discolor*),
 177
Prepona, 105, 112
 Procryptic coloration
 criteria, 92
 in Heteroptera, 103
 in *Leptocorissa tipuloides*, 93
 in Membracidae, 106, 113
 in Orthoptera, 145
 in *Papilio æneas*, 93
 Protective coloration, 92, 110
 Pseudoposematic coloration, 92, 95
 Pseudepiseomatic coloration, 94
Pseudococcus bromeliæ, 74
 Ptarmigan (*Lagopus mutus*), 173,
 185
 Purga, 153
Pycnopalpa, 114
Pyrhocoris apterus, 145
- Quadrille wren (*Leucolepia musica*),
 67
- Rainfall, 29, 38, 121
 Rain-forest
 absence of flowers, 51
 African and American contrasted,
 41
 climate, 37
 definition, 37
 dispersal in, 63
 distribution of water, 60
 formations, 41
 number of species, 68
 Rainstorms, 39, 123
 Rainy season, 39
 Rathlin Island, 32
 Red-legged hobby (*Falcovespertinus*),
 135
 Redstart-flycatcher (*Setophaga ruti-
 cilla*), 179
 Reduviid bugs, 93, 96, 103, 137
 Reedbeds, 138
 Reindeer (*Rangifer tarandus*), 161,
 163, 165, 193, 206
 Reindeer moss (*Cladonia rangiferina*),
 164, 193
- Reptiles
 excretion, 13
 of steppe, 141
 of taiga, 202
 “Reservoir plants,” 61
Rhagoletis pomonella, 23
Rhipipteryx, 53
Rivulus stagnatus, 60
 Rodentia, 10, 58, 132
 Roller (*Coracias garrulus*), 135
Romerolagus nelsoni, 21
 Roseate gull (*Rhodostethia rosea*),
 169, 172
 Rose-coloured pastor (*Pastor roseus*),
 130, 172
- Saiga (*Saiga tatarica*), 130, 134
 Samoyedes, 164, 167, 177, 173, 181
 Sanderling (*Crocethia alba*), 184
 Sand-martin (*Riparia riparia*), 134,
 136, 137
 Sandpiper
 green (*Tringa ochropus*), 204
 solitary (*T. solitaria*), 204
 spotted (*T. macularia*), 177
 Terek (*Terekia cinerea*), 203
 wood (*Tringa glareola*), 204
 Sayansk Mountains, 5
Scaphura nigra, 101
 Scarlet grosbeak (*Carpodacus ery-
 thrinus*), 203
 Secondary growth, 42, 54, 209
 Seed-snipes (*Attagis*, *Thinocorys*), 11
 Segregation, 21, 22
 Size of clutch, 175
 Skimmer (*Rhynchops*), 10
 Skuas, 170, 181
 arctic (*Stercorarius parasiticus*),
 181
 long-tailed (*S. longicaudus*), 181
 pomatorhine (*S. pomarinus*), 181
 Sloths (*Bradypus tridactylus* and
Cholepus didactylus), 58, 71, 72
 Snake-bird (*Anhinga*), 48
 Snakes, 45, 70, 141, 202
 Snow-bunting (*Plectrophanes nivalis*),
 173, 180
 Snowdrifts, 163
 Snowy owl (*Nyctea nyctea*), 185
 Sparrow
 house (*Passer domesticus*); tree
 (*P. montanus*), 31, 126, 180
 Species, number of, 24, 68, 160, 198
 Spiders, 60, 94, 111

INDEX

217

- Spilograpa*, 56
Spiniger, 96, 101
 Squirrels (*Guerlinguetus*, *Sciurillus*), 58
 Sciurus europeus, 13, 130, 167, 208
 S. hudsonicus, 207
Stalachtis, 59
Stegaspis galeata, 96, 113
Stenoma, 94, 112
 Steppe
 climate, 121–5, 146
 formations, 130
 in history, 127
 “levels,” 134
 Struggle for existence, 68, 125, 160
 Sun-bittern (*Eurypyga*), 48
 Sun-spots, 26
 Suslik (*Citellus*), 130, 132, 208
 Swamps
 jungle, 43
 mangrove, 47
 palm, 46
 reed, 138
 taiga, 199
 Symphiles, 86
 Synaposematic coloration, 92, 99 *et seq.*
 Synketes, 86
 Syrrphid larva, 63
 Systematics, 30

Tachigalia paniculata, 73–4
 Taiga
 climate, 198–9
 dissemination of seeds in, 208
 exploration of, 198
 flora, 199 *et seq.*
 Tamandua (*Tamandua tridactylata*), 11, 104
 Tanager, 186
 Tapir (*Tapirus terrestris*), 45, 58
 Tarpan, 134
 Tashkent, 120
 Tayra (*Tayra barbara*), 48
Teletusa, 96, 102
 Temminck's stint (*Calidris temminckii*), 19, 158, 170, 179, 182
 Temperature, 29, 38, 121, 198, 152
 in hibernation, 207
 in snowdrifts, 163
Teratoscincus scincus, 142
 Termites
 bionomical importance of, 48, 86, 177
 Termites—*contd.*
 organisation of, 84, 89
 Thrushes, 176, 200, 205
 Tiger (*Felis t. septentrionalis*), 138
 Timber, growth of, 199
 Tinamou (*Tinamus major*, *Crypturus variegatus*, *C. soui*), 67
Tmetoglène, 59
 Tobolsk, 29
Tomaspis ruber, 96
 Tomsk, 198
 Toucans (*Rhamphastus*), 65
 Tree-creeper (*Certhia familiaris*), 8
 Tree-kangaroo (*Dendrolagus*), 12
 Tree-top environment, 55, 56, 65
 Trichomes, 86
 Trophallaxis, 88
Tropidurus, 21
 Trumpeter (*Psophia crepitans*), 66
 Tryxalidæ, 92, 145
 Tundra
 climate, 150–1, 154
 definition, 149
 formations, 157
 Turnstone (*Arenaria interpres*), 171, 177

Umbonia spinosa, 96, 113
 Ural Mountains, 129

 Verkhoyansk, 198
Victorina amathea, 53
 Vision of vertebrates, 91
 Vitelline warbler (*Dendroica vitellina*), 177
 Vizcacha (*Viscacia viscacia*), 137

 Wallace, A. R., 99
 Wall-creeper (*Tichodroma muraria*), 8
 Walsh, 22
 Water-boia (*Eumeces murinus*), 45
 Water-opossum (*Chironectes*), 45, 58
 Waxwing (*Bombycilla garrulus*), 203
 Wheatear
 common (*Ænanthe ænanthe*), 137, 180
 Greenland (*Æ. æ. leucorrhœa*), 176
 Isabelline (*Æ. isabellinus*), 144
 pied (*Æ. pleschanka*), 144
 White-fronted ant-bird (*Pithys albifrons*), 83
 White wagtail (*Motacilla alba*), 179
 Willow, 158, 193, 201

Cambridge University Press

978-1-107-45557-3 - Forest, Steppe & Tundra: Studies in Animal Environment

Maud D. Haviland

Index

[More information](#)

218

INDEX

- Willow-grouse (*Lagopus albus*), 158, 170, 173, 185
 Wind, 40, 123, 208
 Wolf (*Canis lupus*), 26, 134, 164, 168, 203
 Woodcock (*Scolopax rusticola*), 10, 130, 204
 Woodland, 3, 37
 Woodpeckers, 167, 146, 203, 209
 Xerophily
 in steppe, 124, 129
 in taiga, 198
 in tundra, 150
Xystonyttus, 96
 Yakutsk, 191
 Yenisei River, 149, 152, 160, 165, 169, 176 (footnote), 179, 198