

Index

- abutment scour, 404–5, 407
- accuracy, 179–81
- acid mine drainage, 369
- acute toxicity, 370
- advection-dispersion, 186–95, 366–7
- aggradation, 41, 43
- aggradation time scale, 323, 335, 341
- aggradation-degradation scheme, 195–7
- algae bloom, 368
- alluvial fans, 323–5
- alluvial rivers, 117
- alternate bars, 277–8
- alternate depths, 139
- anabranches, 321–2
- anaerobic conditions, 365
- anastomosed rivers, 321–2
- anchor ice, 422
- angle of repose, 8, 10
- annual exceedance probability, 108
- aquatic habitat, 358–60, 375
- armor layer, 304
- armoring, 300, 304–7
- Arrhenius, 364, 377
- arroyos, 300
- articulated concrete mattresses, 241
- at-a-station hydraulic geometry, 118, 120–2
- Atchafalaya River, 123–4, 200–1, 303, 387–8
- Atlantic salmon, 371–2, 376–7
- avulsing, 322
- backward differences, 180
- backwater profiles, 145–7, 152
- baffle blocks, 143
- bankfull discharge, 263–4
- bars, 320–2
- bed load, 38
- bed material discharge, 297–8
- bed material resuspension, 439
- bed shear stress, 126
- beginning of motion, 304
- Bell River, 169
- benching, 232
- benchmark, 118
- bendway weirs, 254–6
- benthic populations, 360
- Bessel function, 284, 287–8
- Big Thompson River, 92–4
- binomial distribution, 107
- bioaccumulation, 370–1
- biochemical oxygen demand, 363–6
- bio-engineered surfaces, 357–8
- Bonnet Carre Floodway, 379–80
- Borland scale, 295
- borrowing pit, 382
- bottom vanes, 399–400
- boulder clusters, 360
- boundary conditions, 191–3
- Boussinesq momentum correction factor, 43, 45
- Box and Whisker plot, 88, 129, 131–2
- brackish water, 446–7
- Brahmaputra River, 318–20, 327
- braided river, 317–22
- broad crested weir, 141, 257
- broad-crested weir scour, 396–7
- brush mattress, 359
- bucket dredge, 418–19
- Cache la Poudre River, 289, 354
- caisson, 244
- canal headworks, 398–401
- cantilever walls, 243
- capture-recapture, 447
- Cartesian coordinates, 14, 15
- CASC2D model, 55
- caving, 300
- central differences, 180
- centrifugal acceleration, 27–8
- channel avulsions, 323–5
- channel evolution model, 351–3
- Chaudiere River, 113–14

494

Chezy coefficient, 126
 Choctaw Bar, 413–14
 chronic toxicity, 370
 chute cutoff, 277
 circular cells, 392–3
 cofferdam, 389, 391–4
 cohesive banks, 231
 cohesive soil strength, 207
 coir roll, 359
 cold front, 52
 Colorado River, 113
 complementary error functions, 367
 complete equilibrium, 65–8
 complete model similitude, 335, 340–2
 composite roughness, 136–7
 compound section, 136, 150
 conjugate depths, 143
 conservation of mass, 18
 conservation practice factor, 73–5
 consistency, 180–1
 construction dewatering, 389
 continuity equation, 18–22, 154
 continuous spill, 367
 contraction scour, 403–4
 convective acceleration, 17
 convergence, 180–1
 Coriolis acceleration, 17, 441–3
 Coriolis energy correction factor, 43, 45
 Cottage Bend, 426
 Courant Friedrichs Lewy condition, 182
 Courant number, 181
 crab angle, 409
 critical hillslope height, 211–13
 critical shear stress, 8, 34
 critical shear velocity, 8, 34
 cropping management factor, 72–5
 cross section geometry, 118–19
 CSU equation, 405
 CSU Hydraulics Laboratory, 333, 336, 340
 CSU-CHILL radar, 83–4
 culvert scour, 394–6
 cumulative criterion unit, 349
 cumulative distribution function, 85–6, 89
 cut and fill, 232
 cutterhead dredge, 419–21
 cylindrical coordinates, 14–15

 daily rainfall precipitation, 89–90
 Darcy-Weisbach friction factor, 128, 131, 133
 database, 293–4
 debris flow, 175
 deep water waves, 431
 deformable channels, 197
 degradation, 41, 43, 301
 degradation depth, 306
 degrees of freedom, 336
 demonstration erosion control, 352–3
 dendro-chronology, 278

Index

densimetric velocity, 446
 density currents, 202
 depth-averaged velocity, 134
 depth-limited waves, 440
 detention storage, 350–1
 diaphragm cells, 392–3
 diffusive wave approximation, 155, 161
 dimensionless particle diameter, 33, 338
 dimensionless variables, 2
 dipper dredge, 418–19
 direct step method, 147
 dispersion coefficient, 186, 194
 dispersion startig point, 367
 disposal of dredged material, 420–1
 dissolved oxygen, 361–6
 diversion tunnel, 389
 Doce River, 377–8
 dominant discharge, 264
 double levee, 382
 double mass curves, 295
 downstream hydraulic geometry, 262–3, 265, 272–6, 298–9
 downstream mobility, 285
 downwind difference, 179–80
 drainage network, 47, 48
 drainage trench, 383
 dredging, 418–21
 dredging costs, 397–8
 drop structures, 255
 Dry Creek, 309–10
 dry specific mass/weight of a mixture, 12
 Duksan Creek, 82
 duration curve multiplication coefficient, 99
 dustpan dredge, 419–20
 dynamic response, 299
 dynamic similitude, 332
 dynamic variables, 2, 5–6
 dynamic wave approximation, 155, 161

 Earth rotation, 441
 ecology, 348
 effective stress, 207–8, 214
 elliptic equations, 177
 end-dumping, 389–91
 energy correction factor, 135
 energy grade line, 32–3
 endangered species, 372–4
 environmentally sound, 375
 ephemeral streams, 165–6
 equations of motion, 22–4
 equilibrium width, 302
 error functions, 90
 estuary barrage, 451
 eutrophication, 368
 evapotranspiration, 49–51
 exceedance probability, 87–9, 97
 excess rainfall, 58, 59
 Exner equation, 40–1, 323

- explicit formulation, 180
- exponential distribution, 86–9
- fabric encapsulated soils, 357
 - factorial function, 90
 - Fall River, 269–71, 289
 - falling limb, 160, 167
 - fences, 252
 - fetch length, 438–40
 - fetch-limited waves, 440
 - field surveys, 293
 - finite difference grid, 178
 - fish endurance, 361–2
 - fish Froude number, 361
 - fish kill, 364–6, 368
 - fish-friendly structures, 360
 - flap gates, 383
 - Flood Control Act, 385
 - flood frequency analysis, 105–6
 - flood stage, 170
 - flood storage, 351
 - flood wave celerity, 155–8
 - flood wave diffusivity factor, 160
 - floodplain flow, 151
 - floodplain roughness, 355–6
 - flood-tolerant vegetation, 236
 - floodwall, 382
 - Floodwave attenuation, 379–80
 - flow convergence, 41, 43
 - flow conveyance, 130, 133, 150
 - Flow duration curves, 96, 98–9, 101
 - flow duration-sediment rating curve method, 112
 - flow pulses, 165–6
 - fluvial system, 292
 - flux-average concentration, 36
 - forward differences, 180
 - Fountain Creek, 102–3, 115
 - frazil, 422–4
 - freeboard height, 356
 - friction angle vs saturation, 212
 - friction similitude, 334
 - Froude similitude, 332–5, 337
 - FTBS, 180, 183–4, 191
 - fundamental dimensions, 1
 - gabions, 240–1
 - gamma distribution, 91, 104
 - general scour, 402–3
 - Geographic Information System, 293
 - geometric similitude, 331
 - geometric variables, 2
 - geomorphic diagrams, 317, 321–2
 - Goodwin Creek, 169
 - gradation coefficients, 9
 - grade control structure scour, 394–7
 - grade control structures, 255, 354
 - gradient restoration, 353
 - gradually-varied flow, 145–7
 - grate inlets, 424
 - gravel mining, 309–10, 353–5
 - gravity walls, 243
 - gravity waves, 427
 - Green and Ampt, 54–9
 - Green law, 436, 444–5
 - grid Peclet number, 189–91, 204
 - group celerity, 436–7
 - groyne, 247
 - guide walls, 399
 - guidebanks, 249
 - gullying, 300
 - Gumbel distribution, 104–5
 - habitat suitability, 373
 - hanging dam, 423
 - hardpoints, 247
 - harmonic analysis, 444
 - headcut, 307–9, 325, 353
 - Helley Smith, 270
 - high drop structure, 257
 - high-order finite differences, 185–6
 - hillslope stability, 209–15
 - hopper barges, 408–9
 - horizontal drains, 232
 - horseshoe vortex, 406
 - hummocked ice, 422
 - hurricanes, 52–3, 438
 - Hwang River, 101
 - hydraulic grade line, 32–3
 - hydraulic jump, 144
 - hydraulic model, 331
 - hydraulic similitude, 330–3
 - hydraulic structures, 394–7
 - hydraulic suction dredge, 419–21
 - hydraulic time scale, 342
 - hydraulically rough boundary, 127
 - hydrologic cycle, 49, 51
 - hydropower benefits, 397–8
 - hydroseeding, 236
 - hyperbolic equations, 177, 187
 - hyperbolic functions, 90, 428
 - hyporheic zone, 369
 - hypsometric curve, 47–8
 - ice, 421–4
 - ice compressive strength, 422
 - ice jam, 423
 - ice mass density, 421
 - ichtyomechanics, 360
 - ideal cross section, 261
 - Imha Dam, 202
 - implicit formulation, 180
 - incising, 300
 - incomplete model similitude, 342–4
 - infiltration potential, 55–7
 - infinite slope stability analysis, 209–10
 - infrared imaging spectrometer, 349

496

instantaneous spill, 366–7
 invasive species, 359

Jamuna River, 37, 46, 318–20, 326–7, 344
 jet scour, 394–7
 jetty fields, 253
 J-hooks, 360
 Julien-Wargadalam, 273–4

Kellner jacks, 253
 kinematic similitude, 332
 kinematic variables, 2
 kinematic viscosity of water, 5, 6
 kinematic wave approximation, 155, 161
 Kleitz Seddon law, 156
 Kort nozzles, 408
 Kosi River, 324

La Grande River, 423
 Lacey silt factor, 260–1
 Lagrange celerity equation, 154
 laminar flow, 60–4
 land surface restoration, 349
 Lane relationship, 295–6, 298, 325
 Lane shear relationship, 218, 220
 lateral migration, 280
 lateral mobility, 276, 285–7
 launching apron, 234
 left and right bank, 116
 Leonard scheme, 189–91, 204
 levee, 381–8
 life cycle, 371
 lightweight sediment, 339
 linear stability analysis, 181–3
 local acceleration, 17
 locks and dams, 414–17
 log jams, 357–9, 387–8
 Log-Pearson III, 104
 long wave propagation, 164–5
 longitudinal dikes, 248, 411
 longitudinal profile, 117–18
 loop-rating curves, 167–9
 Low Water Reference Plane, 118, 411, 414
 lunkers, 360

man-made slope, 394
 Manning coefficients, 132–133
 Manning equation, 126
 Manning-Strickler relationship, 128
 Manning-Strickler similitude, 334
 Marsh McBirney, 270
 mass density of water, 4, 5
 Matamek River, 118, 120–3, 148, 157, 373, 447–9
 mattresses, 240–1
 maximum channel contraction, 141, 151
 maximum precipitation in Fort Collins, 114
 maximum sill elevation, 140, 151

Index

maximum swimming distance, 361–2
 mean annual sediment load, 99–101
 meander cutoff, 411
 meander evolution, 287
 meander geometry, 279
 meander length, 279, 284–5
 meander loop, 279, 281
 meander planform geometry, 284
 meander time scale, 287
 mechanical dredges, 418–19
 Meuse River, 305–6, 328
 Meyer-Peter Mueller, 35
 migration rate, 281
 mild slope, 146–7
 mine closures, 348–50
 mine reclamation, 348–51
 mine tailings, 349–50
 minimum channel width, 140–1, 151
 minimum specific energy, 139
 minimum stream power, 282
 Mississippi River, 117, 123–5, 168, 200–1, 237–8, 255, 290, 379–81, 383–8, 413–14, 426, 443, 450
 Mississippi River and Tributaries, 386
 Mississippi River Commission, 384
 Missouri River, 149–50, 175
 mixed load, 38
 mobile-bed model ratios, 335
 model calibration, 197–8
 model distortion, 331, 337, 340–2
 model scales, 330, 339
 model tilting, 331, 340–2
 model validation, 197–8
 Mohr circle, 205–7
 Mohr-Coulomb diagram, 206–7
 momentum correction factor, 134
 momentum equation, 24–9
 monitoring, 375
 Muda River, 324, 451

Nash-Sutcliffe coefficient, 76–7
 National Geodetic Vertical Datum, 118
 natural levees, 263
 Ndjili River, 111
 neck cutoffs, 277–9, 411
 Neumann function, 287–8
 nickpoint, 307–9
 Niger River, 49–50
 nitrites and nitrates, 367–8
 nitrogen cycle, 367–8
 nitrogen-fixing plants, 235
 normal depth, 137
 normal distribution, 92
 normal stresses, 22–3
 North American Vertical Datum, 118
 numerical diffusion, 187–9
 numerical stability, 180–5
 numerical stability diagram, 183

- Ogee spillway, 142
- Old River Control Complex, 388
- one dimensional models, 198
- orographic precipitation, 52
- overbank vegetation, 355
- overland flow, 60–6
- overtopping flows, 258
- oxbow lake, 277–8
- oxygen deficit, 363–6

- Padma River, 318–20, 327
- parabolic equations, 177, 187
- partial equilibrium, 65–8
- particle direction angle, 216–17, 222, 271
- particle size distribution, 8, 9
- particle stability diagram, 215
- particle stability factor, 215–17, 223
- partition coefficient, 369–70
- pathline, 15
- percent bias, 77
- perched river, 263, 322, 382
- period of return, 107
- permissible shear stress, 358
- permissible velocity, 358
- perturbation technique, 282
- phosphorus, 368
- pier scour, 405–7
- pile clusters, 252
- pilot channel, 411
- planform geometry, 117
- point bars, 269, 277–8
- point rainfall precipitation, 85–9
- pore pressure, 208, 212–14
- porosity, 12
- probability density function, 86, 89
- Probable Maximum Flood, 109
- Probable Maximum Precipitation, 109
- prototype, 330

- quasi-steady dynamic wave approximation, 155

- radar precipitation, 83–5
- radial shear stress, 27–9, 264
- radionuclides, 371
- raindrop impact, 61–2, 70
- rainfall duration, 86–7
- rainfall erosivity factor, 71–5
- rainfall intensity, 89
- rainfall precipitation, 51–4
- rapidly converging flow, 138–40
- Red River, 290–1, 387
- redds, 371–2
- regime equations, 260
- relative particle stability, 267–8
- relative percent difference, 77
- relative stability diagram, 321
- resistance to flow, 60–4, 128–33
- restoration guidelines, 375

- retaining walls, 243
- retard, 250
- revetment, 233–4
- Rhine River, 168, 170–2, 176, 450
- rigid-bed model ratios, 335
- Rimac River, 376
- Rio Grande, 100, 253, 291, 295, 302–3, 313–14, 326–8, 374
- Rio Grijalva, 324
- riprap, 218–27
- rising limb, 160, 167
- Risk analysis, 106–7
- river adjustments, 300
- River basins, 47–8
- river branches, 314–20
- river closure, 388–91
- river confluence, 314–20
- river estuaries, 442, 444–8
- river mileage, 116
- river morphology, 276–80
- river response, 296
- riverbank failure, 230–1
- riverbed degradation, 299–310
- rock ramps, 353
- rock-fill weirs, 257
- rolled erosion control products, 357–8
- root wads, 357–60
- rotting algae mats, 368
- roughness coefficients, 129
- Rouse equation, 36
- Russian River, 309–10, 328

- sacks and blocks, 239–40
- Saffir-Simpson scale, 438, 450
- Saint Lawrence River, 48, 444–7
- Saint-Venant equation, 31–3, 155, 162–3
- saline wedge, 444–7
- saltwater intrusion, 451
- same sediment-size model, 343–4
- scale ratios, 335
- Schoharie Creek, 346–7
- scrolls, 277–8
- secondary flows, 267–8
- sediment plugs, 323
- sediment yield, 69–80
- sediment concentration, 10, 11
- sediment concentration profiles, 36–7
- sediment continuity, 38, 40
- sediment delivery ratio, 78–80
- sediment exclusion and ejection, 398–401
- sediment mass curve, 328
- sediment size, 7, 8
- sediment sources, 69–76
- sediment transport similitude, 338–9
- sediment yield, 78–80, 115
- sedimentation time scale, 341
- sediment-rating curve, 36–7
- semi-alluvial river, 117–18

498

settling basins, 400–1
 settling velocity, 8, 35
 settling velocity similitude, 338
 shallow water waves, 431
 sharp-crested weir, 141
 shear velocity, 126
 sheet and rill erosion, 70–1
 sheet piles, 243, 245, 257, 353
 Shields parameter, 34
 shoaling, 322
 short wave propagation, 164–5
 SI system of units, 1, 3
 sidecasting dredge, 419–20
 significant wave, 438–40
 sill raising, 389–91
 silvery minnow, 373–4
 sine-generated curve, 282–5
 skewness, 92
 slope length-steepness factor, 71–5
 slope similitude, 339
 slope-discharge diagram, 317, 321
 sloping sills, 257, 353
 sluice gates, 139, 141, 396
 smolt migration, 447
 snow water equivalence, 66, 69
 snowmelt runoff, 66, 69
 soil cement, 242
 soil cohesion vs saturation, 212
 soil erodibility factor, 71–5
 solitary wave, 153
 South Platte River, 365
 spatial correlation of rainfall, 84–5
 spawning grounds, 371–2
 specific degradation, 78–80
 specific discharge of largest floods, 111
 specific energy, 33
 specific energy diagram, 139
 specific gauge records, 123–4, 303
 specific gravity of sediment, 7
 specific mass of a mixture, 11
 specific momentum, 30
 specific momentum diagram, 143
 specific weight of a mixture, 11
 specific weight of sediment, 6
 specific weight of water, 4, 5
 spiky simulation, 190
 spillthrough abutment, 404–5
 splash zone, 235–6
 spread footing, 406
 spur dikes, 247–9
 stable converging points, 317
 stage-discharge relationship, 122–3
 standard deviation, 92
 standard step method, 147
 steep slope, 146–7
 Stirling asymptotic series, 30
 stratified banks, 231
 streakline, 16

Index

Streamflow data, 293
 streamline, 15
 Streeter-Phelps equation, 364–5
 Struve function, 284, 288
 sub meanders, 277
 submerged specific weight, 7
 subsidence, 323–5
 surface vanes, 399–400
 suspended load, 38

 Tainter gates, 139, 141
 Tanana River, 329
 tangential stresses, 22
 tank barges, 408
 Taylor series expansion, 178
 tectonic activities, 323–5
 terrace zone, 236
 tetrahedron, 253
 Thompson Bend, 237–8
 threatened species, 372
 three-dimensional models, 200–3
 tidal wave amplification, 445
 tieback, 234
 tilted-rigid-bed model, 337
 timber pile dikes, 251
 time to equilibrium, 65–7
 toe protection, 239
 towboats, 408–9
 transient slope, 313–14
 trap efficiency, 39, 401
 trapezoidal channel, 119, 150–1
 trash racks, 424
 trenches, 238
 trenchfill revetment, 234–5, 410
 TREX model, 73–8, 109, 349
 triangular soil classification, 54
 tributary bars, 277–8
 truncation error, 179
 tunnel ejector, 399
 turbidity, 202, 365
 two-dimensional models, 198–9, 203

 unit conversions, 3
 Universal Soil Loss Equation, 69–73
 unstable branching points, 317
 upland erosion, 70–7
 uplift, 323–5
 Upper Bari Doab, 260
 upwind difference, 179–80
 urban runoff, 350

 vanes, 254
 variance, 92
 vegetation effects on soil strength, 213–14
 vegetation freeboard equivalence, 356
 velocity to mobilize riprap, 220
 vertical abutment, 404–5
 vertical drains, 232

very light material, 338	wetlands, 370
von Neumann Procedure, 182–3	width-slope trade-off, 311–16
vortex tube, 399–400	wind wave amplitude, 440
	wind waves, 438–40
W- weirs, 360	windrow revetment, 238
Waal River, 412	woody debris, 357–9
warm front, 52	world maximum rainfall, 110
water hardness, 369	
watershed contamination, 348–51	X-ray fluorescence, 349
waterway alignment, 409–12	
wave amplification/attenuation, 161, 164–7	Yellow River, 48
waves, 429–36	