

INDEX OF GREEK WORDS AND FORMS.

- ἄκρος, extreme (of numbers in a series) 328, 367: ἄκρον καὶ μέσον λόγον τεμῆσθαι, "to be cut in extreme and mean ratio" 189
- ἄλογος, irrational 117-8
- ἀναλογία, proportion: definitions of, interpolated 119
- ἀνάλογον = ἀνά λόγον, proportional or in proportion: used as indeclinable adj. and as adv. 129, 165: μέση ἀνάλογον, mean proportional (of straight line) 129, similarly μέσος ἀνάλογον of numbers 295, 363 etc.: τρίτη (τρίτος) ἀνάλογον, third proportional 214, 407-8: τετάρτη (τέταρτος) ἀνάλογον, fourth proportional 215, 409: ἐξῆς ἀνάλογον in continued proportion 346
- ἀνάπαινον (λόγος), inverse (ratio), inversely 134
- ἀναστρέψαντι, *convertendo* 135
- ἀναστροφή λόγου, conversion of a ratio 135
- ἀνισάκεις ἀνισάκεις ἴσος, unequal by unequal by equal (of solid numbers) = *scalene*, σφηνίσκος, σφηκίσκος or βωμίσκος 290
- ἀνομοίως τεταγμένων τῶν λόγων (of *perturbed proportion*) in Archimedes 136
- ἀντανάσεις, ἡ αὐτή, definition of *same ratio* in Aristotle (ἀνθυφαίσεις Alexander) 120: terms explained 121
- ἀντιπεπονητά σχήματα, reciprocal (= reciprocally related) figures, interpolated def. of, 189
- ἀπλατής, breadthless (of prime numbers) 285
- ἀποκαταστατικός, *recurrent* (= *spherical*), of numbers 291
- ἄπτεισθαι, to *meet*, occasionally to *touch* (instead of ἐφάπτεσθαι) 2: also = to *pass through*, to *lie on* 79
- ἀριθμός, number, definitions of, 280
- ἀρτιάκις ἀρτιοδύναμον (Nicomachus) 282
- ἀρτιάκις ἄρτιος, *even-times even* 281-2
- ἀρτιάκις περισσοῦς, *even-times odd* 282-4
- ἀρτιοπέριπτος, *even-odd* (Nicomachus etc.) 282
- ἄρτιος (ἀριθμός), even (number) 281
- ἀσύνητος, (prime and) *incomposite* (of numbers) 284
- βεβηκέναι, to *stand* (of angle standing on circumference) 4
- βωμίσκος, *altar-shaped* (of "scalene" solid numbers) 290
- γεγονέντω (in constructions), "let it be made" 248
- γεγονός ἂν εἴη τὸ ἐπιταχθέν, "what was enjoined will have been done" 80, 261
- γενόμενος, ὁ ἐξ αὐτῶν, "their *product*" 316, 326 etc.: ὁ ἐκ τοῦ ἐνός γενόμενος = "the *square* of the one" 327
- γνώμων, *gnomon*: Democritus *περὶ διαφορῆς γνώμονος* (γνώμη or γωνίης?); ἡ *περὶ ψαύσιος κύκλου καὶ σφαίρης* 40: (of numbers) 289
- γραμμικός, linear (of numbers in one dimension) 287: (of prime numbers) 285
- γράφεισθαι, "to be *proved*" (Aristotle) 120
- δεύτερος, *secondary* (of numbers): in Nicomachus and Iamblichus a subdivision of *odd* 286, 287
- δεχόμενον, "admitting" (of segment of circle admitting or containing an angle) 5
- διαιρείσθαι (used of "separation" of ratios): διαιρεθέντα, *separando*, opp. to *συνκειμενα*, *componendo* 168
- διαιρέσεις λόγου, *separation*, literally *division*, of ratio 135
- διεφευγμένη (ἀναλογία), *disjoined*, = *discrete* (proportion) 293
- διελόντι, *separando*, literally *dividendo* (of proportions) 135
- διηρημένη (ἀναλογία), *discrete* (proportion), i.e. in four terms, as distinct from *continuous* (συνεχής, *συνημμένη*) in *three* terms 131, 293
- διήχθω (διάγειν), "let it be drawn *through*" or "*across*" 7
- δι' ἴσου, *ex aequali* (of ratios) 136: δι' ἴσου ἐν τεταραγμένη ἀναλογία, "*ex aequali* in *perturbed* proportion" 136
- δικόλορος, *twice-truncated* (of pyramidal numbers) 291
- διπλάσιος λόγος, *double* ratio: διπλασίων λόγος, *duplicate* ratio, contrasted with, 133
- δύναμις, *power*: = actual value of a sub-multiple in units (Nicomachus) 282: = side of number not a complete square (i.e. *root* or *surd*) in Plato 288, 290: = *square* in Plato 294-5
- εἶδος, figure 234: = form 254
- ἐκαστος, each: curious use of, 79
- ἐλλειμμα, *defect* (in application of areas) 262
- ἐλλείπειν, "fall short" (in application of areas) 262

- ἐμπίπτειν, *fall in* (= be interpolated) 358
 ἕνα πλείω, "several ones" (def. of number) 280
 ἐναλλάξ (λόγος), alternate (ratio): alternately, *alternando* 134
 ἐναρμόζειν, to *fit in* (active), IV. Def. 7 and IV. 1, 79, 80, 81
 ἐντός, within (of internal contact of circles) 13
 ἐξῆς ἀνάλογον, in continued proportion (of terms in geometrical progression) 346
 ἐπιμόριος λόγος, *superparticularis ratio*, = the ratio $(n+1):n$, 295
 ἐπιπέδος (ἀριθμός), plane (number) 287–8
 ἐπόμενα, consequents (= "following" terms) in a proportion 134, 238
 ἑτερομήκης, *oblong* (of numbers): in Plato = *προμήκης*, which however is distinguished from *ἑτερομήκης* by Nicomachus etc. 289–90, 293
 εὐθυγραμμικός, rectilinear (term for prime numbers) 285
 εὐθυμετρικός, euthymetric (of primes) 285
 ἡγούμενα, antecedents ("leading" terms) in a proportion 134
 ἕπερ, than: construction after *διπλασίων* etc. 133
 ἰδιομήκης, of square number (Iamblichus) 293
 ἰσάκις ἴσος, equal multiplied by equal and again by equal (of a cube number) 290, 291
 ἰσάκις ἴσος, equal multiplied by equal (of a square number) 291
 ἰσάκις ἴσος ἐλαττωνάκις (μειζονάκις), species of solid numbers, = *πλυνθίς* (*δοκίς* or *στηλίς*) 291
 καλεῖσθω, "let it be called," indicating originality of a definition 129
 καταμετρεῖν, measure 115: without remainder, completely (*πληρύντως*) 280
 κατασκευάζω, construct: τῶν αὐτῶν κατασκευασθέντων, "with the same construction" 11
 κατατομή κανόνος, *Sectio canonis* of Euclid 295
 κέντρον, centre: ἡ ἐκ τοῦ κ. = *radius* 2
 κερατοειδῆς γωνία, *hornlike* angle 4, 39, 40
 κλῆν, to *break off, inflect*: κεκλάσθω δὴ πάλιν 47: κεκλάσθαι, def. of, alluded to by Aristotle 47
 κόλουρος, *truncated* (of pyramidal number *minus* vertex) 291
 κυκλικός, *cyclic*, a particular species of square number 291
 λόγος, ratio: meaning 117: definition of, 116–9: original meaning (of something *expressed*) accounts for use of *ἄλογος*, *having no ratio, irrational* 117
 μεμονῶσθαι, to be *isolated*, of *μονάς* (Theon of Smyrna) 279
 μέρος, part: two meanings 115: generally = submultiple 280: *μέρη, parts* (= proper fraction) 115, 280
 μέση ἀνάλογον (εὐθεία), *μέσος ἀνάλογον* (ἀριθμός), mean proportional (straight line or number) 129, 295, 363 etc.
 μὴ γάρ, "suppose it is not" 7
 μήκος, length (of number in one dimension): = side of complete square in Plato 288
 μονάς, unit, monad: supposed etymological connexion with *μόνος*, solitary, *μονή*, rest 279
 ὅμοιος, similar: (of rectilinear figures) 188: (of plane and solid numbers) 293
 ὁμοίότης λόγων, "similarity of ratios" (interpolated def. of proportion) 119
 ὁμόλογος, homologous, corresponding 134: exceptionally "in the same ratio with" 238
 ὄρος, *term*, in a proportion 131
 παραβάλλειν ἀπὸ, used, exceptionally, instead of *παραβάλλειν παρὰ* or *ἀναγράφειν ἀπὸ* 262
 παραλλάττω, "fall sideways" or "awry" 54
 πεντάγραμμον 99
 περαίνουσα ποσότης, "limiting quantity" (Thymaridas' definition of unit) 279
 περισσάκις ὄριος, *odd-times even* 282–4
 περισσάκις περισσός, *odd-times odd* 284
 περισσάρτιος, *odd-even* (Nicomachus etc.) 283
 περισσός, odd 281
 πηλικός, how great: refers to *continuous* (geometrical) magnitude as *ποσός* to *discrete* (multitude) 116–7
 πηλικότης, used in V. Def. 3, and spurious Def. 5 of VI.: = *size* (not *quantificity* as it is translated by De Morgan) 116–7, 189–90: supposed multiplication of *πηλικότητης* (VI. Def. 5) 132: distinction between *πηλικότης* and *μέγεθος* 117
 πλάτος, breadth: (of numbers) 288
 πλευρά, side: (of factors of "plane" and "solid" numbers) 288
 πλήθος ὠρισμένον or πεπερασμένον, defined or finite multitude (definition of number) 280: ἐκ μονάδων συγκείμενον πλήθος (Euclid's def.) 280
 πολλαπλασιάζειν, multiply: defined 287
 πολλαπλασιασμός, multiplication: καθ' ὅποιον οὖν πολλαπλασιασμόν " (arising) from any multiplication whatever" 120
 πολλαπλάσιος, multiple: ἰσάκις πολλαπλάσια, equimultiples 120 etc.
 πολυπλευρον, multilateral: excludes *τετράπλευρον*, quadrilateral 239
 πορίσασθαι, to *find* 248
 ποσάκις ποσάκις ποσός, "so many times so many times so many" (of solid numbers, in Aristotle) 286, 290
 ποσάκις ποσός, "so many times so many" (of plane numbers, in Aristotle) 286
 ποσόν, *quantity*, in Aristotle 115: refers to multitude as *πηλικόν* to magnitude 116–7

INDEX OF GREEK WORDS AND FORMS

429

- προμήκης, oblong* (of numbers): in Plato = *ἑτερομήκης*, but distinguished by Nicomachus etc. 289–90, 293
προαναγράψαι, to draw on to: (of a circle) to *complete*, when segment is given 56
προσευρεῖν, to find in addition (of finding third and fourth proportionals) 214
πρώτος, prime 284–5
πρώτοι πρὸς ἀλλήλους, (numbers) prime to one another 285–6
ῥητός, rational (literally “expressible”) 117
συνεχής, continuous: *συνεχῆς ἀναλογία, “continuous proportion”* (in three terms) 131
συνημμένη ἀναλογία, connected (i.e. continuous) proportion 131, 293: *συνημμένος, of compound ratio* in Archimedes 133
συνθέντι, componendo 134–5
σύνθεσις λόγου, composition of a ratio, distinct from compound of ratios 134–5
σύνθετος, composite (of numbers): in Nicomachus and Iamblichus a subdivision of odd 286
συνίστασθαι, construct: *οὐ συσταθήσεται* 53
συντίθημι, σύγκειμαι (of ratios) 135, 189–90: *συνκείμενα* and *διαιρεθέντα* (*componendo* and *separando*) used relatively to one another 168, 170
σύστημα μονάδων, “collection of units” (def. of number) 280
συστηματικός, collective 279
σφαιρικός, spherical (of a particular species of cube number) 291
σφηκίσκος, or σφηνίσκος, of solid number with all three sides unequal (= “scalene”) 290
σχέσις, “relation”: *ποιά σχέσις, “a sort of relation”* (in def. of ratio) 116–7
ταύτομήκης, of square number (Nicom.) 293
ταυτότης λόγων, “sameness of ratios” 119
τέλειος, perfect (of a class of numbers) 293–4
τεταγμένη (ἀναλογία), “ordered (proportion)” 137
τεταραγμένη ἀναλογία, perturbed proportion 136
τετράπλευρον, quadrilateral, not a “polygon” 239
τμήμα (κύκλου), segment (of circle): *τμήματος γωνία, angle of a segment* 4: *ἐν τμήματι γωνία, angle in a segment* 4
τομεύς (κύκλου), sector (of circle): *σκυτομομκός τομεύς, “shoemaker's knife”* 5
τομοειδής (of figure), *sector-like* 5
τοσαυταπλάσιον, “the same multiple” 146
τρίγωνον: τὸ τριπλοῦν, τὸ δι' ἀλλήλων, triple, interwoven triangle, = pentagram 99
τριπλάσιος, triple, τριπλασίων, triplicate (of ratios) 133
τυγχάνειν, happen: *ἄλλα, ἂ ἐτυχεν, ἰσάκεις πολλαπλάσια, “other, chance, equimultiples”* 143–4: *τυχοῦσα γωνία, “any angle”* 212
ὑπερτελής or ὑπερέλειος, “over-perfect” (of a class of numbers) 293–4
ὑποδιπλάσιος, sub-duplicate, = half (Nicomachus) 280
ὑποπολλαπλάσιος, submultiple (Nicomachus) 280
ὕψος, height 189
χωρίον, area 254

Cambridge University Press

978-1-107-48046-9 - The Thirteen Books of Euclid's Elements: Translated from the Text of Heiberg:

Volume II: Books III-IX

Sir Thomas L. Heath

Index

[More information](#)

ENGLISH INDEX.

- Adrastus 292
 Alcinous 98
Alternate and *alternately* (of ratios) 134
 Alternative proofs, interpolated (cf. III. 9 and following) 22: that in III. 10 claimed by Heron 23-4
 Amaldi, Ugo, 30, 126
Ambiguous case of VI. 7, 208-9
 Anaximander 111
 Anaximenes 111
 Angle: angles not less than two right angles not recognised as angles (cf. Heron, Proclus, Zenodorus) 47-9: *hollow-angled* figure (the re-entrant angle was *exterior*) 48: did Euclid extend "angle" to angles greater than two right angles in VI. 33? 275-6: "angle of semicircle" and "of segment" 4: *hornlike* angle 4, 39, 40: controversies about "angle of semicircle" and *hornlike* angle 39-42 (see also *Hornlike*)
Antecedents (leading terms in proportion) 134
 Antiparallels: may be used for construction of VI. 12, 215
 Apollonius: *Plane veύσeus*, problem from, 81, lemma by Pappus on, 64-5: *Plane Loci*, theorem from (arising out of Eucl. VI. 3), also found in Aristotle 198-200: 75, 190, 258
 Application of areas (including *exceeding* and *falling short*) corresponding to solution of quadratic equations 187, 258-60, 263-5, 266-7
 Approximations: $7/5$ as approximation to $\sqrt{2}$ (Pythagoreans and Plato) 119: approximations to $\sqrt{3}$ in Archimedes and (in sexagesimal fractions) in Ptolemy 119: to π (Archimedes) 119: to $\sqrt{4500}$ (Theon of Alexandria) 119
 Archimedes: *Method* of, 40: *Liber assumptionum*, proposition from, 65: approximations to $\sqrt{3}$, square roots of large numbers, and to π 119: extension of a proportion in commensurables to cover incommensurables 193: 136, 190
 Archytas: proof that there is no numerical geometric mean between n and $n+1$ 295
 Aristotle: indicates proof (pre-Euclidean) that angle in semicircle is right 63: on def. of *same ratio* (= *same avravalepeis*) 120-1: on proportion as "equality of ratios" 119: on theorem in proportion not proved generally till his time 113: on proportion in three terms (*συνεχής*, continuous), and in four terms (*διηρημένη*, discrete) 131, 293: on *alternate* ratios 134: on *inverse* ratio 134, 149: on similar rectilinear figures 188: has locus-theorem (arising out of Eucl. VI. 3) also given in Apollonius' *Plane Loci* 198-200: on *unit* 279: on *number* 280: on non-applicability of arithmetical proofs to magnitudes if these are not numbers 113: on definitions of odd and even by one another 281: on prime numbers 284-5: on composite numbers as plane and solid 286, 288, 290: on representation of numbers by pebbles forming figures 288
 Arithmetic, *Elements* of, anterior to Euclid 295
 August, E. F. 23, 25, 149, 238, 256, 412
 Austin, W. 172, 188, 211, 259
 Axioms tacitly assumed: in Book V. 137: in Book VII. 294
 Babylonians 112
 Baermann, G. F. 213
 Baltzer, R. 30
 Barrow: on Eucl. V. Def. 3, 117: on V. Def. 5, 121: 56, 186, 238
 Billingsley, H. 56, 238
 Boethius 295
 Borelli, G. A. 2, 84
 Breadth (of numbers)=second dimension or factor 288
 Briggs, H. 143
 Camerer, J. G. 22, 25, 28, 33, 34, 40, 67, 121, 131, 189, 213, 244
 Campanus 28, 41, 56, 90, 116, 119, 121, 146, 189, 211, 234, 235, 253, 275, 320, 322, 328
 Candalla 189
 Cantor, Moritz 5, 40, 97
 Cardano, Hieronimo 41
Case: Greeks did not *infer* limiting cases, but proved them separately 75
 Casey, J. 227
 Catalan 426
 Cesàro, E. 426
 "Chance equimultiples" in phrase "other, chance, equimultiples" 143-4
 Circle: definition of equal circles 2: circles

- touching*, meaning of definition, 3: "circle" in sense of "circumference" 23: circles intersecting and touching, difficulties in Euclid's treatment of, 25-7, 28-9, modern treatment of, 30-2
- Clavius 2, 41, 42, 47, 49, 53, 56, 67, 70, 73, 130, 170, 190, 231, 238, 244, 271
- Commandinus 47, 130, 190
- Componendo* (συνθέντι), denoting "composition" of ratios *q.v.*: *componendo* and *separando* used relatively to each other 168, 170
- Composite numbers, in Euclid 286: with Eucl. and Theon of Smyrna may be even, but with Nicom. and Jambl. are a subdivision of *odd* 286: plane and solid numbers species of, 286
- "Composite to one another" (of numbers) 286-7
- Composition of ratios (σύνθεσις λόγων), denoted by *componendo* (συνθέντι), distinct from compounding ratios 134-5
- Compound ratio: explanation of, 132-3: questionable definition of, 189-90: compounded ratios in v. 20-23, 176-8
- Consequents* ("following" terms in proportion) 134, 238
- Continuous* proportion (συνεχής or συνημμένη ἀναλογία) in three terms 131
- Conversion of ratio (ἀναστροφή λόγου), denoted by *convertendo* (ἀναστρέψαντι) 135: *convertendo* theorem not established by v. 19, Por. 174-5, but proved by Simson's Prop. E 175
- Convertendo* denoting "conversion" of ratios, *q.v.*
- Corresponding* magnitudes 134
- Cube: duplication of, reduced by Hippocrates to problem of two mean proportionals 133: cube number, def. of, 291: two mean proportionals between two cube numbers, 294, 364-5
- Curtze, M. 426
- Cyclic*, of a particular kind of square number 291
- Cyclomathia* of Leotaud 42
- Data* of Euclid: Def. 2, 248: Prop. 8, 249-50: Prop. 24, 246-7: Prop. 55, 254: Props. 56 and 68, 249: Prop. 58, 263, 265: Props. 59 and 84, 266-7: Prop. 67 assumes part of converse of Simson's Prop. B (Book VI.) 224: Prop. 70, 250: Prop. 85, 264: Prop. 87, 228: Prop. 93, 227
- Dechales 259
- Dedekind's theory of irrational numbers corresponds exactly to Eucl. v. Def. 5, 124-6
- Democritus: "On difference of gnomon" etc. (? on "angle of contact") 40: on parallel and infinitely near sections of cone 40: stated, without proving, propositions about volumes of cone and pyramid 40
- De Morgan, A.: on definition of ratio 116-7: on extension of meaning of *ratio* to cover incommensurables 118: means of expressing ratios between incommensurables by approximation to any extent 118-9: defence and explanation of v. Def. 5, 122-4: on necessity of proof that tests for greater and less, or greater and equal, ratios cannot coexist 130-1, 157: on compound ratio 132-3, 234: sketch of proof of existence of fourth proportional (assumed in v. 18) 171: proposed lemma about duplicate ratios as alternative means of proving VI. 22, 246-7: 5, 7, 9-10, 11, 15, 20, 22, 29, 56, 76-7, 83, 101, 104, 116-9, 120, 130, 139, 145, 197, 202, 217-8, 232, 233, 234, 272, 275
- Dercyllides 111
- Dickson, L. E. 426
- Diorismus* for solution of a quadratic 259
- Discrete* proportion, διηρημένη or διεξευγμένη ἀναλογία, in four terms 131, 293
- "*Dissimilarly ordered*" proportion (ἀνομοίως τεταγμένων τῶν λόγων) in Archimedes = "*perturbed* proportion" 136
- Dividendo* (of ratios), *see* Separation, *separando*
- "Division (of ratios)," *see* Separation
- Divisions* (of figures), *On*, treatise by Euclid, proposition from, 5
- Dodecahedron: decomposition of faces into elementary triangles, 98
- Dodgson, C. L. 48, 275
- Duplicate ratio 133: διπλασίων, duplicate, distinct from διπλάσιος, double (=ratio 2:1), though use of terms not uniform 133: "duplicate" of given ratio found by VI. 11, 214: lemma on duplicate ratio as alternative to method of VI. 22 (De Morgan and others) 242-7
- Duplication of cube: reduction of, by Hippocrates, to problem of finding two mean proportionals 133: wrongly supposed to be alluded to in *Timaetus* 32 A, B, 294-5 n.
- Egyptians 112: Egyptian view of *number* 280
- Enriques (F.) and Amaldi (U.) 30, 126
- Equimultiples: "any equimultiples whatever," ἰσάκις πολλαπλάσια καθ' ὅποιον οὖν πολλαπλασιασμόν 120: stereotyped phrase "other, chance, equimultiples" 143-4: should include *once* each magnitude 145
- Eratosthenes: measurement of obliquity of ecliptic (23° 51' 20") 111
- Escribed circles of triangle 85, 86-7
- Eudemus 99, 111
- Eudoxus 99, 280, 295: discovered general theory of proportionals covering incommensurables 112-3: was first to prove scientifically the propositions about volumes of cone and pyramid 40
- Euler 426
- Eutocius: on "VI. Def. 5" and meaning of πηλικότης 116, 132, 189-90: gives locus-theorem from Apollonius' *Plane Loci* 198-200
- Even (number): definitions by Pythagoreans and in Nicomachus 281: definitions of odd

ENGLISH INDEX

433

- and even by one another unscientific (Aristotle) 281: Nicom. divides even into three classes (1) *even-times even* and (2) *even-times odd* as extremes, and (3) *odd-times even* as intermediate 282-3
- Even-times even*: Euclid's use differs from use by Nicomachus, Theon of Smyrna and Iamblichus 281-2
- Even-times odd* in Euclid different from *even-odd* of Nicomachus and the rest 282-4
- Ex aequali*, of ratios, 136: *ex aequali* propositions (v. 20, 22), and *ex aequali* "in perturbed proportion" (v. 21, 23) 176-8
- Faifofer 126
- Fauquembergue, E. 426
- Fermat, 425, 426
- Fourth proportional: assumption of existence of, in v. 18, and alternative methods for avoiding (Saccheri, De Morgan, Simson, Smith and Bryant) 170-4: Clavius made the assumption an axiom 170: sketch of proof of assumption by De Morgan 171: condition for existence of number which is fourth proportional to three numbers 409-11
- Galileo Galilei: on *angle of contact* 42
- Geometric means 357 sqq.: one mean between square numbers 294, 363, or between similar plane numbers 371-2: two means between cube numbers 294, 364-5, or between similar solid numbers 373-5
- Geometrical progression 346 sqq.: summation of n terms of (ix. 35) 420-1
- Gherard of Cremona 47
- Gnomon (of numbers) 289
- Golden section* (section in extreme and mean ratio), discovered by Pythagoreans 99: theory carried further by Plato and Eudoxus 99
- Greater ratio: Euclid's criterion not the only one 130: arguments from greater to less ratios etc. unsafe unless they go back to original definitions (Simson on v. 10) 156-7: test for, cannot coexist with test for equal or less ratio 130-1
- Greatest common measure: Euclid's method of finding corresponds exactly to ours 118, 299: Nicomachus gives the same method 300
- Gregory, D. 116, 143
- Häbler, Th. 294 n .
- Hankel, H. 116, 117
- Hauber, C. F. 244
- Heiberg, J. L. *passim*
- Henrici and Treutlein 30
- Heron of Alexandria: Eucl. III. 12 interpolated from, 28: extends III. 20, 21 to angles in segments less than semicircles 47-8: does not recognise angles equal to or greater than two right angles 47-8: proof of formula for area of triangle, $\Delta = \sqrt{s(s-a)(s-b)(s-c)}$ 87-8: 5, 16-17, 24, 28, 34, 36, 44, 116, 189, 302, 320, 383, 395
- Hippasus 97
- Hippocrates of Chios 133
- Hornlike angle* (*κερατοειδής γωνία*) 4, 39, 40: *hornlike angle* and *angle of semicircle*, controversies on, 39-42: Proclus on, 39-40: Democritus may have written on *hornlike angle* 40: Campanus ("not angles in same sense") 41: Cardano (*quantities* of different orders or kinds): Peletier (*hornlike angle* no angle, no quantity, nothing; angles of all semicircles *right angles* and equal) 41: Clavius 42: Vieta and Galileo ("angle of contact no angle") 42: Wallis (angle of contact not *inclination* at all but *degree of curvature*) 42
- Hultsch, F. 133, 190
- Iamblichus 97, 116, 279, 280, 281, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 419, 425, 426
- Icosahedron 98
- Incommensurables: method of testing incommensurability (process of finding G.C.M.) 118: means of expression consist in power of approximation without limit (De Morgan) 119: approximations to $\sqrt{2}$ (by means of *side- and diagonal-numbers*) 119, to $\sqrt{3}$ and to π , 119: to $\sqrt{4500}$ by means of sexagesimal fractions 119
- Incomposite (of number) = prime 284
- Ingrami, G. 30, 126
- Inverse (ratio), inversely (*ἀνδραλιπ*) 134: inversion is subject of v. 4, Por. (Theon) 144: and of v. 7, Por. 149, but is not properly put in either place 149: Simson's Prop. B on, directly deducible from v. Def. 5, 144
- Isosceles triangle of IV. 10: construction of, by Pythagoreans 97-9
- Jacobi, C. F. A. 188
- Lachlan, R. 226, 227, 245-6, 247, 256, 272
- Lardner, D. 58, 259, 271
- Least common multiple 336-41
- Legendre 30: proves VI. 1 and similar propositions in two parts (1) for commensurables, (2) for incommensurables 193-4
- Lemma assumed in VI. 22, 242-3: alternative propositions on duplicate ratios and ratios of which they are duplicate (De Morgan and others) 242-7
- Length, *μήκος* (of numbers in one dimension) 287: Plato restricts term to side of integral square number 287
- Leotaud, Vincent 42
- Linear (of numbers) = (1) in one dimension 287, (2) prime 285
- Logical inferences, not made by Euclid 22, 29
- Loria, G. 425
- Lucas, E. 426
- Lucian 99
- Means: three kinds, arithmetic, geometric and harmonic 292-3: geometric mean is

- "proportion *par excellence*" (*κυρίως*) 292-3: one geometric mean between two square numbers, two between two cube numbers (Plato) 294, 363-5: one geometric mean between similar plane numbers, two between similar solid numbers 371-5: no numerical geometric mean between n and $n+1$ (Archytas and Euclid) 295
- Moderatus, a Pythagorean 280
- Multiplication, definition of 287
- an-Nairizi 5, 16, 28, 34, 36, 44, 47, 302, 320, 383
- Naşiraddin at-Tūsī 28
- Nesselmann, G. H. F. 287, 293
- Nicomachus 116, 119, 131, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 300, 363, 425
- Nixon, R. C. J. 16
- Number: defined by Thales, Eudoxus, Moderatus, Aristotle, Euclid 280: Nicomachus and Iamblichus on, 280: represented by lines 288, and by points or dots 288-9
- Oblong (of number): in Plato either *προμήκης* or *έτερομήκης* 288: but these terms denote two distinct divisions of plane numbers in Nicomachus, Theon of Smyrna and Iamblichus 289-90
- Octahedron 98
- Odd (number): defs. of in Nicomachus 281: Pythagorean definition 281: def. of odd and even by one another unscientific (Aristotle) 281: Nicom. and Iambl. distinguish three classes of odd numbers (1) prime and incomposite, (2) secondary and composite, as extremes, (3) secondary and composite in itself but prime and incomposite to one another, which is intermediate 287
- Odd-times even* (number): definition in Eucl. spurious 283-4, and differs from definitions by Nicomachus etc. *ibid.*
- Odd-times odd* (number): defined in Eucl. but not in Nicom. and Iambl. 284: Theon of Smyrna applies term to prime numbers 284
- Oenopides of Chios 111
- "Ordered" proportion (*τεταγμένη αναλογία*), interpolated definition of, 137
- Pappus: lemma on Apollonius' *Plane νεύσεις* 64-5: problem from same work 81: assumes case of VI. 3 where external angle bisected (Simson's VI. Prop. A) 197: theorem from Apollonius' *Plane Loci* 198: theorem that ratio compounded of ratios of sides is equal to ratio of rectangles contained by sides 250: 4, 27, 29, 67, 79, 81, 113, 133, 211, 250, 251, 292
- "Parallelepipedal" (solid) numbers: two of the three factors differ by unity (Nicomachus) 290
- Peletarius (Peletier): on *angle of contact* and *angle of semicircle* 41: 47, 56, 84, 146, 190
- Pentagon: decomposition of regular pentagon into 30 elementary triangles 98: relation to pentagram 99
- Pentagonal numbers 289
- "Perfect" (of a class of numbers) 293-4, 421-6: Pythagoreans applied term to 10, 294: 3 also called "perfect" 294
- Perturbed proportion* (*τεταραγμένη αναλογία*) 136, 176-7
- Pfleiderer, C. F. 2
- Philoponus 234, 282
- Plane numbers, product of two factors ("sides" or "length" and "breadth") 287-8: in Plato either square or oblong 287-8: similar plane numbers 293: one mean proportional between similar plane numbers 371-2
- Plato: construction of regular solids from triangles 97-8: on *golden section* 99: 7/5 as approximation to $\sqrt{2}$, 119: on square and oblong numbers 288, 293: on *δυνάμεις* (square roots or *surds*) 288, 290: theorem that between square numbers one mean suffices, between cube numbers two means necessary 294, 364
- Playfair, John 2
- Plutarch 98, 254
- Porism* (corollary) to proposition precedes "Q.E.D." or "Q.E.F." 8, 64: Porism to IV. 15 mentioned by Proclus 109: Porism to VI. 19, 234
- Polygonal numbers 289
- Powers, R. E. 426
- Prestet, Jean 426
- Prime (number): definitions of, 284-5: Aristotle on two senses of "prime" 285: 2 admitted as prime by Eucl. and Aristotle, but excluded by Nicomachus, Theon of Smyrna and Iamblichus, who make prime a subdivision of *odd* 284-5: "prime and incomposite (*ἀσύνθετος*)" 284: different names for prime, "odd-times odd" (Theon), "linear" (Theon), "rectilinear" (Thymaridas), "euthymetric" (Iamblichus) 285: prime absolutely or in themselves as distinct from prime to one another (Theon) 285: definitions of "prime to one another" 285-6
- Proclus: on absence of formal divisions of proposition in certain cases, e.g. IV. 10, 100: on use of "quindecagon" for astronomy 111: 4, 39, 40, 193, 247, 269
- Proportion: complete theory applicable to incommensurables as well as commensurables is due to Eudoxus 112: old (Pythagorean) theory practically represented by arithmetical theory of Eucl. VII. 113: in giving older theory as well Euclid simply followed tradition 113: Aristotle on general proof (new in his time) of theorem (*altermando*) in proportion 113: x. 5 as connecting two theories 113: De Morgan on extension of meaning of *ratio*

ENGLISH INDEX

435

- to cover incommensurables 118: power of *expressing* incommensurable ratio is power of approximation without limit 119: interpolated definitions of proportion as "sameness" or "similarity of ratios" 119: definition in v. Def. 5 substituted for that of VII. Def. 20 because latter found inadequate, not *vice versa* 121: De Morgan's defence of v. Def. 5 as necessary and sufficient 122-4: v. Def. 5 corresponds to Weierstrass' conception of number in general and to Dedekind's theory of irrationals 124-6: alternatives for v. Def. 5 by a geometer-friend of Saccheri, by Faifofer, Ingrams, Veronese, Enriques and Amaldi 126: proportionals of VII. Def. 20 (numbers) a particular case of those of v. Def. 5 (Simson's Props. C, D and notes) 126-9: proportion in three terms (Aristotle makes it four) the "least" 131: "continuous" proportion (*συνεχής* or *συνημμένη ἀναλογία*, in Euclid *ἑξῆς ἀνάλογον*) 131, 293: three "proportions" 292, but proportion *par excellence* or primary is continuous or geometric 292-3: "discrete" or "disjoined" (*διηρημένη, διεστυγμένη*) 131, 293: "ordered" proportion (*τεταγμένη*), interpolated definition of, 137: "perturbed" proportion (*τεταραγμένη*) 136, 176-7: extensive use of proportions in Greek geometry 187: proportions enable any quadratic equation with real roots to be solved 187: supposed use of propositions of Book v. in arithmetical Books 314, 320
- Psellus 234
- Ptolemy, Claudius: lemma about quadrilateral in circle (Simson's VI. Prop. D) 225-7: 111, 117, 119
- Pyramidal numbers 290: pyramids truncated, twice-truncated etc. 291
- Pythagoras: reputed discoverer of construction of five regular solids 97: introduced "the most perfect proportion in four terms and specially called 'harmonic'" into Greece 112: construction of figure equal to one and similar to another rectilinear figure 254
- Pythagoreans: construction of dodecahedron in sphere 97: construction of isosceles triangle of IV. 10 and of regular pentagon due to, 97-8: possible method of discovery of latter 97-9: theorem about only three regular polygons filling space round a point 98: distinguished three sorts of *means*, arithmetic, geometric, harmonic 112: had theory of proportion applicable to commensurables only 112: $7/5$ as approximation to $\sqrt{2}$, 119: definitions of unit 279: of even and odd 281: called 10 "perfect" 294
- Quadratic equations: solution by means of proportions 187, 263-5, 266-7: *διορισμός* or condition of possibility of solving equation of Eucl. VI. 28, 259: one solution only given, for obvious reasons 260, 264, 267: but method gives both roots if real 258: exact correspondence of geometrical to algebraical solution 263-4, 266-7
- Quadrilateral: inscribing in circle of quadrilateral equiangular to another 91-2: condition for inscribing circle in, 93, 95: quadrilateral in circle, Ptolemy's lemma on (Simson's VI. Prop. D), 225-7: quadrilateral not a "polygon" 239
- "Quindecagon" (fifteen-angled figure): useful for astronomy 111
- Radius: no Greek word for, 2
- Ramus, P. 121
- Ratio: definition of, 116-9, no sufficient ground for regarding it as spurious 117, Barrow's defence of it 117: method of transition from arithmetical to more general sense covering incommensurables 118: means of *expressing* ratio of incommensurables is by approximation to any degree of accuracy 119: def. of greater ratio only *one* criterion (there are others) 130: tests for greater equal and less ratios mutually exclusive 130-1: test for greater ratio easier to apply than that for equal ratio 129-30: arguments about greater and less ratios unsafe unless they go back to original definitions (Simson on v. 10) 156-7: *compound* ratio 132-3, 189-90, 234: operation of compounding ratios 234: "ratio compounded of their sides" (careless expression) 248: *duplicate, triplicate* etc. ratio as distinct from *double, triple* etc. 133: *alternate* ratio, *alternando* 134: *inverse* ratio, *inversely* 134: *composition* of ratio, *componendo*, different from *compounding* ratios 134-5: *separation* of ratio, *separando* (commonly *dividendo*) 135: *conversion* of ratio, *convertendo* 135: ratio *ex aequali* 136, *ex aequali* in *perturbed proportion* 136: *division* of ratios used in *Data* as general method alternative to compounding 249-50: names for particular arithmetical ratios 292
- Reciprocal* or *reciprocally related* figures: definition spurious 189
- Reductio ad absurdum*, the only possible method of proving III. 1, 8
- "Rule of three": VI. 12 equivalent to, 215
- Saccheri, Gerolamo 126, 130: proof of existence of fourth proportional by VI. 1, 2, 12, 170
- Savile, H. 190
- Scalene*, a class of solid numbers 290
- Scholia: IV. No. 2 ascribes Book IV. to Pythagoreans 97: v. No. 1 attributes Book v. to Eudoxus 112
- Scholias to *Clouds* of Aristophanes 99
- Sectio canonis* attributed to Euclid 295
- Sector* (of circle): explanation of name: two kinds (1) with vertex at centre, (2) with vertex at circumference 5

- Sector-like* (figure) 5: bisection of such a figure by straight line 5
- Seelhoff, P. 426
- Segment of circle: angle of, 4: *similar segments* 5
- Semicircle: angle of, 4, 39–41 (see Angle): angle in semicircle a right angle, pre-Euclidean proof 63
- Separation* of ratio, *διαίρεσις λόγων*, and *separando* (*διελόντι*) 135: *separando* and *componendo* used relatively to one another, not to original ratio 168, 170
- Servais, C. 426
- Sides* of plane and solid numbers 287–8
- Similar plane and solid numbers 293: one mean between two similar plane numbers 371–2, two means between two similar solid numbers 294, 373–5
- Similar rectilinear figures: def. of, given in Aristotle 188: def. gives at once too little and too much 188: similar figures on straight lines which are proportional are themselves proportional and conversely (vi. 22), alternatives for proposition 242–7
- Similar segments of circles 5
- Simon, Max 124, 134
- Simpson, Thomas 121
- Simpson, R.: Props. C, D (Book v.) connecting proportionals of vii. Def. 20 as particular case with those of v. Def. 5, 126–9: Axioms to Book v. 137: Prop. B (inversion) 144: Prop. E (*convertendo*) 175: shortens v. 8 by compressing two cases into one 152–3: important note showing flaw in v. 10 and giving alternative 156–7: Book vi. Prop. A extending vi. 3 to case where external angle bisected 197: Props. B, C, D 222–7: remarks on vi. 27–9, 258–9: 2, 3, 8, 22, 23, 33, 34, 37, 43, 49, 53, 70, 73, 79, 90, 117, 131, 132, 140, 143–4, 145, 146, 148, 154, 161, 162, 163, 165, 170–2, 177, 179, 180, 182, 183, 184, 185, 186, 189, 193, 195, 209, 211, 212, 230–1, 238, 252, 269, 270, 272–3
- Size*, proper translation of *πηλικότης* in v. Def. 3, 116–7, 189–90
- Smith and Bryant, alternative proofs of v. 16, 17, 18 by means of vi. 1, where magnitudes are straight lines or rectilinear areas 165–6, 169, 173–4
- Solid numbers, three varieties according to relative length of sides 290–1
- Spherical* number, a particular kind of cube number 291
- Square number, product of equal numbers 289, 291: one mean between square numbers 294, 363–4
- Stobaeus 280
- Subduplicate of any ratio found by vi. 13, 216
- Swinden, J. H. van 188
- Sylvester, J. 426
- Tacquet, A. 121, 258
- Tannery, P. 112, 113
- Tartaglia, Niccolò 2, 47
- Taylor, H. M. 16, 22, 29, 56, 75, 102, 227, 244, 247, 272
- Tetrahedron 98
- Thales 111, 280
- Theodosius 37
- Theon of Alexandria: interpolation in v. 13 and Porism 144: interpolated Porism to vi. 20, 239: additions to vi. 33 (about *sectors*) 274–6: 43, 109, 117, 119, 149, 152, 161, 186, 190, 234, 235, 240, 242, 256, 262, 311, 322, 412
- Theon of Smyrna: 111, 119, 279, 280, 281, 284, 285, 286, 288, 289, 290, 291, 292, 293, 294, 425
- Thrasylus 292
- Thymaridas 279, 285
- Timaeus* of Plato 97–8, 294–5, 363
- Todhunter, I., 3, 7, 22, 49, 51, 52, 67, 73, 90, 99, 172, 195, 202, 204, 208, 259, 271, 272, 300
- Trapezium: name applied to truncated pyramidal numbers (Theon of Smyrna) 291
- Triangle: Heron's proof of expression for area in terms of sides, $\sqrt{s(s-a)(s-b)(s-c)}$ 87–8: right-angled triangle which is half of equilateral triangle used for construction of tetrahedron, octahedron and icosahedron (*Timaeus* of Plato) 98
- Triangular numbers 289
- TriPLICATE*, distinct from *triple*, ratio 133
- at-Ṭūsī, see Naṣīraddīn
- Unit: definitions of, by Thymaridas, "some Pythagoreans," Chrysippus, Aristotle and others 279: Euclid's definition was that of the "more recent" writers 279: *μόνατος* connected etymologically by Theon of Smyrna and Nicomachus with *μόνος* (solitary) or *μονή* (rest) 279
- Veronese, G. 30, 126
- Vieta: on *angle of contact* 42
- Walker 204, 208, 259
- Wallis, John: on *angle of contact* ("degree of curvature") 42
- Weierstrass 124
- Woepcke 5
- Zenodorus 276