

INDEX

- Acton, *Chroococcaceae*, 300
- Aegilops*, hybridisation with *Triticum*, 150
- Aegiloticum*, new genus created experimentally, xxi, 151
- Aesculus* (Chestnut), *carnea*, origin of, 140
 - Hippocastanum*, 140
 - Pavia*, 140
- Afzelius, *Senecio*, 143
- Agar, Marsupials, 50
- Age and Area*, xix
- Agol, multiple allelomorphs, 286
- Agouti fur, composition of, 204
 - genes for, 204
 - inheritance in rabbits, 203
 - in various rodents, 204
- Aida, sex-linked inheritance, 238
- Alchemilla* (Lady's Mantle), chromosomes, 144
 - parthenogenesis in, 259
 - tetraploid, 259
- Algae, blue-green, 273, 275, 292
 - blue-green, grouped chromidia, 298
- Allelomorphs, 285
 - for "scute", 285
 - multiple, 200, 210, 285
 - multiple, Russian experiments, 285
- Aloe*, chromosomes of different genera, 66
- Amelanchier*, chromosomes in, 145
- Amoeba*, 269, 270
 - divisions in, 268
- Amphipolyploidy, 165
- Anaximander, and evolution, xv
- Aneuploids, in Hyacinths, 88
 - in Roses, 88
 - in Sweet Cherries, 88
- Anthropoid Apes, 331
- Antirrhinum*, small variations, 177
- Ants, production of different sexes, 264
- Aphis*, alternate phases in, 261
 - parthenogenesis, 260
 - saliceti*, reproduction of, 260
 - sex in, 260
- Aplocheilus latipes*, sex-linked inheritance, 238
- Apomixis, 258
 - fixing hybrids, 262
 - fixing mutations, 261
 - in *Hieracium*, 262, 263
 - in *Rosa*, 258, 262
- Apples, chromosomes of, 22, 144
 - multivalent chromosomes, 146
 - secondary polyploids, 145
 - somatic chromosomes, 145
- Aristotle, evolution, xv
- Armadillo, chromosomes, 50
- Artemia salina*, chromosomes, 259
 - parthenogenesis, 259
 - polyploidy in, 122, 259
- Artom, *Artemia*, 259
- Ascaris*, chromosomes, 49
 - differentiation of germ-cells, 121
 - diploid and polyploid, 120, 121
 - fragmentation of chromosomes, 120
 - lumbricoides*, sex chromosomes, 254
- Asexuality, 256
- Aster*, polyploid species, 143
- Avena*, polyploid species, 149
- Avery, *Crepis*, 161
 - Datura*, 184
- Autocatalysts, genes as, 293
- Automutations, 199
- Babcock, *Crepis*, 80, 81, 161
- Back-crosses, 14
- Bacon, origin of species, xvi
- Bacteria, evolution of, 297
 - genes in, 292, 298
 - mutations in, 276
 - reverse origin, 298
 - simple pre-cellular, xiv
 - sizes of, 277, 280, 297
- Bacteriophage, 280
 - consume bacteria, 280
 - monogenic, 282
 - specific qualities, 282
 - status of, 281, 296
- Bacterium typhosum*, 276
- Baehr, *Aphis*, 260
- Barley, *see Hordeum*
- Barnard, bacteria, 298
 - pneumonia in cattle, 278
 - ultramicroscopy, 277, 280
- Bateson, discontinuity of species, xix
 - extension of Mendelism, xix, 338
 - leader of school of genetics, 16
- Sweet Peas, 158

350

INDEX

Bathmism, xviii
 Baur, crossing-over, 41
 Bees, fertilisation, 264
 polyploid cells, 115
 production of different sexes, 264
 Bělär, living cells, 25
 Belling, chromomeres in *Liliaceae*, 46
 Datura, 82
 Lily, 45, 282, 290
 Berg, nomogenesis, xviii
 Bergson, *L'Élan vital*, xiv, xviii
Betula (Birch), polyploids in, 108
 Birds, chromosomes in, 53
 gynandromorphs, 95, 96
 sex chromosomes, 37, 251
 Blackberries, *see Rubus*
 Blackburn, *Salicaceae*, 147
 Silene, 51
 Silenoideae, 52
 Blakeslee, *Datura*, 73, 81, 83, 84, 85, 87, 107,
 116, 171, 184
 Oenothera, 76
 Blaps, complex sex chromosomes, 255
 Bleier, wheats, 114
 Aegiloticum, new genus, xxi, 151
 Bonnet, Creation, xvi
 Brachiopoda (Lampshells), gene stability, 180
 Brassica, *campestris* L., 138
 carinata Braun, 138
 hybrids with *Raphanus*, 138
 napus L., 138
 oleracea L., 138
 pekinensis, 138
 Bremer, sugar cane, 167
 Bridges, gene maps, 71
 gynandromorphs, 95
 super female, 123
 Buchner, cell division, 21
 Bud-sports (transmutations), 95
 Buffon, influence of environment, xvi
 Burnet, bacteriophage, 282
 Butterflies, gynandromorphs, 95, 96
 sex chromosomes, 37
 Buxton, *Digitalis*, 160

 Calkins, *Amoeba*, 268
 Calochortus, chromosomes of five species, 159
 Cambarus (Crayfish), chromosomes, 52
 Cameron, effects of cosmic rays, 199
 Campanula, tetraploid, 102

Cancer cells, abnormalities of, 117, 303, 304
 Carex, chromosomes, 62, 63
 compared with other genera, 147
 increase of chromosome number, 90
 Castle, Guinea-pigs, 15
 purity of germ-cells, 8
 Rabbits, 203, 209, 211
 Cats, coat pattern, 211
 Cattle, coat pattern in Herefords, 211
 inheritance of short legs, 186
 Cattleya, sterility with *Sophronitis*, 158
 Caulerpa, 300
 Cells, comparison of plant and animal, 19
 contents of, 265
 co-operation, 299, 301
 diagram of, 266
 division of, 21
 immortality of, 26
 in plants and animals, 18
 origin of (pre-cells), 300
 perpetual motion of, 28
 social colonies, 299
 specialisation, 300
 times for division, 26, 28
 Cell divisions, in sausage meat, 29
 in tissue culture, 26
 Cell-inclusion bodies, in virus diseases, 279
 Central body, 266
 Chambers, chromosome dissection, 28, 29
 investigation of living cells, 29
 Chameleon, chromosomes, 187
 Characters, complete expression in diploids, 310
 origin of, 308
 recombination of, 152
 specific, 218
 specific, generic and higher, 307
 varietal, 219
 Chellean culture, 328
 Cherries, aneuploid, 88
 hyperploid, 168
 triploid, 108
 Chittenden, *Godetia*, 61
 Chlorophyceae, 272
 Cholera, bacteria of, 275
 Chondriosomes, 267
 Chromidia, 276
 aggregation of, 299
 centralisation, 298
 different types, 299
 divisions of, 298

INDEX

351

- Chromioles, in Lily, 45, 290
 - in Tulips, 46
 - size of, 282
- Chromomeres, 46
 - constancy of, 44
 - in Lily, 45, 290
- Chromonema, 44
- Chromosomes, appearance of, 18
 - bearers of hereditary factors, 30, 35
 - behaviour in animals and plants, 22
 - bivalent, 126
 - comparative sizes, 290
 - comparative study, 306
 - comparison of, in animals, 50
 - comparison of, living and fixed, 25
 - composite, 147
 - composition of, 44
 - constancy of, 20, 24, 49
 - differences in, 22, 49, 289, 305
 - division of, 20
 - form of sex, 254
 - formation of, 276
 - fusions of, 63
 - homologous, 53
 - in fixed material, 22
 - in hybrids, 152, 156
 - in living material, 26
 - in resting stage, 266
 - living, 28
 - male and female complexes, 35
 - multiple sets, 125
 - multivalents, 125
 - origin of, 292
 - origin of complexes, 305
 - origin of translocations, 70
 - sectional duplications, 68
 - segmented, 58
 - segregation of, 33
 - sex, 236, 251
 - size differences, 24
 - somatic complexes, 23, 53
 - specific, 48, 53
 - univalent, 126, 150
 - XY and XO , 251
 - ZW and ZO , 254
- Chroococcus, turgidus*, 298
 - macrococcus*, 298
- Chrysanthemum, arctica*, 143
 - chromosomes in, 63, 142
 - polyploids, 142
- Ciliates, 269
- Civilisation, origin of, 335
- Classification, genetics and taxonomy, 48
- Clausen (J.), *Viola*, 91, 148, 169
- Clausen (R. E.), *Nicotiana*, xxi, 135, 137
- Cleland, *Oenothera*, 75, 76, 77
- Cocci, 280
 - evolution of, 297
 - size of, 298
- Cockerell, *Rosa acicularis*, 143
- Collins, *Crepis*, 161
- Colloidal particles and virus organisms, 280
- Colloids, 294
- Compositae, polyploids in, 143
- Compound chromosomes, 147
- Conifers, chromosomes, 58
- Cope, bathmism, xviii
- Correns, discovery of Mendel's paper, 16
- Corylus* (Hazel), 254
- Cosmic rays, effect on living organisms, 199, 322
- Cotoneaster*, chromosomes of, 145
- Cowpox (*Vaccinia*), 281
- Crane, Apples, 145
 - Cherry, 145
 - Rubus*, 166
- Crataegus*, chromosomes in, 144
- Creation of new species, 188
- Creative evolution, four vital processes of, 328
 - future of, 329
 - indeterminate nature, 328
 - units of, 338, 339
- Crepis, aspera*, 162
 - biennis*, 161
 - capillaris*, 162
 - chimera, 97
 - chromosomes of, 58, 59
 - comparison of specific chromosomes, 59
 - creation of new species, 161
 - evolution in, 80, 197
 - haploid chromosomes, 113
 - hybrids in, 162
 - polyploids, 112
 - setosa*, 161
 - species formation in, 147
 - tectorum*, 112
- tetraploid root-cells, 112
- translocations in, 81
- triploid progeny, 170
- X-ray experiments, 197

352

INDEX

- Crew, Mice, 179
- Poultry, 11
 - sex-linkage, 249
 - sex-reversal in Poultry, 247
- Crop plants, X-rays on, 199
- Crossing-over, 41, 47
- Cryptodifflugia*, 276
- Culture, Arabian, 336
 - Cretan, 336
 - early, 336
 - Egyptian, 336
 - Greek, 336
- Cumulative factors, 229
- Cycads, chromosomes, 57
- Cydonia*, chromosomes, 145
- Cypris* (Ostracod), 259
 - fusca*, triploid, 259
- Cytology, 17
 - methods in, 22
- Cytoplasm, 266
 - development of, 298
 - influence of, 155, 158
 - in tissue culture, 26
- Daffodils, polyploid, 108
- Dahlia*, extra chromosomes, 92
 - Merckii*, 92
 - tetraploids, 92, 108
- Dandelions, apomixis in, 258
- Danforth, experiments with Poultry, 250, 252
- Daphnia*, hexaploid variety, 259
 - parthenogenesis, 259
 - pulex*, 259
- Darbshire, *Oenothera*, 101
 - tall and dwarf peas, 3
- Darlington, Apples, 146
 - Cherries, 88
 - chromosomes in Pomoideae, 145
 - crossing-over, 41
 - Prunus*, 144
 - Prunus* hybrids, 112
 - Sweet Cherries, 168
 - Tulips, 46, 157
- Darwin, Charles, geographical distribution, xix
 - natural selection, xvii, 173
 - pangenes, 339
 - variation, 200, 307, 312, 339
- Darwin, Erasmus, evolution, xvi
- Dasyurus*, chromosomes, 50
- Datura Stramonium*, "B" race, 72
 - chromosomes of, 72
 - chromosomes of Line 1 and "B" race, 73
 - different races of, 74
 - diploid and polyploids, 107
 - double transmutant, 84
 - globe transmutations, 116
 - haploid and polyploid, 107
 - Line 1, 72
 - mutation in, 308
 - primary, secondary and tertiary types, 85, 87
 - sterility in, 79
 - translocations in, 72
 - transmutants in, 84
 - tricarpel mutation, 184
 - triploid progeny, 171
 - trisomic types, 82, 83
 - X-ray experiments, 196
- Davenport, 227, 231
- Decaploid, chrysanthemum, 143
 - poppy, 108
- Deficiency, 68
- Deinotherium* (Fossil Elephant), 331
- Delaunay, *Muscari*, 56
 - X-rays on wheat, 197
- de Mol, abnormal pollen, 156
 - chromosomes of bulbs, 113, 312
 - Hyacinths, 114, 115
- Desmids, 270
- Determinism, 337
- de Vries, discovery of Mendel's paper, 16
 - mutations, 173, 336
 - Oenothera* experiments, xxi, 74, 86, 100
- d'Herelle, bacteriophage, 282
- Diakonov, musical ability, 231
- Diatoms, 270
- Digitalis* (Foxglove), creation of new species, 160
 - polyploids, 112
- Diphtheria, bacteria of, 275
- Diploids, definition, 103
- Dirac, new mathematics, 337
- Distemper, virus, 277
- Dobell, *Bacillus*, 299
 - Heliozoön*, 267
- Dock, chromosomes of, 147
- Dog, coat pattern, 211
 - Dalmatian, 211
 - Terrier and Fox-hound, 211
- Dog Roses, apomixis in, 258

INDEX

353

- Domestication, 307
- Dominance, 2
 - incomplete, 118, 119
 - in polyploids, 117, 119
 - new theory of, 285
- Draba*, chromosomes of, 147
 - magellanica*, polyploids in, 147
- Driesch, entelechy, xviii
- Drinkwater, musical ability, 231
- Drosophila*, comparison of specific chromosomes, 57
 - evolution in, 58
 - genomes of different species, 58
- Drosophila funebris*, X-ray mutations, 198
- Drosophila melanogaster*, chromosome map, 40
 - chromosomes of, 39
 - comparison with *D. simulans*, 54, 70, 71
 - crossing-over, 43
 - diploid and triploid, 122
 - double mutant, 289
 - effects of X-rays, 190, 191
 - eye colour in, 174, 236
 - experimental eye mutations, 190
 - experiments with, 38
 - fertilisation of *XX* female, 239
 - genes in, 39, 81
 - gynandromorphs, 95
 - haplo-IV, 94
 - hyperploid, 194
 - inheritance of deficiency, 69
 - inter-sexes, 123
 - male and female chromosome complexes, 38
 - mutations in, 174
 - mutations in four chromosomes, 175
 - number of genes, 290
 - random mutations, 184
 - "scute" allelomorphs, 285, 286
 - sex due to gene balance, 242
 - sex in, 122
 - sex-linked inheritance, 236, 238
 - size of genes, 282
 - super female and super male, 123
 - tetraploids, 122
 - translocations in, 192
 - triploids, 122, 241
 - trisomic, 82, 90
 - two-character inheritance, 12
 - types of wing mutation, 174
 - value in genetical research, 221
 - wing characters, 174
 - X-ray mutants, 189, 200, 311
 - X-ray translocations, 192–193
 - X* and *Y* chromosomes, 237, 251
 - Y* chromosomes in, 44
 - Drosophila obscura*, chromosome map, 55
 - Drosophila simulans*, chromosome map, 55
 - chromosomes of, 70
 - compared with *melanogaster*, 54, 70
 - haplo-IV, 95
 - Drosophila virilis*, chromosome map, 55
 - Drosophila willistoni*, 55
 - Dryopithecus*, ancestor of man, 331
 - Dubinin, multiple allelomorphs, 285
 - "scute" genes, 286, 287
 - Duck, chromosomes of, 53, 187
 - Duplication, 68
 - in body cells, 100
 - in germ cells, 100
 - of genomes, 100
 - Earth, age of, 332
 - Eddington, Astrophysics, 337
 - Eghis, *Nicotiana*, 114
 - Eimer, orthogenesis, xviii
 - Einstein, relativity, 337
 - Elan vital* of Bergson, xiv, xviii
 - Electrons, 295
 - Elephant, evolution of, 315, 319
 - Embryo, cells in, 301
 - critical periods of development, 199
 - Embryology, evidence of evolution, 318
 - Empedocles, evolution, xv
 - Endosperm, 301
 - Engledow "shift", 210
 - explanation of, 231
 - Entelechy, of Driesch, xviii
 - Environment, influence of, 183, 184, 225, 329
 - internal, 203, 225
 - Enzymes, 185, 282, 296
 - Eohippus*, 315
 - Eoliths, 331
 - Epistatic genes, 211
 - Eugenics and genetics, 235
 - Euglypha*, 270
 - division of, 272
 - Evening Primrose, *see Oenothera*
 - Evolution, and genetics, 48
 - and Greek philosophers, xv
 - at work, 188
 - blind alleys of, 318
 - chromosomes in, xv
 - control by man, 200, 333

354

INDEX

- Evolution (*cont.*)
 - creative, definition of, xiii
 - definition, xiii
 - exact science of experimental, 339
 - from generalised types, 318
 - future of, 328, 333
 - growth of complexity, 329
 - historical, xv
 - human control of, 188
 - increase of complexity, 299, 315, 316
 - indeterminate, xv, 339
 - individual, xiii
 - mathematics of, xix
 - measure of creative, xiv
 - of chromosomes, 298
 - of man and mind, 323
 - of species, 220, 321
 - organic, xiii
 - original meaning of, xiii
 - progression of, 317
 - range of, 314
 - regular sequence of, 327
 - unit of, xiv, 314
- Extra chromosomes, origin of new types, 169
- Eye colour, duplex and simplex, 206
 - inheritance of, 206
 - in man, 204, 206, 226
 - in rabbits, 204, 226
- Federley, *Pygaera* hybrids, 165
- Ferns, chromosomes in, 52
- Fertilisation, 36
 - and chromosomes, 20
 - and segregation, 4, 30
 - and sex chromosomes, 36
- Fertility in hybrids, 156
- Filter passers, 276, 296
 - experiments with, 279
 - size of, 291
- Finlay, Poultry, 148
- Fisher, Moths, xx
 - origin of dominance, xix, 119
- Flagellates, 270, 301
 - grouped chromidia, 298
 - reproduction, 302
- Fleure, *Rhododendron*, 181
- Florida Bean, mutations in, 183
- Foot and mouth disease (virus), 277
- Foraminifera, 270
- Ford, Moths, xx
 - rates of development, 185, 287
- Fossils, 330
 - elephant, 319
 - evidence of evolution, 314
 - horse, 315, 316
- Fowl-pox (virus), 279
- Fowls, chromosomes of, 22, 53; *see also* Poultry
- Fox-hounds, coat pattern, 211
- Fragaria* (Strawberries), chromosomes, 143
 - polyploid species, 143
- Fragmentation of chromosomes, 92
 - by X-rays, 191–196
- Frost, *Matthiola*, 88, 89
- Fruit fly, *see Drosophila*
- Fungi, chromosomes in, 272, 273
 - fertilisation of different strains, 256
- Gairdner, *Campanula*, 102
- Galeopsis* (Common Hemp Nettle), *bifida*, 164
 - experiments with, 164
 - pubescens*, 164
 - speciosa*, 164
 - Tetrahit*, 164
- Galeotti, cancer cells, 304
- Gardner, filter passers, 279
- Garrett, induced mutations, 182, 312
- Gates, *Oenothera*, 74, 75, 86
- Geese, chromosomes of, 22
- Genera, genetical creation of new, 135, 138
- Genes, action of, 203
 - and characters, 203
 - and sex, 236
 - autocatalysts, 293
 - automutations of, 199
 - basis of life, 185, 296, 327
 - behaviour in polyploid species, 131
 - colour, in rabbits, 204
 - complexes of, 203, 204, 224
 - complexity of, 287
 - complex molecule, 185
 - crossing-over, 41
 - demonstrated by experiments, 43
 - dominant and recessive, 2
 - effect of cosmic rays on, 199
 - experimental mutations, 189
 - free, 281
 - functions of, 296
 - future experiments, 294
 - homozygous and heterozygous, 14
 - immortality of, 29
 - independent assortment, 14

INDEX

355

- Genes (*cont.*)
 - instability of, 177
 - interactions of, 180, 214
 - knowledge of, 284
 - lethal, 158, 178
 - linkage of, 33, 39
 - major and minor, 235
 - maps of, 39, 55
 - modifying, 228
 - molecular nature of, 199
 - multiple, 214
 - multiple actions, 180
 - mutations, 175, 188, 305, 306
 - nature of, 287, 293
 - new linkages of, 68
 - non-disjunction of, 288
 - origin of, 292
 - pairing of, 53
 - pattern, in rabbits, 214
 - physiological action of, 251
 - power of growth, 185, 292
 - relative positions, 284
 - segregation of, 5
 - sex-linked, 38
 - sex-linked lethal, 179
 - size of, 185, 287, 289, 290
 - sole basis of inheritance, 268
 - specific complexes of, 218, 220
 - stability of, 180, 188, 194, 196
 - theory of, 46
 - translocations of, 68
 - unit of heredity, 14
 - unit of life, 284
 - Genetical ratios, 5, 9, 12, 14
 - Genetics, development of, 338
 - of polyploids, and creative evolution, 117
 - origin of, xxi
 - wide scope of, 322
 - Genomes (chromosome sets), 54
 - building up new, 172
 - complete, necessary for fertility, 92
 - duplication of, 100
 - Geographical distribution, xix
 - selection, 320
 - George, Opossum, 23
 - Germ-cells, chromosomes in, 20
 - duplicated, 312
 - formation of, 20
 - immortality of, 29
 - importance of, 300
 - X-rays on, 191, 200
 - Ginkgo*, chromosomes of, 57
 - Glaucocapsa aeruginosa*, 298
 - Godetia*, segmented chromosomes, 61
 - Goldschmidt, *Lymantria*, 242
 - Golgi bodies, 268
 - Goodspeed, *Nicotiana*, xxi, 135, 195, 196
 - X-ray experiments, 196, 311
 - Grasshopper, *B.* chromosome in, 46
 - constancy of chromomeres, 44
 - Greenwood, Marsupials, 50
 - Growth centres, 250
 - Guinea-pig, agouti fur, 204
 - assortment of characters in, 34
 - chromosomes in, 34
 - Dutch pattern, 211
 - Mendelian segregation in, 15
 - purity of germ-cells, 8
 - specific gene complexes, 220
 - Guyer, Guinea-pig, 34
 - Man, 37
 - Gymnosperms, chromosomes of, 57
 - Gynandromorphs, 95
 - Haase Bessell, *Digitalis*, 112
 - Hadley, Poultry, 178
 - Haecker, musical ability, 232
 - Haematococcus pluvialis*, division of, 271
 - Håkansson, *Oenothera*, 75
 - Peas, 91
 - Haldane, genetics of polyploids, 117
 - mathematics of evolution, xix
 - Hance, Fowl chromosomes, 187, 253
 - Hanson, X-ray experiments, 201
 - Haploids, in *Datura*, 107
 - in *Triticum*, *Crepis*, *Solanum*, *Oenothera* and *Nicotiana*, 108
 - origin of, 156
 - Hawksbeard, *see Crepis*
 - Hawkweed, *see Hieracium*
 - Hawthorn (*Crataegus*), chromosomes of, 144
 - Hedgehog, chromosomes of, 50
 - Heilborn, *Carex* chromosomes, 63
 - Carex* species, 62
 - Draba* chromosomes, 147
 - Heliozoa, 269
 - Heliozoon*, division of, 267
 - Helms, *Betula* polyploids, 108
 - Herbert, origin of species by hybridisation, 172
 - Hermaphrodites, plants, 302
 - snails, 302

23-2

356

INDEX

- Heslop-Harrison, chromosomes of *Salicaceae*, 147
 - induced mutations, 182
 - Moths, 312, 313
- Heterochromia iridis* in Rabbits, 216
- Heterozygotes, 14
- Hexaploid, birch, 108
 - poppy, 111
- Hieracium*, apomixis in, 258
 - experiments with, 262
 - facultatively sexual, 262
 - hybrids fixed by apomixis, 262
- Hollingshead, *Crepis*, 112, 113, 161, 170
- Homo sapiens* (Modern Man), 328
 - complex, xiv
 - evolution of, 323
 - future of, 333
- Homozygotes, 14
- Hordeum*, polyploid species in, 149
- Hormones, 85
 - sex in Poultry, 247
- Horse (*Equus*), chromosomes of, 22, 50
 - coat pattern, 211
 - evolution of, 315
 - fossils of, 315
 - grey coat, 211
 - roan coat, 211
 - sex chromosomes, 37
- Horsetail (*Equisetum*), chromosomes in, 52
- Hoy, Opossum, 23
- Huskins, *Sorghum*, 53
 - speltoid wheats, 94
- Huxley (Julian), bacteria, 275
 - co-operation of cells, 301
 - rates of development, 185, 287
 - uni-cellular organisms, 269
- Hyacinths, aneuploids in, 88
 - polyploid gametes, 114
 - polyploids, 108
 - triploid and aneuploids, 115
- Hybridisation, 306
 - and chromosomes, 152
 - importance in evolution, 152, 159
 - origin of species by, 172
 - under domestication, 159
- Hyperploids in Cherries, 168
- Ice Ages, influence on evolution, 321
- Indeterminacy, principle of, 337, 340, 341
- Influence of environment, 184
- Influenza (virus), 277
- Infusoria*, 269
- Internal environment, gene complex, xix, 203
- Iris*, chromosomes of different species, 64
 - diploid and polyploids, 119
- Jeans, age of the earth, 332
 - thought and origin of universe, 340
- Johannsen, fluctuating variations, xviii
- Jörgensen, *Betula* polyploids, 108
 - Solanum*, 110–141
 - Tomato, 106
- Jull, inheritance in Poultry, 7
- Kangaroo, chromosomes of, 50
- Karpechenko, *Raphanobrassica*, 138, 139, 154, 155
- Kater, *Saccharomyces*, 274
- Katydid, gynandromorph, 98
- Kerner, origin of species by hybridisation, 172
- Lamarck, acquired characters, and evolution, xvi
- Lamarckism, 339
- Laminaria*, gene stability, 180
- Lammerts, *Nicotiana*, 163
- Lathyrus odoratus*, see Sweet Pea
- Lawrence, Apples, 145
 - Cherry, 153
 - Dahlias, 92
 - Rubus*, 166
- Leakey, Oldoway Man, 330
- Lebistes* (Millions Fish) *recticulatus*, 238
 - sex-linkage in, 238
- Ledingham, filter passers, 279
- Leguminosae*, comparison of pea and bean chromosomes, 92
- Lesley, *Matthiola*, 88, 89
 - Tomato, 106, 167, 168
- Lethal genes, cause of sterility, 158
- Life, after death, 334
 - age of, 330
 - and Matter, borderland of, 282
 - artificial creation of, 294
 - continuity with Matter, 295
 - cycle in animals, 31
 - Mind and Matter, 340
- Lily, chromioles, 290
 - chromomeres, 46, 290
 - chromosomes of, 22
 - number of genes, 290
 - polyploid variety, 108
 - size of genes, 282

INDEX

357

- Lindstrom, Tomato, 109
- Linkage of genes, 33
- Linnaeus, origin of species by hybridisation, 172
 - special creation of genera, xvi
- Lizard, chromosomes of, 187
- Ljungdahl, *Papaver* (Iceland Poppy), 108, 111
- Loganberry, origin of, 166
- Loomis, evolution of horse, 316
- Losses of genic material, 309
- Lotsy, origin of species by hybridisation, 172
- Luce, musical ability, 231
- Lucretius, structure and function, xv
- Lull, evolution of elephant, 319
- Lush, cattle, 186
- Lygaeus turcicus*, chromosomes, 242
- Lymantria* (Gipsy Moth), chromosomes, 244
 - cross-breeding, 242
 - inter-sexes, 242
 - sex in, 123
 - sex strength in, 243
 - varieties of, 242
- Lyngbya*, evolution of chromosomes, 298
- McClintock, Maize, 96
- McClung, Grasshoppers, 54
- Maize (*Zea Mays*), chromosome loss, 96
 - linkage in, 42
 - mutation of specific characters, 197
 - sterility and translocations, 79
 - X-ray experiments, 197
- Mammals, eye-colour in, 204
 - sex chromosomes, 37
- Man, Acheulian, 325
 - Americans, 326
 - Ancient Greeks, 326
 - Ancient Romans, 326
 - Arabs, 326
 - Assyrians, 326
 - Aurignacian, 325
 - Babylonians, 326
 - blue, grey and brown eyes, 226
 - Byzantines, 326
 - Chellean, 323, 324, 325
 - chromosomes of, 22, 50, 241
 - colour-blindness, 239
 - conceptual mind in, 323, 327
 - control of environment, 332
 - Cretans, 326
 - Cromer, 325
 - Danubians, 326
 - Ehringsdorf, 325
 - Elamites, 325
 - English, 326
 - Eolithic, 323, 331
 - eugenics, 225, 226
 - Europeans, 325
 - evolution of, 323, 330
 - eye colour, 204, 206, 226, 228
 - eye pigment, 226
 - Foxhall, 323
 - future of, 333
 - gene complexes in, 226
 - genetics of, 225
 - genetics and eugenics, 235
 - genic formula for intelligence, 235
 - hair colour, 228
 - haemophilia, 239
 - Heidelberg, 325
 - Homo sapiens*, 323, 325
 - Hunstanton, 325
 - inheritance of colour-blindness, 240
 - inheritance of eye-colour and hair-colour, 227
 - inheritance of intelligence, 235
 - inheritance of musical ability, 229
 - inheritance of musical temperament, 232
 - Java ape-man, 325
 - Java Solo man, 325
 - Kenya, 325
 - Magdalenian, 325
 - Microlithic, 325
 - Neanderthal, 323, 324, 331
 - of Anau, 325
 - of the Fertile Crescent, 325
 - of the Orient, 325
 - of Surrupak, 325
 - Oldoway, 323, 330
 - origin of conceptual mind in, 331
 - Peking man, 323
 - Piltdown, 323, 331
 - psychological characters, 234
 - Rhodesian, 325
 - segmental interchange in, 79
 - sex chromosomes, 37, 240
 - sex-linked inheritance, 239
 - simplex and duplex eyes, 226
 - Solutrean, 325
 - studies of disease, 225
 - table of evolution, 323
 - Taungs, 323
 - tetraploid germ-cell, 121

358

INDEX

- Man (*cont.*)
 - Trojans, 326
- Marechall, artificial polyploids, 115
- Marsden-Jones, genetical experiments with species, xx, 159
- Marsh, evolution of horse, 317
- Marsupials, comparison of chromosomes, 50
- Mathematics, development of, 337
- Matter, continuity with life and mind, 295
 - decreasing influence of, 335
 - electrons and protons, 323, 337
 - new ideas of, 295
 - obliteration of, 333
- Matthiola*, secondary trisomic types, 88
 - transmutants in, 89
- Measles (virus), 277
- Mechanism, definition of, 303
 - genetical, xv
 - living, xv
 - of evolution, 293, 314
 - physiological, xv
 - psychological, xv
- Medlar, chromosomes of, 145
- Mendel, experiments, xxi, i, 338
 - laws of heredity, 3
- Mesohippus*, ancestor of horse, 315
- Mespilus*, chromosomes of, 145
- Metz, species of *Drosophila*, 58
- Mice, agouti fur, 204
 - chromosomes in, 22, 193
 - Dutch pattern, 211
 - Florida, new race in, 220
 - inheritance of yellow, 179
 - lethal gene, 178
 - specific gene complexes, 220
- Millikan, effects of cosmic rays, 199
- Minchin, *Haematococcus*, 271
- Mind, conceptual, 327, 328, 330, 332, 334
 - development of, 337
 - evolution of (table), 323
 - genetical evolution, 332
 - origin of conceptual, 327
 - progress of conceptual, 337
 - reflex, 328
- Mirabilis jalapa*, red and white flower inheritance, 118
- Mjøen, musical ability in man, 232
 - musicians' pedigrees, 232
- Modifying genes, 227
- Moffett, chromosomes in *Pomoideae*, 145
- Mohr, deficiency, 69
- Molecules, 295
 - autocatalytic, 325
- Monkeys, chromosomes of, 22, 50
- Morgan, crossing over, 43
 - cytology and genetics, xxi
 - Drosophila* species, 54, 55, 57
 - gene map, 40
 - gynandromorph, 95
 - haplo-IV, 94
 - location of genes, 338
 - male and female *Drosophila*, 38
 - multiple allelomorphs, 286
 - mutations in *Drosophila*, 174, 175
 - Nicotiana*, 4
 - segregation of two characters, 9, 12
 - trisomic *Drosophila*, 90
 - work with chromosomes, 35
 - yellow and green peas, 2
- Morrison, *Datura*, 184
- Mosaic (virus), diseases of plants, 277
- Moths, gynandromorphs, 95, 96
 - induced mutations, 182
 - melanic mutants, 312
 - natural selection, 312
 - sex chromosomes, 37, 251
- Mountain Ash, chromosomes of, 144
- Muller, estimates of gene size, 290
 - free genes, 282
 - X-ray experiments, xxi, 189, 192, 194, 289, 311
- Mulsow, fertilisation, 36
- Multiple genes, 214
- Müntzing, *Galeopsis*, 162
- Muscari* (Grape Hyacinth), chromosomes of four species, 56
- Musical ability, inheritance of, 231
 - temperament, inheritance of, 232
- Mutations, 173, 306, 310
 - and X-rays, 189, 200, 288
 - dominant, 177
 - induced, 182
 - influence of environment, 183
 - involving gain or loss, 288
 - large and small, 176
 - origin of, 288
 - pathological, 183
 - qualitative and quantitative, 289
 - random, 184, 326
 - recessive, 177
 - specific, 308
 - speeding up, 200

INDEX

359

- Mutations (*cont.*)
 - use of in experiments, 177
 - vital evolutionary process, 328
- Mycetozoa*, 270
- Myxomycetes*, 270
 - chromosomes in, 272
- Nägeli, directional development, xviii
- Natural selection, xvii, 307
 - vital evolutionary process, 328
- Naudin, origin of species by hybridisation, 172
- Navashin, chimera in *Crepis*, 97
 - chromosomes of *Crepis*, 8, 58, 59
 - hybrids in *Crepis*, 162
 - polyploids in *Crepis*, 112
 - X-rays on *Crepis*, 197
- Neanderthal Man, 331
- Neumayr, *Paludina*, 176
- Newton, *Calochortus*, 159
 - Digitalis*, 160
 - Primula*, 135, 136
 - Tulipa*, 46, 105, 157
- Nicotiana* (Tobacco), *digluta*, origin of, 135, 137
 - effect of X-rays, 195, 196, 311
 - glutinosa*, 135
 - hybrids in, 162
 - large and small flowers, 4
 - new lines by X-rays, 197
 - new polyploid species, 135
 - new races in, 162
 - new species, xxi
 - origin of high chromosome numbers, 163
 - polyploid gametes, 114
 - sylvestris*, 136, 162
 - tabacum*, 135, 162
 - tabacum*, X-ray experiments, 197
 - tomentosa*, 136
- Nihlsson Ehle, multiple genes, 227
- Nomogenesis of Berg, xviii
- Non-disjunction of chromosomes, 86, 305
 - importance in evolution, 92
- Nostoc*, 273
- Nucleolus, 266
- Nucleus, 19, 265
 - evolution of, 292, 300
 - filamentary, 298
- Oats, *see Avena*
- Octoploid, birch, 111
 - poppy, 108
 - roses, 143
- Oenothera*, arrangement of chromosomes, 77
 - characters and chromosomes, 86
 - chromosome circles, 75
 - chromosomes of, 75
 - experiments with, 74
 - mutations, 173
 - non-disjunction, 86
 - permanent heterozygotes, 75
 - transmutations, 168
 - trisomic types, 88
- Oenothera Lamarckiana*, and var. *gigas*, 100, 101
 - chromosomes of, 75
 - mutants, 86
 - permanent heterozygote, 78
 - two complexes in, 76
- Oldoway Man, 323, 330
- Ono, *Rumex*, 244
- Ontogeny, xiii
- Opossum, chromosomes of, 50
- Origin, of species, 48
- Orthogenesis, xviii
- Orthopteran grasshoppers, experiments with, 54
- Oscillatoria*, 298
- Ostenfeld, experiments with *Hieracium*, 262
- Oysters, periodic sex reversal, 256, 302
- Painter, comparison of chromosomes, 50, 187
 - cytology of X-ray mutants, 192
 - Man, 121, 241
 - Marsupials, 50
 - Rabbits, 209
 - Rat and Mouse chromosomes, 193
- Paludina*, evolution of shell, 175, 176
- Papaver*, polyploidy in, 108, 111
- Parthenogenesis, 258
 - fixing hybrids, 262
 - fixing mutations, 261
- Patterson, X-ray experiments, 189, 191, 289
- Peake, *Rhododendron*, 181
- Pears, chromosomes of, 144
- Pearson, gynandromorphs, 98
- Peas, chromosomes of, 22
 - chromosome translocation, 78
 - genetics of, 1
 - inheritance of tall and dwarf, 3
 - later experiments, 5, 16
 - Mendel's experiments, 1
 - non-disjunction in, 91
 - result of Yellow-Green cross, 2
 - segmental interchange, 78

360

INDEX

- Peas (*cont.*)
 sterility in, 79
 tall-dwarf inheritance, 13
 two-character inheritance, 9
- Pease, modifying genes, 229
- Rabbits, 214
- Pellevé, experiments with peas, 78
Primula, 135, 136
- Peromyscus polionotus*, mutation in, 220
- Pheasants, gynandromorphs, 96
- Philipschenko, experiments with wheats, 229
 modifying genes, 229
 musical ability, 231
- Phleum*, reconstruction of Linnean species, 164
- Phylloxeran*, alternate sexual cycles, 261
- Phylogeny and genetics, 48
- Pickard, Rabbits, 99
- Pigeons, chromosomes of, 22
- Pisum*, *see* Peas
- Planck, Quantum Theory, 337
- Plastids, 267
- Pneumonia in cattle (*virus*), 278
- Pollen, carrying different genes, 156
 polyploid grains, 156
 tube growth, 156, 158
- Polyploids, 103, 305, and apomixis, 259
 animal, 119
 body-cells, 115
 causes, 113
 complexity under cultivation, 167
 garden varieties, 124
 generalised, 311
 genetics of, 117
 incipient species, 124
 induced by X-rays, 196
 mutation in, 172
 numbers, 63
 origin by hybridisation, 172
- Rosa*, 119, 126
 secondary, 145
 species, 63, 124, 125
 species in *Rosa*, 119
 unbalanced, 126
 varieties, 63
- Pomoideae, chromosome numbers, 144
 secondary polyploids, 145
- Poplars, chromosomes of, 147
- Potato, virus diseases, 279, 280
 X, Y, Z viruses in, 281
- Potentilla* (Cinquefoil), chromosomes in, 143
- Poultry, chromosomes of, 187, 254
- formation of germ cells, 253
 new breed (Silver Cambar), 240
 rose and single comb, 5
 sex hormones, 248
 sex-linked inheritance, 240, 249
 sex reversal, 247
 skin-grafts, 250, 252
 two-character inheritance, 11
 white bantam × black, 6
- Pre-cellular organisms, 265
- Preformation, theory, xiii
- Primula floribunda*, 135
kewensis, origin of, 135, 136
sinensis, 117
 variation in *kewensis*, 141
verticillata, 135
- Progenes, 283
- Protista*, 265, 292
 different types, 269
- Protogene, 325
 first manifestation of life, 292, 297
- Protons, 295
- Protoplasm, chemical constitution, 268
 chemical tests, 293
- Protozoa, 269
 grouped chromidinia, 298
- Prunus* (Plums and Cherries), chromosomes in, 143
 fertility in, 153
 polyploid hybrids, 112
 polyploids, 144
- Psychological characters, evolution, 335
 inheritance of, 234
- Punnett, modifying genes, 229
 poultry, 240
 rabbits, 214
 sweet peas, 221
- Pygaera* hybrids, 165
- Pyracantha*, chromosomes in, 145
- Pyrus*, chromosomes, 144
- Quin, poultry, 7
- Quince, chromosomes, 145
- Rabbits, agouti, 203, 218
 agouti from white, 209
 albinism in, 180, 207
 Angora, 215–217
 Belgian Hare, 210–215
 black, 205, 208
 blue Beveren, 217

INDEX

361

- Rabbits (*cont.*)
 - champion yellow Dutch, 212
 - Chinchilla, 210
 - chocolate brown, 208
 - chromosomes of, 22, 50, 209
 - cinnamon, 208
 - coat patterns, 210
 - coloured and tan, 215
 - dominant black, 211
 - Dutch, 211
 - Dutch phenotypes, 214
 - English, 211
 - eye colour, 227
 - Flemish giant, 215
 - fur colours, 203, 218
 - gene complexes, 204
 - genic formula for coat inheritance, 218
 - Himalayan, 210, 215
 - inheritance in, 203
 - Japanese, 210
 - light-spotted Dutch, 212
 - Mock Dutch, 213, 216, 217
 - mutations in, 218, 219
 - New Zealand Reds, 210
 - pattern inheritance, 211
 - Polish albinos, 208
 - Rex, 218
 - rufous modifiers, 210
 - St Nicholas, 217
 - self yellow, 205, 208
 - sex chromosomes, 37
 - silvering, 211
 - somatic variation, 99
 - standard Dutch, 213
 - steel grey, 211
 - tortoiseshell, 205, 208
 - white, 206
 - white Beveren, 208
- Rabies (virus), 277
- Radiation, effect on evolution, xxi
- Radiolaria*, 270
- Raphanobrassica*, chromosomes and seed-vessels, 154
 - sterile diploid and fertile tetraploid, 139
- Raphanus*, hybrids with *Brassica*, 138
 - raphanistrum* L., 138
 - sativus* L., 138
- Raspberries, *see Rubus*
- Rat, agouti fur, 204
 - chromosomes in, 193
 - specific gene complexes, 220
- Recessives, 2, 16
 - appearance of hidden, 178
 - in polyploids, 117
 - new theory of, 285
- Reck, Oldoway Man, 330
- Religions, influence of, 336
- Renaissance, Italian, 336
- Renner, *Oenothera* experiments, 74
- Reproduction, asexual, 302
 - types of, 302
- Reptiles, chromosomes in, 53
 - chromosomes compared with birds', 187
- Rhizopods*, 269
 - grouped chromidia, 298
- Rhodobacteriaceae*, 273
- Rhododendron*, fossil and modern species, 181
 - genetic stability, 180
 - species in, 181
- Rhoeo*, chromosomes in, 78
- Richardson, cytology of peas, 78
- Rocks, different epochs, 330
- Rodents, agouti fur, 204
 - specific gene complexes, 220
- Rosa*, *acicularis* Lindl., 143, 147
 - acicularis nipponensis* Crép., 147
 - aneuploids in, 88
 - apomixis in, 258
 - autotetraploid in, 104
 - arvensis* Huds., 133
 - basic diploid species, 129
 - Bourgeauiana* Crép., 147
 - caesia* Sm., 133
 - canina* L., 126
 - centifolia* L., 164
 - chromosomes of, 22, 63
 - damascena*, 164
 - distribution of species, 143
 - evolution of species, 310
 - facultatively sexual, 262
 - formation of a new form, 32
 - formation of new genomes, 172
 - genetical species, 67, 130, 181
 - gigantea* Coll., 125
 - glaucocephala* Winch., 133
 - Gloire de Dijon, 164
 - hybrids fixed by apomixis, 262
 - irregular polyploid divisions, 127
 - La France, 164
 - losses of genomes
 - macrophylla* and var. *Korolkowii*, 104
 - micrantha* Sm., 133

362

INDEX

- Rosa* (*cont.*)
 non-disjunction in, 91
odorata Sw., 164
 origin of *Caninae*, 262
 origin of hybrid teas, 164
 origin of unequal polyploid species, 133
 pentaploids, origin of, 156
Pernetiana, 172
 polyploid pollen grains, 156
 polyploid species, 126, 129, 131
 predominant characters, 132, 134
 production of tetraploid gametes, 138
 regular but unequal reduction, 126
rugosa Thunb., 129, 147
Sayi Schwein., 147
 Septet species, 129, 164
 sexual polyploids, 260
spinosisima, composition of, 128, 129
Synstylae, 308
 Tea Roses, 164
 tetraploids, 103, 129
 unbalanced polyploids, 126
Willmottiae, 129
- Rosaceae*, chromosome numbers, 143
- Roseae*, 5
 genera, 311
- Rosenberg, apomixis in *Hieracium*, 262
- Rubus*, chromosomes of, 63, 143
 hybrids in, 166
 loganberry, origin of, 166
 new species formation, 166
 polyploids, 143, 166
rusticanus inermis, 166
thyrsiger, 166
- Rumex*, chromosomes of, 147
 polyploid inter-sexes, 244
- Rutherford, protons, 337
- Rybin, *Nicotiana*, 114
- Rye, *see Secale*
- Saccharomyces cerviciae*, division of, 274
- Sacharov, musical ability, 231
- St Hilaire, action of environment, xvi
- Salaman, potato viruses, 279
 virus complexes, 281
- Salicaceae*, chromosomes of, 147
- Saunders, genetical experiments, xxi
- Sax, *Rhododendron*, 180
Triticum, 149, 150
- Schmidt, sex-linked inheritance, 238
- Schwarzenbach, Tomato, 88
- Science, achievements of, 337
- Scirpus* (Bulrush), chromosomes, 63
- Secale cereale*, hybrids with *Triticum*, 138
- Secondary polyploids, 92, 145
- Segmental interchange, *see* Translocations
- Segmented chromosomes, 58
- Segregation, 5, 30, 32, 47
- Selection, human, 88, 202, 322
- Selenia bilunaria*, melanic mutant, 182
- Senecio* (Groundsel), chromosomes, 143
 polyploid species, 143
- Senecioneae*, polyploid species, 143
- Sequoia*, 180
- Serebrovsky, multiple allelomorphs, 285
 "scute" gene, 286, 287
 translocations, 70
- Service Tree (*Pyrus*), chromosomes of, 144
- Sex, and asexuality, 256
 and external influences, 254
 different degrees of, 264
 differentiation of, 256
 evolution of, 257, 302
 facultative, 262
 hormones, 247
 in dioecious plants, 254
 in hermaphrodite plants, 254
 in monoecious plants, 254
 linked inheritance, 236
 reversal of, 247
 seasonal variation of, 256
 vital evolutionary process, 328
- XO* inheritance, 251
- X* and *Y* chromosomes, 237, 251
- ZW* and *ZO* chromosomes, 254
- Sex chromosomes, 35, 236, 251
 and gynandromorphs, 96
 different types of, 246, 250
 in flowering plants, 256
 in various insects, 245
 segregation of, 37
 types of compound, 255
XY type, 37
ZW type, 37
- Sharp, chromosome behaviour, 22
 sex chromosomes, 247, 250, 256
- Sheffield, *Oenothera* chromosomes, 75
 Virus diseases, 279
- Shimotomai, *Aster*, 143
Chrysanthemum, 143
Rumex, 244
- Shiwago, Fowl chromosomes, 254

INDEX

363

- Shrimp (*Gammarus*), rates of development, 287
- Silene*, chromosomes of, 29
 - species, 51
- Silenoideae*, chromosomes of, 23
 - species, 52
- Simonet, *Iris* species, 64, 119
 - Solanum* species, 65
- Skovsted, *Aesculus*, 140
- Smallpox, 277
 - change to cowpox, 281
- Smith, Henderson, Virus diseases, 279
- Smith, Kenneth, Virus diseases, 281
- Snail hermaphrodites, 256, 302
- Solanum*, chromosomes, 63
 - diploid and polyploid, 110
 - new tetraploid species, 141
 - nodiflorum*, virus bodies, 279
 - polyploids, 116
- Solensbia* (Psychid), parthenogenesis, 259
 - tetraploids, 259
- Sophronitis*, sterility with *Cattleya*, 158
- Sorghum*, peculiar chromosomes, 53
- Sorrel, chromosomes, 147
- Species, and chromosomes, 48, 53
 - concept, 338
 - creation of new, 200
 - cytological differences, 49, 53
 - definition of, 66
 - discontinuity of, xix
 - evolution of, 220
 - evolution of, in *Crepis*, 81
 - experimental creation of, 172
 - formation, methods of, 49
 - genetical, xiv, 67, 131
 - genetical formation of new, 135, 140
 - good taxonomic, xiv
 - in *Datura*, 74
 - in *Rosa*, 125–129
 - Linnéan, xiv, 67
 - new, based on old, 331
 - origin of new, 151, 305, 306
 - origin of, in *Rosa*, 133
 - reconstruction of, 163–164
 - unit of evolution, 314
- Specific characters, in various animals, 220
 - working of, 218
- Spirogyra*, 301
 - conjugation in, 302
- Sporozoa*, 270
- Stadler, X-ray experiments with wheat, 197
- Stanton, musical ability, 231
- Sterility, as Mendelian character, 157
 - causes of, 152
 - due to translocations, 78, 79
 - in hybrids, 155
 - in Peas, 78
 - in *Zea Mays*, 79
 - necessity of in evolution, 309
- Stoughton, bacteria, 298
- Strangeways, cell division, 27
 - tissue culture, 28
 - X-rays and tissue culture, 199
- Streptococcus*, 273
- Strogaya, musical ability, 232
- Sturtevant, gene maps, 71
 - gynandromorphs, 95
- Sugar Beet, artificial polyploidy, 117
- Sugar Cane, chromosomes in, 167
 - hybrids in, 167
- Sumner, Florida mouse, 220
- Sweet Peas, chocolate and purple, 224
 - Countess Spencer, 223
 - cream, 223
 - cupid, 222
 - dwarf mutant, 221
 - flower colour, 221
 - gene for sterility, 158
 - habit of growth, 221
 - keel structure, 221
 - origin of Black Knight Cupid, 224
 - origin of Waved King Edward, 222
 - plastid colours, 223
 - pollen shape, 221, 223
 - purple picotees, 224
 - red, 223
 - scientific production of modern varieties, 223
 - specific gene complexes, 221
 - Spencer, 222
 - standards, 222
 - white, 224
- Sweschnikowa, *Vicia*, 60, 93
- Tackholm, *Rosa*, 125
- Tahara, *Chrysanthemum*, 142
- Tasmanian Devil, chromosomes, 50
- Taxonomy and genetics, 48, 64, 306
- Taxonomy, new experimental, xxi
- Taylor, *Aloe*, chromosomes, 66
 - composition of chromosomes, 44
- Tephrosia*, see Moths
- Terriers, coat pattern, 211

364

INDEX

- Tetraploid, 103
 - garden plants, 103, 108
 - origin from triploids, 171
- Thomson, electrons, 337
- Thornapple, *see Datura*
- Thyroid gland, 250
- Time, nature of, 340
- Timofeeff-Ressovsky, X-ray experiments, 198
- Timothy Grass, reconstruction of species, 164
- Tissue culture, 26
 - in plants, 26
 - of chick embryos, 26
- Toads, polyploid cells, 115
- Tobacco, mosaic viruses, 280
- Tomato, aneuploids, 167
 - diploids and polyploids, 106
 - haploid, 109
 - origin of new forms, 11
 - polyploidy by wounding, 115
 - secondary trisomic types, 88
 - trisomic types, 88, 168
 - virus disease, 280
- Trabants, 62
- Tradescantia*, chromosomes, 78
 - living chromosomes in, 28
- Transformations of Lamarck, xix
- Translocations, 68, 305
 - by X-raying, 192, 193, 197
 - importance in evolution, 81, 192
 - increase of complexity, 81
 - in *Crepis*, 80
 - in *Datura*, 72
 - in Man, 79
 - in *Oenothera*, 76
 - in peas, 91
 - in *Zea Mays*, 79
 - physical basis of, 69
 - production of new races, 74
 - proof of linear genes, 284
 - random assortment, 79
 - secondary types in *Datura*, 85
 - speeding up, 194
 - tertiary types in *Datura*, 86
- Transmutations, 81, 173, 310
 - and evolution, 309
 - vital evolutionary process, 328
- Trench fever, 277
- Trichoniscus provisorius*, 259
 - parthenogenesis, 259
 - triploid variety, 259
- Triploids, 103
- Trisomes, 82
- Triticale*, new genus formed experimentally, 138
- Triticum*, chromosomes of hybrids, 150
 - Einkorn, 150
 - Emmer wheats, 149
 - gene complexes in, 230
 - genetical species in, 150
 - hybrids with *secale*, 138
 - “Marquis”, 229, 230
 - modifying genes, 229
 - polyploids in, 149
 - polyploid species, 149
 - red grain inheritance, 229
 - vulgare* wheats, 149
 - X-ray experiments, 197
- Tschermak, *Aegilotricum*, xxi
 - discovery of Mendel's paper, 16
 - formation of new genus, xxi, 150
 - new species in *Triticum*, 151
 - turgido-villosum*, 151
- Tuberculosis, bacteria of, 275
- Tulips, chromosomes of different species, 105
 - chromosomes of triploid and pentaploid, 157
 - origin of pentaploids, 156
 - polyploid varieties, 108
- Typhoid, bacteria of, 275
- Typhus, 277
- Unicellular organisms, 265
 - complex types, 269
- Universities, first, 336
- Vaccine lymph, bodies in, 279
- Vacuoles, 268
- Varieties, fluctuating, xviii
- Vavilov, distribution of species and varieties, xx
- Vertebrates, evolution of, 316, 323, 324
- Vicia*, chromosomes of Vetch species, 60
 - diploid and tetraploid, 93
- Viola, arvensis*, 169
 - chromosomes of *Melanium* section, 148
 - ecological factors, 169
 - hybrids in, 169
 - increase in chromosome number, 91
 - species formation, 147
 - tricolor*, 169

INDEX

365

- Virgin Birth, *see* Apomixis and Parthenogenesis
- Viruses, animal, 297
 - complex nature of, 281
 - in potatoes, 297
 - in tobacco, 297
 - intracellular inclusions, 297
 - progenes, 283
 - reverse origin, 298
 - sizes of, 277
 - X, Y, Z, in potato, 297
- Wallace, geographical distribution, xix
- Wasps, production of different sexes, 264
 - X-ray experiments, 194
- Watkins, wheats, 149
- Webbed fingers, inheritance of, 79
- Webber, *Nicotiana*, hybrids, 162
- Weismann, chromosome theory, 39
 - germ plasm, xvii
- Wells and Huxley, bacteria, 275
 - co-operation of cells, 301
 - uni-cellular organisms, 269
- Wenrich, grasshopper, 44
- Wheat, polyploid pollen, 114
 - red multiple genes, 214
 - speltoids, 94
 - see also* Triticum
- Wheat-Rye, new genus, 138
- White Beam, chromosomes of, 144
- Whitehead, "organism", xiii
- Whiting, X-ray experiments with Wasps, 194
- Whitlow-grass, chromosomes of, 147
- Willis, *Age and Area*, xix
- Willows, chromosomes of, 147
- Wilson, animal and plant cells, 19
 - Ascaris*, 120, 121
 - diagram of cell, 266
 - Euglypha*, 273
 - Life cycle in animals, 31
 - parthenogenesis, 261
 - sex chromosomes, 242, 245, 255
 - size differences of chromosomes, 24
 - Solanum*, 116
- Winge, experiments with Beet, 117
 - sex-linked inheritance, 238
- Winkleman, X-ray experiments, 201
- Wright, Sewall, mathematics of evolution, xix
- "X bodies", 279
- X-radiation:
 - cause of polyploidy, 115
 - effects on living organisms, 189
 - future possibilities, 294
 - mutants, 189
 - speeding up mutation, 200
 - transmutants, 191
- Yellow fever (virus), 277
- Yule, statistics of age and area, xx
 - statistics of peas, 12
- Ziehen, musical ability, 232