

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

SUBJECT INDEX

Numbers in Clarendon refer to the second volume.

- Absorption spectra, 68
 - rare earths, **81**
 - X-rays, 193
- Alkaline earths, arc and spark spectra, 46
 - inter-system lines, 57
 - interval rule, 63
 - isoelectronic spectra, 212
 - jj coupling, **142**
 - singlets and triplets, 47
- Alkalis, doublet series, 23, 31–2
 - doublet intensities, **107**
 - forbidden lines, **215**
 - isoelectronic spectra, 212
- Alternating intensities, **200–2**
- Aluminium, **22–4**
 - absorption spectrum, 68
 - displaced terms, 7
 - displacement law, Al III, 177
 - Landé's doublet formula, 215
 - perturbed series, **151**
- Analysis, hyperfine, **189**
 - multiplet, **48**
 - series, 18
 - Zeeman, 99
- Angstrom unit, 5
- Anomalous Zeeman effect, 85, **144**
- Antimony, **28–32**
 - fluorescence, 80
- Arc spectra, 46
- Argon, **39–44**
 - ionized, **38, 145**
 - level diagram, **40**
 - nebular lines, **218**
- Arsenic, **28–32**
- Atomic magnetism, atomic rays, 129
 - electronic theory, 129
 - paramagnetic ions, 135
- Atomic rays, 129
 - nuclear spin, **201**
 - velocity selector, **200**
- Atomic volumes, 161
- Auroral line, **35, 215–17**
- Balmer series, 2, 5, 7, 9
 - fine structure, 41
 - reversal, 69
- Band spectra, 172
 - nuclear spin, **201**
- Bands, anti-Stokes, **233**
 - in phosphores, **233**
- Barium, 46–58, **50**
 - abnormal intensities, 135
- Bergmann series, 22
- Beryllium, 46–58
 - displaced terms, 6
 - Moseley diagram, 204
- Bismuth, **28–32**
 - hyperfine structure, **169–70, 181–3, 185**
 - magnetic moment, 133
 - X-ray spectrum, 197–8
- Bohr magneton, 87, 128, 130
- Boltzmann distribution law, 70, **85, 234**
- Boron, **22–4**
- Bromine, **36–9**
- Cadmium, 46–58
 - displaced terms, 7
 - hyperfine structure, **170–1, 207**
 - ionised, **67**
 - magnetic moment, 132
- Caesium, 18–39, **50**
 - doublet structure, 30
 - intensities, **107–8**
 - level diagram, 39
 - series, 39
- Calcium, 46–58, **50**
 - diffuse triplets, 56
 - displaced terms, 1
 - doublet limit, **158**
 - effective quantum numbers, 51
 - intensities, **102**
 - ionised, 178, 205
 - level diagrams, 50, 52, **2**
 - perturbed series, **151**
 - series, 48
- Carbon, **24–8**
- Catalysts, 188
- Centroid of a multiplet, 65
- Cerium, **53, 78**
- Chlorine, **36–9**
 - hyperfine structure, **207**
 - level diagram, **37**
- Chromium, **57–8**
 - g factors, **125**
 - intensities, **106**
 - intervals, **148–9**

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

268

SUBJECT INDEX

- Chromium (*cont.*)
 phosphores, 229–32
 Zeeman patterns, 117
- Cobalt, 61, 63
 intensities, 106
 magnetic moment, 134
- Coloured ions, 188
- Columbium, 54, 57
 Zeeman patterns, 103
- Column III, 22–4
 „ IV, 24–8, 140–2
 „ V, 28–32
 „ VI, 33–4
- Combination of electrons, energy rules, 15
 equivalent electrons, 11
 inverted terms, 17
 unlike electrons, 9
- Combination principle, 21, 24
- Configurations, 179–93
 elements tabulated, 194–5
- Copper, 66–9
 g factors, 155
 level diagram, 69
 magnetic moment, 132
 perturbed series, 151–4
 Zeeman patterns, 103–4, 118
- Correspondence principle, 13, 36, 93
- Coupling, deviations from Russell-Saunders, 43–4, 122
 jj, 28, 136–43
 Russell-Saunders, 3–5, 22
- Covalency, 167, 172
- Crystals, energy levels, 228
- Deutonic nuclei, 205, 214
- Diamagnetism, 127
- Diffuse series, 18
 doublets, 31, 34, 37
 formula, 23
 Stark effect, 158
 triplets, 54–6
 Zeeman types, 83
- Displaced terms, alkaline earths, 1
 Be and Mg, 6
 Zn, Cd and Hg, 7
- Displacement law for spectra, 175–8
- Displacements, atomic, 19, 128, 133
 electronic, 19, 128–33, 147–50
 in electric field, 145, 157–60
 in magnetic field, 112, 124
 sum rule, 124, 126
- Distribution law, Boltzmann's, 70, 85, 234
- Doublet formulae, irregular, 206
 Landé's, 212–16
 regular, 208
- Doublet formulae (*cont.*)
 screening, 206
 Sommerfeld's, 210–11
 spin, 208
- Doublet series, 23, 31–2
- Earth metals, 22–4
- Effective nuclear charge, 203
- Effective quantum number, 22
- Electric field, see Stark effect, 144
- Electron, in nucleus, 209–10
 magnetic moment of, 96
 mass of, 14, 44, 84
- Electron impact, 76
- Electron orbits, 10–13, 26–8, 207
- Electron theory of magnetism, 127
- Electronic angular momentum, see *J*, 34
- Electronic displacements, 147–50
- Electronic structures, 179–95
- Electrovalency, 167
- Energy of interaction of two vectors,
 orbital and spin vectors, 65
 in strong magnetic field, 112
 in weak magnetic field, 97
- Energy rules, multiplet, 15
- Enhanced lines, 46
- Equivalent electrons, 11
- Erbium phosphores, 242
- Erect terms, 35
- Europium, hyperfine structure, 199
 phosphores, 236
 valency, 78
- Excitation, by electron impact, 76
 by monochromatic light, 78
 potentials, 73
- Exclusion principle, periodic system, 201
 combination of electrons, 11, 17
- Fine structure, constant, 210
 of helium, 44–5, 60–1
 of hydrogen, 40–4
- Fluorescence, in crystals, 228
 hyperfine, 192
 in vapours, 80
- Fluorescent crystals, chromium phosphores, 229
 energy levels, 228
 Lenard phosphores, 245
 platino-cyanides, 246
 rare earth phosphores, 236
 uranyl salts, 241
- Fluorine, 36–9
- Fluorite, 236
- Forbidden lines, 27, 151, 215
- Frame elements, 184

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

SUBJECT INDEX

269

- Fundamental series, 22
 doublets, 32, 37
 formula, 23
 triplets, 57
- g*, see Magnetic splitting factor, 90
- Gadolinium, 83
- Gallium, 22–4
 nucleus, 211
- Γ , see Displacement
- Germanium, 24–8
- Gold, 66–7
 magnetic moment, 132
- Ground terms, 68
 elements tabulated, 194
 long periods, 187, 45–7
 rare earths, 192, 80
 short periods, 183
- Hafnium, 53–4
- Halogens, 36
- Heavy hydrogen, 15, 167
 nucleus, 206, 214
- Helium, 59–62
 ionised, 14, 44–5
 level diagram, 59
 Stark effect, 151–4
- Hydrogen atom, Bohr's theory, 10
 electron orbits, 28
 magnetic moment, 132
 mechanical moment, 11
 wave mechanics, 15
- Hydrogen spectrum, Balmer's series, 2, 5, 13
 fine structure, 40–3
 series, 5
 Stark effect, 145–51
- Hyperfine structure, empirical, 166
 intensities, 183
 isotope displacement, 187
 nuclear mass, 167
 Paschen-Back effect, 173
 vector model, 168
 Zeeman effect, 173
- Indium, 22–4
 absorption spectrum, 69–70
- Inert gases, 36–41
 diamagnetism, 139
 g factors, 146–7
 intervals, 127
- Inner quantum number, see *J*, 34
- Intensities, alkali doublets, 107
 experimental, 90
 hyperfine, 183–7
 iron-frame elements, 104
 jj coupling, 150
- Intensities (*cont.*)
 normal multiplet, 35, 91
 quadrupole, 227
 raies ultimes, 120
 sum law, 93, 135
 super multiplet, 101
 tables, 95–9
 X-ray, 196
 Zeeman, 98, 108
 Zeeman tables, 112–15
- Intermediate magnetic fields, 116
- Inter-system lines, 57
 jj coupling, 28
 Zeeman effect, 116
- Interval quotient, 65
- Interval rule, 63
 hyperfine, 173
 hyperfine perturbed, 197–9
 perturbation, 155
- Invariance, of *g* sum, 123, 123–6
 of Γ sum, 124, 126
- Inverted terms, 35, 16–20
- Iodine, 36–9
 jj coupling, 142
- Ionisation potentials, from electron impact, 72
 from series limit, 20–1
 long periods, 187, 189
 rare earths, 192, 74
 short periods, 182–3
- Iron, 59–61
 magnetic moment, 132
- Iron-frame elements, ground terms, 46
 compared with other frames, 70–4
 paramagnetic ions, 140–3
- Irregular doublet law, 206
- Isoelectronic sequences, Moseley law, 203–5
 screening doublets, 206–8
 spin doublets, 211–12
- Isotope displacement, 187–97
- J*, definition, 34
 orientation in magnetic field, 88, 129–31
 series limit, 159
- jj coupling, 28, 136–43
 intensities, 150
- Krypton, 39–44
- Landé's doublet formula, 212
- Lanthanum, 50, 53
 g factors, 155
- Lead, 24–8
 fluorescence, 79

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

270

SUBJECT INDEX

- Lead (*cont.*)
 isotope displacements, 197
 magnetic moment, 133
 Lenard phosphores, 245
 Level diagrams, optical, 11, 24
 X-ray, 197–8
 Limit, calculation of series, 20
 displaced, 3
 multiplet, 31, 42, 159
 Lithium, 18–39
 hyperfine structure, 166, 168
 level diagram, 25
 Moseley diagram, 204
 nucleus, 214
 series, 19
 Zeeman patterns, 105
 Long periods, analysis, 48
 configurations, 48
 ground terms, 45
 individual spectra, 49–70
 in periodic system, 183–7
 three rows compared, 70–4
 Lorentz unit, 84
 Lutecium, 50, 53
 hyperfine structure, 199
 Magnesium, 46–58
 displaced terms, 6
 intensities, 218
 intervals, 150
 ionised, 177
 Paschen-Back effect, 115, 117
 Zeeman effect, 105, 119
 Magnetic field, see Zeeman effect, 82
 Magnetic moment, of atoms, 132–4
 of electrons, 96
 of ions, 135–43
 of nucleus, 203
 Magnetic splitting factor, atomic rays, 131
 definition, 90
 sum law, 123
 tabulated, 92–3, 100–1
 Magnetism, 187
 Manganese, 58–9
 intensities, 100, 106
 Zeeman effect, 116
 Mass effect in hyperfine structure, 167
 Matching strong and weak terms, 118
 Mercury, 46–58
 absorption spectrum, 70–2
 displaced terms, 7
 excitation potentials, 75
 forbidden line, 215
 hyperfine intervals, 197–9
 hyperfine structure, 190–2
 intensities, 101–3
 Mercury (*cont.*)
 ionised, 67
 isotope displacements, 193–5
 level diagram, 53
 magnetic moment, 132
 quadripole radiation, 222
 resonance radiation, 79
 Zeeman effect, 118
 Molecules, symmetrical, 201–2
 Molybdenum, 57–8
 intervals, 148–9
 Moseley's law, optical, 199
 X-ray, 203–5
 Multiplets, 62
 analysis, 48
 intensities, 94–9
 Multiplicities in iron row, 175
 Nebular lines, 217
 Neodymium phosphores, 242
 Neon, 39–43
 absorption spectrum, 69
 hyperfine structure, 168
 intervals of s terms, 134
 jj coupling, 141
 series limits, 43, 159–60
 Stark effect, 155
 Neutronic nuclei, 205, 212–13
 Neutrons in nucleus, 209–10
 Nickel, 63–5
 g factors, 155
 intensities, 105–6
 magnetic moment, 134
 Stark effect, 158–60
 Nitrogen, 28–32
 inverted terms, 20
 level diagram, 29
 nebular lines, 218
 nucleus, 206–7, 214
 triplet limit, 32
 Normal Zeeman triplet, 134
 Notation in complex spectra, 49
 Nucleus, electric field of, 200
 magnetic moment of, 203–6
 spin of, 200
 structure, 208
 types of, 204–5, 208
 One line spectra, 76
 Orbits, exclusion principle, 201
 general atom, 26–8
 hydrogen, 10–13
 Orbital vector, 26
 Oxygen, 33–5
 auroral line, 216–17
 intensities, 101
 level diagram, 33

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

SUBJECT INDEX

271

- Oxygen (*cont.*)
 magnetic moment, 134
 nebular lines, **218**
 Paschen-Back effect, 106, 115
- Palladium, **63–5**
 Palladium frame elements, 188
 ground terms, **47**
 paramagnetism, 143
- Paramagnetism, classical theory, 136–8
 frame elements, 140–3
 gases, 138
 Langevin's theory, 127
 rare earths, 138–40
- Partial Paschen-Back effect, 115
 intensities, **118–19**
- Paschen-Back effect, empirical, 105
 hyperfine structure, **173**
 intermediate fields, 117
 invariance of g sum, 123
 invariance of Γ sum, 125
 matching strong and weak terms, 119
 partial effect, 115
 quadrupole, **225**
 vector model, 111
- Penetrating orbits, 27
- Periodic system, 161–202
 displacement law, 175
 electronic structures, 179
 exclusion principle, 201
 rare earths, 75
 valency, 166
- Periodic table, 163, 165
- Perturbation, **150–7**
 hyperfine, **197–8**
- Phosphores, chromium, **229**
 Lenard, **245**
 rare earth, **236**
- Phosphorescence, **228–9**
- Phosphorus, **28–32**
 hyperfine structure, **207**
- Photometry, **90**
- Platino-cyanides, **246**
- Platinum, **66**
- Platinum frame elements, 189
 ground terms, **47**
 paramagnetism, 143
- Polarisation in, Paschen-Back effect, 112–13
 quadrupole radiation, **220**
 Stark effect, 148, 154
 Zeeman effect, 112, **109**
- Potassium, 18–39, **50**
 displacement law, 178
 electron impact, 78
 forbidden lines, **215**
- Potassium (*cont.*)
 g sum, K II, **126**
 hyperfine structure, **207**
 magnetic moment, 132, 138
 Moseley diagram, 205
 quadrupole line, **222–5**
 Stark effect, 178
- Praseodymium phosphores, **238, 240, 243**
- Principal series, 18
 doublets, 31, 36
 formula, 23
 triplets, 51, 55
 Zeeman types, 83
- Protonic nuclei, **204, 210–12**
- Protons in nucleus, **209–10**
- Quadrupole radiation, forbidden lines, **215**
 intensities, **227**
 polarisation rule, **221**
 quantum mechanics, **219**
 selection rules, **220**
 Zeeman effect, **221**
- Quantum mechanics, hyperfine perturbation, **199**
 Paschen-Back effect, 117
 quadrupole radiation, **219**
 valency, 172
 Zeeman effect, 97
- Quantum of action, 10
- Radium, 46–58, **50**
Raies ultimes, **120**
- Raman spectra, **228, 235**
- Rare earths, **75–89**
 absorption spectra, **81**
 arc and spark spectra, **79**
 configurations, 190–2
 in periodic system, **75**
 ionisation potentials, 192
 paramagnetism, 138
 phosphores, **236, 242–3**
 valency, **77**
- Regular doublets, 208
- Resonance potentials, 72
- Resonance radiation, 78
- Rhenium, **59**
- Rhodium, **63**
- Rubidium, 18–39, **50**
 electron impact, 78
 g sum, Rb II, **126**
 nucleus, **209**
- Russell-Saunders coupling, **3–5, 22**
 deviations from, **122**
- Ruthenium, **59, 61**
 Γ sum, **132**

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

272

SUBJECT INDEX

- Rydberg constant, 2
 for helium, 14
 for hydrogen, 12
 for other atoms, 19
- Samarium, **85–9**
 phosphores, **236–40, 243**
 valency, **78**
- Scandium, **50–3**
 ionised, 178, 205
- Screening, constant, 203
 doublet, 206
- Selection rules, displaced terms, **4**
 for J , 57
 for L , 26
 Paschen-Back, 112–13
 quadrupole, **220**
 Stark, 148, 154
 X-ray, 196
 Zeeman, 89
- Selenium, **33–5**
- Self-reversal, 18, 69
- Serial number, 19, 23, 49
- Series, 5, 18
 formula, 18–21
 intensities, **104**
 limits, 10–11, 21, **158–65**
- Sharp series, 18
 doublet, 31, 36
 formula, 21–3
 Stark effect, 158
 triplet, 54–5
 Zeeman types, 83
- Short periods, 181–3
 deep terms, **14**
 elements, **21**
 ground terms, **16–18**
 irregularities, **22**
- Silicon, **24–8**
 doublet limit, **160**
 ionised, 177
 level diagram, **25**
- Silver, **66–7**
 hyperfine structure, **207**
 magnetic moment, 130–2
- Singlet spectra, 47
- Sodium, 18–39
 absorption spectrum, 68
 controlled electron impact, 77
 D lines in magnetic field, 106–10, 112–13
 displacement law, 177
 fluorescence, 79–81
 forbidden lines, **215**
 Landé's doublet formula, 215
 level diagram, 33
 magnetic moment, 132
- Sodium (*cont.*)
 nuclear spin, **201**
 Paschen-Back effect, 115
 quadrupole lines, **223–5**
 Stark effect, 155
 Zeeman patterns, 85
- Spark spectra, 46
- Spectroscopic terms, 62
- Spin doublets, 208
 X-ray, **130**
- Spin of nucleus, **200**
- Spinning electron, doublet series, 32
 Zeeman effect, 94
- Stark effect, 144–60
 experimental, 144
 forbidden lines, **215**
 in crystals, **234**
 in hydrogen, 145
 in other elements, 151
- Stationary states, 3, 10
- Statistical weight of a term, 66
- Stripped atoms, 207
- Strong field, 106
- Strontium, 46–58, **50**
 intensities, **102**
 perturbation, **157**
- Sulphur, **33–5**
- Sum rules, g sum, **123**
 Γ sum, **126**
 intensity, **135**
- Super multiplet, intensities, **101**
- Tellurium, **33–5**
- Temperature class, **49**
- Terbium, valency, **78**
- Terms, 3, 9, 11
- Thallium, **22–4**
 absorption, 69–70
 fluorescence, 79
 hyperfine structure, **172–89**
 intensities, **108**
 isotope displacement, **194**
 level diagram, **23**
 magnetic moment, 132
 nucleus, **206**
- Tin, **24–8**
 magnetic moment, 133
- Titanium, **53–4**
 g factors, **155**
 Γ sum, **132**
 intensities, **101, 106**
 ionised, 178, 205
- Transition elements, 184
- Triplet terms, 49
- Tungsten, **58**
- Uranyl salts, **241**

SUBJECT INDEX 273

- Valency, 166–75
 rare earths, 77
Vanadium, 54, 57
Vector model, alkali doublets, 29
 combination of several electrons, 9
 displaced terms, 3
 general coupling, 135
 hyperfine intervals, 199
 hyperfine structure, 168, 172
 hyperfine Zeeman effect, 173
 interval rule, 65
 jj coupling, 27–8
 Paschen-Back effect, 111–12
 Stark effect, 157
 Zeeman effect, 88–9

Wave mechanics, 3
 hydrogen atom, 15
 hyperfine structure, 176, 179
Wave numbers, 5
Weak field, 106

X-rays, 193–200, 228
 spin doublets, 209–11, 130
Xenon, 39–43
 Stark effect, 156–7,

Ytterbium, phosphores, 236
 valency, 78
Yttrium, 50, 53

Zeeman effect, 82–104
 analysis, 99
 anomalous types, 85
 hyperfine, 173
 intensities, 98, 108–20
 magnetic splitting factors, 92–3,
 100–1
 normal triplet, 82
 quadripole, 221
 quantum theory, 86
 spinning electron, 94
 unresolved patterns, 106
Zinc, 46–58, 67
 displaced terms, 7
 Landé’s doublet formula, 215
 magnetic moment, 132
Zirconium, 53–4
 doublet limit, 161
 g factors, 154, 156
 intensities, 106

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

AUTHOR INDEX

Numbers in Clarendon refer to the second volume.

- Albertson, W., **79**
 Allen, J. S. V., **106**
 Altschuler, S., **213**
 Andrade, E. N. da C., 69, 78, 81
 Arnot, F. L., **81**
 Aston, F. W., **188, 208**

 Bacher, R. F., short periods, **44**; long periods, **74**; hyperfine structure, **173, 199**
 Back, E., Paschen-Back effect, 104–6, 115–18, 126; *g* factors, **147**; hyperfine structure, **169, 178, 180, 187**
 Bakker, C. J., halogens, **36**; *g* sum, 125; quadrupole Zeeman effect, **222–6**
 Balmer, J. J., 2, 5
 Barratt, S., **220**
 Bartlett, J. H., **150**
 Bear, R. S., **85, 88–9**
 Bechert, K., **150**
 Becker, F., **217, 227**
 Becquerel, J., **82–3**
 Blair, H. A., 104, **125**
 Blaton, J., **227**
 Bohr, N., 3; H atom 10*f*., He ion, 14; selection rule, 89; Stark effect, 157; periodic table, 163–4, 180–91; rare earths, **75, 79**
 Boltzmann, L., 2, 70, **85, 234**
 Born, M., 175, 202
 Bourland, L. T., 143
 Bowen, I. S., doublet laws, 204, 207, 212; nebular lines, **217–19**
 Boyce, J. C., nitrogen, 20; nebular lines, **217–19**
 Brackett, F. S., 7
 Bragg, W. H., 202
 Bragg, W. L., 202
 Breit, G., matching terms, 120; isotope displacements, **194–7**; nuclear spin, **201**
 Brickwedde, F. G., **167**
 Brück, H., **170–1**
 Bryden, S. D., **209**
 Buoma, T., **106**
 Burger, H. C., helium, 60; intensities, **101–4**; Zeeman intensities, **108–10**; photometry, **121**

 Cabannes, J., **228**
 Cabrera, P., 139
 Campbell, J. S., **84, 221**
 Capel, W. H., 139
 Carter, N. M., 27, **216**
 Casimir, H., **199, 200**
 Chalk, L., 149, 150
 Charola, F., 80
 Chenault, R. L., **8**
 Coelingh, M., **102**
 Cohen, V. W., 131, **200–1**
 Compton, K. T., **20**
 Cotton, A., 84
 Condon, E. U., 158–9
 Crookes, W., **236**
 Curie, S., 127
 Curtis, W. E., 7

 Dadiou, A., **228**
 Darwin, C. G., Paschen-Back effect, 117; quantum mechanics, 211; Paschen-Back intensities, **118**
 Darwin, K., 109–10
 Datta, S., **215**
 Davis, B., 74–5
 de Boer, J. H., 167, 172, 202
 de Broglie, L., 15
 de Bruin, T. L., **36, 125**
 de Gramont, A., **120**
 de Haas, W. J., 139
 Dennison, D. M., **200**
 Deutschbein, O., rare earths, **83**; chrome phosphores, **230–5**
 Dewar, J., 2
 Dickinson, R. G., **201**
 Dijkstra, H., **147**
 Dirac, P. A. M., **93**
 Dobson, G. M. B., **90**
 Dorgelo, H. B., **91–3, 109**
 du Bois, H., **235**

 Eastman, E. D., **209**
 Eckart, C., **167**
 Ehrenfest, P., **82**
 Elias, G. J., **235**
 Eliason, A. Y., **95, 150**
 Epstein, P. S., 147
 Evans, E. J., 14, **168**
 Evans, S. F., **142**

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

276

AUTHOR INDEX

- Evert, H., **240**
 Eymers, J. G., **102**
- Fagerberg, S., **240**
 Fermi, E., **108, 203–7**
 Ferschmin, A., **40**
 Filippov, A., **107**
 Fisher, R. A., **104**
 Foote, P. D., **215, 8**
 Fortrat, R., **68**
 Foster, J. S., **149–51, 155**
 Fowler, A., helium, **14**; series laws, **21**;
 doublet series, **31**; Moseley's law,
 205; carbon, **28**
 Fowler, H. W., **27, 216**
 Franck, J., **76, 81**
 Frank, A., **139**
 Fraser, R. G. J., **129–30, 143**
 Fraunhofer, J., **68**
 Frayne, J. G., **218–19**
 Freed, S., **139, 83–5**
 Frerichs, R., intensities, **106, 121**;
 auroral line, **221**
 Fridrichson, J., **76**
 Frisch, S., **40**
 Führtbauer, C., **71, 107**
- Gale, H. G., **15**
 Gebauer, R., **145**
 Gehrecke, E., **84**
 Gerlach, W., **129, 132–3, 138**
 Gibbons, J. J., **197**
 Gibbs, R. C., H_α , **43**; He atom, **61**;
 doublet laws, **208, 212–16**; f elec-
 trons, **14**; cerium, **80**
 Götze, R., **23, 1**
 Goucher, F. S., **74–5**
 Goudsmit, S. A., spinning electron, **32–4**;
 fine structure of hydrogen, **40–5**;
 He atom, **58**; Paschen-Back effect,
 111; doublet laws, **209–10, 216**;
 short periods, **44**; long periods, **74**;
 combination of electrons, **20**; g , **126**,
 143; Γ sum, **130–2**; jj coupling,
 142; perturbation, **156**; hyperfine
 structure, **169, 173, 180, 199**; nuclear
 moments, **203–7**; rare earth phos-
 phores, **240**
 Grace, N. S., **43, 197**
 Granath, L. P., **168**
 Grebe, L., **197**
 Green, J. B., Paschen-Back effect, **117**;
 doublet laws, **216**; perturbation,
 155; hyperfine structure, **175–7**,
 183–6
 Griffith, I. O., **90, 121**
 Grotrian, W., hydrogen, **40**; helium, **40**,
 58; aluminium, **68**; indium, **70**;
 Stark effect, **155**; Moseley diagrams,
 205; nebular lines, **217, 227**
- Guthrie, A. N., **143**
- Haberlandt, H., **236**
 Hansen, G., helium, **41, 60**; hyperfine
 structure, **168**
 Harkness, H. W., **156, 160**
 Harrison, D. N., photometry, **90, 121**
 Harrison, G. R., intensities, **106, 135**
 Heard, J. F., **156, 160**
 Heisenberg, W., hydrogen, **40**; helium,
 61; Paschen-Back effect, **117, 120**;
 intensities, **91, 111**; nuclear struc-
 ture, **209**
 Heitler, W., **174**
 Hellmann, H., **202**
 Herlihy, J., **108**
 Hertz, G., **69, 76, 206**
 Hesthal, C. E., **106**
 Hevesy, G. v., **75, 81, 89**
 Hill, E. L., **185**
 Hiyama, S., **145**
 Hoag, J. B., **15**
 Hönl, H., **93, 111**
 Hopfield, J. J., **35**
 Houston, W. V., hydrogen, **41–3**;
 helium, **60**; Lorentz unit, **84**; per-
 turbed g factors, **155, 178**; quadri-
 pole radiation, **215, 219, 226**
- Howes, H. L., **241**
 Hsieh, Y. M., **43**
 Hübner, H. J., **107**
 Huff, L. D., **215, 226**
 Hughes, D. S., **167–8**
 Hund, F., electronic structures, **193**;
 energy rules, **15**; combination of
 electrons, **20**; short periods, **24–36**,
 44; inert gases, **42**; long periods,
 74; series limit, **160–3**
- Idei, S., **200, 206**
 Inglis, D. R., perturbed, terms, **156**;
 nucleus, **210, 212, 214**
 Ishida, Y., **145**
 Iwama, T., **147**
 Iwanenko, D., **210**
- Jack, R., **102**
 Jackson, D. A., **207**
 Janes, R. B., **143**
 Jantsch, G., **236**
 Jenkins, H. G., **120**
 Jevons, W., **174, 202, 201**
 Jog, D. S., **28**
 Johnson, M. H., **106, 135**

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

AUTHOR INDEX

277

- Jones, E. G., **197–8, 207**
 Joos, G., **107, 232**
 Jordan, P., hydrogen, 40; energy levels, 81; Paschen-Back effect, 117, 120; Zeeman intensities, **111**
 Kalia, P. N., **79**
 Kallmann, H., hyperfine structure, **194–6, 210, 214**
 Karlik, B., **236**
 Karlson, P., **79**
 Kassner, L., **147**
 Kast, W., **157**
 Kayser, H., **214**
 Kellogg, J. M. B., **201**
 Kent, N. A., **41**
 Keyston, J. E., **171, 185–91, 193**
 Kiess, C. C., *g* factors, 90, 100; zirconium, **106**; perturbation, **154**; series limit, **161**
 Kiess, H. K., **106, 154**
 King, A. S., **46, 49, 79**
 Klemm, W., **236**
 Koch, J., **151**
 Kohlrausch, K. W. F., **228**
 Kohn, H., **107**
 Kossell, W., **169, 176, 186**
 Kramers, H. A., **147, 154**
 Krömer, E., **125**
 Kronig, R. de L., intensities, **93, 104, 150**; Zeeman intensities, **111**
 Kruger, P. G., **61**
 Kuhn, H., **207**
 Kurt, E. O., **134**
 Ladenburg, R., **71, 155**
 Landé, A., selection rule, 57; interval rule, 63; *g* factors, 90; Zeeman effect, 104; Γ sum, 125; doublet formula, 212; oxygen, **35**; neon, **41**; *g* sum, **125**; nucleus, **210–14**
 Lang, R. J., **80, 161**
 Langer, R. M., **152**
 Langevin, P., **127**
 Langstroth, G. O., **135, 156**
 Laporte, O., interval rule, 64; paramagnetic ions, 141; *raies ultimes*, **121**; *g* sum, **126**; perturbation, **156**; selection rule, **220**; rare earth phosphores, **240**
 Lenard, P., **73, 246**
 Leu, A., **132–3**
 Lewis, G. N., **170**
 Liveing, G. D., **2**
 London, F., **174**
 Lorentz, H. A., **82, 84**
 Loring, R. A., **155**
 Lo Surdo, A., **145**
 Lyman, T., 7, 58, **39**
 McLennan, J. C., **35, 216, 221**
 McLeod, J. H., **221**
 Mack, J. E., **162**
 Masaki, O., 40
 Meggers, W. F., *g* factors, 90, 100; intensities, **104**; *raies ultimes*, **121**; *g* sum, **125**; Γ sum, **132**; forbidden lines, **215**
 Meissner, K. W., caesium, 38; rubidium, 40; neon, 69; atomic rays, 130
 Mendeléeff, D., **162, 165**
 Mensing, L., **117**
 Metcalfe, E. P., 70
 Meyer, S., 139
 Milianczuk, B., **225**
 Miller, G. R., **126**
 Millikan, R. A., doublet laws, 204, 207, 212; displaced terms, **6**
 Minkowski, R., **147, 160**
 Mishima, T., **168**
 Mitchell, A. C. G., 81
 Mohler, F. L., 79, **215**
 Moll, W. J. H., **121**
 More, K. R., **197**
 Moseley, H. G. J., 199, 203
 Mrozowski, S., **192**
 Mulliken, R. S., **174**
 Murakawa, K., **147**
 Murphy, E. J., **167**
 Nagaoka, H., **168**
 Newman, F. H., 77
 Nichols, E. L., **241**
 Nutting, G. C., **84, 232**
 Ornstein, L. S., intensities, **101–4, 106**; Zeeman intensities, **108–10**; photometry, **121**
 Paschen, F., hydrogen, 7; serial numbers, 23; helium, 45, 58; Paschen-Back effect, 105–6, 115; oxygen, **35**; neon, **39, 42**; perturbed series, **151**
 Pauli, W., matching terms, 119; *g* sum, 124; Stark effect, 158; exclusion principle, 201; *g* sum, **125**; hyperfine structure, **166, 168**
 Pauling, L., doublet laws, 209, 216; combination of electrons, **20**; Γ sum, **132**; *jj* coupling, **142**
 Pearson, H., 41
 Pflüger, A., 71
 Pfund, A. H., 7

Cambridge University Press

978-1-107-50581-0 - Atomic Spectra: And the Vector Model: Volume II: Complex Spectra

A. C. Candler

Index

[More information](#)

278

AUTHOR INDEX

- Phipps, T. E., 134
 Piccardi, G., 192, **75**
 Pickering, W. H., 14
 Placzek, G., **228**
 Planck, M., 10
 Poetker, A. H., 7
 Pogány, B., **42**, **145–7**
 Preston, T., 85, 105
 Pringsheim, P., absorption spectra, 69,
 78, 81; fluorescence, **241**, **244–6**
 Przibram, K., **236**
- Rabi, I. I., atomic rays, 129, 131, 143;
 nuclear spin, **200–1**
 Raman, C. V., **228**
 Ramb, R., 40
 Ramsauer, G., 155
 Rasetti, F., **107–8**, **220**
 Rawlins, F. I. G., **232**
 Rayleigh, Lord, 80–1, **215**
 Ritz, W., 3, 21, 24
 Rolla, L., 192, **75**
 Roschdostwenski, D., **107–8**
 Rosenthal, A. H., **36**
 Rowles, W., 155
 Ruark, A. E., 180, 202
 Rubinowicz, A., 89, **227**
 Ruedy, J. E., **221**
 Rumer, G., 174
 Rump, W., 79
 Runge, C., 58, 85, 214
 Russell, H. N., series laws, 21; notation,
 34; unresolved patterns, 104;
 matching terms, 120; xenon, 158;
 displaced terms, **1**, **5**; notation, **4**;
 combination of electrons, **10**; euro-
 pium, **79**; intensities, **93**, **104–5**;
 g sum, **125**; Γ sum, **132**; perturbed
 series, **151**, **154**
 Rydberg, J. R., Rydberg constant, 2;
 series formula, 18; combination
 principle, 21, 24
 Ryde, J. W., **120**
 Ryde, N., 156
- Saha, N. K., **83**
 Sambursky, S., **108**
 Sauer, H., **232–3**
 Saunders, F. A., **1**, **5**, **39**
 Sawyer, R. A., **7**, **126**, **151**
 Scheffers, H., 130
 Schlapp, R., 151
 Schmidt, T., isotope displacements,
 195; hyperfine structure interval
 rule, **199**; nuclear structure **209**;
 fluorescence, **246**
- Schnetzler, K., **232**
 Schrödinger, E., 149
 Schüler, H., hyperfine structure,
 lithium, **166**; vector model, **170–1**;
 intensities, **185–7**; isotope dis-
 placement, **189–97**; perturbation,
 197–9; nucleus, **204–5**, 209–10,
 213–14
 Schuster, A., 2
 Scribner, B. F., **121**
 Segré, E., nuclear moments, **203–7**;
 quadrupole radiation, **222–6**
 Selwyn, E. W. H., 205
 Seward, R. S., **106**
 Sexl, T., **200**
 Shane, C. S., 15, 43
 Shenstone, A. G., unresolved patterns,
 104; notation, **34**, **4**; inverted terms,
 19; *g* sum, **125**; Γ sum, **132**; per-
 turbation, **151**, **154–5**; series limit,
 161
 Sherman, A., 202
 Shrum, G. M., 27, **216**
 Sidgwick, N. V., 167, 172, 202
 Siegbahn, M., 200, 202, **228**
 Slater, J. C., 58, 174, **130**
 Smith, D. M., **120**
 Snow, C. P., **232**
 Sommer, L. A., **221**
 Sommerfeld, A., intensity rule, 35; H I
 and He II, 40–5; Paschen-Back
 effect, 115; matching terms, 119;
 paramagnetism, 141; displacement
 law, 176; doublet laws, 210–11,
 216; intensities, **91–3**
 Sowerby, A. L. M., **220**
 Spedding, F. H., H₂, 15, 43; para-
 magnetism, 139; rare earths, **83–9**;
 chromium compounds, **232–4**; rare
 earth phosphores, **238**
 Spencer, J. E., **89**
 Stark, J., 144–5, 150, 160
 Stern, O., 129, 132, **210**
 Stevenson, A. F., **220**
 Stokes, G. G., **229**
 Stoner, E. C., 136, 143
 Stoney, G. J., 2
- Takamine, T., 158–9, **8**
 Tamm, I., **213**
 Taylor, J. B., 132
 Taylor, L. B., 41
 Temple, G., **209**
 Terenin, A., 80
 Terrien, J., **147**
 Thomas, E., **168**
 Thornton, R. L., 149

AUTHOR INDEX 279

- Tomaschek, R., rare earths, **83**; fluorescence, **242-3**, **246**; rare earth phosphores, **236-40**
Trautenberg, H. R. v., 145
Turner, L. A., 34, 4
Twyman, F., **120**

Uhlenbeck, G. E., spinning electron, 32; H I and He II, 40-5; helium, 58; doublet laws, 210; *g* factor, **143**
Unsöld, A., 45
Urbain, G., **236**
Urey, H. C., periodic system, 180, 202; combination of electrons, **20**; hyperfine structure, **167**

Van Arkel, A. E., 167, 172, 202
Van Geel, W. C., 117, **110**, **116-21**
Van Lohuizen, T., 87
Van Vleck, J. H., 138-9, 143, 202
Van Wijk, W. R., **101**
Venkatesachar, B., 70
Voigt, W., 105-6, 108, 117
von Baeyer, A., 84

Weiss, P., 84

Wentzel, G., 196, 5
West, G. D., 15
Weyl, A., 174
Whiddington, R., 13
White, H. E., doublet laws, 208, 212, 216; combination of electrons, **14**; cerium, **80**; intensities, **95**, **150**; perturbation, **151**; series limit, **163**
Whitford, A. E., **126**
Wick, F. G., **244**
Wiersma, E. C., 139
Wilber, D. T., **14**
Williams, J. H., 43
Williams, S. E., **108**
Wolff, H. W., **107**
Wood, R. W., 68, 79, **228**
Wrede, E., 132
Wulff, J., hyperfine structure, **175-8**, **183-7**

Zacharias, J. R., **201**
Zahrahnick, J., 211
Zeeman, P., Zeeman effect, 82, 104; aluminium, **36**; hyperfine structure, **169**, **180**
Zemansky, M. W., 81