

INDEX

- Abbey Crag, 200
Aberdeen, 100, 116, 222, 250, 415, 428,
443, 447, 466, 500
Aberdeenshire, ague in, 509
Ant, Small Red House, in, 440
Buzzard in, 135
Capercaillie in, 270, 272, 356
Deer, foreign, in, 254
Red, in, 211
Dog, early remains in, 87
Eagle, Golden, in, 128
forests of, 311
destruction, by storm, 324
for agriculture, 322
Fox in, 122
Gulls, change of food habit in, 412
Kittiwake, as food, 142
Horses, early remains in, 72
“wild” in, 80
Kite in, 133
Marten in, 161
Mosquitoes in, 512
pearl fishing in, 194, 195
Perch in, 279
Polecat in, 165
Rabbit warren in, 250
Rat, absence from eastern, 426
Black, in, 427
Salmon fisheries of, 380, 384
Squirrel, Red, in, 294, 296, 297
Tench in, 279
Trout, “Rainbow,” in, 278
Urus, prehistoric remains in, 51
Wolf in, 116, 121, 311
Woodpecker, Great Spotted, in, 358
wool of, 46
Aberfoyle, 128
Abernethy, 314, 321, 354, 358
Abernyte, parish of, 509
Aboyne, 294
Abraxas grossulariata. See Moths, Mag-
pie
Acanthocinus ædilis, 472
Achatina fulica, 459
Actora æstuum, 395
Adamnan's *Life of St Columba*, 222
Africa, dispersal of pests from and to, 421,
442, 444, 450, 451, 458, 459, 460
East, 440
South, 452, 464
Agelaius phæniceus. See Starling, Red-
winged
Agelastica alni, 472
Agriculture in Scotland. See Cultivation
Ague in Scotland, 373, 508–513
Ailsa Craig, 130
Airleywright, 346
Alaska, 110, 246, 257, 458
Alauda brachydactyla, 394
Alca impennis. See Auk, Great
Alces alces. See Elk
Alder, Joshua, 464
Aleurobius, 410
Alexandria, 289
Alford, 125, 272
Vale of, 294
Algeria, 442
Allman, Prof., 386
Allt nan Uamh, Bone Cave of. See Inchna-
damph
Alnwick, River, 277
Alosa alabamæ. See Shad
Alston, E. R., 186 f.-n., 288
America. See below, and also Canada
dispersal of pests to and from, 435, 444,
447, 457, 473
introduction of animals and plants to and
from, 242, 258
America, North, dispersal of pests to and
from, 446, 454, 456, 458, 465, 469, 471,
472. See below, and also Canada
forest, destruction of, 327
America, South, dispersal of pests to and
from, 452, 475
America, United States of, animal pre-
serves of, 236, 387
Colorado Beetle in, 387–388, 397, 409,
411
counter-pests in, 259, 260
dispersal of pests to and from, 259, 423,
436, 440, 441, 442, 450, 451, 452, 453,
458, 459, 460, 461, 462, 463, 465,
469
Earthworms in, 393
fisheries in, 220, 258, 277
protective legislation relating to animals,
187, 206, 227
Rats in, 431
river barriers affecting salmon fisheries of,
380
Seal, Fur, protection of, 223
American Blight. See Aphis, Woolly
Indians, 28, 454
Anacharis canadensis, 473
Anderson, Dr James, 47
Dr Joseph, 58, 87
Angel fish, 19
Anglesey, 423

INDEX

519

- Angus, 356
- Animals, acclimatization of, 246
 balance, even, necessary for successful
 adaptation, 255, 257, 419, 486, 489
 chains of circumstances affecting, 479
 changes in habits, 400-416
 complex of life, 498, 499
 decline in physique, 489
 decrease due to cultivation and civiliza-
 tion, 365-386, 488
 deliberate destruction of, 109-196, 480,
 481
 deliberate interference with, 25 *et seq.*
 development of man's influence upon,
 480
 dispersal of, 397-399
 domesticated, numbers added to fauna,
 486
 domestication of, 27-107. *See* Domes-
 tication
 extermination of larger and addition of
 smaller, 497
 fauna, the great change in, 497
 forest, destruction of, affecting, 327-364
 increase, due to cultivation and civiliza-
 tion, 387-396
 in numbers, 492-496
 in variety, 496
 indirect interference with, 303 *et seq.*, 498-
 505
 influences tending to increase numbers,
 387-396, 481-488, 492-496
 to modify character and habits, 489
 to reduce numbers, 488
 introduction of, deliberate, for amenity,
 264, 283-300
 for sport, 264-282
 for utility, 246-263
 introduction of, unforeseen, 417-475,
 480, 487
 native, on Man's arrival in Scotland, 12
et seq.
 post-glacial, 12
 protection of, 197-240, 481, 485, 487
 recoil upon man of his influence upon,
 506-517
 sanctuaries, 236
 selection of domicile by, 400
 transportation of, 278-282
- Annan, River, 276
- Annandale, 429, 430
- Anobium domesticum*, 404
paniceum. *See* Beetles, Biscuit
- Anser anser*. *See* Goose, Grey Lag
- Anthonomus pomorum*, 392
signatus, 392
- Antilles, the, 421
- Ants, as food of pheasants, 268
 introduction in food materials, 440
 Red House, 440
 tropical, introduced into greenhouses,
 463
- Antwerp, 414
- Apanteles glomeratus*, 458
- Aphis, Cabbage, 458
 Corn, 440
 Turnip, 392
 Woolly (American Blight), 392, 461,
 474, 487
- Aphodius*, increase of, 396
- Appin, 352, 398
- Apple, introduction of pests with, 449
- Apple seed chalcid, 453
- Apple trees, American Blight on. *See*
 Aphis, Woolly
 Codlin Moth as pest on, 451, 475
 Scale insects on, 450
- Aquila chrysaetus*. *See* Eagle, Golden
- Arctic fauna, 12, 13
 flora, 10, 305, 306
- Arctocephalus ursinus*. *See* Seal, Fur
- Ardea egretta* and *candidissima*. *See* Egrets
- Ardnamurchan, 164, 296, 494
- Ardrossan shell-mound, 19, 71, 158
- Argali, the, 44
- Argentina, 262, 459, 460
- Argyllshire, Cattle, Highland, in, 61
- Capercaillie in, 270, 273
 Celtic shorthorn in, 57, 58
 Chough in, 178
 Deer, Fallow, in, 287
 Red, in, 31, 334
 Roe, in, 31, 331, 332
 domestic stock in, 494
 forest, destruction in, 319, 320, 354
 Marten in, 161
 Minnow in, 279
 Polecat in, 164
 Rabbit in, 252
 Squirrel in, 294, 296, 352, 353, 354
 Starling, Red-winged, in, 283
 Willow Grouse in, 275
- Arhopalus speciosus*, 472
- Arkaig, Loch, 314
- Arran, Capercaillie in, 270, 355
 Chough in, 178
 Deer, Virginian, in, 254, 287
 Hare, Common Brown, in, 280
 Mountain or Variable, in, 281
 Minnow in, 279
- Arrochar, 161, 288
- Arthur's Seat, 190
- Arvicola ratticeps*. *See* Vole, Northern
- Ascaris lumbricoides*, 422
megalocephala, 422
- Asellus aquaticus*, 414
- Ashby, Lincolnshire, 139
- Ashiestiel, 314
- Ashkirk, 336
- Ashworth, Prof. J. H., 403
- Asia, 421, 442
- Askaig, Loch, 134
- Asparagus, pests introduced with, 459
- Aspidotus alienus*, 461 f.-n.
pernicius. *See* Scale Insects, San Jose
- Assam, 328

Cambridge University Press

978-1-107-51203-0 - The Influence of Man on Animal Life in Scotland: A Study in Faunal Evolution

James Ritchie

Index

[More information](#)

520

INDEX

- Assynt, 120, 126, 177
Astur palumbarius. See Goshawk
Athalia colibri, 392
Athene noctua. See Owl, Little
 Athole, foreign Deer in, 254
 Forest of, 114, 200
 royal hunts in, 119, 210–211, 265, 266, 283, 285, 331, 355
 Auk, Great, 17, 148
 destruction of, 110, 138, 142–146, 488
Aulacaspis pentagona. See Scale Insects, Mulberry
 Australasia, 463
 Australia, Apple Scale in, 450
 Bed-Bug, Tropical, in, 421
 Codlin Moth in, 452
 Corn Weevils in, 442
 Greenbottle Fly in, 423
 Hare and Rabbit in, 241, 253, 255
 Land Planarians in, 464
 Mediterranean Fruit Fly in, 451
 plants and animals introduced into, 241, 242, 245, 255
 Awe, Loch, 126, 134, 164, 278, 294, 319, 322, 331
 Ayala, Don Pedro de, 41, 149
 Ayr, 472
 Ayr, River, 276, 277, 293
 Ayrshire, Alpine Hare in, 282
 American Brook Trout in, 277
 Beaver, prehistoric remains in, 158
 Boar, Wild, prehistoric remains in, 90
 Capercaillie in, 270, 273
 Cattle, prehistoric remains in, 34, 51, 56, 57
 Chough in, 178
 Deer, Red, prehistoric remains in, 34, 333
 Dog, prehistoric remains in, 34, 87
 Goat, prehistoric remains in, 34
 Grayling in, 276
 Hawks in, 199
 Horse, prehistoric remains in, 34, 70, 71
 Kite in, 133
 Marten in, 161
 pearl fishing in, 195
 Polecat in, 164
 pollution of rivers in, 384
 Rabbit in, 252
 Reindeer, prehistoric remains in, 338, 340, 344
 Sheep, prehistoric remains in, 34
 skin produce of, 156
 Squirrel in, 293
 Trochus lineatus in shell-mounds in, 20
 Urus, prehistoric remains in, 51
 Wolf, prehistoric remains in, 115
 Baddingsgill, 402, 403
 Badenoch, 211
 Badger, denizen of ancient Scottish forests, 308, 329
 Badger—*Cont.*
 destruction of, 229, 369
 for skin, 156, 166, 170
 for sport, 184–186
 drowned by floods, 328
 Flea, Human, parasitic on, 420
 importation for sport, 264
 protection through popular favour, 233
Balena mysticetus. See Whales, Greenland
Balanoptera. See Whales, Rorqual
 Balance of animal life, 257, 486, 488, 489
Balanus tintinnabulum. See Barnacle, Common Acorn
 Balgone, 69, 89
 Ballochbuie Forest, 314
 Balquhidder, 161
 Baltimore Oriole, 299
 Bananas, introductions with, 447, 474
 Banchory, 272, 294, 358
 Banffshire, “bog butter,” discovered in, 58
 Capercaillie in, 272
 Great Spotted Woodpecker in, 35
 Kite in, 133
 Squirrel in, 296
 Wolf in, 120
 Banks, Sir J., 461
 Barclay, Dr William, 285
Baridium aeterrimus, 463
 Barnacle, Common Acorn, distribution by ships, 432
 Barra, 75, 277
 Barrett-Hamilton and Hinton, Messrs, 248, 425, 429
 Barry, Rev. Geo., 284
 Sir F. T., 348
 Barvas, 280
 Bass, Black, 258, 259
 Striped, 380
 Bass Rock, 147, 171, 251
 Bastin, Harold, 515
 Bates, H. W., 171
 Bats, 379
 Battle Abbey, 401
 Bealach na Uidhe, Loch, 279
 Beans and peas, pests introduced in, 445, 446
 Bear, Brown, denizen of ancient Scottish forests, 308, 329
 effect of destruction of forests upon, 351
 extermination of, 112–115, 481, 496, 497
 prehistoric remains of, 17, 20, 112, 114, 330
 reduction in size, 490
 Beasts of prey, destruction of, 109, 111
 destruction of forest to extirpate, 120, 318
 effects of destruction of, 197, 489
 Beaufort Castle, 181, 295, 296, 297
 Beaully, 273
 Beaully Firth, 118
 Beaully River, 295
 Beaver, in Scotland, 17, 155, 157
 destruction for skin, 155, 157–158, 221, 308, 329, 482, 497

INDEX

521

- Beaver—*Cont.*
 prehistoric remains, 157, 158
 re-introduction for amenity, 242, 298
 Bedford, Duke of, 288
 Bedfordshire, 288
 Bee, Hive, domestication of, 107
 fertilization of flowers by, 515
 indirect effects of Isle of Wight disease of, 515
 introduction to Britain, 515
 to New Zealand, 257
 Beetles, Asparagus, European, 459
 Bean, 446
 Biscuit, 410, 444
 Black. *See* Cockroach
 change of food habits of, 409, 410
 Cigarette, 445
 Click, increase of, 392
 “Clock,” 239, 416
 Cockchafer, 235, 392
 Colorado, 387–388, 397, 409, 411
 “Death Watch,” 404
 Dung, 239, 396
 Furniture, 404
 Grain, 441
 Heather, 206
 houses selected as domicile by, 404
 increase due to dung, 396
 introduction, into greenhouses, 463
 with flour, 443
 with wheat, 440
 Ladybird, 235, 260, 261
 Lentil, 446
 Longicorn, transportation in timber, 470
 Pea, 392, 445, 474
 pine, 329, 472
 Scarabee, 474
 Store, 442
 Timber, or Capricorn, 470
 Timberman, 472
 Tobacco, 410
 Turnip Flea, 392
 Weevils, *q.v.*
 Belfast, 436
 Belgium, 469, 474
 Belhelvie Moss, 51
 Bellenden, John, 83, 90, 173, 251
 “Ben, Jo,” 173
 Ben Lui, 314
 Ben More, 126
 Ben Venue, 128
 Bennachie, Capercaillie in woods of, 272
 Forest of, 311
 Bennie, James, 11, 305
 Berlese, A., 262
 Berner, Dame Juliana, 277
 Berriedale, 295
 Berry, William, 395
 Berwick, North, 432
 Berwick-on-Tweed, 226, 471, 472
 Berwickshire, ague in, 509, 510
 Beaver in, 157
 Berwickshire—*Cont.*
 Boar, Wild, in, 90
 Bustard in, 274
 Chough in, 178
 Deer, Red, in, 333
 Roe, in, 330, 331
 Elk in, 346, 347
 Hare, Mountain or Variable, in, 282
 Polecat in, 164
 Rabbit in, 252
 Squirrel in, 352
 Tench in, 279
 Urus in, 51
 Wild Cat in, 125
 Beveridge, F. S., 412
 Bignold, Sir Arthur, 288
Bilharzia hæmatobia, 422
 Birchwood, 446
 “Bird-butter,” 148
 Birds, carrion, protection as scavengers, 223–226, 395
 change of food habits of, 411
 change of habits induced by houses, 401
 destruction, as pest on fruit-crops, 411
 as vermin, 176–178
 by bird-catchers, 189, 193–194
 by lighthouses and other lights, 377–379
 by Little Owl, 256
 for food, 139
 for plumage, 110, 189
 of eggs, 148
 dispersal of, 399
 effect of destruction of forest upon, 329
 game, destruction for sport, 186–188
 influence of towns upon, 405–408
 insect-eating, increase due to cultivation, 393, 394, 485
 introduction for amenity, 283
 marshland, decrease due to reclamation of swamps, 370, 371, 373, 374, 488
 moorland and plains, decrease due to cultivation, 365
 mortality due to telegraph wires, 379
 of prey, destruction of, 109, 111, 127–137, 217, 489, 493, 498
 Paris Convention for Protection of, 277
 prehistoric remains of, 8, 17
 Protection Acts relating to, 227, 228, 229, 236
 protection by popular favour, 233
 for aesthetic reasons, 229
 for food, 216
 for sport, 183, 197, 202, 203, 204–207, 486
 for utility in agriculture, 227
 Royal Society for the Protection of, 236
 seed-eating, increase of, 389, 485, 496
 Birse, Forest of, 80, 81, 311
 parish of, 121 f.n.
 Biscuits, pests infesting, 441, 443, 444
 Bishop, A. Henderson, 19, 30, 316
 Bison, in Germany, 349

- Bittern, in Scotland, 21, 374
 destruction for sport, 187
 extermination due to reclamation of
 swamps, 374, 482, 497
 prehistoric remains of, 18
 protection for hawking, 203
 use as food, 140
Blabera gigantea, 463
 Black Loch, Wigtownshire, 90
 Blackbird, as pest, 228, 231
 change of food habit, 411
 increase of, 230, 394
 protection by popular favour, 234
 slaughter for food, 139
 Blackgame, 241, 266, 267, 271, 329
 price of, 140
 protection for sport, 203, 205, 206
 Blackhall, 274
 Blackwater, Slipper Limpet in, 424
 Blair Athole, 271, 287, 293, 319
 Blair Drummond, 56, 104, 273
Blastophaga grossorum, 257
Blatta orientalis. *See* Cockroach, Common
 "Bloomeries," 320 *et seq.*
 Boar, Wild, in Scotland, 16, 20, 89
 destruction for sport, 138, 184
 domestication of, 89-95, 491
 prehistoric and early remains of, 30, 33,
 89, 90
 Boar's Chase, 90
 Boarhills, 90
 Bobwhite. *See* Quail, Virginian
 Boece, Hector, 38, 46, 65, 80, 87, 88, 89,
 116, 118, 122, 127, 133, 155, 158, 200,
 268, 316, 318, 355, 365, 366, 371, 386
 Boelter, Mr., 431
 "Bog butter," 58
 Bonar Bridge, 295, 398
 Bone implements, 7
 Bo'ness, 435, 472
 "Book worm," 410
 Boorde, Andrew, 312
 Booth, E. T., 358
 Boreray, 146
 Borgue parish, 510
 Borland Water, 277
 Borness Cave, 56, 57, 72, 73, 331, 334
 Borough Loch, Edinburgh, 371
Bos taurus longifrons. *See* Cattle, Celtic
 Shorthorn
Bos taurus primigenius. *See* Urus
 Bot-fly, 423
 Botanic Garden, Cambridge, 436
 Edinburgh, 436, 463
 Glasgow, 436, 463
 Kew, 436
 Regent's Park, London, 466
Botaurus stellaris. *See* Bittern
Bothriocephalus latus, 421
 Braconid, 458
 Braemar, 80, 122, 125, 128, 136, 211, 314,
 356
 Brambling, 389
 Brand, Rev. John, 77, 130, 141, 169, 201,
 280, 299
 Brazil, 421, 460
 Breadalbane, 120
 Marquis of, 270
 Breaking in of waste lands, 365-370
 Bream, Sea, 8, 19, 149
 Black Sea, 19
 Brechin, 272, 293
 Bressay, 76
 Bridge of Frew, 292, 398
 Bridges, as means of dispersal of animals, 398
 Bristol, 466
 British Columbia, 242, 451
 Brochs, animal remains of, 52, 54, 57, 67,
 72, 76, 87, 90, 112, 114, 115, 144, 331,
 333, 337, 340, 341, 348, 350
 Brock. *See* Badger
 Broom, Loch, 296
 Brown, Prof. Hume, 47, 249, 312, 316, 371
 Browne, E. T., 433
Bruchus chinensis, 446
 lenticus, 446
 obtectus, 446
 pisorum, 445
 rufimanus, 446
 Buchan, 426
 Forest of, Aberdeenshire, 311
 Kirkcudbrightshire, 334 f.n.
 Buchan, Rev. A., 145
 Buchanan, J. H., 178
 Buchat, River, 278
 Buckinghamshire, 288
 Buffalo, American, 110
 Bugs, Bed, introduction of, 421, 487, 497
 houses selected as domiciles by, 404
 Common Mealy, 475
 Lantana, 461
 plant, 459, 474
 Tropical Bed, 421
 Vine, 461, 474, 487
 Bulbs, transportation of pests with, 465, 474
Bulimus decolletus, 465
 goodalli, 464
 octonus, 464
 undatus, 470
 Bullfinch, 231, 241, 242, 390
 Bunawe, 321, 353
 Buntings, 140, 394, 413
 Corn, 389
 European, 394
 Snow, 141
Bupestis hamorrhoidalis, 472
 Burbot, in Hamburg water-system, 414
 Burghead, 57, 161
 Burnham, J. B., 206
 Burra, 250
 Burt, Capt., 356
 Burwick, Broch of, 341
 Bustard, Great, 21
 destruction for plumage, 189
 for sport, 187
 extermination, 274, 363, 366, 482, 497

Cambridge University Press

978-1-107-51203-0 - The Influence of Man on Animal Life in Scotland: A Study in Faunal Evolution

James Ritchie

Index

[More information](#)

INDEX

523

- Bustard—*Cont.*
 protection for sport, 205
 re-introduction, 274
 Bute, Beaver in, 298
 Capercaillie in, 273
 Deer, Red, prehistoric remains of large,
 337
 Roe, in, 280
 Dunagoil vitrified fort, 316
 prehistoric animal remains in, 124, 337,
 490
 Hare, Common Brown in, 280
 Marten in, 161
 Squirrel in, 293
 Wild Cat, prehistoric remains in, 124, 490
Buteo buteo. See Buzzard, Common
 Butterflies, Artaxerxes, destruction by col-
 lectors, 190, 229
 Cabbage White, increase of, 392, 457
 Small, introduction to Canada, 458
 Comma, 369
 Copper, Large, destruction by collectors,
 190, 229
 disappearance due to cultivation, 369
 Orange-tip, 369
 Peacock, 369
 Ringlet, 369
 Skipper, Large and Small, 369
 Speckled Wood, 369
 Wall, 369
 Buxton, Sir Fowell, 270
 Buzzards, change of habit in selection of
 nest, 401
 Common, destruction of, 18, 134, 217
 Honey, destruction as pest, 135
 increase during War, 396
 Cabbages, pests introduced with, 457, 458,
 459
Caccabis petrosa. See Partridge, Barbary
rufa. See Partridge, Red-legged
 Cairns, horned or chambered, 8, 32, 40, 51,
 56, 58, 71, 89
 Cairntable, 282
 Cairnton of Kemnay, 427
 Caithness, Bear, Brown, in, 17, 112, 114
 Boar, early remains in, 89, 90
 Celtic Shorthorn in, 56
 Deer, Red, in, 187, 333
 Roe, 331
 Dog, early remains in, 87
 Elk in, 348
 Falcon in, 200
 forest, 310
 fossil fishes in, 482
 Fox, prehistoric remains of large size in,
 490
 Goose, Grey Lag, in, 104
 Great Auk in, 144
 Horse, early remains in, 71, 72
 Pigeons in, 100
 Rabbit in, 252
 Rats in, 426, 427, 432
 Caithness—*Cont.*
 Reindeer in, 14, 187, 341, 342, 345
 Sheep, Peat or Turbary, in, 40
 Snow Bunting in, 141
 Squirrel in, 295
 Urus in, 50, 51
Calandra granaria, 441, 445 f.-n.
oryzae, 445 f.-n.
 Calder Wood, 312, 314
 Calderwood, W. L., 151
 Caledonian Canal, 397
 Forest, 114, 312, 314
 Wild Cattle in, 65
 California, Fig Insect introduced into,
 257
 fishes introduced into, 258
 “Jack-Rabbit” in, 369
 Mediterranean Fruit Fly in, 451
 Phylloxera in, 461, 462
 quarantine inspection in, 474
 Scale insects and their counterpests in,
 260
 Callander, 273
Callidium variabile, 471
Calliphora erythrocephala. See Flies, Blow
vomitaria. See Flies, Blow
 Cambrensis, Giraldu, 158, 202, 376
 Camden, W., 114
 Campbell, Dr John, 27, 68, 186, 214, 221,
 222
 Bruce, 98
 J. F., 114
 J. G., 239
 Mr. Kingussie, 153
 Campsie, 292
 Fells, 178, 273
 Camster, 51, 56
 Canada, Asparagus Beetle in, 459
 Cabbage Aphid in, 459
 Butterfly in, 458
 Fly in, 458
 dispersal of animals by water transport
 in, 397
 introduction of plants and animals into,
 242
 Moth, Angoumois Grain, in, 442
 Codlin, in, 452
 Mediterranean Flour, in, 443
 Narcissus Fly in, 465
 Scale insect, Apple or Mussel, in, 450
 Camellia or Cottony, in, 460
 Mulberry, in, 460
 Wood-Wasp (*Sirex*) from, 468
 Canadian Water Weed, 473
 Canals as means of dispersal of animals, 397
 Canary, the, 299
 Canary Islands, 246, 466
Cannabina linota. See Linnet
 Canobie parish, 293
 Canoes, Neolithic, 9, 51, 56
 Cape of Boars, 90
 Cape of Good Hope, 451
 Capello, Venetian Ambassador, 225

Cambridge University Press

978-1-107-51203-0 - The Influence of Man on Animal Life in Scotland: A Study in Faunal Evolution

James Ritchie

Index

[More information](#)

- Capercaillie, as food, 266
denizen of Scottish forests, 329
extermination of, 354–357
introduction of, 268–274
prehistoric remains of, 18
- Capplach, Mount, 118
- Capreolus capreolus*. *See* Deer, Roe
- Caprimulga europæus*. *See* Nightjar
- Cara, 178
- Cardan, Dr Jerome, 41, 76
- Cardiff, 414
- Cardross, 199
- Cariacus virginianus*. *See* Deer, Virginian
- Caribou, 329, 345
- Carlisle, 292
- Carluke, 299
- Carmel River, 277
- Carmichael of Skirling, Lord, 284
- Carncrunch, 358
- Carp, introduction for sport, 277
into California, 258
- Carrbridge, 314
- Carron Iron Works, 321, 322
- Carron River, 312
- Carse clays, prehistoric remains in, 9, 10, 20
- Carse of Gowrie. *See* Gowrie
of Stirling, 9, 10, 20
- Castle Coole, 104
- Castle Grant, 358
- Castor fiber*. *See* Beaver
- Cat, domestication of, 106
Wild, destruction of, 124–126, 176, 177, 184, 229, 329, 482, 496
effect of destruction of forests upon, 351, 362
prehistoric remains, 124, 490
reduction in size, 490
- Caterpillars. *See* Butterflies and Moths
- Cattle, 20, 49–67
Aberdeen-Angus, 28, 60, 62
Ayrshire, 28, 61, 64
Celtic Shorthorn, 54, 55–60, 67
colour of, 62
development of milk supply, 64
domestication of, 55
early fattening of, 64
effect of grazing on forest growth, 323
Galloway, 29, 60, 62, 63, 64, 247
Belted or Shetted, 62
Highland Kyloes, 60, 62, 64
hornless, 62, 490
modern, 60–64
native wild, 49–52
numbers added to fauna, 486, 493
Orkney and Shetland, 60
parasites introduced with, 422, 423
prehistoric and early remains, 14, 31, 32, 33, 51, 55, 56, 57, 58, 73
Shorthorn, 60, 62, 64
South American Wild, 110
Urus. *See* Urus
“Wild” White, 54, 65
- Cave dwellings, animal remains in, 32, 34, 87, 89, 111, 112, 115, 331, 334, 337, 340, 344, 373
- Cawdor, 125, 296, 297
- Centipedes, increase of, 393
- Cerambyx cerdo*, 470
heros, 470
- Ceratitis capitata*, 448, 450
- Cercyon*, increase of, 396
- Cervus dama*. *See* Deer, Fallow
- sika*. *See* Deer, Japanese
- Cessnock River, 277
- Ceylon, 459
- Chad. *See* Shad
- Chaffinch, 389, 390
- Chalcids, 456
Apple Seed, 453
Douglas Fir Seed, 454, 473
Rose Seed, 456
- Champion, E. C., 446
- Changes in fauna, v
- Char, destruction by pollution in Lake
Coniston, 385
destruction for food, 152
disappearance from Loch Leven, 372
in prehistoric Scotland, 19
introduction for sport, 277
transportation of, 279
- Chataqua Lake, 258
- Cheimatobia brunata*, 392
- Cheltenham, 405
- Cherry trees, Scale insect on, 460
- Cheshire, 466
- Chesters, Roman Camp at, 112
- Cheviot Hills, 128, 160, 292
- Chichester, 431
- Chili, 450
- Chillingham Forest, 310
White Cattle in, 65
- Chilocorus similis*, 261
- China, 423
- Chironomus*, 415
- Chloropisca ornata*, 403
- Chortophila (Phorbia) brassicae*, 458
- Chough in Scotland, destruction as pest, 177
- Christian monuments, early, 76, 342
- Chrysomphalus aonidum*, 448
- Chrysophanus dispar*. *See* Butterflies, Large Copper
- Cimex hemiptera*. *See* Bugs, Tropical Bed
lectularius. *See* Bugs, Bed
- Cinclus cinclus*. *See* Dipper
- Cinn Trölla, Broch of, 87, 331, 341
- Circus cyaneus*, 134
- Civilization, change in habits of animals
induced by, 400–416
influences on animal life, 363, 377–417, 488, 516
- Clackmannanshire, Capercaillie in, 273
Deer, Roe, in, 332
Rabbit in, 252
Squirrel in, 292
- Clams, destruction for food, 153

INDEX

525

- Clarke, Dr W. Eagle, 141, 375, 378, 399, 401, 428
Clausilia, 329
 papillaris, 464
 Cleadon Hills, 144
 Cleaves Cove, Dalry, 158
 Clelland, Prof., 34, 87
 Climate of Scotland, changes in, 10, 305, 306, 308, 481
 destruction of forest due to, 308
 effect of destruction of forest upon, 327
 Clova Hills, 178
 Clover, red, in New Zealand, 257
 Clusius, 225
 Clyde, River, 69, 178, 276, 277, 385
 area of, 51, 312, 472
 Clythe, 51, 56, 71
 Coal, use of, 315
 Coal-pits, Cockroaches in, 435
 fauna of, 415-416
 Wood Wasps in, 469
 Coalecken iron-furnace, 322
 Coatbridge, 472
 Coccid. *See* Scale Insects
Coccothraustes coccothraustes, 230
 Cockle-beds of Forth, 386
 Cockroaches, American or Ship, 436
 as pest, 487
 Australian, 436
 Common, 435
 German, 438
 houses selected as domiciles, 405
 in coal-pits, 435
 introduced in dry food materials, 435-438
 introduced with bananas, 448
 introduction into greenhouses, 463
 Snowy Tree, 447
 "Cod, Murray," 259
 Codlin Moth, 451, 475
Colopa frigida, 395
 Colchester, Essex, 112
 Coldingham, 330, 346
 Coldstone parish, 324
 Colinton Dell, 471
 Colintrave, 161
Colinus virginianus. *See* Quail, Virginian
 Coll, 280
 "Collectors," destruction of animal life by, 189
 Collembola, introduced. *See* Springtails
 Collessie, 58
 Coln, River, 424
 Colombia, 475
 Colonsay, Chough in, 178
 prehistoric remains in, 31, 32, 33, 34, 74, 89
 Columba, St, 222
Columba livia. *See* Rock Dove
 Columbia Red Wood, 454
 Commerce, introduction of animals un-
 awares by, 416-475, 487
 Condor, destruction for plumage, 189
 Conger-eel, 8
 Coniston Lake, 385
 Connecticut River, 380
 Constantine's Cave, 173
Contarinia (Cecidomyia) tritici, 440
 (*Diplopsi*) *pyrivora*, 451
 Cony, origin of name, 248. *See* Rabbit
 Coot, 18
 Coralline, Oat-pipe, 433
 Cormorant, 8, 17, 141
 Corncrake or Landrail, decrease in num-
 bers, 368
 protection for sport, 205
 Cornwall, 411
 Corra Linn Fall, 178
 Corrour, 399, 401
 Forest of, 337
 Corse Burn, 294
 Corstorphine, 10, 233, 254, 289, 428
 Cortachy, 272
Corvus corax. *See* Raven
 Costa Rica, 475
Coturnix coturnix. *See* Quail
 Counter-pests, introduction of, 259-263, 419
 Cowden Burn, 50
 Crab, destruction for food, 154
 prehistoric remains of, 19
 protection for food, 220
 Craig Green, 340
 Phaidrich, 331
 Craigcrook, 346
 Craighleith, island of, 432
 Crail, 207, 249, 250
 Cramond, 346
 Crane in Scotland, 21, 375
 as food, 140, 266
 destruction for plumage, 189
 extermination due to reclamation of
 swamps, 375, 482, 497
 in Ireland, 376
 introduced species, 299
 prehistoric remains, 18
 price of, 140
 Crane-fly, increase of, 392
 Crannich, Forest of the, 358
 Crannogs, 40, 57, 71, 89
 Crawfordjohn, 178
 Cree, River, 293, 347
Crepidula fornicata, 424
Crex crex. *See* Corncrake
 Cricket, House, houses selected as domi-
 ciles by, 405
 increase of, 497
 introduced in dry food materials, 434
 Criffel Moor, 282
 Crinan Canal, 273
Crioteris asparagi, 459
 Croftamie, 338
 Crofthead, 50, 68, 69
 Cromarty, 31, 211, 440
 Firth, 295
 Cromdale, 471
 Crossbill, 329

- Crouch, River, 424
 Crow, Carrion, destruction as vermin, 136, 177, 217, 482
 increase as scavengers, 395
 increase during War, 396
 Hooded, destruction of, 137
 prehistoric remains of, 18
 protection as scavengers, 224, 225, 226
Cryptopleurum, increase of, 396
 Cuckoo, 234
 Culdross, 289
 Cultivation, breaking in of waste lands, 365, 481, 485
 change of habit induced in animals by, 400–416
 decrease of animal life due to, 365–386, 488
 destruction of forest for, 322
 disappearance of ague due to, 512
 increase of animal life due to, 387–396, 484, 485, 486, 487, 493–496
 influences on animal life, 363–417
 proportion of land in, 484, 493
 Cumberland, 293
 Cumbræ, 280
 “Cunningares.” *See* Rabbit-warrens
 Cunningham, J. T., 150
 Cupar, 447
 Abbey, 250, 376
 Curle, A. O., 214, 316, 426
 James, 72, 79
 Curlew, 266, 363
 decline due to reclamation of swamps, 376, 377
 price, 140
 Currie, 55, 86
Cydia (Carpocarpa) pomonella. *See* Moth, Codlin
Cyprinus carpio. *See* Carp
 “Daddy-long-legs,” increase of, 392
 Dalkeith, 292, 293, 435
 Palace, 286, 292
 Dalmeny, 290
 Dalmuir, 10
 Dalnaglar, 126
 Dalnaspidal, 399
 Dalry, 158
 Forest of, 126
 Dalzell, Sir J., 259
 Damon, Mr, 154
 Danube, River, 469
Daphnia pulex, 373
 Darenth Wood, Kent, 446
 Dark Forest, the, 314
 Darnaway, Forest of, 133, 334, 358
 Dartford, 446
 Darwin, Charles, 95, 98, 323
 Dawkins, Prof. Boyd, 56
 Day Poaching Act, 205
 Decoys, destruction of wild-fowl by, 139
 Dee, River, 272, 293, 294
 Deeside, 165
 Deer, conclusions regarding the race of, 349
 Elk, *q.v.*
 export of skins, 155, 156
 Fallow, introduction for amenity, 284–287, 496
 protection of, 213, 286
 foreign, failure to acclimatize, 254
 Giant Fallow, 14, 50, 52 f.n., 68, 481
 “Irish Elk.” *See* Giant Fallow Deer *above*
 Japanese, introduction of, 287, 288
 Red, banishment from lowlands owing to
 pasturage of sheep flocks, 42, 331, 334, 486
 denizen of ancient Scottish forests, 308, 322, 329
 destruction as pest, 181, 212
 destruction for sport, 138, 187, 207, 213
 effect of destruction of forest upon, 333–338, 350
 fewer numbers in modern Scotland, 493
 importation from Germany, 264
 in Jura, 212, 492
 in Lowlands, 207
 introduced into New Zealand, 242
 physical degeneracy, 16, 335, 489
 prehistoric and early remains, 16, 30, 31, 34, 284, 331, 333, 336, 337
 protection for food, 217
 protection for sport, 207–213, 286, 485
 restriction of range, 208, 333, 334, 486
 Reindeer, *q.v.*
 Roe, denizen of ancient Scottish forests, 308, 322, 329
 effect of destruction of forest upon, 330–333
 physical degeneracy of, 332, 490
 prehistoric and early remains of, 16, 31, 284, 330, 331
 protection for food, 217
 protection for sport, 213
 restriction of range, 330
 transportation of, 280
 royal hunts in Atholl, 119, 210–211, 265, 283, 285, 331, 355
 Virginian, introduction of, 254, 287
 Wapiti, introduction of, 254
 Deer forests, 207
 of Jura, 212, 492
 Deerness, 250
 Denmark, 431
Dermacentor reticulatus, 423
Dermanyssus gallinae, 423
 Derwent, River, 276
 Destruction of animals, as vermin and pests, 176–183, 212
 deliberate, 108–196, 488
 due to cultivation and civilization, 365–386, 488
 for food, 138–154
 for pleasure or luxury, 189–196

INDEX

527

- Destruction of animals—*Cont.*
 for safety of man and his domestic stock,
 109, 111–137, 488
 for skins and oil, 155–175
 for sport, 184–188
 indirect results of, 137, 488
 Deveron, River, 272, 279
 Devon, 465
Diaxenes dendrobii, 463
Diastrammena marmorata, 463
Dipodomys, 389
 Dipper, destruction as pest, 181, 182
 Dispersal of animals due to transport,
 397–399
 Dochart, River, 273
 Dochfour, 296
Dochmius (Ancylostomum) duodenale, 422
 Dodo, extermination of, 498
 Dog, domestication of, 29, 86–89, 490
 early remains of, 32, 33, 34, 86
 introduction to Australia, 243
 parasites introduced with, 422
 Scottish varieties of, 88
 Dog-fish, 8
 Spiny, 19, 149
 Dolphin, 8, 19
 Domestic animals, 21, 25, 35–108
 introduction of, 246
 into colonies, 242
 numbers added to fauna, 486
 parasites introduced with, 420, 422
 sequence of introduction, 32
 Domestication of animals, 27–108
 beginnings of, 28, 29
 distinctive Scottish breeds, 28
 general effects of, 27
 potent factor in faunal changes, 481
 recoil upon man, 506–517
 Domiciles, selection by animals of, 400
 Don, River, 195, 278, 279, 294, 380, 381, 384
 area of, 125, 165, 272
 Dordogne, Caves of, 344
 Dormouse, 233
 Dornoch, 287
 Firth, 126
Doryphora (Leptinotarsa) decem-lineata. *See*
 Beetle, Colorado
 Dotterel, 140
 Douglas Fir Seed Chalcid, 454
 Dovecots, 97, 98
 Doves. *See also* Pigeons
 introduction of exotic, 283
 Rock. *See* Rock Dove
 Turtle, 234, 241, 242, 266
 Dowally, 252
 Dowalton, Loch of, 57
 Drake, Sir Francis, 435
Dreissensia polymorpha, 414, 469
 Drumblade, 296
 Drumlanrig, 287
 Drummelzier, parish of, 323
 Drumoak, forest of, 311
 Drymen, 289
 Ducks, domesticated, 106
 Eider, 18
 Golden Eye, 104, 203, 266
 Shoveller, 203
 Teal, *q.v.*
 Wigeon, *q.v.*
 Wild, change of food habits in, 411, 412
 destruction of, 139, 188
 domestication of, 106
 prehistoric remains, 17
 price of, 140, 265
 protection for food, 17
 protection for hawking, 203
 Duddingston Loch, 346, 347
 Dulnan Valley, 314
 Dumbarton, 105
 Dumbartonshire, Capercaillie in, 273
 Falcon cyries in, 199
 Marten in, 161
 Polecat in, 164
 Reindeer, prehistoric remains in, 338
 Squirrel, Grey, in, 289
 Red, in, 292, 352
 Dumfries, 282, 293, 434, 447
 Fur Fair, 156, 162, 165, 167, 169, 170,
 180, 252, 390
 Dumfriesshire, Bear, Brown, prehistoric
 remains in, 17, 112
 Beaver, prehistoric remains in, 157
 “bloomeries” in, 320
 Chalcid flies imported, 456
 Deer, Fallow, in, 287
 Red, prehistoric remains in, 333
 Roe, prehistoric remains in, 16, 330
 forests of, 310
 Fox in, 122
 fur produce of, 156
 Grayling in, 276
 Osprey in, 133
 Pigeon in, 100
 Polecat in, 164
 Rabbit in, 168
 Reindeer in, 14, 340
 Squirrel in, 292, 293
 Wolf in, 121 f.n.
 Dunagoil, Bute, vitrified fort of, 316
 animal remains in, 124, 337, 490
 Dundee, 174
 Dunfermline, 161, 172, 442
 Dunipace, 199
 Dunkeld, 252, 254, 270, 293, 360
 Dunnet, parish of, 427
 Dunottar, 293
 Dunrobin, 126, 178, 295
 Duns, 347
 Castle, 292
 Duntroon, Bone Cave at, 31
 Durham, 144
 Durness, 126, 278
 Durrant and Beveridge, Messrs, 445
 Durris, 454, 455
 Duthil, 358
 Dyce, Forest of, 311

- Eagle, destruction for protection of food
 animals, 217
 Golden, destruction of, 127–128
 increase of, 230
 prehistoric remains of, 18
 White-tailed, or Sea, extermination of,
 130–132, 482
 Skua as enemy of, in Shetland, 228
- Earn, River, 272, 333, 381
- Earthworms, exotic, in hot-houses, 464
 in coal-pits, 416
 increase due to cultivation, 392–393, 496,
 497
 effects of, 515
 transportation of, 464, 465
- East Anglia, 275, 376
- East Grange, 256
- East Lothian. *See* Haddingtonshire
- Edderton, 126
- Eddystone Lighthouse, 378
- Ederachillis, 119
- Edinburgh, animals as scavengers in streets
 of, 224, 395
 Ant, Small Red House in, 440
 Ants, tropical, in Botanic Gardens, 463
 Arctic fauna of district, 14
 flora of district, 10
 Artaxerxes Butterfly on Arthur's Seat,
 190
 Badger near, 233
 Beetles, Longicorn, in, 472
 Celtic Shorthorn, prehistoric remains in
 Nor' Loch, 55
 Cockroach, American, in, 436
 German, in, 438
 Cricket in, 434
 Death's Head Moth in beehives near,
 409
 Deer, Red, prehistoric remains of large
 size in, 336
 Dove, primitive type, in, 96
 Flies, swarms of, in, 403
 Owls in, 406
Perichela indica in, 464
 Rat, Black, in, 427
 Raven in, 136, 395
 Reindeer, prehistoric remains near, 340
 in Zoological Garden, 254
 rookeries in, 405
 Snake, Smooth or Ringed as "escape"
 in, 299
 Thrips, in Botanic Garden, 463
 Tree-Frog transported in bananas to, 447
 Wagtail, Pied, in, 406
 Water Flea in pond near, 373
 Wild fowl in, 371
 wooden houses of, 316
- Edrom, 157, 331
- Edward, Robert, 356
- Edwards, J., 446
- Eel, Common, in waterworks, 413
 migrations of, 278
 Conger, 149
- Egrew, Schir Robert, 46, 251
- Eggs, birds', destruction for food, 148
 destruction of bird-life by collectors of,
 191
- Egrets, destruction for plumage, 110, 189
- Egypt, 441, 443, 446
- Eil, Loch, 296
- Einig, Glen, 296
- Eird, or Picts' Houses, animal remains of,
 40, 52, 57, 72, 74, 87, 331, 333
- Elgin, 279, 371
- Elginshire. *See* Morayshire
- Elibank, 314
- Elk, as denizen of Scottish forests, 14, 329
 extermination of, 207, 213, 346–349, 481,
 496, 497
 effect of destruction of forest upon, 346–
 350
- "Elk, Irish." *See* Deer, Giant Fallow
- Ellis, Sir H., 401
- Ellon, 161
- Elwes, H. J., 39
- Emberiza hortulana*. *See* Ortolan
- Emu, destruction for plumage, 189
- English Channel, the, 12, 13
- Enniskillen, 104
- Entomostraca, dispersal by canals, 397
- Ephestia kühniella*, 443, 445 f.-n.
- Erie Canal, 397
- Eriosoma lanigera*. *See* Aphis, Woolly
- Eriska, Isle of, 57
- Ermine. *See* Stoat
- Erne. *See* Eagle, White-tailed
- Ernle, Lord, 391
- "Escapes," 298
- Esk, North, River, 272, 293
- Eskdale, 117, 199, 331
- Esmore, 320
- Esox lucius*. *See* Pike
- Essex, 330
- Ettrick, River, 347
 Forest, 310, 313, 314, 334
 Deer, Red, in, 334
 royal chase in, 119, 208
 Sheep in, 41
 Wolf in, 119
- Eumeces quinquelineatus*, 469
- Euxoa (Agrotis) segetum*. *See* Moth, Dia-
 mond-backed
- Evans, Henry, 493, 494
- Evans, William, 190, 369, 378, 428, 429 f.-n.,
 435, 464, 492, 502
- Ewart, Prof. J. Cossar, 37, 39, 40, 44, 51,
 62, 69, 72, 75, 79
- Fair Isle, 97, 141
- Fala Hill, 164
- Falco peregrinus*. *See* Falcon
- Falcon, Peregrine, change of habit in
 nesting, 401
 destruction of, 134
 protection for sport, 199–203
- Falkirk, 322

INDEX 529

- Falkland, 164
Islands, 175
Farnham, 323
Farquharson, Rev. J., 324
Farrow, E. P., 253, 499
Fasciola (Distomum) hepatica. *See* Liver fluke
Fauna, changes affecting, v
Ferenze, forest of, 207
Ferret, 107
Fertilizing agents, introduction of, 515
Feugh, River, 294
Fiddich, 384
Fieldfare, 266, 394
Fife, Capercaillie in, 270, 272, 273
Celtic Shorthorn, early remains in, 57
Deer, Red, in, 207
early remains of large size, in, 337
Roe, in, 332
Dog, prehistoric remains in, 87
Flies, swarms of, in, 403
forests, destruction in, 312, 318
lochs and swamps in, 371
Marten in, 161
Owl, Little, in, 256
Partridge, Red-legged, in, 275
Pigeon caves and dovecots in, 97, 100
Polecat in, 164
Rabbit warrens in, 249, 250, 252
Rat, Brown, in, 395
Squirrel in, 292
Fifty-foot Beach, 9, 10, 11, 19, 20, 56, 70
Fig Insect, introduction to California, 257
Finches, 256, 413
increase of, 230, 485
Findhorn, River, 328
Finnart, 288
Fiorinia floriniae, 461 f.-n.
kewensis, 461 f.-n.
Fire, the Great, 316
Fisheries. *See also* Shell-Fisheries
protection of, 217, 220
yield of, 149
Fishes, decrease due to pollution, 382-386
decrease due to river barriers, 379-382
destruction for food, 149, 150, 151
dispersal by waterways, 397
food of early inhabitants, 8, 19, 149
fossil, in Caithness, 482
in waterworks, 413, 414
introduced, 258, 276, 284
introduction for amenity, 284
introduction for sport, 276-278
prehistoric remains of, 8, 19
protection for food, 217-220
transportation of, 278-279
Fish-hatcheries, 219
Fish-hawk. *See* Osprey
Fittis, R. S., 116
Fleas, Brown Rat as carrier, 423, 507
Human, in houses, 404
increase during War, 396
Fleas—*Cont.*
introduction unawares, 420
parasitic on Badger, 420
Plague, introduction unawares, 420, 507
"Shore," 395
"Water," 373, 397
Flies, Apple Seed Chalcid, 453
Bot-, 423
Blow-, or Bluebottle, 404
increase during War, 396
Cabbage, 458
Chalcid, 453, 454, 456, 473, 475
Citrus White, 475.
Fruit, 474
Green-bottle, 423
Hessian, 439
House, 403, 404
and disease, 506
increase due to garbage, 396, 496, 506
Ichneumon, 469
in coal-pit, 416
Mediterranean Fruit, 448, 450
Narcissus, 465, 474
Pear Midge, 451
relation to disease, 506
"Sheep-tick," 423
"Spider," parasitic on horses, 423
"Tick," parasitic on horses, 423
Warble, 423
Wheat Midge, 440
Yellow Dung, 396
Flora, post-glacial, 10
Florida, 436
Flounder, in waterworks, 414
Flour, animals introduced with, 443
Flower garden, introductions with plants
of, 462
"Flukes," transportation of, 421
Liver, of sheep, 373, 422, 514
Food, habits, changes due to cultivation and
civilization, 408-413
materials, animals introduced in, 434-446
protection of animals for, 216-220
scarcity and high prices in Scotland, 216, 217
supplies, increase affecting fauna, 387
Forbes, Prof. Edward, 386
Forests, curtailment of growth by sheep,
goats and rabbits, 323, 500
destruction of, 303, 304-364, 488, 496
effects on animal life, 327-364
effects on climate, 327
final results of, 325-326, 360, 362
for agriculture, 322-323
forextirpation of beasts of prey, 120, 318
for fuel, 315
for housebuilding, 316
for iron-smelting, 319
for safety in travelling, 318
for sheep pasturage. *See under* Sheep
for shipbuilding, 319
incidental to conquest, 317

- Forests, destruction of—*Cont.*
 influence on Bear, Brown, 351
 on Capercaillie, 268, 274, 354–357
 on Deer, 330–338
 on Elk, 346–350
 on Fox, 351
 on Great Spotted Woodpecker, 357–360, 361
 on Grouse, 361
 on Reindeer, 338–346, 350
 on Squirrel, 290, 351–354
 on Urus, 350
 on Wolf, 120, 318, 351
 physical changes wrought by, 327
 wind and fire as agents of, 324
 early historical, 309–314
 laws relating to, 309, 310, 311
 Lower Peat, 305
 post-glacial, 10, 12
 prehistoric, 305
 relations of Scottish fauna to, 12, 13, 328
 Upper Peat, 306
 Forfar, 90, 272
 Loch of, 90, 372
 Forfarshire, Capercaillie in, 272, 274
 Chough in, 178
 Elk, prehistoric remains in, 346
 Horse, prehistoric remains in, 69
 Marten in, 161
 Polecat in, 164
 Rat, Black, in, 427
 Wolf in, 120
 Forbes, 126, 199
 “Forrest-shire,” 313
 Fort Augustus, 296
 Forth, Firth of, decrease of fauna in, 386
 pollution of, 385
 shell fisheries of, 153, 386
 Fotheringham, 274
 Foula, 228
 Foulmart. *See* Polecat
 Fowls. *See* Poultry
 Fox, Blue, slaughter for skins, 110
 Common, 17, 329, 365
 destruction of, 121–124
 for skin, 155, 156, 166, 168, 221
 for sport, 184, 264
 effect of destruction of forest upon, 351
 introduction to colonies, 243, 498
 early remains of, 69, 490
 reduction in size, 490
 France, 431, 453, 461, 462, 466, 469
 Franck, R., 426
 Frankfield Loch, 298
 Frew, Bridge of, 292, 398
 Frogs, decrease due to reclamation of
 swamps, 372, 373
 Green Tree-, 447
 prehistoric remains of, 373
 Fruit, introduction of animals with, 447
 Fruit-crops, birds as pests of, 411
 Fruit Fly, Mediterranean, 448, 450
 Fulmar Petrel, 145
 destruction for oil, 171
 increase of, 230
 slaughter for food, 147
 Fulmart. *See* Polecat
Fulmarus glacialis. *See* Fulmar Petrel
 Fur-bearing animals, destruction of, 155–174
 protection of, 221–223
 Furnace, 321, 353
 Fyne, Loch, 294, 321
 Fyvie, 161, 296
 Gairsey, 282
 Gala, River, 384
 Galloper Lightship, 378
 Galloway, 46, 156, 239
 Cattle. *See under* Cattle
 Game Laws, 180, 198–215, 481
 special Orders during Great War, 205, 212, 215
 Gamhna, Loch, 193
 Gannet, 8, 17, 145
 destruction for food, 146
 for oil, 171
 increase of, 230
 Ganvich, Loch na, 279
 Garbage, animals as scavengers of, 223–226
 dispersal of rats due to, 432
 increase of flies due to, 396, 506
 influence on increase of animal life, 395–396
 Garden, 164
 Garden pests, increase of, 392
 plants, introductions with, 462
 Garefowl. *See* Auk, Great
 Gare Loch, 289
 Garelochhead, 289
 Garnett, T., 134
 Garry, River, 271
 Garrywhin, 71, 87
 Garson, Dr J. G., 87
 Gartmore, 10
 Gartmorin Dam, 279
Gastrophilus equi, 423
 Georgia, South, 110, 170, 175
 Germany, 431, 463, 464, 469
 Black Rat in, 425
 Capercaillie in, 269
 Elk in, 349
 Red Deer in, 264, 337
 Gesner, Konrad v., 401
 Giga, 178
 Gilbey, Sir Walter, 83
 Gillanders, A. T., 469
 Gilpin, W., 313, 325
 Glacial period, 2, 6, 10, 11, 12, 49, 279
 Glamis, 293
 Castle, 272
 Glasgow, 69, 427, 434, 438, 441, 463, 471
 472
 Glass parish, 272
 Gled. *See* Kite
 Glenalmond, 272, 293

Cambridge University Press

978-1-107-51203-0 - The Influence of Man on Animal Life in Scotland: A Study in Faunal Evolution

James Ritchie

Index

[More information](#)

INDEX

531

- Glenapp, 273
 Glen Brierachan, 133
 Glen Dochart, 126
 Glendye, 125
 Glen Falloch, 273, 314
 Glen Feshie, 314
 Glengarden, 136
 Glengarry, 165
 Glen Isla, 272
 Glenkindie, 294
 Glenlee, 164
 Glen Lui, 358
 Glen Lyon, 178, 273
 Glenmore, 119, 122, 126
 Forest, 321
 Glen Moriston, 269, 296, 322, 356
 Glenmuick, 136
 Glen Nevis, 314
 Glen of Rothes, 296
 Glen Orchy, 126, 294
 Glenshee, 126, 272, 348
 "Spittal" of, 120
 Glen Strath-Farar, 211, 323
 Glen Tanar, 125, 294, 297
 Glen Tilt, 285
 Glen Urquhart, 296
Globicephalus melas. *See* Whale, Pilot
Glycyphagus, 445
 Gnats. *See also* Mosquitoes
 larvae in waterworks, 415
 Goat, domestication of, 107
 influence on forest growth and vegetation,
 323, 500, 501
 prehistoric remains of, 34
 Goatfield, 321, 353, 354
 Godwit, Blacktailed, 191
Goes tigrina, 471
 Goldfinch, destruction by bird-catchers,
 193
 increase of, 230
 Goldfishes, introduction of, 284, 466
 "Goldings," 203, 266
 Golspie, 122
 Goosander, the, 231
 Goose, Barnacle, 104, 370
 Brent, 104
 death caused by artificial manures, 370
 destruction for sport, 188
 domestication of, 34, 103-106
 hawking of, 203
 Grey Lag, 103, 104
 change of food habit of, 412
 destruction for food, 139, 266
 price, 140
 Merganser, 231
 ornamental, 299
 Pink-footed, 104, 370
 prehistoric remains of, 17
 Solon. *See* Gannet
Gordiidae, 415
 Gordon, Duke of, 321
 Rev. Geo., 353
 Sir Robert, 120, 351, 356, 375
 Goshawk, 200, 401
 extermination of, 133, 182
 Gourdas, Fyvie, 161
 Gowrie, Carse of, ague in, 509, 510, 512
 Squirrel in, 293
 Graham, Dr Patrick, 128, 134
 Lord, 115
 Grain, animals and insects introduced with,
 434 *et seq.*
 Grant, Col. Sir Arthur, 254, 272, 274
 Sir James, 321
 Granton, 472
 Grantown-on-Spey, 297, 342
 Grape Phylloxera, 461, 474, 487
 Grasshoppers, Japanese, introduction of,
 463
 Gravesend, 446
 Gray, Robert, 128, 132
 Grayling, introduction for sport, 276
 Grebe, Great Crested, 18
 increase of, 230
 influence of towns upon, 406
 Greenburn, River, 276
 Greenfinch, 241, 389
 Greenfly, increase of, 392. *See* Aphis
 Greenhouses, introductions with tropical
 plants to, 404, 436, 460, 461 f.-n., 462,
 463
 Greenock, 298, 427, 472
 Grieve, Symington, 31, 32, 33, 74
Grillus Focarius, 435
 Grilse, destruction of, 151
 protection for food, 219
 Grimshaw, P. H., 206
 Grocers' Itch, 445
 Grosbeak, Rose-breasted, 411
 Grouse or Moorfowl, 206, 266, 267, 329,
 504
 influence of destruction of forest upon,
 361
 protection for hawking, 203
 transportation of, 280
 Willow, introduction for sport, 275
Grus grus. *See* Crane
 Gryffe Water, 276
Gryllus domesticus. *See* Cricket, House
 Guillemot, 8, 17
 Guinea Fowl, 106
Guiraca ludoviciana, 411
 Gulls, as food, 140, 142
 as pests, 228, 231
 Blackheaded, 228, 231, 412
 change of food habits, 412
 Common, 412
 effect on vegetation of moorland, 501-505
 increase due to cultivation, 394
 influence of towns upon, 406
 Kittiwake, 142
 protection for eggs as pheasants' food,
 207, 502
 Gunpowder and guns, effects of invention
 of, 109, 482
Gymnaspis achmea, 461 f.-n.

34—2

- Habits of animals, changes induced by cultivation and civilization, 400–416
- Haddington, 92, 224
- Haddingtonshire, Boar, Wild, prehistoric remains in, 89
- Celtic Shorthorn, early remains in, 56
- Deer, Red, prehistoric remains of large size, in, 333, 337
- Hare, Mountain, in, 282
- Horse, prehistoric remains in, 69
- Polecat in, 164
- Rats in, 430
- Squirrel in, 292
- Tench in, 279
- Traprain Law, animal remains at. *See* Traprain
- Haddo House, 296
- Hadfield Moss, 317
- Hair worms in water-pipes, 415
- Haliaeetus albicilla*. *See* Eagle, White-tailed
- Halichærus grypus*. *See* Seal, Grey
- Hamburg, fauna of waterworks of, 413
- Hamilton, 310
- Hampshire, 446
- Hampstead, 288
- Hampton-on-Thames, 415, 470
- Handa, Isle of, 119
- Hare, Alpine, Mountain or Variable, 14
- reduction in size, 490
- transportation of, 280
- Californian, 369
- Common Brown, 14, 365
- destruction as pest, 179–180
- destruction for skins, 156, 166–168
- destruction for sport, 184
- increase of, 391
- protection of, 203, 213–215, 217
- relations to Rabbits, 168, 253
- roads as means of dispersal, 398
- transportation of, 280
- to colonies, 253, 365
- Harmer, Dr S. F., 415
- Harrier, Hen, 134
- Harris, Carp in, 277
- Celtic Shorthorn, prehistoric remains in, 57
- Dog, prehistoric remains in, 87
- Eagle, Sea, in, 130
- Goose, Grey Lag, in, 104
- Hare, Alpine, in, 282
- Horse, prehistoric remains in, 72, 74
- Marten in, 160
- Rat, Black, as plague in, 427
- Harting, J. E., 65, 116
- Harvie-Brown, Dr J. A., 124, 160, 164, 186 f.n., 270, 271, 279, 291, 325, 352, 357, 359, 360, 398
- Hasarius adansoni*, 463
- Haskeir, 141, 172, 173
- Hawaii, 458, 459, 460, 474
- Hawfinch, 230
- Hawick, 292
- Hawking, 199–203
- Hawks, Buzzard, *q.v.*
- destruction of, 132–136, 217
- Fish. *See* Osprey
- Goshawk, *q.v.*
- Hen Harrier, 134
- increase during War, 136
- Kestrel, 136, 182
- Kite, *q.v.*
- Merlin, 136
- protection for sport, 199–203
- Sparrow-, 136, 200, 202
- Hawskeir. *See* Haskeir
- Health, man's influence on animal life in relation to, 506 *et seq.*
- Heather, extermination by rabbits, 499
- influence of gulls upon, 502
- Heather beetle, 206
- Hebridean Islands, Eagle, Golden, in, 128
- White-tailed, in, 130
- Goose, Grey Lag, in, 104
- Horses of, 73, 74–76
- prehistoric forests of, 305, 308
- Rabbit in, 251
- Rock Dove in, 95, 141
- Hebrides, Inner, Chough in, 178
- Hare, Alpine, in, 282
- Common Brown, in, 280
- Hebrides, Outer, Carp in, 277
- Celtic Shorthorn in, 57
- Eagle, Golden, in, 127
- Great Auk in, 144
- Hare, Alpine, in, 282
- Common Brown, in, 280
- Marten in, 160
- Rat, Black, in, 427
- Raven in, 226
- Rock Dove in, 141
- Seals in, 172, 173
- whaling stations of, 175
- Heiskir, Island of. *See* Haskeir
- Helensburgh, 289
- Helix*, 329
- limbata*, 465
- nemorialis*, 154
- pomatia*, 154
- Hemichionaspis minor*, 448
- Hendrick, Rev. J., 355
- Hensen, von, 392
- Heron, as food, 266
- as pest, 140, 231
- confusion of identity with Crane, 376
- decline due to reclamation of marshes, 376
- price, 140, 376
- protection for sport of hawking, 202
- Herring, abundance of, 149, 150
- Hessian Fly, 439
- Hill forts, animal remains of, 57, 124, 331, 333, 337, 490
- Hill of Bruan, 56, 71
- Hillswick, 331
- Hilston, Cornwall, 411

INDEX

533

- Hippobosca equina*, 423
 Hirsell Lough, 279
 Holinshed, 184, 207
 Holland, 474
 Hopetoun, 287
 Horne, Dr John, 17, 31, 111, 340
 Horses, in Scotland, 68–85
 breeding and interbreeding, 81
 Celtic pony, 70, 76
 Clydesdale, 28, 83, 490
 “desert” or “plateau” types, 69, 70
 domestication of, 34, 67
 Great or War Horse, 83
 Hebridean, 73, 74–76
 Highland garron, 80
 influences modifying native race, 73–80
 in prehistoric and early times, 71–73
 modern Scottish breeds, 83
 native, 68
 Norse influence on, 76, 79–80, 81, 85
 numbers added to fauna, 486, 493
 of Scottish mainland, 78
 parasites introduced with, 422, 423
 prehistoric remains of, 32, 33, 50, 68, 70, 71, 72, 73, 76, 109
 Shetland pony, 73, 76–78
 Shire, 83, 490
 “Wild,” 14, 20, 80–82, 365
 Houghton House, 292, 293
 Houses, fauna of, 403, 487
 influence on animal life, 401
 Hoy, island of, 93, 128, 280, 282
 Hudson Valley, 462
 Hugues, M. A., 394
 Huntingdonshire, 190, 515
 Huntly, 296
Hybernia aefoliaria, 392
Hydrochelidon nigra, 191
 Hydrophilidae, increase of, 396
 Hydrozoa, distribution by ships, 432, 433
Hypoderma, 423
Hypothenemus eruditus, 410
 Ice Age in Scotland. *See* Glacial period
Icerya aegyptiacum, 461 f.-n.
 purchasi, 260
 Ichneumons, transportation of, 469
 Imports, quarantine inspection of, 474
 Inch Galbraith, 134
 Inchkeith, 173
 Inchmahoma, 134
 Inchmarlo, 272
 Inchmurrin, 115
 Inchnadamph Bone Cave, 14, 17, 31, 111, 112, 165, 340, 373, 490
 India, effect of destruction of forest in, 328
 transportation of Grain Beetles to, 441
 Indian Corn, Angoumois Grain Moth in, 442
 Industries, reduction of animal life due to, 488, 495
 Innerarity, 118
 Innerwick, 379
 Innes, Prof. Cosmo, 285
 Insects, decrease due to cultivation, 369
 destruction by lighthouses and other lights, 378
 hordes in collected sea-weed, 395
 increase due to cultivation, 391
 introduced, as fertilizing agents, 515
 as parasites on livestock, 423
 in dry food materials, 434–446
 into greenhouses, 463
 with fruit, 447–456
 with plants and vegetables, 457–466
 with timber, 467–473
 pests, transportation of, 473
 detected in Californian quarantine, 474
 prehistoric remains of, 18
 Scale, introduction of, 474. *See* Scale insects
 Insh, Loch, Char in, 153
 Introduction of new animals, deliberate, 241–300, 480, 487
 even balance necessary for successful adaptation, 255, 257, 419, 480, 486, 489
 for amenity, 283–300
 for sport, 264–282
 for utility, 246–263
 Introduction of animals unawares, 417–475, 480, 487
 amongst fruit, 447
 by ships, 425
 conveyed by plants and vegetables, 457
 in dry food materials, 434
 in timber, 467
 parasitic on Man and his domestic stock, 420
 Inverary, 294
 Inverbeg, 289
 Invercauld forest, 358
 Inveresk, 56, 248
 Invergarry, 321, 354
 Inverness, 155, 296
 Inverness-shire, Beaver in, 158
 “bog butter,” in, 58
 Capercaillie in, 269, 273, 355, 356
 Char in, 153
 Deer, Red, in, 211, 333
 Roe, 331, 332
 forest, destruction in, 319, 322
 by sheep, goats and rabbits, 323
 Goshawk in, 133
 iron furnaces in, 354
 Mosquitoes in, 512
 Osprey in, 134, 192
 Polecat in, 165, 166
 Rabbit in, 401
 Scottish Crested Tit in, 230
 Sparrow in, 399
 Squirrel in, 181, 295, 296, 297, 354
 Wild Cat in, 126
 Wolf in, 319
 Woodpecker, Great Spotted in, 358

- Invershin Bridge, 295, 398
 Inverurie, 472
 Iona, Chough in, 178
 Dog, remains in, 87
 Horse, remains in, 72
 Seals in, 171, 222
 Ireland, Crane in, 376
 destruction of shellfish in, 154
 protection of falcons in, 202
 Iron-smelting industry, 309, 319–322, 353, 354
 Irvine, 70
 River, 277, 385
Ischnaspis longirostris, 461 f.-n.
 Isla, River, 195, 271, 272
 Islay, 98, 132, 178, 280, 282, 287
 Italians, slaughter of birds of prey by, and indirect results, 498
 Italy, Scales and counterpests in, 262
Ixodes ricinus, 423
- Jackdaw, 177
 “Jack-Rabbit” in California, 369
 Jamaica, 448
 Japan, 261, 450, 456, 459, 460, 474
 Jarlshof, Sumburgh, 76
 Jay, 230, 329
 Jefferies, Richard, 328
 Jones, H., 225
 Jura, Deer, Red, in, 212, 492
 Roe, in, 280
 deer forests of, 212, 492
 Hare, Common Brown in, 280
- Kea, 410
 Keiss, animal remains in Broch and Mound at, 52, 72, 87, 112, 114, 144, 341, 345, 348, 490
 Kellogg, Prof. V. L., 436
 Kelly Burn, 194
 Kelso, ague in, 509, 510
 Kelvin, River, 340
 Kemna, Dr A., 414
 Kemnay, 427
 Kenmore, 276
 Kent, 446
 Kesserloch, 344
 Kestrel, 136, 182
 Kettleburn, 87, 331, 341
 Kilbarchan, 472
 Kilbrandon, 178
 Kilchattan, 178
 Bay, 298
 Kildrummy, 72, 87, 294
 Killearn, 292
 Killiecrankie, 120
 Killin, Forest of, 287
 Kilmarnock River, 277
 Kilmaurs, 331, 338, 344
 Kilmuir Castle, 295
 Kimmerghame, 157
 Kincardine-on-Forth, 273, 292
- Kincardineshire, ague in, 509
 Capercaillie in, 272, 274
 Douglas Fir Seed Chalcid in, 454, 455
 Rabbit in, 252
 Squirrel in, 293
 Wild Cat in, 125
 King, Colonel, 98
 Prof. J. J. F. X., 463
 Kingfisher, increase of, 230
 Smyrnan, destruction for plumage, 189
 Kingussie, 153
 Kinloch, 17, 157, 346
 Kinneil, 164
 Kinross-shire, Capercaillie in, 272
 Polecat in, 164
 Rabbit in, 252
 Kintore, forest of, 311
 Kintrawell, Sutherland, 52
 Kirkcudbrightshire, ague in, 509, 510
 Celtic Shorthorn, remains in, 56, 57
 Deer, Red in, 334
 early remains in, 331
 Roe, early remains in, 331
 Horse, remains in, 72, 73
 Marten in, 160
 Polecat in, 164
 Squirrel in, 293
 Kirkden, parish of, 509
 Kirkgunzeon, 282
 Kirkmichael, Banffshire, 120
 Kirkoswald, 87
 Kirkurd, 346
 Kirkwall, 57, 130
 Kitchen middens, animal remains of, 8, 16, 17, 19, 29, 31, 32, 34, 56, 57, 72, 76, 87, 89, 115, 158, 247, 331, 333, 355
 Kite, as scavenger, 225, 395
 destruction of, 133, 135, 136, 191, 217, 482
 Kittiwake, as food, 142
 Kiwi, the, 245
 Knighton, H., 317
 Knot, 140
 Koebele, A., 260
 Kyle of Sutherland, 279
 Kyloe, Highland. *See under* Cattle
- Ladybird beetles, protection by popular favour, 235
 as counterpests, 260, 261
Lagopus lagopus. *See* Grouse, Willow
 Laing, J., 132
 Lairg, 165
 Lake deposits, animal remains in, 331, 333, 340, 346
 dwellings. *See* Crannogs
 Lakes, Great Canadian, dispersal of animals by, 397
 Lamington parish, 292
 Lammermoor Hills, 282, 292
 Lanarkshire, fur produce of, 156
 Hare, Alpine, in, 282
 Polecat in, 164

INDEX

535

- Lanarkshire—*Cont.*
 Reindeer, prehistoric remains in, 338
 Snake, Ringed, as “escape” in, 299
 Landrail. *See* Corncrake
 Langwell and Sandside estates, destruction
 of pests and vermin on, 126, 128, 136,
 137, 177, 182
 Lantana bug, 461
 Lantz, Prof. D. E., 431
 Lapwings, as insect-eaters, 394
 decrease in numbers due to cultivation,
 368
 destruction of eggs for food, 148
 transportation to colonies, 241, 242
 Larch, Japanese, 456
 Lark, Crested, 394
 Short-toed, 394
 Sky, destruction for food, 139, 266
 price of, 140
Lasioderma serricorne, 445
testacea, 410
 Lathirsk, 270
 Lauder, Sir Thomas Dick, 325
 Lauderdale, 282
 Laws, Game, 180, 198–215, 481
 Leadenhall market, 139
 Leaf-mining insects, 474
 “Leaf-worms,” in Scottish greenhouses, 464
 “Leather-jackets,” increase of, 392
 Leeches, 259
 in waterworks, 414
 Leeds, 438
Leges forestarum, 59, 92, 309
 Leith, ale of, 313
 birds of carrion as scavengers in, 224, 226,
 395
 Cockroach, American, in, 436
 Oyster beds near, 153, 386
 Rat, Alexandrine, in, 428
 Black, in, 427
 Raven in, 136
 shipbuilding at, 319
 skins and furs exported from, 155
 transportations in fruit to, 447
 Lemming, Arctic, 14, 481
 Lentils, pests introduced with, 445, 446
 Leochel Burn, 294
Lepidosaphes beckettii, 461 f.n.
ulmi. *See* Scale Insects, Mussel
Lepisma, 404
Leptyphantus nebulosus, 404
Lepuseuropæus. *See* Hare, Common Brown
texianus, 369
timidus. *See* Hare, Alpine or Variable
 Leslie, Bishop Jhone, 6, 35, 39, 61, 62, 66,
 88, 105, 114, 119, 140, 149, 155, 184,
 194, 208, 248, 266, 312, 326, 355, 376,
 426
Lessertia dentichelis, 416
 Letterfearn MS., 320
Leucotermes flavipes, 440
 Leven, Loch, bird life of, 372
 Char, disappearance from, 372
 Leven, Loch—*Cont.*
 Leech, medicinal in, 259
 Trout, transportation of, 241, 278
 Lewis, Carp in, 277
 Hare, Alpine, in, 282
 Common Brown, in, 280
 Hive bee in, 107
 Horse in, 74
 Lewis, Francis J., 305
 Liberton parish, 316
 Lice, Clothes, 421
 Crab, 421
 distribution by man, 421
 Head, 421
 increase during War, 396
 plant, 392
 Liddesdale, 164, 427
 Lighthouses and lights, destruction of birds
 by, 377–379
 Lilford, Lord, 256
Limax maximus, 416
Limnæa peregra, 466. *See also* Snails, Pond
stagnalis and *glabra*, 298
truncatula, 373, 514
Limnophora septem-notata, 403
Limosa limosa, 191
 Limpet, Slipper, 424
 Lincolnshire, 371, 509
 Lindsay, Alexander, 224
 Robert, of Pitscottie, 41, 66, 83, 208,
 210, 266
 Linhope, 164
 Linlithgow, 118, 121 f.n.
 Linlithgowshire, ague in, 509
 Deer, Red, prehistoric remains in, 333
 Roe, in, 332
 numbers of domestic animals in culti-
 vated area of, 494
 Polecat in, 164
 Linnean Society, 469
 Linnets, 193, 230, 242, 394
 Linnhe, Loch, 178, 314
 Linton Loch, 157, 336
Liothrix luteus, 283
Liponyssus bursa, 420
 Lismore and Appin, 352, 398
 Island, 178
 Lithgow, William, 46
 Littlewood, 165
 Liver-fluke of sheep, 373, 422, 514
 Liver-rot, disappearance due to reclamation
 of swamps, 373, 514
 Liverpool, 470
 Livestock, parasites introduced with, 422
 Lizards, transportation with bananas, 448
 with timber, 469
 Lobster, destruction for food, 154
 protection for food, 220
 Lochaber, Beaver in, 158
 Capercaillie in, 355
 forest, destruction in, 312, 319
 numbers of domestic stock in, 494
 Wolf in, 119, 319

- Loch-an-Eilan, 134, 192, 193
 Lochan Coire an Lochan, 401
 Lochawe, 126, 134, 164, 278, 294, 319, 322, 331
 Lochbrune, 318
 Lochbuie lochs, 278
 Lochiel Old Forest, 314
 Lochgilphead, 294
 Lochlee, 57, 71, 90, 331, 340
Lochmea suturalis, 206
 Lochnagar, 314
 Lochrosque, 288
 Lochspouts, 57, 331
 Lochy, Loch, 397
Locustella luscinioides, 191
 Locusts, transported with bananas, 448
 transported with cauliflowers, 457
 Lomond, Loch, 115, 134, 273, 277, 289, 314
 London, Ant, Red House, in, 440
 bird's nest and eggs transported with
 bananas to, 448
 birds of, 284, 405, 406
 Cockroaches in, 435, 438
 Grain Mite in, 443
 Kite in, 225, 395
 Physa acuta in, 466
 site on reclaimed swamps, 370
 Snail, White-keeled, near, 465
 timber houses of, 316
 wild-fowl on site of, 371
 Woolly Aphis, arrival in, 461
 Long Island, 178
 Loch, 288
 Longicornia, transportation in timber, 470
 Lossie, River, 279
 Lothian, Marquis of, 276
 East. *See* Haddingtonshire
 West. *See* Linlithgowshire
 Lothians, the, 273
 Louse. *See* Lice
 Louth Market, 139
 Lovat, Lord, 323
 Low, Prof. D., 43, 93, 130, 173, 228, 276
 Rev. G., 93
 Lowther, C., 105, 153, 372
 Hills, 282, 293
 Lucas, Sir Charles, 371
Lucilia sericata. *See* Flies, Green-bottle
Lucophæa surinamensis, 463
 Lugar, River, 276
 Luing, Island of, 331
 Lundie, Loch, 81
 Lundy Island, 147, 249
 Luss, 289, 292
Lutra vulgaris. *See* Otter
Lyctus brunneus, 472
 Lyne, River, 430
 Lynx, Northern, denizen of Scottish forests,
 20, 308, 329
 extermination of, 111, 481
 prehistoric remains, 17
 Macadam, Prof. W. Ivison, 320, 321, 322, 354
 MacArthur Cave, Oban, 8, 34, 56
 Macaulay, Rev. Kenneth, 74, 141, 146, 147, 173
 MacDougall, Dr R. S., 440, 442, 446, 454
 Macgillivray, Prof., 98, 160, 173, 226, 280, 358
 Mackaile, 107, 395
 M'Kenzie, Sir George, 144
 J. H. Munro, 75
 McWilliam, Rev. J. M., 412
Macrosiphium granarium, 440
 Madeira, 465
 Magdalenian cave pictures, 30, 344
 Magnusson, E., 341
 Magpie, in Scotland, 329
 destruction as pest, 177
 in French vineyards, 394
 increase of, 230
 protection of, 226
 Malaria in Scotland. *See* Ague
 Mallard, changed food habit of, 411, 412
 destruction for sport, 188
 domestication of, 106
 price of, 265
 protection for food, 217
 protection for hawking, 203
 Malloch, P. D., 328, 385
 Malmesbury, William of, 236, 371
 Mammoth, 108, 338
 Man, arrival in Scotland, 2, 6
 influence on animal life a developing
 factor, 480
 main trends of his influence, 4, 483
 methods contrasted with Nature's, 482
 recoil upon himself of his influence on
 animal life, 480, 506-517
 Manar, 294
 Manchester, 507
 Mann, Ludovic M^cL., 30, 316
 Manor parish, 282
 Mar and Kelly charter, 47, 156, 222
 Mar Forest, 254, 311, 358. *See also* Marr,
 Brea of, and Braemar
 Lodge, 270
 Maree, Loch, 134, 314
 Marlee Loch, 157
 "Marr, Brea of," 80, 356
 deer-hunts in, 211
 Marsh, Professor G. P., 304, 327, 393, 397, 479
 Marshall, Dr J. N., 316
 Marshes, reclamation of, 370-377
 disappearance of ague due to, 373, 510
 disappearance of liver-rot in sheep due to,
 373, 514
 extermination of Bittern due to, 374, 482,
 497
 extermination of Crane due to, 375, 482,
 497
 reduction of animal life due to, 370-377,
 488

INDEX

537

- Marten, destruction as pest, 126, 127, 176, 229, 353, 362, 482
 destruction for fur, 155, 156, 159–161, 166
 effect of destruction of forest upon, 350
Martes martes. *See* Marten
 Martin, House, habit of selecting a domicile, 401, 402
 protection for hawking, 203
 protection through superstition, 239
 Martin, Martin, 74, 127, 130, 144, 145, 146, 148, 160, 172, 175, 212, 427
 Maryland, 475
 Massachusetts, 462
Master of Game, The, 248
 Mauchline, 293
 Mauritius, destruction of Mayer's Pigeon by
 Macaque monkeys in, 245
 extermination of Dodo in, 498
 Maxwell, Sir Herbert, 191, 293
 May Island, 249
 lighthouse, 378
 Maybole, 161
Mayetiola (Cecidomyia) destructor, 439
 Meadows, the, Edinburgh, prehistoric remains of deer in, 336
 wild fowl in, 371
 "Meal Worms," 410, 443
Megaceros giganteus. *See* Deer, Giant Fallow
Megasternum, increase of, 396
Megastignus spermotrophus, 455
Meles meles. *See* Badger
Melophagus ovinus, 423
 Melrose, 150, 331, 381
 Menteith, Lake, 134
 Merganser, Redbreasted, 17
 Merlin, 136
Merodon equestris. *See* Narcissus Fly
 Merse, the, 366
 Mertoun, 347
 Loch, 347
 Mertrick. *See* Marten
 Methlick, 272
 Methven, 293
 Mexico, 436
 "Michael, the Great," 319
 Michelet, Jules, 227
Micropterus dolomieu. *See* Bass, Black
 Midge, Pear, 451
 Midlothian, Deer, Red, prehistoric remains
 in, 333
 Dog, prehistoric remains in, 86
 Elk, prehistoric remains in, 346
 forest in, 314
 Polecat in, 164
 Squirrel, Red, in, 292
 tropical Longicorn Beetles transported to, 463
 Migdale Loch, 279
Miliaria europaea, 394
 Millais, J. G., 274, 332
 Millipedes, increase of, 392
Milvus milvus. *See* Kite
 Minard House, 294
 Minnoch Water, 161
 Minnow, transportation of, 279
 Minto, 292, 293
 Miramichi, forest fire of, 324
 Misty Law Hills, 282
 Mites, Cheese, 410
 Chicken, 423
 Flour, 410
 Fowl, 420
 Grain, 443
 introduced as parasites on livestock, 423
 in dry food materials, 434
 Itch, 421
 Red, 392
 Sugar, 445
 Mole, destruction as pest, 179
 increase, due to cultivation, 393
 in Italy, 498
 Mollusca, in water systems, 414, 415
 Monkey, Macaque, in Mauritius, 245
 Monnair, Forest of, 211
Monochammus dentator, 471
sutor, 471
Monomorium pharaonis, 440
 Monro, Don., 74, 160, 165, 251, 318
 Monteviot, 276
 Montrose, 356
 Monymusk, 254, 272, 274
 Moorfoot Hills, 282, 292
 Moorfowl. *See* Grouse
 Moorland, influence of Gulls on, 501–505
 of Rabbits on, 499
 of Sheep and Goats on, 500
 reclamation of, destruction of animal life
 due to, 365 *et seq.*, 488
 Moose. *See* Elk
 in America, 346
 in New Zealand, 242
 Moravia, 109
 Moray, Right Hon. the Earl of, 214, 426
 Firth, 125, 188, 296, 297, 334, 358
 Morayshire, "bog butter" in, 58
 Capercaillie in, 273, 356
 Deer, Red, in, 211
 Goshawk in, 133
 Rat, Black, in, 427
 Squirrel in, 296, 352
 Swans on Loch Spynie in, 372
 Tit, Scottish Crested, in, 230
 Morbhaich Moor, 86
 Morlich, Loch, 193
 Mortlake, 421
 Morven, 295
 Moryson, Fynes, 312
 Mosquitoes, disappearance due to reclamation of swamps, 373, 510
 relation to ague, 511
 Moths, Angoumois Grain, 442
 Burnet, 448
 Clothes, 410
 Codlin, 451, 475

Cambridge University Press

978-1-107-51203-0 - The Influence of Man on Animal Life in Scotland: A Study in Faunal Evolution

James Ritchie

Index

[More information](#)

538

INDEX

- Moths—*Cont.*
 Death's Head Hawk, 408, 409
 destruction by lighthouses and other lights, 378
 Diamond-backed, 378, 392, 394
 distribution by biscuits, 444, 445
 European Grain, or Wolf, 443
 Gypsy, 462
 introduction upon trees, 462
 Leopard, 462
 Magpie, 392
 Meal Snout, 443
 Mediterranean Flour, 443, 445 f.-n.
 Turnip, 392
 Umber, 392
 Winter, 392
 Moufet, 421, 435
 Mouflon, 35, 36, 39, 43
 Mount Rainier National Park, 236
 Mouse, Field and Harvest, 391, 485
 House, houses selected as domiciles, 405
 in coal-pits, 416
 increase of, 391, 485, 496
 railways as means of dispersal of, 399
 Mouswald, 310
 Muck, Isle of, 432
 Muckross, 90
 Mull, Island of, Chough in, 178
 Deer, Fallow, in, 287
 Roe, in, 280
 Fox, disappearance from, 124
 Hare, Alpine, in, 282
 Common Brown, in, 280
 Horse in, 75
 Rabbit in, 251
 Trout, American Brook, in, 277
 Lake Geneva, in, 277
 Rainbow, in, 278
 Munro, Dr Robert, 340
 Murchison, Sir Roderick, 237
Mus (Epimys) norvegicus. *See* Rat, Common or Brown
 (*Epimys*) *rattus*. *See* Rat, Black
 (*Epimys*) *rattus alexandrinus*. *See* Rat, Alexandrine
Musca domestica. *See* Flies, House
 Muskelunges, 259
 Mussel, beds in River Forth, 386
 destruction for food, 153
 Freshwater, in waterworks, 414
 pearl fishery, 194–196
 protection of, 220
 Zebra, in water-pipes, 414
 transportation of, 469
 Mussel Scale Insect. *See* Scale Insects, Mussel
 Musselburgh, 56, 248, 447, 469
Mustela martes. *See* Marten
 putorius. *See* Polecat
 Muthil, 346
 Mycetozoon, in coal-pit, 416
 Mygalid spider, 447
Myodes torquatus. *See* Lemming, Arctic
 Myriopod, exotic, in greenhouses, 464
Mytilus pomorum. *See* Scale Insects, Mussel
 Nairnshire, Capercaillie in, 273
 forest, destruction in, 354
 Scottish Crested Tit in, 230
 Squirrel in, 296, 354
 Wild Cat in, 126
 Narcissus Fly, 465, 474
 Nature, her methods contrasted with Man's, 482
 Neolithic man in Scotland, 6, 7, 20, 51, 333, 340, 345, 347, 417, 481
Nesanas mayeri, 245
 Ness, Loch, 158, 296, 322
Nestor notabilis, 410
 Netherlands, the, 423
 New Forest, 236, 446
 New Jersey, 462, 475
 New South Wales, Hare in, 253
 Rabbit in, 253
 New Zealand, animals introduced for
 pleasure into, 241, 242
 Apple Scale pest in, 450
 Codlin Moth in, 452
 domestic stock introduced to, 246
 Honey Bee in, 257
 Kea in, 410
 Mediterranean Fruit Fly in, 451
 Narcissus Fly in, 465
 Rabbit in, 241, 255
 Scottish Red Deer in, 242, 338 f.-n.
 Sparrow, House, in, 255
 Starling in, 256
 Stoat and Weasel introduced into, 245, 255
 Trout, Loch Leven, transported to, 278
 Newfoundland, 241
 Newhaven, 319
 Newlands parish, 430
 Newstead, Prof. R., 262, 393, 461
 Roman station at, 37, 51, 54, 56, 62, 72, 79, 87, 90, 248, 265, 331, 348, 375
 Night Poaching Act, 205
 Night-Reeler, Red, 191
 Nightingale, 234, 266
 Nightjar, 394
 Nilsson, Prof., 52, 58
Niptus crenatus, 442
 hololeucus, 404, 442
 Nisibost, Harris, 72, 74, 87
 Nith, River, 276, 384
 Nor' Loch, Edinburgh, 55, 371
 Norfolk, 191
 Normans, probable introduction of Rabbit
 by, 248, 249
 North Berwick, 69, 348
 North Sea, the, 12, 13
 Northamptonshire, 256
 Norway, Brown Rat introduced from, 429, 430
 Codlin Moth in, 452

INDEX

539

- Norway—*Cont.*
 Longicorn Beetles in timber from, 472
 Springtails in, 463
 Wood-Wasps transported in timber from, 469
 Nuthatch, transportation of, 284
 Nyassaland, 442
- Oakwood, 347
 Oban, 8, 34, 56, 87, 294
 Ochil Hills, 121 f.n., 178, 200, 272
Oecanthus (Panchlora) niveus, 447
 Ogilvie, Mrs D., 119
 Oich, Loch, 397
 Oil, destruction of animals for, 170 *et seq.*
 Old Cambus, 125
 Old Deer parish, 296
 Old Stone Age, 138, 480
Oligorus macquariensis, 259
 Orchard pests, increase of, 392
Orchestia gammarellus, 395
 Orchids, transportation of pests with, 463, 475
 Orkney Islands, Bee, Hive, introduction into, 107
 birds' eggs, collection for food, in, 148
 Boar, Wild, early remains in, 89, 90
 Cattle in, 60
 Celtic Shorthorn, prehistoric remains in, 56, 57, 60
 Death's Head Hawk Moth caterpillars in, 409
 Deer, Fallow, prehistoric remains in, 284
 Red, prehistoric and early remains in, 16, 284, 333, 337
 Dog, early remains in, 87
 Eagle, White-tailed, in, 130
 fur produce of, 155
 Grayling in, 276
 Great Auk in, 144, 146
 Grouse in, 280
 Gulls, change of food habits in, 412
 Hare, Alpine in, 282
 Hawks in, 134, 200
 Hen Harrier in, 134
 Horse, early remains in, 71, 72, 76
 Otter in, 169
 Peregrine Falcons of, 200
 Pig, primitive, in, 93
 Pinus tectus in bakehouse at Stromness in, 442
 Rabbit in, 250, 251
 Rat, Black, in, 427
 Reindeer, attempts to acclimatize foreign, in, 254
 prehistoric remains in, 14, 338, 340, 341
 Rock Dove in, 95, 98
 Seals in, 169, 173
 Snail, Banded Garden, in, 154
 Starlings feeding upon insects in sea-ware in, 396
 Stoat, disappearance from, 299
 Urus, prehistoric remains in, 52
- Orkneyinga Saga, 187, 310, 341
 Ormiegill, 56, 71, 87
Ornithodoros megnini, 421
 Oronsay, Hares and Fulmars in, 165
 prehistoric huts in, 316
 shell-mound in, 19, 30, 56, 144, 149
Ortheria insignis, 461
 Ortolan, 140, 394
 Osborn, Prof. H. F., 344, 351
 Osprey, extermination of, 133, 192, 482
Otiorynchus picipes, 392
Otis tarda. *See* Bustard
 Otter, in prehistoric Scotland, 8, 17, 308, 373
 destruction for depredations on fishing-streams, 169
 destruction for skin, 156, 166, 168-170, 221
 prehistoric remains, 30
 protection by popular favour, 233
 Ouzel, Water. *See* Dipper
 Ring, decrease in numbers, 370
Ovis aries palustris. *See* Sheep, Turbary or Peat
 Owen, Prof. Richard, 345
 Owl, Brown, in Edinburgh, 406
 destruction as pest, 181, 182
 Little, introduction of, 256
 Snowy, 18
 Ox. *See* Cattle
 Oxfordshire, 330
Oxyuris vermicularis, 422
 Oykell, River, 295, 314
 Oyster, 20
 association of Slipper Limpet with, 424
 beds, 153, 154, 386
 destruction for food, 153
 protection of, 220
 Oystercatcher, 140
- Pabbay, Island of, 226
 Paisley, 10, 207, 299, 312, 427, 434, 436, 438
 Canal, 470
 Palaeolithic animal remains, 108, 109
 man, 138, 344, 480
 sculptures, 30, 344
 Pallas, P. S., 428
Paluditella articulata, 415
Pamphila linea, 369
silvanus, 369
 Panama Canal, 397
Pandion haliaetus. *See* Osprey
 Pappa Westray, 146, 250
Paradesmus gracilis, 464
Pararge megæra, 369
 Parasites, of livestock, 422-424
 of man, 420-422
 Paris, Convention for Bird Protection, 227
 fauna of water-pipes of, 414
 Partridge, Barbary, introduction for sport, 275
 destruction for food, 140, 267

- Partridge—*Cont.*
 Hungarian, introduction for sport, 275
 protection for food, 217, 266
 for hawking, 203
 for sport, 204, 205, 206
 Red-legged, introduction for sport, 275
 transportation to colonies, 241, 242
Parus cristatus scoticus. *See* Tit, Scottish
 Crested
major. *See* Tit, Great
 Paterson, J., 288
 Peach, Dr B. N., 9, 17, 31, 111, 226, 282, 340
 Peacock, as food, 140, 266
 introduction of, 265, 283
 Pear midge, 451
 Pearl fishing, 194–196
 Peas and beans, pests introduced in, 445
 Peat, formation of, 11, 309
 lower forest layer in, 305
 upper forest layer in, 306, 326
Pediculoides ventricosus, 443
Pediculus. *See* Lice
 Peebles, 430
 Peeblesshire, Deer, Red, prehistoric remains
 in, 333
 Douglas Fir Seed Chalcid as pest in, 456
 Elk, prehistoric remains in, 346
 fur produce of, 156
 Gulls on moorland, effect in, 501
 Hare, Alpine, in, 282
 Martins' nests on house in, 402
 Rat, Brown, in, 430
 Squirrel in, 292
 Pelican, 18
 Penang, 463
 Penguins, destruction for oil, 171
 Penicuik, 332
 Pennant, Thos., 114, 142, 195, 269, 285, 352, 356
 Pennsylvania, 475
 Pentland Hills, Celtic Shorthorn, prehistoric
 remains on, 55
 Deer, Red, on, 208, 334
 Roe, on, 332
 Fox, prehistoric remains on, 69
 Gulls, effect on moorland on, 501
 Hare, Alpine, on, 282
 Horse, prehistoric remains on, 69
 Martins' nests on house on, 402
 Reindeer, prehistoric remains on, 69, 340
 Ring Ouzel, disappearance from, 370
 Wolf, prehistoric remains on, 69, 115, 121 f.-n.
Perca fluviatilis. *See* Perch
 Perch, Californian, 258
 transportation of, 279
 Peregrine Falcon, change of habit in selection
 of nesting site, 401
 protection for sport, 200, 202
Perichaeta indica, 464
Periplaneta americana, 436, 463
australasiae, 436, 463
 Periwinkles, use as food, 153
 Perkins, Principal, 323
Pernis apivorus. *See* Buzzard, Honey
Perodipus, 389
 Perth, 9, 276
 Perthshire, ague in, 509, 510
 Bear in, 114
 Beaver in, 17
 prehistoric remains in, 157
 Capercaillie in, 270, 271, 272, 355, 356
 Chough in, 178
 Deer, Fallow, in, 285, 287
 Red, in, 334
 Roe, in, 331, 332
 Eagle, Golden, in, 128
 Elk, prehistoric remains, in, 346, 348
 forest, destruction in, 319, 361
 Kite in, 133
 Marten in, 161
 Osprey in, 134
 pearl-fishing in, 195
 Polecat in, 164
 Rabbit in, 252, 391
 Squirrel in, 293, 398
 Urus, prehistoric remains in, 51
 Wild Cat in, 126
 Wolf in, 120, 121 f.-n., 319
 Woodpecker, Great Spotted, in, 360
 Pests, Californian quarantine inspections
 for, 474
 counter-pests introduced to combat, 259–
 263, 419
 destruction of, 176–183
 increase due to cultivation, 387
 introduction of, 21, 255, 387–396, 417–
 475, 496
 Peterhead, 164, 174
 Petrel, Fulmar. *See* Fulmar
 Phalarope, Red-necked, 230
 Pheasant, as food, 140
 change of food habit in, 410
 Chinese, or Ring-necked, 268
 in America, 206
 food of, 206
 Gulls protected for, 206, 502
 introduction for sport, 264–268, 496
 Japanese, 268
 Mongolian, 268
 protection for sport, 205
 Reeve's, 268
 sensitiveness to sound, 379
 transportation to colonies, 241
 Philip, George, 394
Phoca vitulina. *See* Seal, Common
Phora rufipes, 416
Phoxinus phoxinus. *See* Minnow
Phthirus pubis. *See* Lice, Crab
Phyllodromia germanica, 438
Phyllotreta nemorum, 392
Phylloxera vastatrix, 461, 474, 487
Physa acuta, 466
Physeter macrocephalus. *See* Whale, Sperm
 “Pictish Towers.” *See* Brochs

INDEX

541

- “Picts’ houses.” *See* Eird houses
Picus major. *See* Woodpecker, Great Spotted
Pieris brassicae and *rapae*. *See* Butterflies, Cabbage
Piette, M., 30
Pig. *See also* Boar, Wild
as street scavenger, 224
domestication of, 89, 92–95, 491
extermination of Dodo of Mauritius by, 498
in New Zealand, 245
numbers added to fauna, 486
parasites introduced by, 422
prehistoric remains of, 32, 33, 34
primitive, in Highlands and Islands, 92, 93
Pigeon, 34, 95–100, 267. *See also* Rock Dove
Crowned, destruction for plumage, 189
houses, evolution and legislation, 97–100
introduction of exotic, 283
Mayer’s, 245
protection for food, 98, 217
Wood, 389, 390
as pest, 231
in London, 406
Pike, transportation of, 279
in California, 258
Pine forests, 308
Pines, weevils transported with, 472, 474
Pinnaaspis pandani, 461
Pipit, Tree, 399
Pissodes notatus, 472
piniphilus, 472
Pitfour House, 296
Ponds, 279
Pitlochry, 133, 360
Placocephalus (Bipalium) kewensis, 464
Plague, Bubonic, 420, 423
relation of Fleas to, 420, 507
of Rats to, 423, 507
Plaice, destruction of, 150
Plains, animals of, 12, 13
destruction owing to cultivation, 365, 366
Planarians, Land, introduction to Scottish greenhouses, 464
Plant-bugs, 459, 474. *See also* Aphis
Plants, introduction of animals with, 457–466, 474, 475
introduction with animals of, 418
Pliny the Younger, 45
Plover. *See also* Lapwing
abundance of, 266, 356
destruction of eggs for food, 148
Golden, mortality caused by telegraph wires, 379
price, 140
protection for food, 217
Plumatella emarginata, 414
Plutella maculipennis. *See* Moth, Diamond-backed
Plymouth Sound, 433
Poaching Acts, 205
Podiceps cristatus. *See* Grebe, Great Crested
Pogonochaerus fasciculatus, 472
Polecat, in Scotland, 107, 329
destruction as vermin, 127, 176, 177
destruction for skin, 156, 161–166, 221
effect of destruction of forest upon, 350
Pollution of rivers, 382–386
Polyommatus agrestis var. *artaxerxes*. *See* Butterflies, Artaxerxes
Polyzoa, in water-pipes, 414
Pony. *See under* Horse
Poplar, 414
Population, increase of, 25, 394, 481, 485
Port Elphinstone, 294
Porthetria dispar, 462
Possil Marsh, 298
Potato, birds as pests on, 411, 412
Colorado Beetle as pest upon, 387
pests transported with, 475
plants as food of Death’s Head Hawk
Moth caterpillars, 408
Sweet, pests transported with, 474
Poultry, domestication of, 34, 101–106
parasites introduced with, 423
Pratincola rubicola. *See* Stonechat
Prêdmost, 109
Pressmennan Lake, 279
Prestonpans, 154
Pribilof Islands, 110, 223, 257
Prospaltella berlesae, 262
Protection of animals, 197–240, 481, 485, 487
as scavengers, 216
by law, 198, 478
by popular favour, 198, 233–237
by superstition, 198, 237
for aesthetic reasons, 198, 229–232
for food, 216
for fur and skins, 216, 221
for special services to agriculture, 216, 227
for sport, 197, 198, 199–215
for utility, 216–228
Prothero, R., 391
Psychoda humeralis, 416
Ptarmigan, as food, 267, 356
prehistoric remains, 17
protection for hawking, 203, 205
Pteronus ribesii, 392
Ptilinus pecticornis, 404
Ptinus tectus, 442, 445 f.-n.
Puffin, rats in burrows of, 432
Puffin Island, 432
Pulex irritans. *See* Fleas, Human
Pulvinaria floccifera, 460
Punjab, 328
Punt-gunning, 188
Pupa, 329
Putney, Surrey, 446
Pyrallis farinalis, 443

- Quail, as food, 266
 Button-, introduction of, 275
 decrease in number, 367
 destruction for food, 139
 protection for sport, 205
 Virginian, introduction of, 275
 Quarantine inspections of imports, 474
 Quebec, 458
Quedius mesomelinus, 416
 Queensberry Hill, 282
- Raasay, 178, 282
- Rabbit, change of habit in selection of domicile, 400
 destruction as pest, 21, 137, 179–180, 252, 253, 390, 391
 destruction for skin, 156, 166–168, 222, 252, 390
 dispersal of, 398
 domestication of, 106
 effects of introduction of, 253–254, 499, 500
 increase due to cultivation, 390, 485, 496, 497
 influence on forest growth, 323
 on vegetation, 487, 499–500
 introduction and spread in Scotland, 247–253, 400, 496
 “Jack,” 369
 pest in the colonies, 241, 243, 245, 255, 498
 protection for food, 205, 217, 221, 250, 251
 for fur, 221–222, 249, 250
 warrens, 249 *et seq.*
- Raehills, 287
- Raesgill, 338
- Railways, decrease of animal life due to, 379
 dispersal of animals by, 398
Rangifer tarandus. *See* Reindeer
- Rannoch, 119, 126, 319
 Black Wood of, 314
 Loch, 271
- Rat, absence from certain areas, 426
 Alexandrine, 428
 as pest in Harris, 427
 bird-colonies infested by, 432
 Black, or “Ship,” 425–428, 487, 496
 Common or Brown, colonization of Europe by, 428–432, 487, 496
 damage done by, 430, 431
 dispersal of, 398
 fleas infesting, 423, 507
 in coal-pit, 416
 in sewers, 413
 increase of, 137, 391, 395, 432, 497, 507
 during the War, 396
 introduction by ships, 425 *et seq.*
 Kangaroo, 389
 “Norway.” *See* Common or Brown
 parasites introduced by, 420, 423, 507
 railways as means of dispersal of, 399
 relation to disease, 507–508
- Raven, in Scotland, 17
 as scavenger, 224, 225, 226, 395, 405
 destruction of, 136, 482
 increase of, 230
 influence of towns upon, 405
 “Ravenois foullis,” 136
- Ray, Thornback, 8, 19
- Razorbill, 8, 17
- “Red Maggot,” 440
- Redpolls, 193, 329
- Redshank, 140
- Reeves, 140
- Regent's Park, American Cockroach in, 436
 Grey Squirrel in, 288
- Reid, Clement, 11, 395
- Reindeer, in Scotland, 14, 20, 308, 497
 destruction for sport, 187
 effect of destruction of forest upon, 338–346, 350
 extermination of, 207, 213, 481, 496, 497
 failure to re-acclimatize, 242, 254
 in Pribilof Islands, 257
 Magdalenian sculpture of, 30
 prehistoric and early remains of, 31, 69, 330, 338, 340, 344
 racial character of Scottish, 343–346
 Woodland, 329, 343
- Renfrewshire, Capercaille in, 273
- Deer, Giant Fallow, prehistoric remains in, 68
- Red, in 207
- Grayling in, 276
- Hare, Alpine, in, 282
- Horse, prehistoric remains in, 68
- Polecat in, 164
- Trout, American Brook, in, 277
- Urus, prehistoric remains in, 50, 68
- Reyce, *Breviary of Suffolk*, 248
- Rhidorroch Forest, 314
- Rhinocola dianthi*, 392
- Rhixoctonia*, 475
- Rhyssa tridactyla*. *See* Gulls, Kittiwake
- Rhytina stelleri*, 138
- Richardson, Dr, 402
- Richmond, Yorkshire, 112
- Park, 288
- Riley, Prof., 458, 473
- Rivers, barriers causing decrease of fisheries, in, 379–382
 pollution causing decrease of animal life in, 382–386, 488
- Roads, dispersal of animals by, 398
- Robbers, destruction of forests for, 318
- Robert Bruce, King, 66, 82, 199, 207, 310, 311
- Robin, association with man, 406
 increase due to cultivation, 394
 introduction to New Zealand, 241, 242
 “Pekin,” introduced, 283
 protection by popular favour, 234
 by superstition, 237

INDEX

543

- Rock Dove, domestication of, 95–98
slaughter for food, 141
- Rodriguez, 498
- Roeding, Mr, 257
- Rogers, Prof., 200, 249
- Romans in Scotland, 56, 309
animal remains in settlements, 40, 51, 54,
56, 72, 79, 87, 90, 112, 113, 248, 331,
333, 348, 395
destruction of forests by, 317
horses of, 72, 79
introduction of Peacock by, 283
of Pheasant by, 265
protection of Raven by, 225
reclamation of swamps by, 370
- Ronaldshay, North, 154, 412
- South, 427
- Rooks, as pest, 177–178, 217, 228, 231,
390
as scavengers, 224, 225, 226, 395
dispersal by railways, 399
increase due to cultivation, 390, 394
influence of towns upon, 405, 406
- Rose-seed Chalcid, 456
- Rosehall, 314
- Ross, animal sanctuary in, 237
Buzzard, Honey, in, 135
Capercaillie in, 273, 274, 355
Celtic Shorthorn, early remains in, 55
Deer, Japanese, in, 288
Red, in, 211, 264
Roe, in, 332
Dog, prehistoric remains in, 86
Goose, Grey Lag, in, 104
Oyster-beds off coast of, 154
pearl-fisheries in, 195
Polecat in, 165, 166
Rat, absence from, 426
Reindeer, prehistoric remains in, 340
Scottish Crested Tit, in, 230
Squirrel in, 295
as pest in, 181
Wild Cat in, 126
- Rothiemurchus, Forest of, 133, 290, 297,
314, 321, 358
- Rougemont Gardens, Exeter, 288
- Rousay, 14, 280, 340
- Row, 289
- Roxburghshire, ague in, 509
Ant, Small Red House, in, 440
Beaver, prehistoric remains in, 157
Celtic Shorthorn, prehistoric remains in,
55
Deer, Red, prehistoric remains in, 333,
336
Elk, prehistoric remains in, 347
fur produce of, 156
Pigeon, price in, 100
Polecat in, 164
Rabbit in, 252
Squirrel in, 292, 352
Wild Cat in, 125
Wolf in, 121 f.-n.
- Ruff. *See* Reeves
- Rum, Isle of, 178
- Russia, 469
- Rutherglen, 56
- Ryper. *See* Grouse, Willow
- St Abbs, Chough at, 178
pigeon-houses at, 97
Rock Dove at, 95, 97
- St Andrews, 90
- St Cyrus, 87
- St Helena, influence of Goats on forest-
growth and vegetation in, 501
introduction of plants to, 418
- St Kilda, destruction of Gannet and Fulmar
in, 146
destruction of Great Auk in, 144–166
egg-gathering on, 148
ponies of, 74
sheep of, 37, 38
Wren, 190, 229
- St Marcel, Indre, sculptures at, 30, 344
- St Medan's Cave, 57
- St Ninian's Cave, 57, 87
- St Osyth, 424
- St Vigians, 509
- Salmo irideus*. *See* Trout, Rainbow
- lemanus*. *See* Trout, Lake Geneva
- levenensis*. *See* Trout, Loch Leven
- trutta*. *See* Trout, Brown
- Salmon in Scotland, 19
destruction in Tweed, 150–152
interference with, by barriers, 380
pollution causing decrease of, 384–386
protection for food, 217–219
spawn destroyed by flood, 328
- Salt manufacture, 319
- Salvelinus alpinus*. *See* Char
- San Francisco, 436
- San José, 460
Scale Insect. *See* under Scale Insects
- Sanctuaries, animal, 236
- Sanday, 250, 251, 280
- Sandwick, 72, 250, 251, 341
- Saperda carcharias*, 471
- Sarcoptes scabiei*, 421
- Sawflies, Gooseberry, 392
transportation in timber, 469
Turnip, 392
- Saxicola oenanthe*. *See* Wheatear
- Saxony, Elk in, 349
- Scale Insects, Apple. *See* below Mussel
- Aspidiotus, 461 f.-n., 475
Black, 475
Camellia or Cottony, 460
Coconut Snow, 475
Coffee, 461 f.-n.
Egyptian Cushion, 461 f.-n.
Fluted or Cottony Cushion, 260
importation into Britain, 448, 461
Ladybirds as counter-pests of, 260
Long, 475
Mulberry, 261, 460, 461

- Scale Insects—*Cont.*
 Mussel, 450, 460, 474
 Orange Mussel, 461 f.n.
 Purple, 475
 Red-Spotted, 474
 San José, 261, 475
 Screw-pine, 461 f.n.
 Shield, 475
 Scandinavia, 458, 484 f.n.
Scatophaga stercoraria, 396
 Scavengers, protection of beasts and birds
 as, 223–226, 395
Sciurus carolinensis. *See* Squirrel, Grey
vulgaris. *See* Squirrel, Common Red
 Scotland, advantages of fauna for study,
 2 *et seq.*
 arrival of man in, 2, 6
 early climate and vegetation, 10
 early inhabitants, 8
 early physical condition, 9
 original fauna of, 12, 492
 surface features on man's arrival, 9, 484
 Scots, Fir, 308
 Grey fowls, 101, 102
 Scotstown Moor, 500
 Scott, Dr Thomas, 373
 Scottish Dumpie fowl, 102
 Sculptured stones, 76, 342
 Sea fisheries, protection of. *See* Fisheries
 prehistoric inhabitants and, 19
 Sea-gulls. *See* Gulls
 Sea-weed, animals breeding in, 395
 Sealcliff, 87
 Seal, Common, in Scotland, 19
 destruction for food, 138, 172, 222
 for oil, 171–175, 222
 flesh as food of early inhabitants, 8
 in Iona, 171, 222
 Fur, destruction of, 170
 protection of, 222–223
 slaughter on Pribilof Islands, 110
 Grey, destruction of, 169, 172, 173, 174,
 223
 early remains of, 19, 173
 protection of, 223
 Sedge, Sand-, association and rabbits, 499
 Seeds, transportation of pests in, 454
 Selborne, 435
 Selkirk, 430
 Forest, of, 208. *See* Ettrick Forest
 Selkirkshire, Deer, Red, prehistoric remains
 in, 333
 royal hunts in, 119, 208, 211
 Elk, prehistoric remains in, 346, 347
 forest, destruction in, 313, 314. *See*
 Ettrick Forest
 fur produce of, 156
 Rat, Brown, in, 430
 Squirrel, Red, in, 292
 Urus, prehistoric remains in, 51
 Service, R., 162
 Settle, 112
 Seychelles, the, 460
 Shad, in Thames, 384
 introduction to California, 258
 Shag, 8, 17
 Shapinsay, 280
 Sharp, Dr D., 468
 Shaw, Rev. Lachlan, 352, 356
 Shaws, Dumfriesshire, animal remains at,
 16, 112, 330, 340
 Shebley, W. H., 258
 Sheep in Scotland, 35–48, 68
 Blackfaced, 29, 43, 44, 45, 48
 Cheviot, 29, 43, 44, 45, 48
 Deer, banishment from Lowlands due to
 sheep flocks, 42, 208, 331, 334, 486
 destruction of forest for pasturage, 322,
 331, 334, 486, 496
 flocks in Tweeddale, 41, 42
 four-horned, 41, 42
 influence on vegetation, 323, 500
 liver-rot in, 373, 422, 514
 man's influence on characteristics, 39,
 42–48
 numbers added to fauna, 486, 493
 parasites introduced with, 422, 423
 Peat or Turbary, 35, 40–43
 prehistoric and early remains of, 31, 32,
 33, 34, 40, 73
 quality of rapid fattening, 45
 Shetland, 35, 40–43, 47
 Soay, 35, 37–40, 46, 48
 Ticks of, 423
 wild ancestors of, 36, 44
 wool, characteristic, 39, 43, 45–48
 improvement of, 45–48, 490
 Sheldrake, protection for hawking, 203
 Shell-fish, in water-systems, 414, 415
 use as food in times of scarcity, 216
 Shell-fisheries, depletion for food, 153
 154
 destruction caused by pollution, 386
 protection for food, 220
 Shell-mounds, 9, 19, 30, 31, 32, 33, 56, 57,
 71, 72, 87, 89, 158
 Shells, Land. *See* under Snails
 Shetland Islands, Birds' eggs, collection for
 food in, 148
 Cattle of, 60
 Death's Head Hawk Moth caterpillars in,
 409
 Deer, Red, prehistoric remains in, 16,
 333
 Roe, 16, 331, 332
 Eagle, White-tailed, in, 130
 Falcons and Hawks of, 200, 201
 forest, prehistoric, in, 305, 308
 Grouse in, 280
 Pig, primitive, of, 93
 Ponies of, 73, 76–78
 Quail in, 368
 Ravens on whale carcasses in, 226
 Rock Dove in, 95, 98
 Seal, Grey, destruction in, 173
 Sheep of, 35, 40–43, 47

INDEX

545

- Shetland Islands—*Cont.*
 Skua, protection in, as enemy of Sea-Eagle, 228
 Weasel (Stoat), introduction by Falconer to, 299
 Whaling industry in, 175, 226
 Shin, Loch, 165
 Ship-worm, 432
 Shipbuilding industry in Scotland, 319
 Shipping as means of transport and dispersal of animals, 397, 425 *et seq.*
 Ships, stowaways on, 425–433
 Shore-flea, 395
 Shrimp, freshwater, 383
 in water-pipes, 414, 415
 Sibbald, Sir Robert, 142, 144, 351, 435
 Siegfried, 52, 349
 Silchester, Roman settlement at, 225, 265
 Silesia, Elk in, 349
 “Silver-fish” insect, 404.
Sirex gigas, 467–469
 noctilio, 467
 Siskin, 193, 329
Sitotropa (Anobium) panicea, 410, 444
Sitotropa cerealella, 442
 Skara, Orkney, 52, 57
 Skaw lighthouse, 378
 Skeen, Loch, 134
 Skink, Blue-tailed, 469
 Skins. *See* Fur-bearing animals
 Skua, Great, protection in Shetland, 228
 Skye, “Bog butter” in, 58
 Chough in, 178
 Eagle, Golden, in, 128
 White-tailed, or Sea, in, 132
 Hare, Alpine, in, 282
 Common Brown, in, 280
 Hebridean ponies of, 75
 Slag-furnaces, 320
 Slateford, 435
 Slater, Freshwater, in waterworks, 414
 Slugs, in coal-pits, 416
 Smeaton-Hepburn, 337
Sminthurus igniceps, 463
 Smith, Dr John Alexander, 58, 347, 490
 Major Hamilton, 53
 Rev. Samuel, 510
 Smoo Cave, 278
 “Snail-slug,” transportation of, 465
 Snails, Banded Garden, 154
 Land, destruction for food, 154
 effect of destruction of forest upon, 329
 introduced in cabbages to Ceylon, 459
 transportation of, 464, 465
 Mediterranean species, transportation of, 465
 Pond, disappearance due to reclamation of swamps, 373
 in waterworks, 414, 415
 naturalization of, 466
 relation to liver-rot, 514
 transportation of, 298
 Snails—*Cont.*
 Roman, destruction for food, 154
 White-keeled, 465
 Snake, Smooth or Ringed, as “escape,” 299
 Snipe, as food, 266
 formerly shot on site of London, 371
 price of, 140, 266, 367
 protection for sport, 295
 Soay, Gannets on, 146
 Sheep. *See* under Sheep
Solenopsis molesta, 440
 Solitaire, extermination of, 498
 Solutré, 109, 138
 Solway Firth, punt-gunning on, 188
 district of, ague in, 512
 Deer, Red, prehistoric remains in, 334
 Grebe, Great Crested, in, 230
 Hare, Alpine, in, 282
 Rat, arrival in, 429
 Spain, 366, 400, 401
 Sparrow, House, destruction as pest, 179, 389
 habit of selecting a domicile, 403
 increase of, 389, 496, 497
 influence of towns upon, 405, 407
 introduced into the colonies, 255, 498
 local migrations for food, 412
 railways as means of dispersal of, 399
 White-throated, 299
 Sparrow Clubs, 179, 389
 Sparrow-hawk, increase during War, 136
 protection for sport, 200, 202
 Spey, River, Char in, 153
 Minnow in, 279
 pollution affecting fish of, 384
 Water Ouzel, destruction on, 182
 Speyside, Beetles, Longicorn, in 471
 Capercaillie in, 356
 forests, destruction in, 314, 321
 iron furnaces in, 321, 354
 Squirrel in, 296, 297, 354
 Woodpecker, Great Spotted in, 358, 360
Sphaeridium, increase of, 396
Sphaerium lacustre, 298
 Spiders, Bird-eating, 447
 Cave, in coal-pits, 416
 exotic, in greenhouses, 404, 463
 protection through superstition, 239
 selection of houses as domicile, 404
 Sponges, freshwater, in waterworks, 414, 415
Spongilla lacustris, 414, 415
 Sport, destruction of animals for, 184–188
 introduction of animals for, 264–282
 protection of animals for, 197, 199–215
 transportation of animals for, 278–282
 Spring-tails, in coal-pits, 416
 introduction into greenhouses, 463
 Spynie, Loch, 279, 371, 372

R.

35

- Squirrel, Common Red, in Scotland, 290–297, 351–354
 as swimmer, 295
 bridges as means of dispersal, 295, 398
 change of food habits in, 411
 decline of, 351–354, 359
 destruction as pest, 181, 244, 297
 dispersal of, 398
 effect of destruction of forest upon, 290, 351–354
 introduction and spread of, 290–297, 361, 496
 Grey, introduction and spread of, 288–290
 Stanley, 287
 Stannergate, shell-mound at, 31
 Starling, as pest, 228, 231
 change of food habit in, 409, 410, 411
 increase due to cultivation, 393, 394, 396
 influence of towns upon, 406, 407
 introduction into colonies, 256, 498
 introduction to Australia of Fowl-mite with, 420
 Red-winged, introduction of, 283
 slaughter for food, 139
 Woodpecker, Great Spotted, relations to, 359
 Stejneger, L., 80
 Steller's Sea Cow, destruction of, 138
 Stennis, Loch, 56, 71, 87
 Sticklebacks in waterworks, 414
 Stirling, Carse of, 10, 20, 31
 Deer, Fallow, in park of, 285
 fox-hunter at, 121
 Peregrine falcons near, 200
 Whales, remains of, near, 9, 20, 70
 Wolf-hunting near, 117, 120
 Stirlingshire, Deer, Fallow, in, 285
 Roe, in 332
 Falcon in, 199, 200
 forest, destruction for iron-smelting industry, 322
 Hawks in, 200
 Kite in, 133
 Marten in, 161
 Polecat in, 164
 Rabbit in, 252
 Squirrel, Red, in, 292, 398
 Wild Cat in, 125
 Wolf in, 117, 120
 Stoat in Scotland, 17, 329
 decrease in numbers, 488
 destruction as pest, 127, 181
 for skin, 155, 221, 488
 in Shetland, 299
 increase in numbers, 485, 488
 introduction to New Zealand, 245, 255
 Stocket, forest of, 116, 311
 Stoddart, Thos. T., 150, 277
 Stonechat, in vineyards of France, 394
 protection by superstition, 238
 Storer, Rev. John, 65
 Stork, in Edinburgh, 377
 protection by popular favour, 239, 401
 rarity in Scotland, 266
 Stornoway, 280
 Straits Settlements, 463
 Stratford-on-Avon, 402
 Strathardle, 272
 Strathbeg Loch, 279
 Strathblane, 125
 Strathdee, 161
 Strathdon, 161. *See also* Don, area of
 Strathglaish, 211
 Strathglass, 269, 356
 Strath-Halladale, 16, 347
 Strathmore, 90, 273, 293
 Strathnairn, 273
 Strath Oykell, 296
 Strathspey. *See* Speyside
 Stromness, 252, 442
 Structures of animals, modification of, 489.
Also Domestication
 Stuart, John Sobieski and Charles Edward, 323, 325, 334, 348, 358
 Suffolk, 298
 Sugar, introduction of mites with, 445
Sula bassana. *See* Gannet
 Suleskerry, 173
 Sumburgh, 76
 Sunart, 164
 Surrey, 288, 323, 446
 Sussex, 275, 320
 Sutherland, Bear, prehistoric remains in, 17, 112
 Bittern in, 375
 "Bog butter" in, 58
 Capercaillie in, 356
 Chough in, 178
 Crows, Rooks, Magpies and Jackdaws in, 177
 Deer, Fallow, in, 287
 Red, in, 187, 334
 prehistoric remains in, 31, 333
 Roe, early remains in, 331
 destruction of vermin and pests in, 124, 126, 128, 136, 137, 170, 177, 182
 Dog, early remains in, 87
 Eagle, Golden, in, 128
 Elk, prehistoric remains in, 16, 347
 forest, destruction by burning in, 325
 prehistoric, 308
 Fox in, 122, 124
 Frogs and Toads, prehistoric remains in, 373
 Goose, Grey Lag in, 104
 Hawks in, 136
 Horses, Wild, in, 80, 81
 Kites in, 136
 Lemming, Arctic, prehistoric remains in, 14
 Lynx, prehistoric remains in, 17, 111
 Marten in, 161, 176
 Mosquito in, 512
 Osprey in, 134

INDEX

547

- Sutherland—*Cont.*
 Otter in, 170
 Ouzel, Water, in, 182
 Pike, in, 279
 Polecat in, 165, 166, 177
 Rabbit in, 252
 Rats, absence from, 426
 Raven in, 137
 Reindeer in, 31, 187, 340, 341
 Squirrel in, 181, 295, 297, 351, 398
 Trout, transported to lochs of, 279
 Urus, early remains in, 52
 Wild Cat, in, 126, 177
 Wolf in, 119, 120
 Sutherland, Kyle of, 279
 Swallows, habit of selecting a domicile, 401, 402
 protection through superstition, 239
 telegraph wires as roosting places, 379
 Swallows, Cliff, 402
 Swamps, reclamation of, 370-377, 488, 510
 Swan, Wild, as food, 140, 266
 destruction for sport, 188
 on Loch Spynie, 372
 prehistoric remains of, 18
 price of, 140, 376
 Sweden, 463
 Swift, Dean, 404
 Swifts, food of, 403
 habit of selection of domicile, 401
 Swine, as city scavengers, 224. *See* Boar, Wild. *Also* Pigs
 Swinton, 90
 Swinwood, 90
 Switzerland, 219, 344, 453
 Sylvius, Aeneas, 312, 315
Syntomaspis druparum, 453
 Syntomidae, 448

Taenia nana, 421
 saginata, 421, 422
 solium, 421, 422
Talitrus saltator, 395
 Taradale, animal sanctuary at, 237
 Tarbat House, 295
 Tarbert, 288
 Tarbolton, 71
 Tarland Burn, 294
 Tarnaway Forest. *See* Darnaway F.
 Tasmania, 442, 452
 Tay, Loch, 271, 273
 Tay, River, Grayling in, 276
 pearl fishing in, 195
 Perch in, 279
 pollution of, 385
 Salmon spawn destroyed by floods in, 328
 Tench in, 279
 Tay valley, Capercaillie in, 272
 Celtic Shorthorn, prehistoric remains in, 56
 Deer, Fallow, in 287
 Red, in, 333
 Roe, in, 332

 Tay valley—*Cont.*
 Squirrel in, 293
 Urus, prehistoric remains in, 51
 Tayfield, Fife, 395
 Taylor, John, the Water Poet, 80, 120, 211, 267, 356
 Taymouth Castle, 270, 271, 273
 Taynuilt, 321, 353, 354
 Teal, as food, 140
 on White Moss at West Linton, 504
 protection of, 266
 for hawking, 203
Technomyrmex albipes, 463
Tegenaria derhamii, 404
 Teith, valley of, 273
 Telegraph wires, as roosting-places of birds, 379, 399
 mortality among birds due to, 379
 Tench, transportation of, 279
Tenebrio molitor, 410, 443
 obscurus, 443
Tenebrioides mauritanicus, 441, 445 f.-n.
 Teredo, introduction by ships, 432
 Termite, 440
 Terns, 17
 Black, 191
 White, destruction for plumage, 189
Testacella maugei, 465
Tetramorium guineense, 463
Tetranychus telarius, 392
Tetrao urogallus. *See* Capercaillie
 Teviot, River, 276, 384
 Thainstone, 294
 Thames, thè, 384, 469
 Estuary, 424
Thanasimus formicarius, 416
 Thayngen, 344
Theridion lepidariorum, 404, 463
 Thick-knee, 401
 Thornton, Colonel, 115
 Thortorwald, 310
 Thrips, foreign species introduced into
 greenhouses, 463
 transportation of, 474
 Thrumster, 331
 Thrushes, as pests, 231, 411
 as prey of Little Owl, 256
 change of food habits, 411
 destruction for food, 139
 increase due to cultivation, 394
 due to protection, 230
 influence of towns upon, 406, 407
 protection by popular favour, 234
Thymallus thymallus. *See* Grayling
 Ticks, Asiatic, 423
 introduced as parasites on livestock, 423
 " Sheep," 423
 Sheep, true, 423
 Spiny ear, 421
 Timber, animals introduced with, 467-473
Tinea tinca. *See* Tench
Tinea granella, 443
 Tineidae, 410

- Tinwald, 310
 Tiree, Celtic Shorthorn, prehistoric remains
 in, 57
 Chough in, 178
 Hare, Common Brown, in, 280
 Hebridean ponies in, 75
 Tits, Great, as insect-eaters, 393
 increase due to cultivation, 394
 influence of towns upon, 406
 Scottish Crested, 230
 Toads, decrease due to reclamation of
 swamps, 373
 Natterjack and Common, prehistoric re-
 mains in Sutherland, 373
Tomocerus minor, 416
 Tongue, 325
 Top shell, 20
 Tope, 19
 Tor Wood, 114, 312
 Wild White Cattle of, 66
 Torquay, fauna of water-supply of, 414
 Torrey, 427
 Towns, influence on habits of animals, 405–
 408
 influence on song and nesting of birds, 407
 Trail, Prof. J. W. H., 500
 Transport affecting dispersal of animals,
 397–399. *See also* Chapter VIII
 Transportations of animals, 278–282
 Trap-netting, 139
 Traprain, 56, 248, 316
 Traquair, 430
 Tree-Creeper, 329
 Trees, creatures introduced with, 459
 Treig, Loch, 399
 Treves, Sir Frederick, 290
Tribolium castaneum, 441, 445 f.-n.
 confusum, 441, 445 f.-n.
 ferrugineum, 441
Trichinella spiralis, 508
 Trichinosis, 508
Trichocephalus dispar, 422
Triglyphothrix striaticeps, 463
Trochus lineatus, 20
Trogodytes hirtensis. *See* Wren, St Kilda
 Tropical plants, introductions with, 462
 Troqueer, 164
 Troup Head, 296
 Trout, American Brook, or “Rainbow,”
 277, 383
 Brown. transportation of, 278
 Lake Geneva, introduction of, 277
 Loch Leven, transportation of, 241, 278
 protection for food, 217, 219
 Rainbow (*Salmo irideus*), 278
 spawning beds destroyed by floods, 328
 transportation of, 241, 242, 278
 Trypetid, 474
Tubularia crocea, 433
 Tulliallan, 270, 273
 Tulloch, 130
 Tummel, River, 271
 Tunis, 451
 Tunisia, forest destruction in, 323
 Turkey, the, 106, 266
 Turner, Sir William, 52
 Turnip crops, birds as pests on, 412
 increase of pests of, 392
Turnix sylvatica. *See* Quail, Button-
 Turriff, 296
 Turtle, destruction of eggs for oil, 171
 Tweed, River, decline of fisheries, 151
 Grayling in, 276
 Salmon run in, 381
 spearing of, in, 150
 Tweed valley, Elk, prehistoric remains in,
 16, 346
 Great Crested Grebe in, 230
 Mallard in, 411
 Rat, Brown, in, 430
 Sheep, destruction of woods by, 323
 flocks in, 41, 42
 four-horned, in, 41
 Timberman Beetle in, 472
 Urus, prehistoric remains in, 51
 Tweedmouth, 472
 Twite, 193
 Tyree. *See* Tiree
Tyroglyphus, 410
 Ubaldini, Pet., 149
 Uisg, Loch, 278
 Uist, North and South, 74, 75, 128, 172,
 277, 412
 Ullbster, 51, 56, 71
 Ullapool, 314
 Ulverston, 320
 Unapool, Loch, 279
 Urial, Asiatic, 36, 40, 42, 43
 Uruguay, counter-pests in, 262
 Urus in Scotland, 49–55, 60, 62, 63, 67,
 68, 308
 characteristics of, 52
 effect of destruction of forest upon, 350
 resistance to domestication, 54
Vanessa c-album, 369
Vedalia cardinalis, 260
 Vegetables, introduction of animals with,
 457–466
 Vegetation, influence of rabbits etc. on,
 253, 499, 500
 post-glacial, 10
 Vemantry, 132
 Venus Shell, Warty, 154
 Vermin, destruction of animals as, 176–183
 increase of, 137
 during War, 109, 182
 Vienna, 438
 Vine, Phylloxera of, 461, 474, 487
 Vineyards, French, birds of, 394
 Virginia, West, bird protection in, 227
 Voles, destruction as pest, 179
 plague of, 137, 391
 Northern, 14
 extermination of, 14, 481

INDEX

549

- Volga, River, 469
 Vultures, increase during War in Eastern Europe, 396
- Wagtails, Pied, in Edinburgh, 406
 railway embankments as nesting-place of, 399
- Wainfleet, 139
 Walker, Prof. John, 352, 429
 Wallace, Prof. Robert, 43, 80
 Walls, island of, 280
 Walrus, destruction for oil, 171
 disappearance from Scotland, 171 f.-n.
 Waltham Abbey, 265
 Wangford, 298
 War, the Great, destruction of birds as food during, 139
 distribution of Beetles and Moths in dry food materials during, 444
 effects of, on animal life, 109, 136, 137, 205, 212, 214, 361, 396, 402
- Warble, Ox, 423
 Warblers, 256
 as pest, 394
 increase due to cultivation, 230, 394
 Savi's, 191
 Sedge, increase of, 230
 Wood, increase of, 230
- Wardlaw Chronicles, 149, 211, 287
 Washington, 475
 Wasps, change of food habits, 411
 Wood. *See* Sirex
- Waste land, effects of breaking in, 364-370
 Water-fleas, in waterworks, 414, 415
 influence of drought upon, 373
 Water-pipes, fauna of, 413-415, 470, 487
 Water-rail, 17
 Waterston, Rev. James, 404
 Waterways, dispersal of animals by, 397
 Waterworks, fauna of, 413-415, 470, 487
 Weasel, in Scotland, 17, 329
 destruction as pest, 127, 181
 for skin, 221
 increase of, 485
 introduction to New Zealand, 245, 255
 to Shetland (Stoats), 299
- Weeds, transportation of, 418, 473
 Weevils, 475
 Apple blossom, 392
 Corn or Granary, 441, 445 f.-n.
 increase due to cultivation, 392
 Pine, 472, 474
 Raspberry, 392
 Rice, 474
 Strawberry, 392
 Sweet Potato, 474
- Wedderburn, Lieut.-Col., 370
 Wedderburn's Account Book, 136, 224, 395
 Wedel, Baron von, 225, 251
 Weisdale Voe, 226, 280
 Weldon, Sir Anthony, 312
 Wemyss Caves, 57, 87, 97
- West Indies, 450, 460, 464, 466, 470
 West Kilbride, 34, 87
 West Linton, 406, 502
 Whale, destruction for oil, 174-175
 Finner. *See* Rorqual *below*
 food of early inhabitants, 8
 Greenland, Right or Whalebone, 174, 175
 in Firth of Forth, 386
 Pilot, or C'ing, 175
 prehistoric remains of, 9, 20, 70
 Ravens feasting on, 226
 Rorqual, or Finner, 20, 475
 slaughter at S. Georgia, 110, 175
 Sperm, 174, 175
 Whalebone. *See* Greenland *above*
- Wheat, animals introduced with, 438-442
 Midge, 440
 Wheatear, 140, 394
 White, Gilbert, 435
 Rev. Thomas, 316
 White Moss, West Linton, 502
 Whitewreath, 165
 Whitmuir Hill, 51
 Whitret. *See* Weasel
 Whitrig Bog, 347
 Whittlesea Meer, 190
 Wick, 341
 Wigeon, change of food habits, 412
 protection for hawking, 203
- Wigtownshire, Boar, Wild, prehistoric remains in, 90
 Capercaillie in, 273
 Celtic Shorthorn in, 57
 Chough in, 178
 Deer, Red, prehistoric remains in, 333
 Dog, early remains in, 87
 Elk, prehistoric remains in, 16, 347
 forest, prehistoric, in, 308
 Squirrel, Red, in, 293, 297
 Urus, prehistoric remains in, 50
- Wild, O. H., 179, 402, 403, 412, 432, 501
 Wild-fowl, destruction by decoy, 139
 by punt-gunning, 188
 protection for food, 217
 for hawking, 203
 reclamation of marsh affecting, 370 *et seq.*
- William of Malmesbury, 236, 371
 Williestruther Loch, 347
 Wilson, Dr R. M., 296
 Wireworms, increase of, 392
 Woburn, 288
 Wolfelee, 121 f.-n., 292
- Wolves in Scotland, 17, 20, 308, 329, 365, 497
 destruction of, 115-121, 482, 488, 496
 for sport, 184
 effect of destruction of forests upon, 351
 forests, destruction of, to extirpate, 120, 318
 increase during war, 396
 in Poland, 109
 legislation relating to, 116 *et seq.*
 place names as evidence of, 121 f.-n.
 prehistoric remains of, 69, 115

- Wood-Wasps, introduction of, 467-469
Woodburn, H. A., 277
Woodcock, 266
 price of, 140
 protection for sport, 205
Woodpecker, Great Spotted, influence of
 destruction of forest upon, 329, 357-360,
 361
Wool of sheep, characteristic, 39, 43, 45-
 48
 improvement of, 45-48, 490
 manufacture in Scotland, 46
Worms. *See also* Earthworms
 exotic, in hothouses, 464
 in waterworks, 414
 Liver-flukes. *See* Flukes
 Maw, 422
 Miners', 422
 Pork Thread-, 422, 508
 Round, 422, 508
 of Horse, 422
 transmission by man, 421, 422
Ship, 432
Tape, Beef, 421, 422
 Broad, 421
 Dwarf, 421
 of Dog, 422
 Pork, 421
Worms—*Cont.*
 Tape, transmission by man, 421
 Whip, 422
Wrasse, 8, 19, 149
Wren, increase due to cultivation, 394
 protection through superstition, 238
 St Kilda, 190, 229
Wright, Dr Strethill, 386
Wyntoun, Andrew, 90

Xenopsylla cheopsis, 420, 507
Xestobium tessellatum, 404
Xyleborus, 463

Yak, Thibetan, 247
Yarhouse, 341
Yell, Island of, 58, 280
Yellowhammer, 389
Yellowstone Park, 236, 387
Yorkshire, 112, 317
Youatt, Wm, 43, 514
Ypres, fauna of water pipes at, 414
Ythan, River, 194, 296

Zanzibar, 460
Zoological Gardens, London, 288, 436
 Park, Edinburgh, 254, 289, 339, 428
Zygaenidae, 448