

## Index

---

- $V(f)$ , 103  
 $\chi(H)$ , 124  
 $AG_k(\mathbb{F})$ , 84  
 $H_{2r-1}(\mathbb{F})$ , 58, 104, 116  
 $H_{2r}(\mathbb{F})$ , 58, 116  
 $PG_{k-1}(\mathbb{F})$ , 51  
 $Q_{2r-1}^+(\mathbb{F})$ , 58, 110  
 $Q_{2r+1}^-(\mathbb{F})$ , 58, 110  
 $Q_{2r}(\mathbb{F})$ , 58, 100  
 $SL_3(\mathbb{F}_q)$ , 93  
 $V_k(\mathbb{F})$ , 18  
 $W_{2r-1}(\mathbb{F})$ , 58  
 $\sigma$ -sesquilinear form, 25, 54  
   degenerate, 26  
   equivalent, 26  
   isometric, 26  
   reflexive, 27  
 $ex(n, H)$ , 124  
 $n$ -gon, 65  
 $o$ -polynomial, 118, 265  
  
 affine plane, 84, 115, 265  
   order of, 84  
 affine space, 84  
 ambient space, 58  
 arc, 151  
   Glynn, 166  
   Hirschfeld, 165  
 automorphism  
   of  $PG_k(\mathbb{F})$ , 86  
   of a field, 6  
  
 ball, 121  
 basis, 16  
 Besikovitch set, 100, 267  
  
 block  
   of a design, 114  
   of imprimitivity, 97  
 blocking set, 123, 268  
 Bourgain set, 104, 267  
  
 chromatic number, 124  
 code  
   block code, 105  
   cyclic, 189  
   dual, 106, 151  
   equivalent, 105  
   extension, 107  
   generator matrix of, 105  
   length of, 105  
   linear, 105  
   linearly equivalent, 105  
   maximum distance separable (MDS), 148,  
     270  
   minimum distance of, 105  
   Reed–Solomon, 148, 151, 186, 190  
   two-weight, 109  
 combinatorial design, 114  
 conic, 100  
 coordinates, 16  
 coset  
   of a group, 94  
   of a module, 258  
   of a ring, 1  
   of a vector space, 20, 84, 184  
  
 derived subgroup, 94  
 Desargues configuration, 54, 144  
 design, 267  
   combinatorial, 114  
 determinant, 20, 78, 249

- difference set, 88
- dual
  - of an incidence structure, 65
- elliptic
  - form, 45
  - quadric, 58
- field, 2, 243
  - algebraic closure, 245
  - algebraically closed, 245
  - automorphism of, 6
  - characteristic of, 3
  - embedding of, 246
  - extension of, 244
  - finite, 2
  - isomorphism of, 2
  - quotient, 248
  - splitting, 3, 245, 246
- field extension, 244
  - algebraic, 244
  - finite, 244
- form
  - $\sigma$ -sesquilinear, 25
  - alternating, 28, 30
  - bilinear, 26, 172
  - elliptic, 45
  - hermitian, 28, 34
  - hyperbolic, 45
  - linear, 18, 78, 155, 172
  - parabolic, 45
  - quadratic, 40
  - reflexive, 27
  - symmetric, 28, 38, 40, 106, 132, 136
- generalised polygon, 65, 127
  - classical generalised quadrangle, 70
  - generalised quadrangle, 66, 265
  - generalised triangle, 66
  - thick, 65
- graph, 109, 267, 269
  - adjacency matrix, 112
  - complete bipartite, 130
  - cyclic, 125
  - Hoffman–Singleton, 144
  - norm, 137, 270
  - Petersen, 144
  - strongly regular, 109, 267
  - Turán, 125
- group, 1, 93, 266
  - abelian, 1, 88
  - classical, 99, 266
  - coset, 94
  - cyclic, 9
  - general linear, 21, 86
  - homomorphism, 95
  - isomorphism, 95
  - permutation, 267
  - primitive, 96
  - simple, 93, 267
  - symmetric, 19, 95, 255
  - transitive, 95
- Hamming distance, 105
- Hasse–Weil theorem, 183
- Hilbert’s Nullstellensatz, 247
- homomorphism
  - of a group, 95
  - of a ring, 251
- hyperbolic
  - form, 45
  - quadric, 58
  - subspace, 27
- hyperoval, 90, 101, 151, 190, 265
- hyperplane, 51
- ideal, 1, 189
  - maximal, 2
  - prime, 243, 250
  - principal, 243
- image
  - of a linear map, 18
- incidence graph, 127
- incidence structure, 65, 127
- integral closure, 250
- integral domain, 248
- integral element, 248
- inversive plane, 91, 266
- isometry, 42
- isomorphism
  - of a field, 2
  - of a group, 95
  - of a polar space, 55
  - of a set system, 52
  - of a vector space, 17
  - of an incidence structure, 65
- isotropic
  - subspace, 27
  - vector, 27
- Iwasawa’s lemma, 96

- Keakeya set, 100, 267
  - kernel
    - of a homomorphism, 95
    - of a linear map, 18
  - latin square, 12
    - idempotent, 85
    - mutually orthogonal, 12, 84, 85
  - linear code, 105
  - linear combination, 15
  - linear dependence, 16
  - linear form, 18, 78
  - linear independence, 16
  - linear map, 17
    - image of, 18
    - kernel of, 18
  - linear space, 83
  - local ring, 250
  - matrix
    - change of basis, 22
    - generator, 105
    - inclusion, 190
  - maximal arc, 115, 268
  - MDS conjecture, 152, 270
  - module, 258
  - norm function, 7, 34, 36, 137
  - norm graph, 137
  - order
    - of a projective plane, 67
    - of an affine plane, 84
    - of an element, 9
  - ordinary polygon, 65
  - oval, 89, 190
  - ovoid, 111, 115, 116
    - of a generalised polygon, 81
    - of a polar space, 79
    - of a projective space, 76, 89, 92, 135, 140, 266
    - Tits, 83, 111
  - parabolic
    - form, 45
    - quadric, 58
  - partial spread, 110
  - permutation polynomial, 117, 268
  - polar space, 54
  - polarisation, 40
  - polarity, 74
  - Tits, 74, 129
  - polynomial
    - $o$ -polynomial, 90, 265
    - interpolation, 154
    - primitive, 10
  - prime power conjecture, 265
  - primitive
    - element, 10, 189
    - polynomial, 10
  - principal ideal domain, 243
  - probability function, 242
  - projective plane, 66, 265
    - non-Desarguesian, 86
    - order of, 67
  - projective space, 51, 264
  - quadratic form, 40, 54
    - degenerate, 40
    - polarisation, 40, 206
  - quadric, 58
    - elliptic, 58
    - hyperbolic, 58
    - parabolic, 58
  - quasigroup, *see* latin square
  - quotient
    - field, 248
    - geometry, 60
    - of a vector space, 20, 60, 184
  - random variable
    - discrete, 242
    - expectation of, 242
  - rational function, 248
  - regular points, 88
  - ring, 1, 243
    - coset of, 1
    - homomorphism, 251
    - ideal of, 1
    - integral, 248
    - local, 250
    - quotient, 1
    - subring, 248
    - valuation, 250
  - semifield, 11, 85, 118
  - set system, 52
  - Singleton bound, 147
  - splitting field, 3, 245, 246
  - spread, 21, 47, 85, 115, 116
  - subfield, 6, 85
  - subgroup, 93

- conjugate, 96
- derived, 94
- normal, 93
- subplane, 85
  - Baer, 85
- subspace, 15
  - basis of, 16
  - dimension of, 16
  - direct sum of, 17
  - hyperbolic, 27, 41
  - maximum totally isotropic, 27, 31
  - maximum totally singular, 34, 40, 43, 45
  - non-singular, 41
  - number of, 61, 64
  - orthogonal, 26
  - sum of, 16
  - totally isotropic, 27, 54
  - totally singular, 40, 54, 57
- Tits polarity, 74, 129, 265
- totient function, 9
- trace function, 6, 35, 57
- translation plane, 265
- Turán number, 124
- two-intersection set, 109
- two-weight code, 109
- unital, 116, 268
- valuation ring, 250
- vector
  - coordinates of, 16
  - isotropic, 27
  - singular, 40, 44, 57
  - weight of, 105
- vector space, 15
  - basis of, 16
  - coset of, 20, 184
  - dual basis of, 22
  - isomorphism of, 17
  - quotient of, 20, 184
  - subspace of, 15