

Index

- acamprosate, 134–135
activation likelihood estimation (ALE), 100
acute withdrawal, 85–86
addiction
 behavioral definition of, 4, 12–14
 behavioral progression of, 9–10
 and causality, 156–157
 chemical, 6–12
 as chronic brain disease, 130–132
 classification systems of, 6–9
 clinical definition/diagnosis of, 2, 6–9
 dark side of, 90–91
 demography of, 5
 mental disorders and, 4
 phenomenology of, 4
 rates of, 1, 149
 stigma of, 5–6
addiction theories
 allostatic, 36–38
 brain disease model, 9–12
 cue-elicited craving, 40
 future of, 40–41
 impaired response inhibition and salience attribution syndrome (iRISA), 38–40
 incentive sensitization, 34–36
adolescence, 127, 149–150
Adolescent Brain Cognitive Development (ABCD) study, 32
agonists, 66
Aharonovich, E., 140
Ahmed, S. H., 12
alcohol use
 action areas of, 68
 and anhedonia in protracted withdrawal, 87
appetitiveness, 103
behavioral effects of, 10
brain mechanisms of, 71–73
craving studies, 98–99, 102
demographics of, 5
and dopamine, 53
electrophysiological markers, 89
and endophenotypes, 153–154
intoxication symptoms, 64–65
late positive potential (LPP), 102
pharmacological interventions, 133–135
and social class, 41
stigma of, 5
withdrawal symptoms, 83
allostatic theory, 36–38, 90–91
allosteric potentiator, 134
α power, 88–89
American Psychiatric Association (APA), 6
amotivation, 88
amphetamine use
 action areas of, 66
 behavioral addiction of, 9–10
amygdala volume
 and alcohol use, 73
 and cannabis use, 28
 and the cue-elicited craving model, 40
 and emotion regulation, 102
Anagnostaras, S. C., 35
anhedonia, 88
antagonists, 66
antireward system, 12
anxiety
 and cannabis use, 41
 and high β activity, 88–89
internet/video game addiction, 94
appetitiveness, 103–105
arterial spin labeling, 100
attention
 and cognitive behavior therapy (CBT), 135
 and craving, 105–106

- attention deficit/hyperactivity disorder (ADHD), 116–117
- Babor, T. F., 5
- backward masking, 106
- Balleine, B. W., 137
- Barratt Impulsiveness Scale, 115, 117
- Bauer, L. O., 89
- Begleiter, H., 69
- behavior prediction, 32
- behavior sensitizing experiments, 9
- behavioral addiction, 12–14
- behavioral drug treatment interventions, 135–137
- Berridge, K. C., 35
- β power
- and anxiety, 89–90
 - and craving, 101
- β spectral power, 101
- Bickel, W. K., 136
- biochemical imaging, 27–28
- biomarkers, 28
- blood oxygenated level dependent (BOLD) signal, 25
- Bobzean, S. A., 156
- Boeijinga, P. H., 135
- Boileau, L., 36
- Bonson, K. R., 102
- brain
- adolescent, 149–150
 - drug effects on mesocorticolimbic reward system, 11
- brain disease model (addiction), 2, 9–12, 130–132
- brain function
- during protracted withdrawal, 88
 - during withdrawal, 86
 - hijacking by drugs, 104–105
 - and impulsivity, 123
 - and intoxication, 68–73
 - and love, 30
 - measurement of, 22–24
- bupropion, 134
- cannabis use
- action areas of, 68
- behavioral effects of, 10
- craving, 100–101
- endocannabinoid system, 53
- and endophenotypes, 153
- and genetics, 29
- longitudinal study of, 156–157
- and perceived stress, mood, 40–41
- and stress, 161
- treatment outcomes, 140
- withdrawal symptoms, 83–84
- Carroll, K. M., 134, 140
- Casey, B. J., 149
- Centers for Disease Control and Prevention (CDC), 43
- cerebral blood flow (CBF), 86
- chemical addiction, 6–12
- Childress, A. R., 102–103, 104–105
- Chocyk, A., 150
- choline, 27
- Cicero, T. J., 5
- Clark, L., 121, 123
- classical conditioning experiments, 9
- cocaine
- action areas of, 68
 - acute withdrawal, 86
 - appetitiveness, 103
 - craving studies, 100
 - and dopamine, 52
 - during protracted withdrawal, 88
 - electrophysiological markers, 88–90
- and the iRISA theory, 38
- late positive potential (LPP), 102
- pharmacological interventions, 134
- treatment outcomes, 140
- withdrawal symptoms, 83
- cognitive behavioral models, 135–137
- cognitive behavioral therapy (CBT), 136, 138, 140
- cognitive impairment and addiction, 12
- compulsive disorders, 12–13
- Conklin, C. A., 98
- contingency management, 136
- Corbit, J. D., 36
- Costello, M. R., 137

Index

175

- craving
and the allostatic theory, 38
and attention, 105–106
contextual cues, 102
and the cue-elicited craving model, 40
cue-reactivity paradigms, 99–101
after death, 110
defined and research history, 98–99
neural mechanisms of, 101
neurological underpinnings of, 101–102
neuromolecular mechanisms, 106–107
and reward system hijacking, 103–105
- creatine, 27
- cue-elicited craving theory, 40
- cue-reactivity approach
and craving, 99
and methadone, 133
paradigms, 99–101
- Dackis, C. A., 86
- Dagher, A., 13
- Daglish, M. R., 104–105
- Decade of the Brain, 130
- delay discounting, 115, 123–125, 137
- demographics
and drug use, 5
and impulsivity, 127
- demography of addiction, 5
- dendritic alterations (brain), 106–107
- depression
and cannabis use, 41
genetic risk for, 151
- DeWitt, S., 40
- diagnosis of addiction, 6–7
- Diagnostic and Statistical Manual of Mental Disorders* (DSM), 2, 6
- diffusivity, 25
- diffusion tensor imaging (DTI), 24
- disulfiram, 135
- Domino, E. F., 69, 88
- dopamine
and ADHD, 116–117
in behavioral activation and effort, 56
and craving, 100
and hedonistic response, 10–11
and hormones, 156
- and reward learning mechanisms, 51–53
and the incentive-sensitization model, 35
and the iRISA theory, 38
during protracted withdrawal, 87–88
- dopamine-depletion hypothesis, 86
- drug classification, 66
- Drug Enforcement Administration (DEA), 2
- drug expectations, 75
- drug treatment interventions
behavioral, 12, 135–137
combined approaches to, 137–139
legislation versus cost, 143–144
outcomes, 138–140
peer influence on, 142–143
pharmacological, 132–135
- drug treatment protocol, 131–132
- drugs (DEA schedule), 3
- Drummond, D. C., 98
- Ducci, F., 150, 151
- Dunedin Multidisciplinary Health and Development Study, 156–157
- Dunning, J. P., 102
- dysphoria, 82
- ecological validity (craving), 99–100
- ecstasy. *See* MDMA
- effort-reward calculation, 56
- electroencephalography (EEG)
and alcohol endophenotypes, 153–154
and brain mechanism, 69
and craving, 101–102
performance of, 22–24
and withdrawal, 88–90
- endophenotype, 118, 150–155
- environment, 102
- enzyme-linked receptors, 66
- Ersche, K. D., 117, 118, 120, 125
- etiology of addiction, 6
- Evoy, K. E., 134
- excitatory post-synaptic potential, 22
- FBJ murine osteosarcoma viral oncogene homolog B (FosB), 106–107, 110
- Fehr, C., 85

- Feldstein Ewing, S. W., 136
- fetal alcohol syndrome, 4
- Filbey, F. M., 5, 13, 40–41, 100, 101, 103–104
- final common pathway, 53–54
- five-choice serial reaction time task (5CSRTT), 121, 125
- food addiction, 12–13
- fractional anisotropy, 25
- Franken, I. H., 89, 102
- Franklin, T. R., 100
- functional MRI (fMRI)
 - and adolescence, 60
 - and backward masking, 105–106
 - and brain mechanism, 71–73
 - and cognitive behavioral therapy (CBT), 136
 - craving studies, 99, 133–134
 - description of, 25
 - and sex in addiction, 153
- Gallinat, J., 13, 100
- gambling addiction, 12
- γ-aminobutyric acid (GABA)
 - and acamprosate, 134–135
 - and acute withdrawal symptoms, 86
 - and alcohol use, 68, 153
 - and hedonistic response, 10
- gender and addiction, 5, 155–156
- gene expression receptors, 66
- genetics
 - and addiction, 5, 55–56, 150–155
 - and drug expectancy, 75
 - and impulsivity, 118
 - and limitations to neuroimaging, 29
 - ΔFosB, 106–107
- George, O., 90, 100
- Gerbing, D. W., 115
- Giorgio, A., 1, 149
- Glenn, S. W., 90
- glucose metabolism, 70–71
- go/no go test, 119
- Gogtay, N., 1, 2, 149
- Gold, M. S., 85
- Goldman, D., 150, 151
- Goldstein, R. Z., 38, 39, 139
- Gooding, D. C., 89
- Gould, K. L., 86
- G protein-coupled receptor, 66
- Gritz, E. R., 89
- half-life (substance), 82–85
- Hariri, A. R., 150, 152
- Hasan, K. M., 1, 149
- hedonistic set point, 35
- Heinze, M., 102
- Hendriks, V. M., 102
- heritability, 150
- Herning, R. I., 101
- heroin use
 - electrophysiological markers, 88
 - hijacking the brain, 105
 - late positive potential (LPP), 102
 - withdrawal symptoms, 83
- Herrmann, M. J., 102
- Holden, C., 12
- homeostasis, 36–38
- Hommer, D. W., 40
- hormones and dopamine, 156
- hypersensitization, 35
- hypothalamic–pituitary–adrenal axis (HPA), 90
- impaired response inhibition and salience attribution syndrome (iRISA), 38–40
- Impulse Behavior Scale (IBS), 117
- impulsivity
 - in adolescence, 127–128
 - defined, 114–116
 - and delaying discounting of reward, 123–125
 - and inhibitory control, 121
 - nature of, 117–120
 - neuropharmacology of, 116–117
 - and risky decision making, 120–121
- incentive salience, 35, 47
- incentive-sensitization theory, 34–36, 103–104
- inhibitory control, 121, 140
- inhibitory post-synaptic potential, 22
- International Classification of Diseases (ICD)*, 2, 6

Index

177

- internet/video game addiction
as behavioral addiction, 14
separation anxiety, 94
interoceptive processes, 40
intoxication (drug)
action areas of, 66–68
brain mechanisms of, 68–73
defined, 64–65
modulators of, 73–75
pharmacodynamics of, 66
intracranial self-stimulation experiments, 9, 48
ion channel receptors, 66
ionic gradients, 22
Iowa gambling task (IGT), 120–121
Jarvis, M. J., 5
Jessie's Law, 144
Johnson, T. S., 134
Kalivas, P. W., 53
Ketcherside, A., 41
Kim, J. E., 13
King, D. E., 88
Kish, S., 16
Knott, V. J., 88, 101
Kober, H., 136
Konova, A. B., 137, 139
Koob, G. F., 12, 35, 36, 37, 90–91
Kourosh, A. S., 13
Kuczenski, R., 9
Kuhn, S., 13, 100
Landes, R. D., 136
late positive potential (LPP), 102
Le Moal, M., 35, 36, 37, 90–91
Lebel, C., 1, 149
Leith, N. J., 9
Lenoir, M., 12
Lewis, C. C., 136
ligands, 66
limbic cortex activation, 102
Littel, M., 89
Liu, X., 101
Loughead, J., 133
love and brain function, 30
LSD (lysergic acid diethylamide), 15, 66
magnetic resonance imaging (MRI), 12, 24–27
magnetic resonance spectroscopy (MRS), 27
magnetoencephalography (MEG), 22–23
Marijuana Problem Scale (MPS), 101
Martinotti, G., 87
masked cue task, 105–106
McDonough, B. E., 102
MDMA (3,4-methylenedioxymethamphetamine), 15, 66
mechanisms of addiction, 9–12
memory and addiction, 56–58
mental disorders and addiction, 4
mesolimbic reward system (brain)
and behavioral addiction, 13–14
changes during addiction, 10–12
and the cue-elicited craving model, 40
as reward system, 49
metabolites (brain tissue), 27
methadone, 133
methamphetamine use, 53
monetary incentive delay task, 60
morphine, 9
motivation
and future drug use prediction, 60
and reward learning mechanisms, 47–58
motivational enhancement therapy (MET), 136
motivational interviewing (MI), 136, 138
Myrick, H., 100, 101
N-acetylaspartate (NAA), 27
Namkoong, K., 102
National Institutes of Health (NIH), 31
natural reinforcers, 12
neonatal abstinence syndrome, 4, 93
Nestler, E. J., 106
neuroimaging studies
and addiction activity, 12
and behavior prediction, 32
craving, 99–101
diffusion tensor imaging (DTI), 24

- neuroimaging studies (cont.)
 - electroencephalography (EEG), 22–24, 69, 88–90, 101–102, 153–154
 - functional MRI (fMRI), 25, 60, 71–73, 99, 105–106, 133–134, 136, 153
 - and impulsivity, 119
 - limitations of, 28–29
 - magnetic resonance imaging (MRI), 24–27
 - magnetic resonance spectroscopy (MRS), 27
 - magnetoencephalography (MEG), 22–23
 - of behavioral addiction, 13–14
 - of combined drug interventions, 137–138
 - positron emission tomography (PET), 12, 26–28, 52–53, 69–71, 100
 - single-photon emission computed tomography (SPECT), 26, 27–28
 - structural MRI, 24
- Niaura, R. S., 98
- nicotine use
 - action areas of, 66–68
 - and brain mechanism, 68–70
 - and craving, 100, 101–102
 - and the cholinergic system, 53
 - delay discounting, 124
 - demographics of, 5
 - pharmacological interventions, 133–134
 - and social class, 41
 - withdrawal symptoms, 83, 87
- nucleus accumbens
 - and acute withdrawal symptoms, 86
 - and ADHD, 116–117
 - as common addiction pathway, 54
 - and craving, 106–107, 109
 - and dopamine, 49–52
- Nutt, D. J., 104
- O'Brien, C. P., 13
- Ogawa, S., 25
- opioid use
 - action areas of, 68
 - addiction from birth, 93
 - behavioral effects of, 10
 - demographics of, 5
 - and hedonistic response, 11
- and the opioid system, 53
- pharmacological interventions, 133
- as public health concern, 43–45, 162
- treatment cost, 143–144
- opponent-process theory, 36, 90–91
- Orsini, C., 82
- P300, 101–102
- Pagliaccio, D., 28
- Papageorgiou, C. C., 89
- Pavlovian conditioning, 98–99
- peer recovery specialists, 142–143
- pharmacodynamics, 66
- pharmacological interventions, 132–135
- phencyclidine (PCP), 68
- phenomenology of addiction, 4
- place preference, 9–10
- pleasure molecule. *See* dopamine
- Porjesz, B., 69, 89, 153, 154
- positron emission tomography (PET)
 - and brain mechanism, 69–71
 - craving studies, 100
 - dopamine studies, 27–28, 53
 - post-acute withdrawal syndrome, 87–88
- post-traumatic stress disorder (PTSD), 15–16, 161
- Potenza, M. N., 137–138
- prefrontal cortex
 - and craving, 100, 106–107
 - and decision making, 120–121
 - and dopamine, 51–53
 - during withdrawal, 86
 - dysfunction and relapse, 85–86
 - and the iRISA theory, 38–39
 - and reinstatement, 54
- pre-potent response, 115
- probability discounting, 124
- Probst, C. C., 12
- protracted withdrawal symptoms, 87–88
- psychedelic drug therapeutic benefits, 15–16
- psychiatric disorders and addiction, 5
- pyramidal cells, 22
- radionucleotides, 27
- radiotracer, 100

Index**179**

- Rangaswamy, M., 153, 154
receptors, 66
Reid, M. S., 101
reinstatement experiments
 and drug relapse, 9
 and final common pathway, 53–54
relapse prediction
 for drug-addicted patients, 131
 electrophysiological makers for, 89–90
 prefrontal cortex and, 85–86
 reinstatement experiments, 10
relapse prevention, 140
resting-state functional connectivity (rsFC),
 71
reward deficiency syndrome, 55
reward system
 and addiction, 10–12
 and behavioral-drug treatment
 interventions, 137
 and craving, 103–105
 and incentive salience, 35
 and motivation, 47–58
risk factors, 5, 149–150
risky decision making, 120–121
Robinson, T. E., 35, 50, 99
Roemer, R. A., 88

Salamone, J. D., 56, 57
Schacht, J. P., 28, 153, 155

180

Index

- wait circuit, 124
- waiting, 125
- Wang, G. J., 71
- Warren, C. A., 102
- Weeks, J. R., 9
- Wexler, B. E., 136
- Wierenga, L. M., 150
- Winterer, G., 89
- withdrawal
 - acute, 85–86
 - and the allostatic theory, 36
 - between systems adaptations, 90–91
 - brain adaptation and, 11
 - brain function during, 86
 - and dark side of addiction, 11
 - defined, 81–82
 - electrophysiological mechanisms of, 88–90
- and incentive sensitization model, 35
- and the iRISA theory, 39
- protracted, 87–88
- and substance use, 4
- sugar, 12
- symptoms and classification of, 82–84
- Wong, D. F., 100
- Worhunsky, P. D., 13
- World Health Organization, 2, 6
- Wrage, J., 99
- Wray, J. M., 105
- young adult. *See* adolescence
- Young, K. A., 105
- Zubieta, J. K., 86