CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-57256-0 — To Measure the Sky
Frederick R. Chromey
Index
More Information

# Index

Boldface entries refer to figures.

61 Cygni, 81, 426
Abbe number, 114
aberration of starlight, 74, **74**, 152
aberrations, optical, 135–46, *See also:* SA, coma, astigmatism, curvature of field, distortion
  chromatic, 135, 160
  Seidel, 139, 158
absorption coefficient, 211
achromat, **136**, 136, 141, 143
active optics, 158, 168, 170–1
adaptive optics (AO), 172, 177–87, 378
ADC (analog-to-digital converter), 241
ADS, 110
ADU (analog-to-digital unit), 245, 274
aerosols, 341
afocal beam, 132
air mass, 338
Airy disk, 134, **135**, 163, 175
*Aladin* web site, 109
*Almagest*, 97
Al-Sufi, 98, 317
altazimuth mount, 151, 171
altitude
  angle, 63–5, **63–5, 69, 152, 427**
  axis, 151
  of the pole, 66
anisoplanatism, **179**
anti-reflection coating (AR), 255
aperture
  digital, 304–7, **305**, 345, 349
  stop, 159
  telescope, 123, 133, 136, 153
apochromat, 137
Arago, François, 316–17
Argelander, Friedrich Wilhelm, 101, 317–18
astigmatism, 139, 143, **146**, 153, 156, 158
astrograph, 136, 437
Astrographic Catalog (AC), 88, 111, 395
astrometry, 60, 69–71, 88, 427
astronomical triangle, 80
astronomical unit (au), **77–80,** 418
astrostatistics, **55**
atmosphere
  absorption by, 165, **257**, **323**, 336–47, 420
  airglow, 165
  chromatic dispersion, 127, 381
  refraction by, **70**, **128**, 151, 338, 427
  scattering by, 340
  scintillation, 175
  turbulence, 135, **174**, 174–7
atmospheric dispersion compensator (ADC), 128
atomic clock, 83
avalanche photodiode, 222
azimuth, 63–5, **63–5,** 68**, 151, 427**

band gap
  conductivity and, 204, 208–10
  definition, 203
  in materials, 207, 256, 258, 266, 443
  superconductor, 225–6
bands
  Chappuis (ozone), 341
  molecular, 201, 336, 342
Barnard's Star, 98, 426
barrier potential (CCD), **242–5**
Bayer designation, 99
Bessel, Friedrich William, 80, 101
Betelgeuse, 27, 98–101, 421, 432
bias frame. *See* image processing
BIB detector, **216**, 258
binary, eclipsing, 29, 404
blackbody, 19–21, **20**, **326**, 329
blaze angle. *See* grating, spectrograph
bolometer, 14, 230, **257**, **265**, 265–7, 270, 359, 383
bolometric correction, 24, 27, 448
bolometric magnitude, 23, 29
*Bonner Durchmusterung*, 101, 141
boson, 197, 225
Bouguer's law, 339–40, **340**, 343, **344**
Boyle, Willard, 240
Bradley, James, 80
Bragg diffraction, 371
Brahe, Tycho, 99
brightness. *See also:* flux; magnitude
  apparent, 10–13, **10**
  monochromatic, 338
  surface, 12, 19, 30, 164, 302
bump bonding, **260**
Bunsen, Robert, 18

camera
  CCD. **446**
  spectrograph, 376, **380**, 414
  telescope as a, 131
Cannon, Annie Jump, 21, 395
Cassini, Jean Dominique, 141
CCD. *See* charge-coupled device
CCD equation, 311
CDS data base, 109
celestial sphere, pole, equator, 65–8



© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-57256-0 — To Measure the Sky
Frederick R. Chromey
Index
More Information



central limit theorem, 49–51
centroid, 293
Cepheid variables, 410
charge-coupled device (CCD), 239–56
  backthinned, 253
  bias, 282–5, 308–11
  blooming, **245**
  buried channel, 249
  charge transfer efficiency (CTE), 248
  clocking, 240–4, 255
  commercial, 445
  dark current, 247, 251–2, 285, 308–11
  deep-depleted, 254, 258, 333
  electron multiplication (EMCCD), 252
  frame transfer (FTCCD), 252
  full well, 244
  gain, 245, 274, 308–11
  gates, 240–4
  intensified (ICCD), 264
  inverted phase, 251–2
  L3CCD, 252
  large format, **246**
  mosaics, 239, 246, 252
  multi-pinned phase (MPP-CCD), 251–2
  open-electrode architecture, 253
  orthogonal-transfer (OTCCD), 252
  output amplifier, 241, 243, 246
  overscan, 284, 309
  quantum efficiency, 234, **255**
  read noise, 245–7, 309
  registers, 240, **246**
  virtual phase, 253
chief ray, 137
chopping, 291
chromatic aberration. *See* aberrations, optical
cleaning optics, 122
CMOS array, **256**, 256
collimator, spectrometer, 376–80
color
  extinction and, 343–7
  images, 277–8
  index, 320, 326–7, **326**, 347
  spectral type and, 448
  temperature and, 20
  transformation to standard system, 348–9
coma, 139, 142–3, **143**, **146**
comparison source (spectra), **382**, 390, 392
conduction band, **203**, **205**
cone effect, 180
conic constant (K), 140
Cooper pair, 225
coordinate systems, 60–77
  altitude–azimuth, 63–5, **63–5**
  barycentric, 73–5
  Cartesian, 60
  ecliptic, 75
  equatorial, 65–8
  Galactic, 76
  geographic, 62–3
  ICRS, 75, 87, 427
  right- or left-handed, **60**, 60
  transformation of, 77, 426
corrector plate, 145, 159–61, **160–2**
cosines, law of, 61
cosmic rays, 254, 276, 283
cosmological constant, 411
cosmological redshift. *See* redshift
coudé focus, 156–8, 388
critical angle, 117, 128
cross-disperser, 369
cross-talk, 239, 254
culmination, 67
curvature of field, **144**
curve of growth, 403
cutoff wavelength, **207**, 210, 258, 443

dark current, 285, *See also:* image processing; charge-coupled device
dark energy, 412
data cube, 277, **383**
declination (Dec or δ), 66, **67**, 69, 94, 151, 427
depletion region (zone), 216–18, **217**, 218–20
Descartes, René, 60, 116, 140
detection limits, 163–5
detective quantum efficiency (DQE), 235–6
detector. *See also* CCD, CMOS, photoconductor, photodiode, MKID
  characterization, 232–9
  photon, 233
  thermal, 233, 265–7
  wave, 233
Dewar, 247
diamond lattice, **204**, 206
diffraction. *See also:* Bragg diffraction
  gratings, 365–8
  limit, 133–5, 163, 175
  spikes, 153, **245**
  wave property, 4
digital filter, 279–81
  boxcar, 280
  Gaussian, 280
  Laplacian, 280, 293
  local-median, 281
  unsharp mask, **280**
diopters, 123
dispersion
  angular, 130, 363–7
  chromatic, 114, 120, 136
  linear, 363, 377
  solution, 392
  statistical, 40, 47
distance modulus, 24, 351, 356, 410, **411**
distortion (aberration), 145
diurnal motion, 65
DN (data number), 245
doping, semiconductor, 213, 216
Doppler effect, 89, 353, 401, 409
drizzle method, **301**, 301
dynamic range, detector, **237**
dynode, **262**

ecliptic
  coordinates, 75
  definition, **66**
  obliquity of the, 66, 84
  poles and precession, 72, **72**
electron
  configuration, quantum numbers, 197–9
  degeneracy, 208
  energy levels, 194–5
  photo-absorption, 195
  $sp^3$-hybrid orbitals, 203
  valence (optical), 193
elevation angle. *See* altitude angle
ellipticity, 95
ephemeris, 108–9
epoch, 71, 75, 87–8
equatorial coordinates. *See* right ascension, declination
equatorial mount, **151**
equinox, **66**, 68, 72, **72**
  mean, 74
error
  propagation of, 51–3
  random, 35–6
  systematic, 34, 36
étendue, 159, 186
exoplanet
  data, 100, 405–6
extinction

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-57256-0 — To Measure the Sky
Frederick R. Chromey
Index
More Information



coefficient, 339–40
compensating for atmospheric, 343–7
interstellar, 351–2, **352**
extreme adaptive optics, 186

Faraday, Michael, 5
Fermat's principle, 116–18
Fermi energy, 208, **219**, 225
Fermi–Dirac distribution, 208
fermion, 197
filter, digital. *See* digital filter
filter, optical, 15, 322, **323**, 331, 335, 367
Flamsteed designations, 100
flat field, 282, 287–91, **287–91**
compound, 290
computation of, 290
dark sky, 288–9
dome (projection), 289
for spectra, 389
infrared, 291
space telescope, 290
twilight, 288
flux (irradiance), 11, *See also:* brightness; magnitude
bolometric, 14
in a band, 14–16
monochromatic, 13
spectroscopic calibration, 348, 393–4
focal length, 123, **131**, **133**, **136**, 140, 149, 154, 375–7, 414
focal ratio, 132
Forbes effect, **344**
Fraunhofer
Joseph von, 16
spectrum, 16, 420
free spectral range, 367, 369
Fresnel's formulas, 118
Fried parameter, 176–7
full well capacity, 217. *See also:* charge-coupled device
FWHM (full width at half maximum), 47, **281**, 301, 306, 378, 415

*Gaia*. *See:* telescopes (named)
Galilei, Galileo, 78
Gaussian case (optics), 122, 124, 137, **138**, 140, **141**, **143**
Gaussian distribution, 46–8, **47**, 49, **49**, 57, 422
Gaussian filter. *See* digital filter
generation current, 218–20
GLAO (ground-level adaptive optics), 186
grating, spectrograph
amplitude, 365–8
blazed, 367–9
diffraction, 365–9
echelle, 367–9
echellette, 367
efficiency, **369**
equation, 366, 368, 371
flat field concave, 373
holographic, 373
mosaics, 373
phase, 367
ruled, 373
volumetric (VPH), 370–3
gray-scale, 25, 274
great circle, 61
Greek alphabet, 99, 417
Greenwich. *See* meridian: prime
Greenwood time, 178
grism, **375**, 375
ground state, 194
guide star, 152, 180–1
Gullstrand's equation, 124

Hale, George Ellery, 169
HAWAII IR array, 258, 286, 446
helium, liquid, 248
Henry Draper Catalog, 103, 396
Herschel, Caroline, 104, 150
Herschel, John, 105
Herschel, William, 104, 119, 142, 190
Hipparchus of Rhodes, 22, 62, 71, 73, 316
HIPPARCOS (spacecraft and catalog), 71, 75, 82, 335, 425, 427
holes, as conductors, 208, **209**, **213**, 216, **219**, 251
hour angle, hour circle, **67–8,** 84**, 151, 427**
Hubble
diagram, 411
Edwin, 91
Guide Star Catalog, 103
Key Project, 410
law, 91, 355, 408–9
parameter (constant), 92, 409–11
Space Telescope (HST). *See:* telescopes (named)
Huggins, William, 90, 362
Humason, Milton, 91
Huygens, Christian, 436
hysteresis, 238
IBC. *See* BIB detector
ICCD. *See* charge-coupled device
ICRS. *See* coordinate systems
IFU (integral field unit), 385–6
illumination correction, 291
image
brightness, 132
color, 277–8
digital, **25**, 273–4
distance, **122–5,** 363
intensifiers, 263–5
mathematics, 277–8
scale, 131
slicer, **384–5**
undersampling, 239, 378
image processing
bias, 282–4, 308–11
cleaning images, 302–4
combining multiple images, 293, 295–8
convolution, 279–81
dark, 282, 285
drizzle, 301
flags, bad pixel, 303
flat field, 282, 287–91
fringing, 282
geometric transformations, 295–8
interlace, 300–1
interpolation, 298–9
IR preprocessing, 291
linearity, 282, 286
mosaics, 297
overscan, 284
pixel masks, **303**
rejection algorithm, 283
resampling, 299–302
trim, **285**, 295
impurity band, 215
*Index Catalog (IC)*, 105
indium bump bond, 259
indium tin oxide (ITO), 253
infrared detectors, 256–61
InSb (indium antimonide), 211, 242, 258, 444
interpolation. *See* image processing: interpolation
iodine vapor cell, 393
irradiance, 11
isoplanatic angle, 179–81

James Webb Space Telescope (JWST). *See* telescopes (named)

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-57256-0 — To Measure the Sky
Frederick R. Chromey
Index
More Information



Johnson, Harold, 318, **323–4**
Josephson junction, 227
Julian date, 86, 428
junction diode, 219–22

*K* correction, 355
Keck telescopes. *See* telescopes (named)
Kepler's third law, 77, 403
kernel, 279
KID (Kinetic induction device). *See* MKID and MKIS device
Kirchhoff, Gustav, 16, 18, 362

laser guide star (LGS), 180, **186**
latitude, **62–3,** 63**, 66, 427**
lens
  achromatic, 136
  field, 183
  graphical ray tracing, **126**
  materials, 119–21
  multiple, 126
  paraxial equation, 124
  telephoto, 147
  thick and thin, 124
lenslet array, **183**, 253, **384**, 386
line profile, 399–402
linearity, detector, 237, 282, 286, 308, 314
Littrow configuration, 368, **371**, **380**
longitude, **62–3, 84, 86**
LTAO (laser tomography adaptive optics), 186
lucky imaging, **175**
luminosity, 10–13, 24, 27, 334
  class, 22, 396
  distance, 355, 410
Lyman-alpha
  forest, 356
  line, 350, 443

magnification
  anamorphic, 377
  by an ocular, 133
  of images, 297
magnitude
  absolute, 24
  apparent, 22–4, 320
  bolometric, 23, 27
  instrumental, 329
  monochromatic, 321
  Oke $AB_\nu$, 335
  outside the atmosphere, 339–40
  Pogson's scale, 22, 317
  standard, 329
  STMAG, 335
MAMA (multi-anode microchannel array), 263
Marius, Simon, 103
mass function, 405
mass–luminosity relationship, 404
Maury, Antonia, 395
Maxwell, James Clerk, 4
MCAO (Multi-conjugate adaptive optics), 186
mean
  of a population, 39
  of a sample, 42
  standard deviation of the, 49
  weighted, 52
median, 40
  definition, 40
  filter, 281
  image, 278, 283, 289
Mercury cadmium telluride, HgCdTe (MCT), 258, **260**, 444
meridian
  circle (transit telescope), 68
  crossing (transit), 67
  observer's, 64, **67**
  prime, 62–3, **62**
  upper and lower, 67
meridional plane, 137, 143
Messier objects, 104
Messier, Charles, 103
Michelson interferometer, 69
microchannel plate (MCP), 262
microdensitometers, 81
micro-electronic machined systems (MEMS), **181**
Minor Planet Center, 108–9
mirror
  chopping secondary, 261, 291
  deformable, **181**, 181, 184
  graphical ray tracing, **127**
  large, 170–1, **171**
  materials, 118–19
  meniscus, 171
  paraxial equation, 123
  segmented, 170, 187
  shapes, **139**
  spin casting, 170
  tip–tilt, 182
MIS capacitor, 216
MK system, 396
MKID and MKIS device, 227, **227**
MKO (Mauna Kea Observatory), 323, 334
MOAO (Multi-object adaptive optics), 186
mode, 40
MOS capacitor, 216–18

nadir, 64
Nasmyth focus, 156–8, 388
NED database, 109
NGC (New General Catalog), 105
NICMOS IR array, 335
nitrogen, liquid, 247
nod and shuffle, **390**
nodding. *See* shift and stare (dither)
noise
  aperture photometry, 308–11
  detector, 235–6
  digitization, 37
  read, 245–7, 256, 309
  shot, 45
n-type semiconductor, 213
numerical aperture, 148
nutation, 73
Nyquist sampling, 239

object distance, **122**, 123, 363
observatory design, 171–2
ocular (eyepiece), 132
optical fiber, 128, 148, 376, 386, **387**
optical path length, 115, **115**

Palomar Sky Survey, 107
parallactic angle, **381**
parallactic ellipse, 78
parallax
  heliocentric stellar, 74, 78–82, **79**
  spectroscopic, 352
  statistical, 88
paraxial approximation, 122, 126
parsec, 24, 79
Pauli exclusion principle, 197, 204, 225
Peltier junction, 248
periodic table, 199, 206
period–luminosity law, 410

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-57256-0 — To Measure the Sky
Frederick R. Chromey
Index
More Information



Petzval surface, 144
phonon, 208
phosphor, 253
photo-absorption. *See* electron: photo-excitation; photo-absorption
photocathode, **255**, 261–2, **261**, **264**
photocell, **223**, 318
photoconductor, 210, 214–16, 235, 259
photodiode, **221**, 259, **260**
photoelectric effect, 222–4, **223–4, 318**
photo-excitation, **194**, 195, 227
photography, 81, 136, 142, 233–4, 318, 330, 395
photometer, visual and photoelectric, 317
photometric systems, 329–36
  closed and open, 330
  infrared (ZYJHKLMNQ), 333
  instrumental (natural), 329
  photographic, 330
  SDSS (ugriz(y)), 333
  standard, 329
  Strömgren (uvby$\beta$), 334
  transformation to standard, 348–9
  UBVRI, 331
  visual, 330
photometry
  absolute, 345
  all-sky, 26
  CCD equation for, 311
  differential, 26
  digital aperture, 24–7, 304–13
  extinction correction, 343–7
  history of, 317–19
  response function, 320–6, **323–5**
  standard stars, 332, 348–9
photomultiplier (PMT), **255**, **261**, 261, 318, 331
photon flux, 221, 273, 321, 393, 400
Pickering, Edward, 317, 395
piezoelectric effect, **181**, 181
PIN photodiode, 221
Planck function. *See* blackbody
p–n junction, 218
  bias, **220**
  current–voltage relation, **221**
  diode, 219–22
point-spread function (PSF), 178, **178**, 239, 294, 447
Poisson distribution, 44–6, **45**, 50, 235–6
Poisson, Siméon-Denis, 44
Polaris, 73
polysilicon, 253
position angle, 94
precession, 71
precision, 35–6
prism
  dispersion by, **130**, 130
  non-objective, 375
  objective, **374–5**
  reflection by, 129
  types, **128–30**
probable error, 47
proper motion, 71, **87–9**
Ptolemy, 73, 97, 316, 318, 322
p-type semiconductor, 212, **213**
pulse-counting mode, 229, 383
purity, spectral, 364, 374, 376–7, 401

quantum efficiency (QE), 215, 234, 276, 324, 390, *see also:* charge-coupled device
quantum yield, 235
quasiparticles, 226

Rayleigh
  criterion, 134–5, 364
  laser beacons, 180
  scattering, 341, 345, 358
Rayleigh–Jeans approximation, 21, 327
ray-tracing, 125–7, 145–6
recombination current, 218–20
reddening
  atmospheric, 336
  interstellar, 350–2
redshift
  cosmological, 356, 409
  gravitational, 353
  parameter, 89, 353–4, 403
  photometric, 355
reflection
  coefficient, 118
  from a conic of revolution, 139
  from a detector, 224
  from a sphere, 122–4, 138–9
  grating, 365, 367–8, 379
  materials, 118–19
  total internal, 117, 128, 146
refraction
  at a spherical surface, 124
  atmospheric. *See* atmosphere
  by a parallel plate, 127
  by lenses, 114
  index of, 115–16, 119, 370
  Snell's law, 117
refractivity, 127
resolving power, spectroscopic, 90, 319, 364, 377, 388
response time, 181, 238, 262, 266–7
right ascension (RA or $\alpha$) , 66–8, 72

sagittal plane, 138, 143, 147
saturation, 217, 237, 260, 276, 286
SCAO (single-conjugate adaptive optics, 185, **186**
Schmidt camera, 159–61
Schmidt corrector plate, 160
scintillation. *See* atmosphere
seeing, atmospheric, 135, 163–4, 169, 172–8, 184, 186, 189–90, 379, 382, *See also:* atmosphere: turbulence
semiconductor
  absorption coefficient, 211
  covalent bond, 204, 206, 210
  definition, 203–6
  direct transition, 211
  extrinsic (p, n type), 212
  intrinsic, 205
  materials, 205, 230
setting circles, 151
Shack–Hartmann sensor, 182
shift-and-add, 300
shift-and-stare (dither), 289, 291–2, 298
sidereal
  clock (time), 67, 69
  day, 65
silicon
  amorphous (polysilicon), 253
  band structure, 205, 213
  crystal, 203–7
SIMBAD database, 109, 111
sines, law of, 61
SIS junction, 227
sky annulus, 307
slit. *See* spectrometer

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-57256-0 — To Measure the Sky
Frederick R. Chromey
Index
More Information



Sloan Digital Sky Survey, 107, 246, 330, 333
Snell's law, 117, 129, 138, 147
solar
  constant, 11
  luminosity, 10, 418
  spectrum. *See* Fraunhofer spectrum
speckle interferometry, 175
spectra
  blackbody, 19–21, 326–7
  comparison, 90, 394
  data reduction, 357, 379
  define, 13
  echelle, 370
  flux calibration, 393–4
  Fraunhofer. *See* Fraunhofer spectrum
  gaseous nebulae, 398–9
  Kirchhoff–Bunsen rules, 28
  observing practices, 389–90
  of galaxies, 409
  of molecules, 201
  of Vega, 14
stellar, classification (types), 21, 333, 335, 348, 374, 377, 395–8, 413
spectrometer
  basic design, 374–5, 382, 386
  echelle, 370
  fiber mosaic, 386
  image slicer, 385–6
  imaging, 387
  integral field, 385–6
  lenslet array, 386
  long-slit, 387
  mounting, 388–9
  multi-object, 389
  prismatic, 377
  resolving power. *See* resolving power
  slit, 375–8
  slitless, 375, 389
spectrophotometer, 322, 335, 348
spherical aberration (SA), 139–42, 147, 156, 159, 436
spherical trigonometry, 77
Spitzer, Lyman, 162
standard candle, 410
standard deviation, 35, 41, 43, 422
standard normal distribution, 47, 422
Stefan–Boltzmann law, 19
STJ detector, 226, 231, 277
Strehl ratio, 178
Struve, Friedrich, 80
superapochromat, 137
superblaze, 372
superconductivity, 224–7
supernova, 307, 411

telescope
  airborne, 167
  Cassegrain, 154–6
  catadioptric, 161
  extremely large, 187
  Gregorian, 154–6
  history, 435–9
  image scale, 131
  Keplerian, **133**
  mounts, 150
  Newtonian, 153–4
  Paul–Baker (3-mirror), 131
  prime focus, 153–4
  resolving power, 135, 169, 374, 378
  Ritchey–Chrétien (R-C), 156
  Schmidt, 159–61, 374, 442
  Schmidt–Cassegrain, 161
  space, 135, 149, 152–3, 162–9, 290, 378
  transit, 68
telescopes (named)
  European Extremely Large Telescope (E-ELT), 171
  *Gaia* space telescope, 70–1, 75, 82, 153, 335, 410
  Giant Magellan Telescope(GMT), 190
  Hale (Palomar), 170–1, 437
  Herschel Space Telescope, 266
  Hubble Space Telescope (HST), 75, 82, 149, 152, 162, 335, 438
  James Clerk Maxwell Telescope, 267
  James Webb Space Telescope (JWST), 119, 131, 163, **167–9, 439**
  Keck I and II, 170–2, 387, 438
  Kepler space telescope, 319
  Large Binocular Telescope, 170, 172
  Large Synoptic Survey Telescope (LSST), 158–9, 246, 333
  Magellan 1 and 2, 388
  Sloan, 388
  SOFIA (Stratospheric Observatory for Infrared Astronomy), 167
  Spitzer Space Telescope, 119, 259
  Thirty Meter Telescope (TMT), 190
  Very Large Telescope (ESO VLT), 171, 171, 172
  WIYN, 172
thermistor, 265
throughput (spectrometer), 376
time
  atomic (TAI), 83
  equation of, 85, 425
  sidereal, 68, 86, 152
  solar, 83–6
  zone, 86
Transition Edge Sensor (TES), 266, 268
Two Micron All Sky Survey (2MASS), 107
Tycho-2 Catalog, 88, 427

UCAC2, 427
uncertainty. *See* error
US Naval Observatory, 85, 427
USNO B1.0 Catalog, 427

vacuum photoelectric effect. *See* photoelectric effect
valence band, **203**, **205**
variable star names, 100
variance, 41–2, 49, 51
Vega (alpha Lyrae), 14, 23, 73, 81, 326, 332, 421
velocity
  radial, 87, 89–92, 403
  space, 87
  tangential, 87
vertex, 122
very long baseline interferometry (VLBI), 69
Virtual Observatory, 110
vision, human, 238, 274, 322, 421

wavefront, 115, 135, 137, 181–4
  correctors, 182
  reconstruction, 184
  sensors, 182
wavelength, 6
  calibration in spectra, 388–9, 392, 394
  center of bandpass, 324–6

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-57256-0 — To Measure the Sky
Frederick R. Chromey
Index
More Information



shifts in, 353–5
waves, electromagnetic, 3–7
Wide-field Infrared Survey (WISE), 107
width, equivalent, 392, 399, 403
Wien's displacement law, 20
work function, 223

Yale Bright Star Catalog, 103

zenith, 64, 67–8, 127, 151–2, 177, 288
zenith distance (angle), 64, 68, 70, 339, 345, 427
zodiacal light, 203, 205

© in this web service Cambridge University Press & Assessment www.cambridge.org