

INDEX

The index includes the Latin names of plants and animals investigated in the case studies analysed in the text. In the space available, it has not been possible to include the names of all the plants mentioned in the book. In general, common names of organisms are not listed. Figure page numbers in bold.

- 50/500 rule, 239
- ABC model, 363
- Abies*, 404
- Abies alba*, 402
- abrupt speciation, 246
- Achillea borealis*, 143
- Achillea millefolium*, 29, 303
- Acid Rain, 423
- actinomorphy, 338
- Adanson, 9
- Adansonia*, 383, 393
- adaptive and non-adaptive characters, 196
- adaptive radiation, 128, 128
- adaptive significance of introgressed traits, 283
- advantages and disadvantages of different breeding systems, 116
- Aegilops squarrosa*, 293
- Aeonium*, 397
- Aesculus x carnea*, 297
- agamotypes, 144
- age of the Earth, 2, 17–18
- Agrobacterium tumefaciens*, 87
- Agrostis capillaris*, 180
- Agrostis capillaris* (*A. tenuis*), 145, 266
- Agrostis gigantea*, 213
- Agrostis stolonifera*, 180, 212, 213
- Alchemilla*, 124, 144, 315
- Allee Effect, 235
- allelopathic effects, 61
- Alliaria petiolata*, 221, 227
- allopatric speciation, 250
- allopolyploidy, 247, 289
- allozyme variation, 162
- Aloe dichotoma*, 429
- Alopecurus myosuroides*, 187
- alpha and omega taxonomy, 245, 338
- Alyssum bertolonii*, 182
- ambophilous condition, 363
- Amborella Genome Project, 353, 375
- Amborella trichopoda*, 92, 369, 386
- American Chestnut Restoration Project, 214
- Ammophila brevilingulata*, 461
- Amphicarpum purshii*, 206
- amplified fragment length polymorphism (AFLP), 95
- analysis of variance, 155 *et seq.*
- ancient WGD events, 322
- Anderson, 71, 270, 293, 297
- Androcymbium*, 397
- androdioecy, 121
- Andropogon scoparius*, 143
- aneuploidy, 309, 324
- Angiosperm evolution: what role for saltational change?, 371
- Angiosperm Phylogeny Website, 350
- angiosperms
- origin and age of, 360
 - origin of, 385
 - polyphyletic origins?, 362
- ANITA grade, 353
- Antennaria*, 111
- Antennaria alpina*, 132
- Anthoxanthum odoratum*, 153, 175, 266
- Antirrhinum*, 103
- Antirrhinum majus*, 364
- Aphanes*, 132
- apogamy, 109
- apomixes
- molecular nature and origin, 113
- apomixis
- adventitious embryony, 112
 - agamospermy, 106, 107
 - Citrus*, 124
 - cleavage polyembryony, 108
 - embryology, 109
 - endosperm, 112
 - environmental control, 125
 - escape from sterility, 316
 - facultative, 124
 - genetics of, 113
 - pseudogamy*, 108
 - some dogmas, 114
 - vegetative apomixis, 106
- apospory, 111
- aquatic plants, 354
- Aquilegia vulgaris*, 61
- Arabidopsis*, 66, 372
- Arabidopsis* diploids, and synthesised auto- and allopolyploids, 309
- Arabidopsis halleri*, 127, 182, 183, 191
- Arabidopsis lyrata*, 127, 191, 325
- Arabidopsis lyrata* subsp. *petraea*, 232
- Arabidopsis thaliana*, 78, 80, 90, 153, 183, 200, 257, 258, 305, 306, 311, 325, 364, 404
- Arabidopsis Genome Initiative, 90
- combined studies of crucial life cycle traits, 192
- detecting the signature of selection, 190
- ecotypes, 87
- experiments on phenotypic plasticity, 193
- genetic transformation, 87
- genome sequenced, 81
- genome size, 90
- genomic changes, 92
- investigations of microevolution, 190
- model species, 86
- molecular cloning, 87
- self-incompatibility, 127
- studies of adaptively significant traits, 195
- synthetic allopolyploids, 326
- Arabis alpina*, 398, 403
- Araucaria nemorosa*, 215
- Argyranthemum*, 328
- Armeria maritima*, 182, 184, 266
- 'arms race', 199, 357
- Arum maculatum*, 197, 197
- asex, 124
- Asplenium*, 397
- polyploids, 296, 296
- Asplenium adiantum-nigrum*, 208
- assessment of extinction risk by experts using IUCN and other categories, 435

- assisted migration, 475
- assortative mating, 160
- Aster furcatus*, 238
- Asteraceae phylogenetic relationships, 352
- asteroid impact hypothesis, 387
- Astragalus ampullaroides*, 460
- Astrophytum asterias*, 214
- Australia
 - deforestation and forest degradation, 419
- Australian fauna and flora, 392
- autogamy, 129
- autopolyploids, 312
- autopolyploidy, 247, 289, 307
- Avena barbata*, 221
- Avena sativa*, 177
- B chromosomes, 58, 59, 83
- back colonisation, 397
- bacterial groups, 368
- Baker's Law, 131, 217
- Banksia cuneata*, 461
- Banksia spinulosa*, 233
- Baptisia*, 276
- barcoding
 - advantages, 442
 - effect of next generation sequencing, 445
 - herbarium material, 445
 - in plant groups: future prospects, 444
 - in practice, 443
 - questions about, 443
 - requirements for a fully functioning system, 444
 - role in recognition of 'new' species?, 444
 - route to the reinvigoration of taxonomy?, 445
 - websites, 442
- Barrett, 103, 118, 126, 129
- Bateson, 54, 67, 70
- Bauplan*, 375
- Beagle*, 11
- Bell, 118
- Bellis perennis*, 29
- Bennett, Kenton & Bennett, 297
- Bentham & Hooker, 376
- Bessey, 332, 339
- Beta vulgaris*, 418
- Betalains, 354
- Betula*, 317
- Betula nana*, 398
- biological control
 - examples, 241
- biosystematics, 439
- Biscutella*, 403
- Biscutella laevigata*, 35, 313
- Black Death, 414
- blending inheritance, 14, 71
- Bøcher, 139
- Boechera holboelli*, 108
- Bonnier, 39, 40
- Borago*, 400
- Botanic Gardens Conservation International (BGCI), 449
- Bottleneck Effects, 161, 182, 201, 202, 233, 238, 259, 406
- Bowlby, 11
- Bowler, 45
- Brachyscome dichromosomatica*, 84
- Brackman, 12
- Bradshaw, 145
- Branniban, 45
- Brassica napus*, 212, 309
- Brassica oleracea*, 247, 309
- Brassica rapa*, 309, 431
- Bromus tectorum*, 220, 422, 434
- Bryonia alba*, 208
- Buddleja davidii*, 421
- Buffon, 10
- bulbils, 107, 315
- Burkhardt & Smith, 11
- Butomus umbellatus*, 230
- C-value paradox, 82
- C4 photosynthesis, 354
- callose, 100
- Calothamnus quadrifidus*, 211
- Caltha palustris*, 137, 303
- Campanula rotundifolia*, 137
- Capsella bursa pastoris*, 224, 374
- Capsella rubella*, 325
- carbon dioxide, 424
- Carcinus maenas*, 69
- Cardamine chenopodiifolia*, 121
- Cardamine pratensis*, 100, 324
- Carduus canescens*, 468
- Carex*
 - range of chromosome numbers, 327
- carnivory, 353
- 'carry-over' effects, 153
- Cassiope tetragona*, 398
- Castanea crenata*, 214
- Castanea dentata*, 421
- Castilleja levisecta*, 461
- Catalogue of Life, 377
- Caucasus region, 404
- centre(s) of origin of the flowering plants, 386
- centromeres, 56, 83, 322
- structure, 326
- Ceratocystis platani*, 421
- Chaenactis*, 323, 324
- Chain of Being, 5–6
- Chalara fraxinea*, 421
- Chamaecyparis lawsoniana*, 467
- Chamaelirium luteum*, 208, 209
- Chamerion angustifolium* (*Epilobium angustifolium*), 39
- Chamerion latifolium* (*E. latifolium*), 39
- chance events, 161, 201
- changes in chromosome number, 322
- changes in insect herbivores, 433
- chaperonins, 96
- chemotaxonomy: historic investigations
 - of hybridisation, 275
- Chenopodium album*, 186
- Chinodoxa luciliae*, 450
- chlorofluorocarbons, 424
- chloroplast DNA (cpDNA), *passim*
 - phylogeographical studies, 401
- chloroplast genome, 86
- chloroplasts, 85
- Chondrilla*, 224
- Chromosome Atlases, 303
- chromosome monosomy/trisomy, 309
- chromosomes, 51
 - aneuploids, 58
 - centromeres, 83
 - euchromatin, 59
 - heterochromatin, 59
 - idiograms, 56
 - karyotype, 56
 - linkage, 55
 - meiosis, 52
 - mitosis, 51
 - number, 56
 - spindle, 83
 - structural changes, 59, 60
 - telomeres, 83
- Cineraria cruenta* (*Pericallis cruenta*), 67
- Cirsium arvense*, 221, 434
- Citrus*, 112, 132
- clade, 342
- cladistics, 342
- Clarkia*, 350
 - relationships between species, 324, 325, 351
- Clarkia biloba*, 324
- Clarkia concinna*, 374
- Clarkia lingulata*, 324
- classification
 - artificial, 336
 - Darwin's views, 20
 - general purpose, 336, 378
 - natural, 336
 - phenetic, 340
 - and the tree of life, 376
- Clausen, 71, 308
- Clausen & Goodspeed, 247

- Clausen, Keck & Hiesey, 41, 139–42, 141
Claytonia virginica, 324
Clements, 39
Cleistogamy, 122
climate change, 2, 466
 adaptation of plant species, 474
 adaptive responses to, 431
 altitudinal range changes, 428
 biological effects of, 427
 direct observation of, 425
 ecosystem changes, 432
 effects on *Protea* species in South Africa, 466
 extinction risk from, 437
 footprint of, 428
 forecasting future changes in distribution, 430
 future projections, 473
 human influences, 426
 latitudinal range changes, 429
 phenological changes, 428
 predictions, 425
 presents new selection pressures, 427
 reducing carbon emissions, 475
 responses of invasive plant species, 433
 sceptics and deniers, 426
climate-induced drought brings changes to ecosystems, 433
cline, 144, 146, *passim*
 ecocline, 145
 topocline, 145
clock timelines, 359
 calibrated by fossils, 360, 361, 395
clonal growth, 228, 229
clones
 extensive, 149–50
 size and longevity, 229
coalescent trees, 367
Cochlearia polonica, 450
Code of Nomenclature, 337
codes of botanical and zoological nomenclature
 publication of new names online, 447
codons, 76
coefficient of variation, 28
Coeloglossum, 349
coevolution, 199
colchicine, 247, 289
competition for pollinators, 205
competitive exclusion, 405
conservation
 aims and objectives of, 465
 assisted migration, 466–9
 ‘balance of nature’, 457
 Botanic Gardens and arboreta, 449
 corridors, 474
 costs, 475
 creative approaches, 459
 crop plants, 453
 cryopreservation, 453
 economic and political considerations, 471
 employing plants/seed of native provenance, 459
 ex situ, 449–54
 founding new populations: seed v. plants, 463
 by founding populations in new areas, 462
 future of restoration projects facing major drivers of change, 473
 future-orientated restoration, 470
 gap analysis, 457
 habitat loss, 435
 inbreeding and outbreeding depression, 462
 looking back and considering the future, 465
 major centres for genetic preservation, 453
 major concerns about *ex situ* approaches, 453
 managing reserves, 457
 manipulating and creating populations, 460
 micropropagation, 452, 453
 migration: natural and assisted, 474
 mitigation/off-setting agreements, 473
 mix or match plantings, 462
 narrowing of genetic diversity, 454
 nature has an intrinsic value, 472
 nature reserve design, 455, 456
 paper parks, 455
 past-orientated models, 469
 from protection to restoration and beyond, 449
 quasi *in-situ* conservation, 469
 recommendations for better restorations, 463
 by re-establishment of an extinct population, 461
 ‘resort to precedent’, 457, 465
 restocking (augmentation, reinforcement) of existing populations, 460
 restoration projects: issues and prospects, 463
 restoration techniques, 458–65
 restorations using clonal plants, 461
 rewilding, 465
 role of corridors, 456
 role of protected areas, 454, 456, 457
 sampling populations, 452
 seed banks, 452–3
 setting priorities, 470
 species restoration projects: what counts as success?, 463
 using wildflower mixtures, 459
 wide range of management techniques, 458
conservation economics, 472
conservation plans based on biological targets, 471
continental drift, 384
correlated variation, 33
Correns, 47, 59
Coryanthes, 16
co-selection in swards, 177
Crassulacean acid metabolism (CAM), 354
Crataegus, 108, 315
Crepis tectorum, 58
Critica botanica, 6
critical groups, 242
Crocus scepusiensis, 218
Cronquist, 20
crop mimicry, 185
crossing experiments, 252
Cryphonectria parasitica, 421
ctinomorphy, 365
Cucumber, 326
cultivation experiments, 151
cultural landscapes, 414
cyanogenesis, 166
 distribution of variants, 168, 169, 170
 frost-induced cyanide autotoxicity, 171
 role of herbivory, 168
 small-scale influences, 172
Cynoglossum officinale, 451
Cypripedium calceolus, 96
cytoplasmic inheritance, 86
cytoplasmic male sterility, 257

Dactylis glomerata, 139, 184, 303, 316
Dactylis glomerata subsp. *aschersoniana*, 317
Dactylorhiza, 349
Dalechampia, 400
Darlington, 118
Darwin, C., 11–21, 89, 336, 378, 383, 441, *passim*
 botanical investigations, 100
 cleistogamy, 106
 cross-fertilisation, significance of, 99
 evolutionary tree, 389
 experiment with Maize, 99
 gynodioecy, 121
 human origins, 18–19

Darwin, C. (cont.)
 natural selection, 68
 notebooks on transmutation, 11
 Origin of Species, 13
 pangenesis, 46
 self-fertilisation in plants, 105
 self-sterility in plants, 100
 sexual selection, 132
 speciation, 251
 tangled bank model, 118
 The Descent of Man, 18, 23
 variation of plants and animals under
 domestication, 46
Darwin, E., 10, 89
Darwiniothamnus, 397
dating of fossils, 359
Datura stramonium, 433
Davenport, 24
de Vries, 47, 70, 247
de Wet, 307
de Wet & Harlan, 307
Decodon verticillatus, 230
deme terminology, 160
demographic stochasticity, 233
Dendroctonus ponderosae, 433
Deschampsia cespitosa (*Deschampsia*
 caespitosa), 142, 181
designed experiments, 154
Desmond & Moore, 11
developmental processes: the role of
 model plants, 88
Di Cesnola, 69
Dianthus arenarius subsp. *bohemicus*, 452
Dianthus deltoides, 235
dicotyledons, 353
different kinds of rarity, 470
Digitalis purpurea, 24
Dinizia excelsa, 211
dioecy, 98, 131
diploid–tetraploid–dihaploid cycles in
 Bothriochloa–Dichanthium, 307
diplospory, 111
directional selection, 251
disjunctions: long-distance dispersal or
 vicariance?, 398
dispersal
 ‘sweepstakes routes’, 405
dispersalism, 393
divergence ‘hitchhiking’, 258
DNA, 74, 75, *passim*
 adaptive, neutral and junk, 81
 exchanges of segments, 79
 gene silencing, epigenetic
 mechanisms, 79
 junk, 81, 84

 microsatellites, 82
 minisatellites, 82
 mutation, 78
 redundancy of the code, 78
 replication, 75
 satellite, 82, 83
 transcription, alternative splicing, 76
 transcription and translation, 76
DNA from herbarium specimens, sub-
 fossils and fossils, 96
DNA transposons, 83
DNA–DNA hybridisation studies, 345
Dobzhansky, 71
Dobzhansky–Muller (D–M) concept, 257
domesticated–wild plant interactions, 418
domestication, 476
drift, 259
drifting sea ice, 398
Drosophila, 54, 255, 265
Drosophila melanogaster, 55
Dryas octopetala, 398
duplicated genes, 92
dysploid changes, 323
dysploid chromosome reduction, 326
dysploid events, 326

Earth, age of, 17
Earth’s sixth mass extinction, 477
Echinacea angus, 461
Echinochloa crus-galli, 185, 433
Echium, 396, 400
Echium pininana, 450
ecological niche modelling (ENM), 393
‘ecosystem services’, 471
ecotype
 biotic, 139
ecotypes, 136, 251
 recurrent origin of, 199
 serpentine, 183
 widespread occurrence of, 144
‘ecotypic differentiation’, 147
edge effects, 237
effect of chance, 15
effective population size (*N_e*), 239
effects of fragmentation, 236
Eichhornia paniculata, 129
electricity pylons, 180, 181
elementary species, 21
Elodea canadensis, 106
Elymus elymoides spp. *californicus*, 431
Elymus glaucus, 260, 261, 318
Elytrigia repens (*Elymus repens*), 371
Empetrum, 396
Empetrum nigrum, 398
Encephalartos latifrons, 460

Encode project, 84
endangered species: an overview, 437
endosymbiosis, 85, 97, 368
Engler, 337
epialleles, 80, 97
epigenetic changes in *Spartina*, 310
epigenetic effects, 97
epigenetic induction of plant defences, 80
epigenetic mechanisms, 196
epigenetic modification, 326
Eriksson, 9
Erophila verna, 21, 22, 303
estimated trees and true trees, 366
Eucalyptus globulus, 284
eugenics, 23–4
Eurasian/North American disjunctions,
 399
European Garden Flora, 417
eutrophication, 423
evo–devo, 374
evo–devo approaches, 364
evolution of self-compatibility, 126
evolutionary hypotheses and falsification,
 367
exon, 76
experimental taxonomy, 439
extent of human-modified ecosystems, 414
extinction
 re-diversification, 477
 vortex, 233, 234
extinction debt, 237, 447
extinction of populations, 233
extinction rates, 447
extinction threats to plant species, 447
extinctions, ancient, 386
extrapolated correlates, 293

Fagus crenata, 404
Fagus cretica, 318
Fagus sylvatica, 401, 402
Fallopia japonica, 219, 241, 421
Fallopia sachalinensis, 219
Favarger & Villard, 303
feral GM plants, 213
feral plants
 Rhododendron ponticum, 418
feral species
 Olive in Australia, 417
Festuca rubra, 184
Fibonacci number sequence, 32, 88
Ficaria verna (*Ranunculus ficaria*), 32, 37,
 303, 315
Ficus sycomorus, 211
FISH, 309, 326
Fisher, 24, 71, 72, 100, 151, 165

- fitness, 165
 - relative, 165
- Fitzroya cupressoides*, 404
- fixed heterozygosity, 321
- 'floating island' model of dispersal, 398
- Flora Europaea*, 303
- floral evolution, 362
 - molecular genetics of, 363
- floral symmetry, 364
- Florida Keys, 469
- flow cytometry, 305, 307
- Flowering time network, 194
- fluorescence *in situ* hybridisation,
 - see FISH
- forecasting, 394
- founder effects, 161, 240, 250
 - weedy and ornamental species, 219
- founder events, 259
 - case histories, 218
 - successive, 220
- founding events, 217
- Fraxinus excelsior*, 212, 421
- Fundamenta fructificatonis*, 9
- Fusarium circinatum*, 421
- Galapagos Islands, 130
- Galax aphylla* (now *Galax urceolata*), 307
- Galeopsis speciosa*, 288
- Galeopsis tetrahit*, 288
- Galium mollugo*, 317
- Galium pubescens*, 288
- Galium verum*, 317
- Gallez & Gottlieb, 327, 509
- Galton, 35, 37, 47, 48
- gametophytic incompatibility, 100
- gametophytic self-incompatibility, 126
- Garden Pea (*Pisum*), 54
- gel electrophoresis, 93
- gene flow, 161, 240
 - agricultural experiments, 203
 - animal-pollinated trees and shrubs, 211
 - assignment of parentage, 210
 - between refuges, 404
 - dispersal kernels, 208
 - early ideas, 202
 - estimating neighbourhoods, 206
 - future directions of research, 215
 - historic insights from the movement of pollen, 203
 - historic studies of seed dispersal, 205
 - insights critical in plant conservation, 214
 - insights from the use of microsatellite markers, 208
 - isolation distances, modern studies, 212
 - isolation requirement for crops, 203
 - molecular studies, 207
 - paternity, 208
 - pollen movement, 210
 - population variability and structure, 201
 - primary and secondary dispersal, 212
 - secondary dispersal, 206
 - seed/fruit dispersal, 212
 - transgenic crop plants, 212
- gene silencing: epigenetic alterations in
 - gene expression, 310
- genecology, 137
- general-purpose genotypes, 223
- genetic control of chromosome pairing,
 - 294, 308
- genetic drift, 201, 218, 239, 250
- genetic erosion, 238, 450
- genetic load, 117
- genetics of small populations, 237
- genome analysis, 291, 292 *et seq.*
- Genome-Wide Association
 - Techniques, 88
- genomic constitutions of species of *Viola*
 - subsection Rostratae, 292
- genomic *in situ* hybridisation,
 - see GISH
- genomic shock, 311
- genomic syntenly-based modelling, 326
- genotype, 38
- Gentiana pneumonanthe*, 234
- Gentianella amarella*, 350
- Gentianella anglica*, 350
- Geranium sanguineum*, 37
- germline, 79
- Geum rivale*, 137, 260, 263, 282
- Geum urbanum*, 260, 263, 282
- gigantism, 400
- Gilia*, 267, 269
- Gilmour, 160, 336, 376
- Ginkgo, 390
- GISH, 309
- glucosinates, 354
- GM glyphosate-resistant Creeping Bent Grass (*Agrostis stolonifera*), 213
- GM oilseed rape/ canola, 213
- Godron, 21
- Godward, 327
- Gondwanaland, 392
- Gottlieb, 304, 325
- Gottlieb & Pilz, 325
- Gradual (Geographic) Speciation, 246
- gradual speciation, 251
- Grant, 267, 324
- 'Great American Biotic Exchange', 400
- 'Great Chain of Being', 5
- Greenhouse Effect, 424
- Gregor, 29, 145
- Grevillea mucronulata*, 462
- Grevillea scapigera*, 453, 464
- Guignard, 55
- Gymnadenia odoratissima*, 375
- gymnosperms
 - phylogenetic reconstructions, 366
- gynodioecy, 123, 131
- Haldane, 71
- 'Half-Galton' curves, 28
- Happlopappus gracilis*, 56
- Hardy-Weinberg Law, 160
- Hawaiian Islands, 399
- heavy metal tolerance, 178, 181
- Hedera*, 397
- Hedera helix*, 63, 88
- Heiser, 276, 283
- Helianthus*, 257, 283
 - homoploid species, 328
- Helianthus annuus*, 191, 199
- Hennig, 342, 343, 379, 382
- Henslow, 11
- Heracleum mantegazzianum*, 421
- herbicide resistance, 186
 - costs of, 187
 - genetics of, 186
 - independent origin, 187
 - mechanisms, 186
 - seed of development, 187
- heteroblastic development, 62
- heteroblasty, 88
- heterosis, 114
- heterostyly, 103, 104, 105, 126
- Heterotheca latifolia*, 206
- Hieracium*, 108, 111
- Hieracium* subgenus *Pilosella*, 315
- Hieracium umbellatum*, 136, 147, 199
- hindcasting, 393
- histones, 79
- Hoffmann, 21
- Holcus lanatus*, 178, 184
- Holliday, junction model, 79
- holocentric chromosomes, 327
- Holsinger, 333
- homomorphic and heteromorphic incompatibility systems, 103
- homoplasy, 344
- homoploid hybrid speciation, 327
- homoploid speciation, 327
- homostyles, 104
- Hooglander, Lumaret & Bos, 121
- Hooker, 383, 384
- 'hopeful monsters', 374

- Hordeum*, 177
horizontal gene transfer, 368
Hortus Cliffortianus, 6
House of Lords Science and Technology Committee, 440
How many species are threatened with extinction?, 434
human activities
 a threat to biodiversity?, 419
human impact on the environment, 411
human impacts on ecosystems: sources of evidence, 412
human influences
 climate change, 424
 habitat loss and fragmentation, 419
 introduced organisms, 420
 the effects of pollution, 422
human populations
 projections, 413
Huxley, 71, 118, 145
hybrid fitness, 279
hybrid index method, 271
hybrid inviability, 257
hybrid necrosis, 257
hybrid swarms, 261, 286
hybrid vigour, 115
hybridisation between taxa in the evolution of some invasive species
 case studies, 419
Hymenoxys acaulis var. *glabra*, 238, 462
hyperaccumulation, 182
 herbivory, 183
hyperaccumulators
 400 species, 182
Hypericum canariense, 225
Hypericum canariense var. *canariense*, 222
Hypericum perforatum, 111, 241

Icelandic flora, 404
Iltis, 45
in situ hybridisation (ISH), 297
inbreeding depression, 105, 116
inbreeding effects, 314
incomplete lineage sorting, 286
Index of Plant Chromosome Numbers (IPCN project), 303
India, 392
insidious domestication, 451
Intelligent Design, 16–17
International Botanical Code, 376
International Botanical Congress in Melbourne of 2011, 442
International Code of Botanical Nomenclature, 242

interpretation of experiments, 159
interspecific hybridisation: a threat to some endangered species, 419
introduced fungal pathogens
 case studies, 421
introduced species
 changes in toxicity, 227
 failure to establish, 222
 phenotypic plasticity and developmental adaptability, 223
 sources, 220
 what factors contribute to the success of new populations?, 226
introductions
 multiple, 220
introgression, 277, *passim*
 ancient, 286, 318
 asymmetric, 279
 critical tests of the hypothesis, 276
 cytoplasmic capture, 282
 Helianthus annuus, 283
 a key concept in microevolution, 285
 new stable hybrid species, 279
 its role in evolution, 286
 zones of, 285
introgression of genes across a ploidy barrier, 317
introgressive hybridisation, 270, 271, 327, 368, 475
intron, 76
invasive species, 418
Ipomoea caerulea, 62
Ipomopsis sancti-spiritus, 461
Iris fulva, 272, 278, 280, 281
Iris hexagona var. *giganticaerulea*, 272, 278, 280, 281
Iris nelsonii, 328
 origin through hybridisation, 327
Iris versicolor, 297
island biogeography, 455
island endemics, 251, 400
isolating mechanisms, 244, 249
isozymes, 93, 161, 208

Johannsen, 38, 70
Jonsell, 333
Juniperus virginiana, 423
junk DNA, 96

Karpechenko, 247
karyotypes, 295
Kelvin, 17
Kerner, 39
Kihara & Ono, 247
King, 333

Kochia scoparia, 187
Kohn, 11
Kölreuter, 9
Kruckeberg, 142
K–T extinction, 387

lag phase, 222
Lamarck, 10, 17, 39, 97
Lamprecht, 55
Langlet, 37
Last Universal Common Ancestor (LUCA), 89
Lasthenia californica, 284
late-acting self-incompatibility systems, 104
Lathyrus japonicus (*L. maritimus*), 135
Lathyrus odoratus, 54
Latin in botanical taxonomy, 442
Layia
 crossing experiments, 252
Layia glandulosa, 252, 252, 253, 254
Layia species
 molecular investigations, 254
leading-edge expansion of species, 402
Leavenworthia alabamica, 191
leptokurtic distribution, 28, 203, 205
leptokurtic distribution of pollen, 211
Leucanthemum vulgare (*Chrysanthemum leucanthemum*), 29
Levin, 322
Lewis, 324, 328
Lilium martagon, 56, 57
Linaria vulgaris, 8, 80, 99
lineage sorting, 368
Linnaeus, 6–10, 137, 376, 382, 383
 sexual system, 336
Linroth, 9
‘living dead’, 211
Lloydia serotina, 470
local races, 32 *et seq.*
local refugia, 404
locating the affinities of little-known groups, 356
Lolium perenne, 177, 184
Lolium rigidum, 186
long-distance dispersal, 208, 218, 383, 395
 new insights, 395
Lotus alpinus, 39
Lotus corniculatus, 39, 61, 167, 168, 194
Louisiana Irises
 introgression, 278
Luceño & Castroviejo, 327
Lumaret, 317
Lupinus texensis, 208
Luzula, 327

Luzula luzuloides, 327
Luzula multiflora, 327
Luzula nivea, 327
Lycopersicum esculentum, 246
Lyell, 384
Lynch, 67
Lysimachia nummularia, 119
Lythrum salicaria, 104, 225

macroevolution, 373
Madagascar, 475
MADS-box genes, 364
Magnolia, 383
Maize
 domestication of, 374
Malthus, 13
Mantis religiosa, 69
Manton, 248
Marchi *et al.*, 303
‘mass extinction’, 386
mass extinction of plants, 388
maternal effects, 152
maternal (matroclinous) inheritance, 108
Mather, 118
Matthews, 118
Matthiola, 397
Mayr, 71, 250, 333, 334
McClintock, 311
mean, 25
Medicago sativa, 69
Mediterranean island endemics, 400
meiosis, 53, 79
Melaleuca quinquenervia, 223, 422, 468
Mendel, 37, 43, 45, 54, 83
 experiments on *Hieracium*, 45
 independent rediscovery of his work, 47
 particulate inheritance, 42
 two-factor crosses, 43, 44
Mendelian population, 160, 206
Mendel’s experiments, 41
messenger RNA (mRNA), 76
metal-tolerant populations
 origin of, 181
metapopulations, 216–17, 233
methane, 424
Methylation-Sensitive Amplification Procedure (MSAP), 310
microevolution in a golf course, 188
MicroRNAs (miRNA), 77
Microstegium vimineum, 224
migration: implications of specialisation, 400
migration routes, 401
Milankovitch cycles, 391

Milium montianum, 297
Milium vernale, 297
Mimulus, 260
Mimulus guttatus, 178, 262, 284
mini- and microsatellites, 95
Minimum Critical (or Dynamic) Area, 240
minimum spanning-trees, 338
Minimum Viable Population (MVP), 239, 451
minority-type disadvantage, 313
Mirabilis jalapa, 59, 72
mitochondria, 85
mitosis, 52, 79
mixed reproduction, 122
‘modern synthesis’, 71, 374
molecular clock, 359
molecular phylogenetic analysis, 344
molecular studies of self-incompatibility systems, 102
monocotyledons, 353
Morgan, 55
multiple colonisation, 208
Müntzing, 288
‘mutation hot spots’, 79
mutation of DNA, 78
mutation theory of evolution, 70
Myrica faya, 422
Myricaria germanica, 461
myrmecochory, 354

Nägeli, 21, 39, 44
Narcissus assoanus, 235
native versus introduced species, 416
natural grafts, 369
natural hybridisation
 frequency, 260
natural selection, 161
NatureServe conservation status categories, 436
‘neighbourhoods’ in wild populations, 206–07 *et seq*
Nemeč, 288
neo-endemics, 394
nested chromosome insertion, 326
neutral theory of evolution, 81
‘New Synthesis’, 96
New Zealand flora, 399
next generation methods, 258
next generation sequencing, 285, 309
next generation sequencing methods, 82, 93, 130, 133, 200
niche construction, 411, 475
Nicotiana, 100
Nicotiana glauca, 370
Nicotiana glutinosa, 247
Nicotiana species, 369

Nicotiana tabauca, 370
Nicotiana tabacum, 247, 370
Nilsson-Ehle, 49
nitrous oxide, 424
Noah’s Ark, 382
Nogler, 307
non-coding RNAs, 77
non-Mendelian inheritance, 59
normal distribution, 27, 28 *et seq*
Nothofagus, 383
NSF-PEET scheme, 446
nucleosomes, 79
nullisomics, 294
numerical taxonomy, 340, 341–2
nunataks, 403

Oenothera, 70, 247
Oenothera erythrosepala (*O. lamarckiana*), 247
Olby, 45
Ophioglossum reticulatum, 56, 57, 304
optimal foraging by animals, 205
Orchis laxiflora, 461
Oryctes nevadensis, 470
Oryza indica-japonica hybrids, 257
Oxford Botanic Garden, 328
Oxyria digyna, 144
ozone tolerance, 184

palaeoecology: insights from the study of
 ancient DNA, 407
palaeo-endemics, 394
Pangaea, 385, 386
Papaver rhoeas, 24, 27, 131
Papaver somniferum, 24
parapatry, 250
parasitism, 353
Park Grass Experiment, 174, 175, 270
parsimony, 342
Paspalum, 314
Pastinaca sativa, 227
paternal effects, 153
Pearson, 24, 48
Pedicularis furbishiae, 216
Peloria, 8, 9, 80
peripatric speciation, 250
peripheral isolate, 255
Persicaria amphibia (*Polygonum amphibium*), 65, 66, 220
Phalaris arundinacea, 221, 226
Phaseolus vulgaris, 38
phenotype, 38
phenotypic plasticity, 64, 193, 196, 223
Philosophia botanica, 7
Phleum alpinum, 39

Phleum pratense, 39
Phlox glaberrima, 268
Phlox pilosa, 268
PhyloCode, 376
phyletic groups, types of, 379
phylogenetic methods, 347–9 *et seq.*, 349
phylogenetic studies, 89
phylogenetic trees, 3, 21, 68, 91, 336, 348, 365
 layout of, 350
phylogeography, 382
Phytophthora austocedrae, 421
Phytophthora ramorum, 421, 449
Phytophthora species, 421
phytoremediation, 183
Picea breweriana, 466
Picea mariana, 229
pictorialised scatter diagram, 271
Pilosella, 111, 124
Pilosella officinarum (*Hieracium pilosella*), 422
Pinus banksiana, 433
Pinus contorta, 433
Pinus edulis, 433
Pinus radiata, 205, 421, 468
Pinus sylvestris, 37, 208, 467
Pinus taeda, 208, 433
plant domestication
 maize, 408
plant mimicry, 198
plant/herbivore interactions, 357
Plantago lanceolata, 121, 173, 205
Plantago major, 155, 185
Plantago maritima, 29, 30, 145
plants: their different roles in cultural landscape, 416
Platanthera bifolia, 350
Platanthera chlorantha, 350
platykurtic distribution, 28
pleiotropic effects, 187
pleiotropy, 61
Pleistocene, 391
Poa annua, 176, 186, 188, 295
Poa bulbosa, 120
Poa infirma, 295
Poa pratensis, 111
Poa supina, 295
pollen discounting, 230
pollen stainability, 274
pollination disruptions and declines, 235
pollination limitation, 235
pollinators
 coevolution, 127
polygenomic organism, 370
polygonal graph method, 272, 274
polyhaploids, 307

polymerase chain reaction (PCR), 93
polyploid series, 304
polyploids, 57
 cytogenetic changes in the longer term, 311
 evidence of chromosome repatterning, 309
 the implications of their recurrent formation, 311
 origin of, 305
 polytopic multiple origin of, 297
 their potential for evolutionary change, 307
 single origin, 301
polyploidy, 246
 ancient, 320, 389
 in arctic plants, 321
 change in breeding system, 313
 chemical studies, 296
 correlation with apomictic reproduction, 315
 delimitation of taxa, 302
 evidence for chromosome structural changes in, 309
 geographical distribution, 318, 319 *et seq.*
 historic estimates of the incidence of, 303
 reticulate patterns of variation, 318
 secondary, 320
Polypogon monspeliensis, 213
polytomies, 349
Popper, 154, 367
population bottleneck, 127
Population Viability Analysis, 240
Populus tremuloides, 229
Posidonia oceanica, 229
position effects, 61
post-pollination barriers, 256
Potentilla, 124, 132
Potentilla argentea, 315
Potentilla crantzii, 111
Potentilla glandulosa, 64, 139, 251
Potentilla tabernaemontani/neumanniana, 111
pre-pollination mechanisms, 256
primitive angiosperm flower, 337
Primula
 supergene, 104
Primula egalikensis, origin of, 309
Primula hirsuta, 408
Primula kewensis, 248, 287, 305
Primula scotica, 470
Primula sieboldii, 450
Primula veris, 29, 103, 271, 273
Primula vulgaris, 271, 273

principal component analysis (PCA), 275, 282
principal coordinates analysis (PCO), 282
prions, 97
progenitor-derivative species pairs, 325
Prospero, 325
Prunella vulgaris, 139
pseudogamy, 112
Pteridium aquilinum, 149
‘punctuated equilibrium’ concept, 388, 390
pure lines, 114, 115

Quantitative Trait Loci, 96, 257
Quarin & Hanna, 314
Quercus, 401
Quercus petraea, 273, 275
Quercus robur, 273, 275
Quercus suber, 406
Quetelet, 23

Ranalian theory, 337
random amplified polymorphic DNA (RAPD), 94
random drift, 81
rank terminations, 337
Ranunculus auricomus, 108, 307, 315
Ranunculus bulbosus, 159
Ranunculus carpaticola, 321
Ranunculus cassubicus, 321
Ranunculus repens, 28, 229
Ranunculus subgenus *Batrachium*, 64, 65
Raphanobrassica, 247
Raphanus raphanistrum, 80, 160
Raphanus sativus, 208, 247
Raven, 4
Ray, 4, 37, 353
reciprocal transplant experiments, 159, 173, 200
reconstructing past climates
 proxy methods, 394
recurrent origins
 Draba, 301
 Saxifraga, 301
Red Data books, 436
Red Queen, 118, 388
reduction in chromosome numbers in grasses, 326
refugia, 394, 401, 402
 in different parts of the world, 404
refugial hypothesis of Amazonian speciation, 407
reinforcement, 265–70, 267
 crossing experiments, 267
relaxed clock models, 359
relaxed molecular clocks, 382
reproductive assurance, 118, 229

- reserve design, 456
- resistance to pesticides, 412
- restriction endonucleases, 93
- Restriction Fragment Length Polymorphism (RFLP), 94
- retrotransposons, 82
- Rhizobium*, 177
- Rhododendron ponticum*, 421
- ribosomes, 76
- rice, 90
- Rieseberg, 283, 328, *passim*
- Robinia pseudoacacia*, 421
- Rorippa amphibia*, 312
- Rorippa microphylla* (*N. microphyllum*), 248
- Rorippa nasturtium-aquaticum* (*Nasturtium officinale*), 248
- Rorippa sylvestris*, 312
- Rorippa* × *anceps*, 312
- Rubus*, 108, 124, 315
- Rubus alceifolius*, 220
- Rubus chamaemorus*, 398
- Rückert, 52
- Ruderals, 418
- Rulingia* spp. ‘Trigwell Bridge’, 453
- Ruse, 333
- Salix herbacea*, 398, 409
- Salvia pratensis*, 238
- Salvinia molesta*, 422
- sampling, 148, 367
- sampling techniques, 147
- Sapium sebiferum*, 422
- Sarracenia purpurea*, 218
- Saxifraga cernua*, 403
- Saxifraga cespitosa*, 461
- Saxifraga rivularis*, 398
- Saxifraga stellaris*, 403
- Scabiosa*, 349
- Scabiosa columbaria*, 116, 239
- Schinus terebinthifolius*, 223
- Scopelophila cataractae*, 181
- Scorzoneroideis autumnalis* (*Leontodon autumnalis*), 147
- seamounts, 397
- seasonal dimorphism, 69
- Secale cereale*, 319
- sedimentary aDNA, 408
- seed banks, 176, 232
- seed dispersal, 354
- segmental allopolyploidy, 291
- Seiridium cardinale*, 421
- selection
 - catastrophic, 328
 - comparing ‘young and ‘adult’ generations, 176
 - directional, 164, 178
 - directional selection for high and low oil content in Maize, 178
 - disruptive, 164, 266
 - disruptive selection evidence for, 173
 - natural, 165
 - r- and K-selection, 164
 - signature of, 191
 - stabilising or normalising, 161
- selection, natural, 13
- self-incompatibility, 101, 102, *passim*
- origin, 126
- Senecio cambrensis*, 300, 312, 394, 470
- Senecio carniolicus*, 318
- Senecio inaequidens*, 222
- Senecio squalidus*, 102, 223, 225, 300
 - homoploid origin, 328
- Senecio vulgaris*, 24, 185, 300, 318
- Senecio* × *baxteri*, 300
- ‘sentinel’ or ‘bait’ individuals, 212
- Sequoiadendron giganteum*, 467
- serpentine
 - independent recurrent origin of populations, 184
- Sewall Wright, 71, 73
- sex chromosomes, 133
- signatures of selection, 200, 258
- Silene dioica*, 35, 184, 216
- Silene latifolia* (*S. alba*), 35, 210, 216
- Silene otitis*, 451
- Silene vulgaris*, 182
- Simarouba amar*, 212
- Simpson, 71
- single and recurrent long-range dispersal, 396
- single nucleotide polymorphism (SNP), 95
- sky islands, 399
- small interfering ribonucleic acids (siRNAs), 77
- small, cryptic or micro-refugia, 404
- Solanum*, 314
- Solanum carolinense*, 120
- Solanum nigrum*, 246
- Solidago altissima*, 224
- Solidago gigantea*, 224
- somatic mutations, 79, 228
- Sonchus*, 397
- Sorbus*, 108, 315, 320
- Sorghum*, 369
- Sorghum halepense*, 433
- Spartina alterniflora*, 235, 300
- Spartina anglica*, 305, 312, 394
- Spartina maritima*, 300
- Spartina townsendii*, 300
- Spartina* × *neyrautii*, 301
- spatial autocorrelation, 232
- Special Creation, 1, 10, 376
- speciation
 - quantum, 255
 - role of hitchhiking, 284
- speciation genes, 255
- species
 - biological reality, 332
 - Biological Species Concept, 243 *et seq.*, 333
 - concepts, 242
 - definition of, 4
 - disruptive, 268
 - ecological species concept, 243
 - evolutionary reality, 333
 - evolutionary species concept, 243
 - fixity of, 6
 - how many are polyploid?, 302
 - local races, 32
 - mental reality of, 332
 - morphological, 242
 - nature of specific difference, 19
 - origins, 245, *passim*
 - as part of natural classifications, 331
 - phylogenetic (cladistic) species concept, 243
 - reproductively isolated, 333
 - transmutation of, 4, 7
- species and gene trees, 367
- species concept, 331
- Species Distribution Models (SDMs), 408, 430
- Species plantarum*, 7
- species–area relationships, 434
- speed of microevolutionary change: agricultural experiments, 177
- Spergula arvensis*, 197
- spindle, 56
- spliceosomes, 76, 96
- ‘splitters’ and ‘lumpers’, 108
- sporophytic incompatibility, 101
- sporophytic self-incompatibility, 126
- standard deviation, 26
- Stapledon, 137, 140
- Stebbins, 71, 292, 296, 308, 319, 320, 329
- Stephanomeria diegensis*, 327
- Stephanomeria exigua* subspecies *coronaria*, 325
- Stephanomeria malheurensis*, 325, 461
- stress-induced methylation epigenetic changes, 200
- Striga hermonthica*, 369

sulphur dioxide tolerance, 184
Sutton, 53
Svalbard, 397
Swietenia humilis, 211
synteny, 91, 375
synthetic theory, 81

tabula rasa concept, 408
Tansley, 417
Taraxacum, 58, 108, 111, 112, 224
Taraxacum officinale, 108, 316
taxonomic challenge ahead, 439
taxonomists
 number of, 447
taxonomy
 barcoding, 442
 renewal of, 440–2
 web-based, 441
taxonomy in an era dominated by molecular biology, 446
Tephrosieris integrifolia (*Senecio integrifolius*), 164, 235
teratological variants, 374
tetrasomic inheritance, 307, 312
Thiselton-Dyer, 67
Thlaspi caerulescens, 182, 183
Thlaspi calaminare, 182
threatened species: estimates using
 a proxy, 436
timescales and timetrees, 359
Townsendia hookeri, 321
trade-offs, 357
Tragopogon dubius, 298
Tragopogon mirus, 298, 470
Tragopogon miscellus, 298, 309, 310, 470
Tragopogon porrifolius, 9, 298
Tragopogon pratensis, 9, 298
trailing edge of migrating populations, 406
transcriptome, 76
transcriptome techniques, 221
transgenes, 212
transgenes contaminating maize?, 214
transgressive hybridisation, 283
transgressive segregation, 312
transposable elements, 200, 311
transposons, 82
Tree of Life, 1, 2, 366, 368
Trifolium repens, 119, 149, 168, 171, 172, 177, 206
Tripsacum, 111
Triticum aestivum, 192
 origin of, 292
Triticum dicoccum (now called *T. turgidum*), 293
Turesson, 135 *et seq.*, 144, 147
Typha minima, 450

UCN, 437
Ulex europaeus, 62
Ulmus procera, 229
unconscious selection, 451
United Nations Environment Programme (UNEP), 455
units of selection, 81
unreduced gametes, 305, 306
Ustilago violacea, 216

Vaccinium uliginosum, 398, 406
Vanda spathulata, 453
variance, 26
variation
 continuous, 48
 developmental, 62
 discontinuous patterns, 70
 habitat modifications, 135
 intraspecific, 4
 phenotypic, 60, 80
 within and between populations, 161
Veratrum species, 318
Verbascum thapsus, 223
vernal pools, 189
Veronica peregrina, 189
Vestiges of the Natural History of Creation, 11, 13

vicariance, 250, 251
vicariance biogeography, 393
Viola
 cleistogamy, 122, 122
Viola persicifolia, 234
Viola quercetorum
 origin of, 296
Viscum album, 70
vivipary, 119
von Tschermak, 47

Wallace, 12, 265
Walters, 144, *passim*
weed evolution, 188
weeds, 418
Wegener, 384
weighting, 371
weighting characters, 338
Weldon, 32, 67
Wheat, 49, 293, 308
Whole Genome Duplication (WGD), 90, 305, 329
Wicken Fen Nature Reserve, 155, 454
wild versus crop plants, 417
wildlife, 417
Wilson, 435
wind pollination, 363
Winge, 247
Winkler, 247
Withania aristata, 120
World Conservation Monitoring Centre (WCMC), 435
Wright, 206, 234
Wright's *F*-statistics model, 202

Xanthium strumarium, 144

Yellowstone National Park, 231, 454
Yule, 48

Zea, 203
Zea mays, 265
zygomorphy, 338, 365