

# Index

---

- absolute temperature, 187
- acceleration, 4-vector, 194
- accessibility, 181, 182
- accumulation point, 106
- action, 152, 274, 524
  - euclidean, 551
  - first variation of, 154
  - group, 454
  - Hamilton's principle of stationary action, 154
  - Jacobi's principle of least action, 281
  - relativistic, 196
- Ad, 486
  - bundle, 487, 489
  - connection, 487
- adiabatic
  - distribution and leaf, 183
  - process, 180
- adjoint, 392, 632
  - group, 486
  - representation, 486
- admissible boundary form, 378
- admittance matrix, 637
- affine
  - connection, 242
  - group of the line  $A(1)$ , 394
  - parameter, 272
- Aharonov–Bohm effect, 447–8, 554
- Aharonov–Susskind and spinors, 517
- algebra homomorphism, 78
- Ampere–Maxwell law, 121, 163
- annihilator subspace, 167
- anticommutator, 478
- antiderivation, 89, 135
- antisymmetric, 66
- antiquark, 641
- associated bundle, 482
  - connection, 483–7
- Atiyah–Singer index theorem, 465
- atlas, 15
- Bernoulli's theorem, 234
- Berry phase, 468–72
  - equation, 472
- Bertrand–Puiseux and Diguët, 288
- Betti numbers, 157, 346
- Bianchi identities, 300, 489
- bi-invariant
  - connection on a Lie group, 580
  - forms on a Lie group, 561
  - Riemannian metric and their geodesics, 563
- binormal, 196
- Bochner's theorems, 374, 530
- Bonnet's theorem, 229
- boson, 650
- Bott's version of Morse theory, 665, 667
- boundary (of a manifold) = edge, 106
- boundary
  - group, 344
  - homomorphism, 338, 601
  - operator, 335
- boundary conditions
  - essential or imposed, 527
  - natural, 527

## 676

bracket  
 anticommutator, 478  
 commutator, 408  
 Lagrange, 80, 100  
 Lie, 126, 402; of  $\mathfrak{g}$ -valued forms, 477  
 Poisson, 154  
 Brillouin and the stress form, 627  
 Brouwer degree, 210–13, 360  
 fixed point theorem, 217  
 bump form, 107  
 bundle  
 associated, 482  
 complex line, 433  
 cotangent, 52  
 determinant, 487  
 dual, 482  
 electromagnetic, 441  
 fiber, 415  
 frame, 453  
 gauge, 490  
 line, 433  
 local trivialization, 417  
 monopole, 444, 473  
 normal, 419  
 orientable, 611  
 principal, 454, 481  
 product, 418  
 projection, 415  
 pull back, 619  
 section, 50, 416, 466  
 space, 415  
 structure group, 433, 452  
 tangent, 48  
 transition functions, 24, 254, 414  
 trivial, 418  
 unit tangent, 51  
 vector, 413–17  
 volume, 488

canonical form, 394  
 canonical map, 149  
 Caratheodory's  
 formulation of the second law of  
 thermodynamics, 181  
 theorem, 182  
 Cartan's  
 bi-invariant forms, 562  
 exterior covariant differential, 250, 430  
 method for computing curvature, 257  
 structural equations, 249  
 theorem  $\pi_2(G) = 0$ , 606  
 3-form on a Lie group, 566  
 H. Cartan's formula, 135

## INDEX

Cauchy  
 equations of motion, 618  
 –Green tensor, 82  
 –Riemann equations, 158, 159  
 stress form, 617; Lie derivative of, 626  
 center  
 of a Lie algebra, 580  
 of a Lie group, 565  
 centralizer, 659  
 chain complex, 628  
 chain group, 337  
 integer, 336  
 simplicial, 343  
 singular, 333  
 character, 657  
 characteristic cohomology class, 616  
 charge form, 118  
 Chern's  
 forms and classes, 587–91; as obstructions,  
 608–16  
 integral, 612  
 proof of Gauss–Bonnet–Poincaré, 462–5,  
 553–7  
 theorem, 615  
 Chern–Simons form, 586  
 Chern–Weil theorem, 589  
 Chow's theorem, 178, 187  
 Christoffel symbols, 229  
 circulation, 144, 377  
 Clairaut's relation, 530  
 classical  
 force, 195  
 momentum, 194  
 velocity, 193  
 Clifford  
 algebra, 500  
 embedding, 262  
 numbers, 503  
 closed  
 form, 156, 158  
 manifold, 120  
 set, 11  
 closure, 106  
 coboundary, 630  
 cochain, 630  
 coclosed, 370  
 cocycle, 631  
 Codazzi equation, 229, 302, 311–13,  
 320  
 codifferential  $d^*$ , 364  
 codimension, 6  
 coefficient group, 337  
 field, 343

- cohomology  $H^p$ , 356
  - integral class, 615
- commutative diagram, 338
- commutator bracket of matrices, 408
- compact, 13
- completable relative cycle, 387
- complex
  - analytic map, 158, 214
  - line bundle, 433; connections, 434
  - manifold, 21
- composing rotations, 499
- configuration space, 9, 50
- conformally related metrics, 531
- conjugate point, 327
- conjugates, 659
- connected space, 347
- connection, 242
  - coefficients of, 243, 429
  - curvature of, 244
  - electromagnetic, 440
  - flat, 260
  - forms  $\omega$ , 249, 256
  - forms  $\omega^*$  in the frame bundle, 462, 480
  - induced, 309
  - Levi-Civita or Riemannian, 242, 245
  - on a Lie group, 580; flat, 581
  - on a vector bundle, 428–31
  - on the associated Ad bundle, 486
  - Simon, 472
  - spinor, 518–21
  - symmetric, 245
  - torsion of, 245
  - torsion-free, 245
- constraint
  - holonomic, 175
  - nonholonomic, 175
- continuous, 12
- continuum mechanics, 617–27; equilibrium
  - equations, 622
- contractible to a point, 161
- contraction, 89
- contravariant
  - tensor, 59
  - vector, 23
- coordinate
  - change of, 29
  - compatible, 15
  - frame, 243
  - homogeneous, 17
  - inertial, 192
  - local, 3, 4, 13
  - map, 20
  - patch, 20
- coset space  $G/H$ , 456
  - fundamental principle, 457
- cotangent space, 40
- coupling constant or charge, 539
- covariance, 430
- covariant
  - components of a tangent vector, 43
  - constant, 267
  - derivative  $\nabla_X$ , 235, 241–4, 430; second, 301;
    - of a tensor, 298–9
  - differential  $\nabla$ , exterior, 248
  - tensor, 58
  - vector = covector, 41
- covector, 41
  - transformation law, 42
- covering space, 569–76
  - associated to a subgroup of  $\pi_1$ , 575
  - orientable, 573
  - universal, 570; covering group, 575
- critical manifolds, 665
- critical points and values, 28, 382–7
  - homotopically, 382, 387
  - index, 384
  - inessential, 383
  - nondegenerate, 383
- (cross) section, 50, 416, 466
- curl, 93
- current
  - 2-form  $j$ , 118
  - 3-form  $\mathcal{S}$ , 199
  - 3-vector  $\mathbf{J}$ , 119
  - 4-vector  $J$ , 199
  - convective, 119
  - electric, as a chain, 656
- curvature
  - of a connection, 243
  - extrinsic, 318
  - forms  $\theta$ , 251, 256, 431; and the Ad bundle, 489;
    - of a surface, 257;  $\theta^*$  on a frame bundle, 462;
    - $\theta^*$  on a principal bundle, 481
  - Gauss, 207
  - geodesic, 235
  - intrinsic, 318
  - mean, 207
  - and parallel displacement, 259–61
  - of the Poincaré metric, 258
  - principal, 207
  - Riemann sectional  $K(X \wedge Y)$ , 313
  - Riemann tensor, 244
  - of a space curve, 191
  - of a surface, 207
  - of a surface of revolution, 258

- curvature (*continued*)  
 total, 215  
 transformation  $R(X, Y)$ , 244  
 vector, 192, 194
- cycle  
 absolute, 344  
 completeable, 387  
 group, 344  
 relative, 379
- $\mathcal{D}$ , 200
- d'Alembertian  $\square$ , 293, 371
- deformation  
 retract, 406, 506  
 tensor, 82  
 theorem, 350
- degree of a map, *see* Brouwer degree
- de Rham's  
 theorem, 355–60  
 vector space  $\mathcal{R}^p$ , 356
- derivation, 134
- derivative  
 covariant, 235  
 exterior, 73  
 intrinsic, 235  
 normal, 364
- determinant line bundle, 487
- dictionary relating forms and vectors,  
 94
- diffeomorphism, 27
- differentiable, 20
- differential  
 exterior  $d$ , 73; covariant, 250  
 of a function, 40,  
 of a map  $F_*$ , 7, 27
- differential form, *see* form
- differentiation of integrals, 138–43
- Dirac  
 adjoint or conjugate spinor, 532  
 algebra, 509  
 equation, 503  
 Lagrangian, 531  
 matrices, 510  
 monopole, 444; quantization, 445  
 operator, 511, 514, 521; in curved space,  
 515–21  
 program, 502  
 representation  $\rho$ , 512  
 (4-component) spinor, 513  
 string, 162
- Dirichlet's principle, 373
- distance from a point to a hypersurface,  
 579
- distribution (of subspaces), 166  
 adiabatic, 183  
 horizontal, 263  
 integrable, 167
- divergence, 93, 136, 304  
 exterior covariant, 545  
 of a form, 365  
 of a symmetric tensor, 300  
 theorem, 139
- dual  
 basis, 39  
 bundle, 417, 482  
 Hodge  $*$ , 362  
 space, 39
- $\epsilon_J$ , 67
- eigenvalue of a quadratic form, 63, 209
- eight-fold way, 641
- Einstein  
 equations, 296, 316, 317; Wheeler's version,  
 318  
 geodesic assumption, 292, 297  
 tensor  $G$ , 315
- electric field  $\mathbf{E}$ , 119  
 1-form  $\mathcal{E}$ , 120  
 2-form  $*\mathcal{E}$ , 121  
 and topology, 123, 378, 381
- electromagnetic  
 bundle, 441  
 connection, 440  
 field strength  $F^2$ , 197  
 Lagrangian, 308  
 stress-energy-momentum tensor, 308  
 vector potential 1-form  $A^1$ , 199
- electromagnetism and Maxwell's equations  
 in curved space–time, 366–7  
 existence and uniqueness, 378, 387  
 on projective space, 164  
 on the 3-sphere, 163  
 on the 3-torus, 122
- embedded submanifold, 27
- energy  
 of deformation, 620–22  
 density, 316  
 hypersurface, 148; invariant form, 150  
 internal, 179  
 momentum vector, 195  
 momentum tensor, 295  
 of a path, 274  
 rest, 195  
 total, 148, 196
- entropy, 183  
 empirical, 185

- equations of motion, 144  
   relativistic, 303  
 equilibrium equations, 622–4  
 euclidean metric in quantum fields, 551  
 Euler  
   characteristic, 423, 426  
   equations of fluid flow, 144  
   integrability condition, 166  
   principle of least action, 281  
 exact  
   form, 156  
   sequence, 598–600; homology, 604; homotopy, 600; short, 599  
 exp, 284  
 exponential map for a Lie group, 399, 403  
 extension theorem, 592  
 exterior  
   algebra, 68  
   covariant differential  $\nabla$ , 250, 430;  
   of a form section of a vector bundle, 488  
   covariant divergence  $\nabla^*$ , 545  
   differential  $d$ , 73; coordinate expression, 76;  
   spatial  $\mathbf{d}$ , 141  
   form, 66; and vector analysis, 71  
   power operation, 588  
   product, 67; and determinants, 71; geometric  
   meaning, 70  
  
 face, 335  
 Faraday's law, 121  
 Fermat's principle, 297  
 fermion, 650  
 fiber, 49, 415  
   bundle, 451, 594  
   coordinate, 416  
   over  $p$ , 416  
   space, 593  
 field strength, 64  
 Flamm paraboloid, 321  
 flow generated by a vector field, 32, 33  
   by invariant fields, 408  
   by Lie bracket, 129  
   straightened, 35  
 fluid flow, 30, 143–5  
   magnetohydrodynamic, 145  
 foliation, 173  
 force  
   classical, 195  
   Lorentz, 119  
   Minkowski, 195  
 form  
   bi-invariant, 561–3  
   Cartan, 562  
  
 Cauchy stress form, 617  
   closed, 156  
   exact, 156  
   exterior, 66  
   first fundamental, 202  
   harmonic, 370  
   heat 1-form, 179  
   integration of, 95–102; and pull-backs,  
   102  
   invariant, 395  
   Maurer–Cartan, 476  
   normal, 376  
   and pseudo-form, 122  

-form, 41  
   pseudo-, 86  
   pull-back, 77–82  
   second fundamental, 204, 309; and  
   expansion of the universe, 318,  
   319  
   stress: Cauchy, 617; Piola–Kirchhoff, 619–20  
   tangential, 376  
   of type Ad, 489, 490  
   vector bundle-valued, 429  
   vector-valued,  $d\mathbf{r}$  and  $d\mathbf{S}$ , 203, 248  
   volume, 86, 88  
   with values in a Lie algebra, 475, 477  
   work 1-form, 179  
 frame  $\mathbf{e}$ , 243  
   change of, 253  
   coordinate, 243  
   orthonormal, 255  
   of sections, 417  
 frame bundle, 453  
 Frobenius  
   chart, 167  
   theorem, 170  
 Frobenius–Schur relations, 656  
 functional derivative, 307  
 fundamental  
   group  $\pi_1$ , 567–9, 578  
   theorem of algebra, 215  
   vector field, 455  
  
 $\sqrt{g}$ , 88  
 Galloway's theorem, 578  
 gauge  
   bundle, 490  
   field, 255, 536  
   invariance, 441, 449, 533–6  
   particles: gluons, 540; mesons, 538; photons,  
   536  
   principle, 537  
   transformation, 255, 490; global, 535

- Gauss  
 –Bonnet theorem, 215, 323, 462; as an index theorem, 465; generalized, 465–8  
 curvature, 207  
 equations, 229, 310, 311–14; relativistic meaning, 316–18  
 formula for variation of area, 225  
 law, 121  
 lemma, 286  
 linking or looping integral, 218  
 normal map, 208, 215, 260  
*theorema egregium*, 231, 317–18  
 Gaussian coordinates, 284  
 Gell-Mann  
 Gell-Mann matrices, 540, 644  
 Gell-Mann/Okuba mass formula, 651  
 generalized  
 momentum, 55  
 velocity, 50  
 general linear group  $GL(n)$ , 254, 391  
 general relativity, 291–322  
 geodesic, 233, 271–4  
 J. Bernoulli's theorem, 234  
 in a bi-invariant metric, 563  
 circle, 287  
 closed, 281, 284  
 completeness, 564  
 curvature  $\kappa_g$ , 235, 239  
 equation, 235  
 null, 303  
 polar coordinates, 287  
 stability, 324, 326  
 submanifold, 310; total, 311  
 geodesy, 252  
 gluons, 540  
 gradient vector, 45  
 Grassmann algebra (*see also* exterior algebra)  
 manifold, 459  
 Green's reciprocity, 639  
 Green's theorem, 368  
 group  
 $\mathbb{R}$ ,  $\mathbb{Z}$ ,  $\mathbb{Z}_2$ , 336  
 boundary, 344  
 chain, 337  
 cycle, 344  
 de Rham, 356  
 exact sequence, 598  
 homology, 345  
 homomorphism, 337, 398  
 homotopy, 596  
 quotient, 345  
 $\mathfrak{H}$ , 200  
 Haar measure, 397, 541  
 Hadamard's lemma, 126  
 hairy sphere, 423  
 Hamilton, on composing rotations, 499  
 Hamilton's  
 equations, 147  
 principle, 154, 275  
 Hamiltonian, 147  
 flow, 148  
 operator, 439  
 relativistic, 196  
 vector field, 148  
 harmonic cochain, 633  
 harmonic field, 376  
 harmonic form, 370  
 in a bi-invariant metric, 564  
 Hawking singularity theorem, 579  
 heat 1-form, 179  
 helicity, 145  
 Helmholtz decomposition, 372  
 Hermitian  
 adjoint  $\dagger$ , 392  
 line bundle, 466  
 Hessian matrix, 383  
 Hilbert  
 action principle, 308  
 space inner product, 361  
 variational approach, 305–8, 368  
 Hodge  
 \* operator, 362  
 codifferential  $d^*$ , 364  
 decomposition, 372, 388  
 theorem, 371  
 theorem for normal forms, 381  
 theorem for tangential forms, 377  
 holomorphic, 158  
 holonomic constraint, 175  
 holonomy, 259  
 homeomorphism, 13  
 homogeneous space, 458  
 homologous, 345  
 homology group, 345–55  
 relative, 379; sequence, 604  
 homomorphism, 337, 398  
 algebra, 78  
 boundary, 338, 601  
 induced, 337

- homotopically critical point, 382
- homotopy, 591
  - and homology, 603
  - covering homotopy, 592
  - free homotopy class, 282, 283
  - sequence for a bundle, 600–3
- homotopy groups  $\pi_k$ , 596–8
  - computation of, 605–8
  - and covering spaces, 605
  - of spheres, 597, 598
- Hopf
  - bundle, 473, 474
  - map and fibering, 606, 667
  - theorem, 427
- Hopf–Rinow theorem, 564
- horizontal distribution, 263–6, 481
- Hurewicz theorem, 603
- hypercharge, 646
- hyperelastic, 622
- hypersurface, 6
  - parallel, 286
  - 1- and 2-sided, 84
- immersion, 169, 173
- implicit function theorem, 5
- incidence matrix, 637
- inclusion map, 79
- index of a vector field (*see also* Kronecker index)
  - of a section, 466
- index theorem, 465
- indicator, 315
- infinitesimal generator, 399
- instanton, 550
  - winding number, 556, 560
- integrability condition, 166, 170, 174
- integrable
  - constraint, 175
  - distribution, 167
- integral
  - curve, 31
  - manifold, 166
- integrating factor, 183
- integration
  - of forms, 96–109
  - over manifolds, 104–9
  - of pseudoforms, 114–17
- interaction, 534
- interior product, 89
- intersection number, 219
- intrinsic, 234
  - derivative, 235
- invariant
  - form, 395
  - vector field, 395
  - volume form, 397
- inverse
  - function theorem, 29
  - image, 12
- involution, 167
- isometry, 230, 314
  - fixed set, 314
  - invariant, 231
- isotopic spin, 640, 646
- isotropic body, 653
- isotropy subgroup, 457
- $J$ , 432
- Jacobi
  - determinant, 5
  - equation of geodesic variation, 273
  - field, 129, 273, 326–9
  - identity, 403
  - metric, 281
  - principle of least action, 281
  - rule for change of variables in an integral, 101
  - variational equation, 128
- Killing field, 528
  - equation, 529
- kinetic term, 535
- Kirchhoff’s current law (KCL), 636
- Kirchhoff’s voltage law (KVL), 636
- Klein bottle, 348
- Klein–Gordon equation, 502
- Kronecker
  - delta, generalized  $\delta_J^I$ , 67
  - index of a vector field, 216
- Lagrange
  - bracket  $\{ , \}$ , 80, 100
  - deformation tensor, 82, 621
- Lagrange’s equations, 147
  - in a curved  $M^3$ , 276
  - tensorial nature, 526
  - with electromagnetism, 439
- Lagrangian, 54
  - Dirac, 531
  - electromagnetic, 308
  - for particle in an electromagnetic field, 436–9
  - significance in special relativity, 437

- Lambert's formula, 290  
 Lamé moduli, 655  
 Laplace's formula for pressure in a bubble, 227  
 Laplacian  $\nabla^2$ , 93, 305  
   and mean curvature, 305  
 Laplace operator on a cochain, 633  
 Laplace operator  $\Delta = dd^* + d^*d$  on forms, 368–72  
   on a 1-form, 370  
 leaf of a foliation, 173  
   maximal, 173  
 Levi-Civita  
   connection, 242  
   equation, 297  
   parallel displacement, 237  
 Lie algebra  $\mathfrak{g}$ , 402  
   Ad invariant scalar product, 543  
 Lie bracket  $[\ , \ ]$ , 126, 402  
 Lie derivative  $\mathcal{L}_X$   
   of a form, 132–8  
   of the metric tensor, 620  
   of the stress form, 626, 627  
   of a vector field, 125  
 Lie group, 391–412  
   1-parameter subgroup, 398, 405–7, 564; on  $Sl(2, \mathbb{R})$ , 407  
   compact, 541; averaging over, 541;  
   bi-invariant forms, 561–7  
   connection and curvature of, 580  
 Lie subgroup and subalgebra, 410–12  
 lifting paths, 277  
   in a bundle, 593  
   in a covering space, 574  
 lifting spheres, 605  
 light cone, 193  
 lightlike, 193  
 linear functional, 38  
 linking number, 219  
 Liouville's theorem, 148  
 local  
   product, 49  
   trivialization, 417  
 Lorentz  
   factor, 193  
   force, 119; covector, 120, 197  
   group, 504; and spinor representation of  $Sl(2, \mathbb{C})$ , 509  
   metric, 192  
   transformation, 46, 198  
 magnetic field  $\mathbf{B}$ , 119  
   1-form  $\star\mathcal{B}$ , 121  
   2-form  $\mathcal{B}$ , 120  
   and topology, 123, 387  
 magnetohydrodynamics, 145  
 manifold, 13, 19  
   closed, 120  
   complex, 21  
   integral, 166  
   mechanical, 180  
   orientable, 83  
   product, 15  
   pseudo-Riemannian, 45  
   Riemannian, 45  
   symplectic, 146  
   with boundary, 106  
 map  
   canonical, 149  
   coordinate, 20  
   differentiable, 20  
   exponential, 284, 399  
   geographical, 230  
   inclusion, 79  
   of manifolds: critical points and values, 28;  
   regular points and values, 28  
   projection, 415  
 matrix group, 394  
 Maurer–Cartan  
   equations, 403, 477  
   form  $\Omega$ , 476  
 maximal  
   atlas, 15  
   torus, 393  
 Maxwell's equations, 120–3, 198, 200, 536  
   on a curved space, 366–7  
   independence of, 200  
   on projective space, 164  
   on a 3-sphere, 163  
   on a torus, 122  
 Mayer–Lie system, 174  
 mean curvature, 207, 311, 529  
   and divergence, 224  
 mesons, 538  
   Yukawa, 540  
 metric  
   conformally related, 531  
   flat or locally euclidean, 263  
   Lorentz or Minkowski, 192  
   potentials, 293  
   pseudo-Riemannian, 45



- Riemannian, 45
  - spatial, 297
  - static, 292, 296
  - stationary, 291
  - tensor, 43
- minimal submanifold, 311, 528
  - surface, 227, 305
- minimization of arc length, 286
- Minkowski
  - electromagnetic field tensor, 197
  - force, 195
  - metric and space, 46, 192
- Möbius band, 18
- mode
  - normal, 65
  - zero, 465
- momentum
  - canonical, 439
  - classical, 194
  - density, 320, 322
  - 4-vector, 194
  - generalized, 55
  - kinematical, 436
  - operator, 439
- monopole bundle, 444, 473
- Morse
  - deformation, 47
  - equalities, 387, 428
  - index, 328, 384
  - inequalities, 385, 386
  - lacunary principle, 388
  - lemma, 384
  - polynomial, 385
  - theory, 382–8
  - type number, 385, 604
- multilinear, 58
- Myers's theorem, 576–8
- negative normal bundle, 665
- neighborhood, 12
- Noether's theorem, 527–9
- Nomizu's theorem, 530
- normal
  - bundle, 419, 616
  - coordinates, 287, 303
  - derivative, 364
  - map, 208
  - mode, 65
- nucleon
  - Heisenberg, 537
  - Yang–Mills, 538
- obstruction cocycle, 609–12
- one parameter group, 31
- open set, 11, 12
- orientability, 83
  - and curvature, 331
  - and homology, 349
  - and two-sidedness, 84
- orientable
  - bundle, 611, 665
  - manifold, 83
  - transverse, 115
- orientation, 82
  - of the boundary, 110
  - coherent, 341
  - transverse, 115
- orthogonal group,  $O(n)$ , 9, 392
  - $SO(n)$ , 9, 392
- osculating plane, 191
- paper folding, 315
- parallel displacement, 237
  - independence of path, 260
- parallelizable, 252
- parameter, distinguished or affine, 272
- parameterized subset, 97
- partition of unity, 107
  - and Riemannian metrics, 109
- passes peaks and pits, 427
- path ordering, 555
- Pauli
  - algebra, 501
  - matrices, 493
- period of a form, 357
- periodic motion, 282
  - for double pendulum, 284
  - for rigid body, 331
- Pfaffian, 167
- phase, 448, 535
  - space, 55; extended, 151
- physical components, 48, 630
- Piola–Kirchhoff stress forms
  - first, 619
  - second, 619
- Poincaré
  - characteristic, 604
  - duality, 375
  - index theorem, 421–8
  - lemma and converse, 160
  - metric, 239, 258; geodesics, 274, 530
  - 1-form, 56; extended, 151

- Poincaré (*continued*)  
 polynomial, 385  
 2-form, 80; extended, 151, 437
- Poisson  
 bracket  $(\ , \ )$ , 154  
 equation, 293, 371
- potential  
 of a closed form, 158, 160–4  
 global vector, 443, 448  
 monopole, 444  
 singularities, *see* Dirac string
- Poynting vector, 322
- principal  
 bundle, 454, 458, 481  
 directions, 207, 310  
 normal, 191  
 normal curvatures, 207, 310
- principle of least action, 281
- probability amplitude, 447
- projection, 49, 415  
 homomorphism, 605
- projective space, 16, 85  
 homogeneous coordinates, 17  
 $\mathbb{R}P^n$ , 16  
 $\mathbb{C}P^n$ , 22
- proper time, 193, 292
- pseudo-form, 86  
 integration of, 114–17
- pseudo-Riemannian, 45
- pull-back  
 of covariant tensors, 53, 77, 79  
 in elasticity, 81, 619  
 and integration, 102
- pure gauge, 553
- quantization of a gauge field, 536  
 topological, 261
- quark, 540  
 up, down, and strange flavored, 641
- quasi-static, 179
- quaternion, 502
- quotient group, 345
- radius of curvature, 192, 221
- rate of deformation tensor, 624–6
- regular points and values, 28
- relative  
 boundaries, cycles, and homology groups, 379–81  
 homology sequence, 604
- relativistic equations of motion, 303  
 mass, 194
- reparameterization, 101
- representation, 481  
 adjoint, Ad, 486  
 dual, 482  
 irreducible, 654  
 of a group, 481, 482  
 reducible, 643  
 tensor product, 482
- residue of a form, 159
- rest mass, 194
- retraction, 217
- Ricci  
 curvature, 315, 374, 577  
 identities 302  
 tensor  $R_{ij}$ , 295
- Riemann  
 –Christoffel curvature tensor, 229  
 sectional curvature  $K(X \wedge Y)$ , 313–14  
 sphere, 21  
 theorem, 266
- Riemannian  
 manifold and metric, 45; bi-invariant, 563; on  
 a surface of revolution, 258  
 connection, 242
- rigid body, 9, 331
- rotation group  $SO(n)$ , 392, 492
- Sard’s theorem, 29
- scalar curvature  $R$ , 296
- scalar product, 42  
 global, 361  
 of Hermitian matrices, 494  
 nondegenerate, 42
- Schrödinger’s equation, 439  
 in curved space, 442  
 with an electromagnetic field, 440, 443
- Schur’s lemma and corollary, 654, 655
- Schwarz’s formula, 228
- Schwarzschild solution, 320–2  
 spatial metric, 298
- section, 50, 416, 466  
 holomorphic, 467  
 $p$ -form section of a vector bundle, 488
- sectional curvature, 313
- self adjoint, 205, 317
- self (anti) dual field, 549
- Serret–Frenet formulas, 196, 431
- Simon connection, 472

- simplex, 333
  - boundary, 335
  - face, 335
  - ordered, 335
  - orientation, 336
  - singular, 334
  - standard, 333
- simplicial complex, 343
- simply connected, 283, 329, 595
- singularity of a vector field, 422
- skeleton, 610
- smooth, 7
- soap bubbles and films, 226–8
- spacelike, 193
- space–time notation, 141
- spatial slice, 316
- special, 392
  - linear group,  $SI(n)$ , 11, 392
  - orthogonal group  $SO(n)$ , 392
  - unitary group  $SU(n)$ , 392
- sphere lifting theorem, 605
- spin structure, 515–18
- spinor
  - adjoint, 532
  - bundle  $\mathbb{S}M$ , 517
  - connection, 518–21
  - cospinor, 513
  - Dirac or 4-component, 513
  - group  $Spin(3)$ , 497
  - “representation” of  $SO(3)$ , 497
  - “representation” of the Lorentz group, 509
  - 2-component, 497; left- and right-handed, 513
- stability, 324; subgroup, 457
- Stiefel
  - manifold, 459, 616
  - vector field, 426
- Stokes’s theorem, 111–14
  - generalized, 155
  - for pseudoforms, 117
- stored energy of deformation, 621
- strain energy, 652
- stress–energy–momentum tensor  $T_{ij}$ , 295
- stress forms
  - Cauchy, 617
  - first Piola–Kirchhoff, 619
  - second Piola–Kirchhoff, 619
- stress tensor, 295, 618
- structure constants, 402
  - in a bi-invariant metric, 566
- structure group of a bundle, 433, 452
  - reduction, 433
  - $SU(2) * U(1)$ , 649
- $SU(n)$ , 392, 493–7
- subalgebra, 411
- subgroup, 411
  - isotropy = little = stability, 457
- submanifold, 26
  - embedded, 27
  - framed, 115
  - immersed, 169
  - of  $M^n$ , 29
  - of  $\mathbb{R}^n$ , 4, 8
  - 1- and 2-sided, 84
  - with transverse orientation, 115
- submersion, 181
- summation convention, 59
- support, 107
- symmetries, 527–31
- symplectic
  - form, 146
  - manifold, 146
- Synge’s
  - formula, 325
  - theorem, 329
- tangent
  - bundle, 48; unit, 51
  - space, 7, 25
  - vector, 23
- Tellegen’s theorem, 638
- tensor
  - analysis, 298–303
  - Cauchy–Green, 82
  - contravariant, 59
  - covariant, 58
  - deformation, 82, 621
  - metric, 58
  - mixed, 60; linear transformation, 61
  - product, 59, 66; representation, 482
  - rate of deformation, 624
  - transformation law, 62
- theorema egregium*, 231
- thermodynamics
  - first law, 180
  - second law according to Lord Kelvin, 181; according to Caratheodory, 181
- Thom’s theorem, 349
- timelike, 193
- topological
  - invariants, 346
  - quantization, 468
- topological space, 12
  - compact, 13
- topology, 12
  - induced or subspace, 12

- torsion  
 of a connection, 245; 2-form, 249  
 of a space curve, 196
- torus, 16  
 maximal, 393
- transformation group, 456
- transition matrix  $c_{UV}$ , 24, 254, 414  
 for the cotangent bundle, 417  
 for dual bundles, 417  
 for tangent bundle, 417  
 for tensor product bundle, 417
- transitive, 456
- translation (left and right), 393
- transversal to a submanifold, 34
- transverse orientation, 115
- triangulation, 346
- tunneling, 558
- twisted product, 415
- unitary group  $U(n)$ , 392
- universe  
 static, 292  
 stationary, 291
- vacuum state, 557, 558  
 tunneling, 558
- variation  
 of action, 154  
 external, 523  
 first, of arc length, 232; of area, 221, 322  
 internal, 523  
 of a map, 153  
 of Ricci tensor, 306  
 second, of arc length, 324–32
- variational  
 derivative  $\delta$ , 307, 526  
 equation, 128  
 principles of mechanics, 275–81  
 vector, 128, 153, 272
- vector  
 analysis, 92, 136–8  
 bundle, 413–19; -valued form, 488  
 contravariant or tangent, 23  
 coordinate, 25  
 covariant = covector = 1-form, 41  
 as differential operator, 25  
 field, 25; flow (1-parameter group) generated  
 by, 32, 33; integral curve of, 31; along a  
 submanifold, 269  
 gradient, 45
- integral, 144, 308
- invariant, 395
- Killing, 528
- product, 92, 94, 103
- transformation law, 34
- valued form, 248
- variational, 128, 153, 272
- velocity 4-vector, 193
- velocity field, 31
- virtual displacement, 276
- voltage as a cochain, 636
- volume  
 bundle, 488  
 form, 86, 88  
 invariant: in mechanics, 148; on the energy  
 hypersurface, 150; on the unit hyperboloid,  
 200; on a Lie group, 397, 541; on  $SI(2, \mathbb{R})$ ,  
 398
- vorticity, 145
- wedge product, *see* exterior product
- weight diagram, 647
- Weingarten equations, 204
- Weizenböck formulas, 370
- Weyl's  
 equation for neutrinos, 515  
 method of orthogonal projection, 639  
 principle of gauge invariance, 441  
 theorem on the fundamental group of a Lie  
 group, 565, 581
- Whitney embedding theorem, 23
- winding number  
 of a curve, 212  
 of a Yang–Mills instanton, 560; in terms of  
 field strength, 585–7  
 of a Yang–Mills vacuum, 560
- work 1-form in thermodynamics, 179
- world line, 193
- wormhole, 446
- Yang–Mills  
 action, 544  
 analogy with electromagnetism, 547, 548, 550  
 equations, 545  
 field strength, 539  
 instanton, 550; winding number, 560, 585
- Yukawa–Kemmer, 650
- $\mathbb{Z}_2$ , 336
- zero modes, 465