

Cambridge University Press
978-1-107-60655-5 - Exercises in Probability: A Guided Tour from Measure Theory to Random Processes, via
Conditioning: Second Edition
Loïc Chaumont and Marc Yor
Frontmatter
[More information](#)

Exercises in Probability

Second Edition

Derived from extensive teaching experience in Paris, this second edition now includes 120 exercises in probability. New exercises have been added to reflect important areas of current research in probability theory, including infinite divisibility of stochastic processes and past–future martingales. For each exercise the authors provide detailed solutions as well as references for preliminary and further reading. There are also many insightful notes to motivate the student and set the exercises in context.

Students will find these exercises extremely useful for easing the transition between simple and complex probabilistic frameworks. Indeed, many of the exercises here will lead the student on to frontier research topics in probability. Along the way, attention is drawn to a number of traps into which students of probability often fall. This book is ideal for independent study or as the companion to a course in advanced probability theory.

LOÏC CHAUMONT is Professor in the Laboratoire Angevin de Recherche en Mathématiques (LAREMA) at Université d'Angers.

MARC YOR is Professor in the Laboratoire de Probabilités et Modèles Aléatoires (LPMA) at Université Pierre et Marie Curie (Paris VI). He is a senior member of the Institut Universitaire de France (IUF).

Cambridge University Press

978-1-107-60655-5 - Exercises in Probability: A Guided Tour from Measure Theory to Random Processes, via Conditioning: Second Edition

Loïc Chaumont and Marc Yor

Frontmatter

[More information](#)

 CAMBRIDGE SERIES IN STATISTICAL AND
 PROBABILISTIC MATHEMATICS

Editorial Board

Z. Ghahramani (Department of Engineering, University of Cambridge)

R. Gill (Mathematical Institute, Leiden University)

F. P. Kelly (Department of Pure Mathematics and Mathematical Statistics,
University of Cambridge)

B. D. Ripley (Department of Statistics, University of Oxford)

S. Ross (Department of Industrial and Systems Engineering,
University of Southern California)

M. Stein (Department of Statistics, University of Chicago)

This series of high-quality upper-division textbooks and expository monographs covers all aspects of stochastic applicable mathematics. The topics range from pure and applied statistics to probability theory, operations research, optimization, and mathematical programming. The books contain clear presentations of new developments in the field and also of the state of the art in classical methods. While emphasizing rigorous treatment of theoretical methods, the books also contain applications and discussions of new techniques made possible by advances in computational practice.

A complete list of books in the series can be found at www.cambridge.org/statistics. Recent titles include the following:

14. *Statistical Analysis of Stochastic Processes in Time*, by J. K. Lindsey
15. *Measure Theory and Filtering*, by Lakhdar Aggoun and Robert Elliott
16. *Essentials of Statistical Inference*, by G. A. Young and R. L. Smith
17. *Elements of Distribution Theory*, by Thomas A. Severini
18. *Statistical Mechanics of Disordered Systems*, by Anton Bovier
19. *The Coordinate-Free Approach to Linear Models*, by Michael J. Wichura
20. *Random Graph Dynamics*, by Rick Durrett
21. *Networks*, by Peter Whittle
22. *Saddlepoint Approximations with Applications*, by Ronald W. Butler
23. *Applied Asymptotics*, by A. R. Brazzale, A. C. Davison and N. Reid
24. *Random Networks for Communication*, by Massimo Franceschetti and Ronald Meester
25. *Design of Comparative Experiments*, by R. A. Bailey
26. *Symmetry Studies*, by Marlos A. G. Viana
27. *Model Selection and Model Averaging*, by Gerda Claeskens and Nils Lid Hjort
28. *Bayesian Nonparametrics*, edited by Nils Lid Hjort *et al.*
29. *From Finite Sample to Asymptotic Methods in Statistics*, by Pranab K. Sen, Julio M. Singer and Antonio C. Pedrosa de Lima
30. *Brownian Motion*, by Peter Mörters and Yuval Peres
31. *Probability*, by Rick Durrett
33. *Stochastic Processes*, by Richard F. Bass
34. *Structured Regression for Categorical Data*, by Gerhard Tutz
35. *Exercises in Probability (Second Edition)*, by Loïc Chaumont and Marc Yor
36. *Statistical Principles for the Design of Experiments*, by R. Mead, S. G. Gilmour and A. Mead

Cambridge University Press
978-1-107-60655-5 - Exercises in Probability: A Guided Tour from Measure Theory to Random Processes, via
Conditioning: Second Edition
Loïc Chaumont and Marc Yor
Frontmatter
[More information](#)

Exercises in Probability

A Guided Tour from Measure Theory to Random Processes,
via Conditioning

Second Edition

Loïc Chaumont
LAREMA, Université d'Angers

Marc Yor
LPMA, Université Pierre et Marie Curie (Paris VI)



CAMBRIDGE
UNIVERSITY PRESS

Cambridge University Press
 978-1-107-60655-5 - Exercises in Probability: A Guided Tour from Measure Theory to Random Processes, via
 Conditioning: Second Edition
 Loïc Chaumont and Marc Yor
 Frontmatter
[More information](#)

CAMBRIDGE UNIVERSITY PRESS
 Cambridge, New York, Melbourne, Madrid, Cape Town,
 Singapore, São Paulo, Delhi, Mexico City

Cambridge University Press
 The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
 Information on this title: www.cambridge.org/9781107606555

First edition © Cambridge University Press 2003
 Second edition © L. Chaumont and M. Yor 2012

This publication is in copyright. Subject to statutory exception
 and to the provisions of relevant collective licensing agreements,
 no reproduction of any part may take place without the written
 permission of Cambridge University Press.

First published 2003
 Second edition 2012

Printed in the United Kingdom at the University Press, Cambridge

A catalogue record for this publication is available from the British Library

Library of Congress Cataloguing in Publication data

Chaumont, L. (Loïc)

Exercises in probability : a guided tour from measure theory to random processes, via conditioning /

Loïc Chaumont, Marc Yor. – 2nd ed.

p. cm. – (Cambridge series in statistical and probabilistic mathematics)

ISBN 978-1-107-60655-5 (pbk.)

1. Probabilities. 2. Probabilities – Problems, exercises, etc. I. Yor, Marc. II. Title.

QA273.25.C492 2012

519.2 – dc23 2012002653

ISBN 978-1-107-60655-5 Paperback

Cambridge University Press has no responsibility for the persistence or
 accuracy of URLs for external or third-party internet websites referred to
 in this publication, and does not guarantee that any content on such
 websites is, or will remain, accurate or appropriate.

Cambridge University Press
978-1-107-60655-5 - Exercises in Probability: A Guided Tour from Measure Theory to Random Processes, via
Conditioning: Second Edition
Loïc Chaumont and Marc Yor
Frontmatter
[More information](#)



To K. Itô who showed us the big picture.



To P. A. Meyer for his general views and explanations of Itô's work.

Cambridge University Press
978-1-107-60655-5 - Exercises in Probability: A Guided Tour from Measure Theory to Random Processes, via
Conditioning: Second Edition
Loïc Chaumont and Marc Yor
Frontmatter
[More information](#)

Contents

Preface to the second edition	xv
Preface to the first edition	xvii
Some frequently used notations	xix
1 Measure theory and probability	1
1.1 Some traps concerning the union of σ -fields	1
1.2 Sets which do not belong in a strong sense, to a σ -field	2
1.3 Some criteria for uniform integrability	3
1.4 When does weak convergence imply the convergence of expectations?.	4
1.5 Conditional expectation and the Monotone Class Theorem	5
1.6 L^p -convergence of conditional expectations	5
1.7 Measure preserving transformations	6
1.8 Ergodic transformations	6
1.9 Invariant σ -fields	7
1.10 Extremal solutions of (general) moments problems	8
1.11 The log normal distribution is moments indeterminate	9
1.12 Conditional expectations and equality in law	10
1.13 Simplifiable random variables	11
1.14 Mellin transform and simplification	12

1.15	There exists no fractional covering of the real line	12
	Solutions for Chapter 1	14
2	Independence and conditioning	27
2.1	Independence does not imply measurability with respect to an independent complement	28
2.2	Complement to Exercise 2.1 : further statements of independence versus measurability	29
2.3	Independence and mutual absolute continuity	29
2.4	Size-biased sampling and conditional laws	30
2.5	Think twice before exchanging the order of taking the supremum and intersection of σ -fields!	31
2.6	Exchangeability and conditional independence: de Finetti's theorem	32
2.7	On exchangeable σ -fields.	33
2.8	Too much independence implies constancy	34
2.9	A double paradoxical inequality	35
2.10	Euler's formula for primes and probability	36
2.11	The probability, for integers, of being relatively prime	37
2.12	Completely independent multiplicative sequences of \mathbb{U} -valued random variables.	38
2.13	Bernoulli random walks considered at some stopping time	39
2.14	cosh, sinh, the Fourier transform and conditional independence	40
2.15	cosh, sinh, and the Laplace transform	41
2.16	Conditioning and changes of probabilities	42
2.17	Radon–Nikodym density and the Acceptance–Rejection Method of von Neumann	42
2.18	Negligible sets and conditioning	43
2.19	Gamma laws and conditioning	44

Contents

ix

2.20	Random variables with independent fractional and integer parts	45
2.21	Two characterizations of the simple random walk.	46
	Solutions for Chapter 2	48
3	Gaussian variables	75
3.1	Constructing Gaussian variables from, but not belonging to, a Gaussian space	76
3.2	A complement to Exercise 3.1	76
3.3	Gaussian vectors and orthogonal projections	77
3.4	On the negative moments of norms of Gaussian vectors	77
3.5	Quadratic functionals of Gaussian vectors and continued fractions	78
3.6	Orthogonal but non-independent Gaussian variables	81
3.7	Isotropy property of multidimensional Gaussian laws	81
3.8	The Gaussian distribution and matrix transposition	82
3.9	A law whose n -samples are preserved by every orthogonal transformation is Gaussian	82
3.10	Non-canonical representation of Gaussian random walks	83
3.11	Concentration inequality for Gaussian vectors	85
3.12	Determining a jointly Gaussian distribution from its conditional marginals	86
3.13	Gaussian integration by parts	86
3.14	Correlation polynomials.	87
	Solutions for Chapter 3	89
4	Distributional computations	103
4.1	Hermite polynomials and Gaussian variables	104
4.2	The beta–gamma algebra and Poincaré’s Lemma	105
4.3	An identity in law between reciprocals of gamma variables	108

4.4	The Gamma process and its associated Dirichlet processes	109
4.5	Gamma variables and Gauss multiplication formulae	110
4.6	The beta–gamma algebra and convergence in law	111
4.7	Beta–gamma variables and changes of probability measures	112
4.8	Exponential variables and powers of Gaussian variables	113
4.9	Mixtures of exponential distributions	113
4.10	Some computations related to the lack of memory property of the exponential law	114
4.11	Some identities in law between Gaussian and exponential variables	115
4.12	Some functions which preserve the Cauchy law	116
4.13	Uniform laws on the circle	117
4.14	Fractional parts of random variables and the uniform law.	117
4.15	Non-infinite divisibility and signed Lévy–Khintchine representation.	118
4.16	Trigonometric formulae and probability	119
4.17	A multidimensional version of the Cauchy distribution	119
4.18	Some properties of the Gauss transform	121
4.19	Unilateral stable distributions (1)	123
4.20	Unilateral stable distributions (2)	124
4.21	Unilateral stable distributions (3)	125
4.22	A probabilistic translation of Selberg’s integral formulae	128
4.23	Mellin and Stieltjes transforms of stable variables	128
4.24	Solving certain moment problems via simplification	130
	Solutions for Chapter 4	132
5	Convergence of random variables	163
5.1	Around Scheffé’s lemma.	164

Contents

xi

5.2	Convergence of sum of squares of independent Gaussian variables	164
5.3	Convergence of moments and convergence in law	164
5.4	Borel test functions and convergence in law	165
5.5	Convergence in law of the normalized maximum of Cauchy variables	165
5.6	Large deviations for the maximum of Gaussian vectors	166
5.7	A logarithmic normalization	166
5.8	A $\sqrt{n \log n}$ normalization	167
5.9	The Central Limit Theorem involves convergence in law, not in probability	168
5.10	Changes of probabilities and the Central Limit Theorem	168
5.11	Convergence in law of stable(μ) variables, as $\mu \rightarrow 0$	169
5.12	Finite-dimensional convergence in law towards Brownian motion	170
5.13	The empirical process and the Brownian bridge	171
5.14	The functional law of large numbers	172
5.15	The Poisson process and the Brownian motion	172
5.16	Brownian bridges converging in law to Brownian motions.	173
5.17	An almost sure convergence result for sums of stable random variables	174
	Solutions for Chapter 5	176
6	Random processes	191
6.1	Jeulin's lemma deals with the absolute convergence of integrals of random processes	193
6.2	Functions of Brownian motion as solutions to SDEs; the example of $\varphi(x) = \sinh(x)$	195
6.3	Bougerol's identity and some Bessel variants	196

6.4	Doléans–Dade exponentials and the Maruyama–Girsanov–Van Schuppen–Wong theorem revisited	197
6.5	The range process of Brownian motion	199
6.6	Symmetric Lévy processes reflected at their minimum and maximum; E. Csáki’s formulae for the ratio of Brownian extremes	200
6.7	Infinite divisibility with respect to time	201
6.8	A toy example for Westwater’s renormalization	202
6.9	Some asymptotic laws of planar Brownian motion	205
6.10	Windings of the three-dimensional Brownian motion around a line	206
6.11	Cyclic exchangeability property and uniform law related to the Brownian bridge	207
6.12	Local time and hitting time distributions for the Brownian bridge	208
6.13	Partial absolute continuity of the Brownian bridge distribution with respect to the Brownian distribution	210
6.14	A Brownian interpretation of the duplication formula for the gamma function	211
6.15	Some deterministic time-changes of Brownian motion	212
6.16	A new path construction of Brownian and Bessel bridges.	213
6.17	Random scaling of the Brownian bridge	214
6.18	Time-inversion and quadratic functionals of Brownian motion; Lévy’s stochastic area formula.	215
6.19	Quadratic variation and local time of semimartingales	216
6.20	Geometric Brownian motion	217
6.21	0-self similar processes and conditional expectation	218
6.22	A Taylor formula for semimartingales; Markov martingales and iterated infinitesimal generators	219
6.23	A remark of D. Williams: the optional stopping theorem may hold for certain “non-stopping times”	220
6.24	Stochastic affine processes, also known as “Harnesses”.	221

Contents

xiii

6.25	More on harnesses.	224
6.26	A martingale “in the mean over time” is a martingale	224
6.27	A reinforcement of Exercise 6.26	225
6.28	Some past-and-future Brownian martingales.	225
6.29	Additive and multiplicative martingale decompositions of Brownian motion	226
	Solutions for Chapter 6	229
	Where is the notion N discussed?	268
	Final suggestions: how to go further?	269
	References	270
	Index	278

Cambridge University Press
978-1-107-60655-5 - Exercises in Probability: A Guided Tour from Measure Theory to Random Processes, via
Conditioning: Second Edition
Loïc Chaumont and Marc Yor
Frontmatter
[More information](#)

Preface to the second edition

The friendly welcome which the first edition of this book of exercises appears to have received enticed us to give it a second outing, correcting mistakes, adding comments and references, and presenting twenty more exercises, thus bringing the total number of exercises for this second edition to 120. We would also like to point out a few unsolved questions, which are indicated in the text with a circle \circ . (See in particular Exercise **6.29**, which discusses some additive and multiplicative martingale decompositions of Brownian motion, a topic which has fascinated us, but which we have not been able to clear up! So, dear reader, there are still a few challenges in this book, despite the proposed solutions...)

This second edition follows, and whenever possible, reinforces the “guiding principle” of the first edition, that is: to present exercises that are constructed by “stripping to its simplest skeleton” a complex random phenomenon, so that the stripped version may be accessible to a student who has engaged seriously in a first course in probability. To give an example, proving Lévy’s second arcsine law for Brownian motion $(B_t, t \leq 1)$, i.e.: $P\left(A \equiv \int_0^1 ds \mathbb{I}_{\{B_s > 0\}} \in dx\right) = \frac{dx}{\pi\sqrt{x(1-x)}}$, $(0 < x < 1)$ seems to necessitate, whichever method is employed, some quite sophisticated tools. But, here, we choose to present the first step, namely several representations of A such as:

$$A \stackrel{(\text{law})}{=} \frac{N^2}{N^2 + N'^2} \stackrel{(\text{law})}{=} \frac{T}{T + T'} \stackrel{(\text{law})}{=} \frac{1}{1 + C^2},$$

where (N, N') is a pair of independent reduced Gaussian variables, (T, T') is a pair of independent identically distributed, stable $(1/2)$, positive variables and C is a standard Cauchy variable.

The “opposite” of this stripping exercise is, of course, the “dressing” exercise, meaning that it is also quite natural, and fruitful, in probability theory, to look for an infinite-dimensional probabilistic framework in which a particular finite-dimensional (in fact, often one-dimensional) probabilistic fact may be embedded. Perhaps, a most important example of “dressing” comes with the central limit theorem:

$$\frac{X_1 + \cdots + X_n}{\sqrt{n}} \xrightarrow{(\text{law})} N,$$

where the X'_i 's are i.i.d., centered, with variance 1, and N is a reduced Gaussian random variable; this theorem admits the (infinite-dimensional) functional version, known as Donsker's theorem:

$$\left(\frac{X_1 + \cdots + X_{[nt]}}{\sqrt{n}}, t \geq 0 \right) \xrightarrow{(\text{law})} (B_t, t \geq 0),$$

where $[x]$ is the integer part of x , and $(B_t, t \geq 0)$ is one-dimensional Brownian motion.

In the same vein, an infinitely divisible r.v. L may be seen as the value at time 1 of a Lévy process $(L_t, t \geq 0)$. The infinite-dimensional “dressing” attitude was advertised in particular by Professor Itô, as we pointed out in the last page of the first (and now second) edition of our book. Further developments of these “stripping–dressing” performances are presented in the paper: *Small and Big Probability Worlds*, [100]. We wish the reader some nice travel through these worlds.

Finally, we would like to advocate the systematic adoption of a probabilistic viewpoint. When reading some maths (e.g. about special functions), and/or witnessing some phenomena, do ask yourself: what does this mean probabilistically? This is often a rewarding attitude...

Angers and Paris, 24th of July 2011

The circle \circ symbol is appended to a question, or a whole exercise for which we may know only how to start walking in the (right?) direction, but we have not reached the goal. These circled questions are found in Exercises 2.7 and 6.29. We encourage the reader to do better than us!

Preface to the first edition

Originally, the main body of these exercises was developed for, and presented to, the students in the Magistère des Universités Parisiennes between 1984 and 1990; the audience consisted mainly of students from the Écoles Normales, and the spirit of the Magistère was to blend “undergraduate probability” ($\stackrel{?}{=}$ random variables, their distributions, and so on ...) with a first approach to “graduate probability” ($\stackrel{?}{=}$ random processes). Later, we also used these exercises, and added some more, either in the Préparation à l’Agrégation de Mathématiques, or in more standard Master courses in probability.

In order to fit the exercises (related to the lectures) in with the two levels alluded to above, we systematically tried to strip a number of results (which had recently been published in research journals) of their random processes apparatus, and to exhibit, in the form of exercises, their random variables skeleton.

Of course, this kind of reduction may be done in almost every branch of mathematics, but it seems to be a quite natural activity in probability theory, where a random phenomenon may be either studied on its own (in a “small” probability world), or as a part of a more complete phenomenon (taking place in a “big” probability world); to give an example, the classical central limit theorem, in which only one Gaussian variable (or distribution) occurs in the limit, appears, in a number of studies, as a one-dimensional “projection” of a central limit theorem involving processes, in which the limits may be several Brownian motions, the former Gaussian variable appearing now as the value at time 1, say, of one of these Brownian motions.

This being said, the aim of these exercises was, and still is, to help a student with a good background in measure theory, say, but starting to learn probability theory, to master the main concepts in basic (?) probability theory, in order that, when reaching the next level in probability, i.e. graduate studies (so called, in France: Diplôme d’Études Approfondies), he/she would be able to recognize, and put aside, difficulties which, in fact, belong to the “undergraduate world”, in order to concentrate better on the “graduate world” (of course, this is nonsense, but some analysis of the level of a given difficulty is always helpful...).

Among the main basic concepts alluded to above, we should no doubt list the notions of independence, and conditioning (Chapter 2) and the various modes of

convergence of random variables (Chapter 5). It seemed logical to start with a short Chapter 1 where measure theory is deeply mixed with the probabilistic aspects. Chapter 3 is entirely devoted to some exercises on Gaussian variables: of course, no one teaching or studying probability will be astonished, but we have always been struck, over the years, by the number of mistakes which Gaussian type computations seem to lead many students to.

A number of exercises about various distributional computations, with some emphasis on beta and gamma distributions, as well as stable laws, are gathered in Chapter 4, and finally, perhaps as an eye opener, a few exercises involving random processes are found in Chapter 6, where, as an exception, we felt freer to refer to more advanced concepts. However, the different chapters are not autonomous, as it is not so easy – and it would be quite artificial – to separate strictly the different notions, e.g. convergence, particular laws, conditioning, and so on. . . . Nonetheless, each chapter focusses mainly around the topic indicated in its title.

As often as possible, some comments and references are given after an exercise; both aim at guiding the reader's attention towards the “bigger picture” mentioned above; furthermore, each chapter begins with a “minimal” presentation, which may help the reader to understand the global “philosophy” of this chapter, and/or some of the main tools necessary to solve the exercises there. But, for a more complete collection of important theorems and results, we refer the reader to the list of textbooks in probability – perhaps slightly slanted towards books available in France! – which is found at the end of the volume. Appended to this list, we have indicated on one page some (usually, three) among these references where the notion N is treated; we tried to vary these sources of references.

A good proportion of the exercises may seem, at first reading, “hard”, but we hope the solutions – not to be read too quickly before attempting seriously to solve the exercises! – will help; we tried to give almost every ε - δ needed! We have indicated with one star * exercises which are of standard difficulty, and with two stars ** the more challenging ones. We have given references, as much as we could, to related exercises in the literature. Internal references from one exercise to another should be eased by our marking in bold face of the corresponding numbers of these exercises in the *Comments and references*, *Hint*, and so on. . . .

Our thanks go to Dan Romik, Koichiro Takaoka, and at a later stage, Alexander Cherny, Jan Obloj, Adam Osekowski, for their many comments and suggestions for improvements. We are also grateful to K. Ishiyama who provided us with the picture featured on the cover of our book which represents the graph of densities of the time average of geometric Brownian motion, see Exercise **6.20** for the corresponding discussion.

As a final word, let us stress that we do not view this set of exercises as being “the” good companion to a course in probability theory (the reader may also use the books of exercises referred to in our bibliography), but rather we have tried to present some perhaps not so classical aspects. . . .

Paris and Berkeley, August 2003

Some frequently used notations

- a.e. almost everywhere.
- a.s. almost surely.
- r.v. random variable.
- i.i.d. independent and identically distributed (r.v.s).
- Question x of Exercise $a.b$ Our exercises are divided in questions, to which we may refer in different places to compare some results.
- *Exercise Exercise of standard difficulty.
- **Exercise Challenging exercise.
- $P_{|\mathcal{A}} \ll Q_{|\mathcal{A}}$ P is absolutely continuous with respect to Q , when both probabilities are considered on the σ -field \mathcal{A} .
When the choice of \mathcal{A} is obvious, we write only $P \ll Q$.
- $\frac{dP}{dQ} \Big|_{\mathcal{A}}$ denotes the Radon–Nikodym density of P with respect to Q , on the σ -field \mathcal{A} , assuming $P_{|\mathcal{A}} \ll Q_{|\mathcal{A}}$, again, \mathcal{A} is suppressed if there is no risk of confusion.
- $P \otimes Q$ denotes the tensor product of the two probabilities P and Q .
- $X(P)$ denotes the image of the probability P by the r.v. X .
- $\nu_n \xrightarrow{w} \nu$ indicates that the sequence of positive measures on \mathbb{R} (or \mathbb{R}^n) converges weakly towards ν .
- An n -sample \mathbf{X}_n of the r.v. X denotes an n -dimensional r.v. (X_1, \dots, X_n) , whose components are i.i.d., distributed as X .
- ε Bernoulli (two valued) r.v.
- N or G Standard centered Gaussian variable, with variance 1:
 $P(N \in dx) = e^{-\frac{x^2}{2}} \frac{dx}{\sqrt{2\pi}}$, ($x \in \mathbb{R}$).

- T Standard stable(1/2) \mathbb{R}_+ -valued variable:
 $P(T \in dt) = \frac{dt}{\sqrt{2\pi t^3}} \exp\left(-\frac{1}{2t}\right), (t > 0).$
- Z Standard exponential variable: $P(Z \in dt) = e^{-t} dt, (t > 0).$
- Z_a ($a > 0$) Standard gamma(a) variable: $P(Z_a \in dt) = t^{a-1} e^{-t} \frac{dt}{\Gamma(a)}, (t > 0).$
- $Z_{a,b}$ ($a, b > 0$) Standard beta(a, b) variable:
 $P(Z_{a,b} \in dt) = t^{a-1} (1-t)^{b-1} \frac{dt}{\beta(a,b)}, (t \in (0, 1)).$

It may happen that, for convenience, we use some different notation for these classical variables.