

## Index

- absolutely
  - irreducible, 107
- affine
  - algebraic set, 14
  - $K$ -algebra, 31
  - $n$ -space, 14
  - ring, 31
- algebraically independent, 34
- algorithm
  - Buchberger's, 69
  - conversion, 72
  - Gröbner walk, 73
  - Mora's tangent cone, 69
- arithmetic genus, 58
- Bézout's theorem, 48
- basis
  - standard, 65
- Buchberger, 65
  - algorithm, 69
  - Criterion, 68
- chain
  - of prime ideals, 45
- chart
  - coordinate, 55
- closure
  - projective, 55
- coefficient
  - leading, 61
- components
  - irreducible, 24, 53
- conchoide
  - Nicomedes, 56
- condition
  - ascending chain, 13
- congruent modulo  $I$ , 30
- conversion algorithm, 72
- coordinate
  - chart, 55
  - ring, 30
  - homogeneous, 58
- coordinates
  - homogeneous, 51
- curve
  - twisted cubic, 17, 44
- decomposition
  - primary, 90
  - triangular, 25
- degree
  - of a projective algebraic set, 58
  - ordering, 83
  - reverse lexicographical ordering, 63
- dehomogenization
  - of a homogeneous polynomial, 54
- Dickson's Lemma, 12, 62, 66
- dimension, 44, 45, 84
  - of a projective algebraic set, 57
- ecart, 61
- elimination
  - ideal, 33
  - of variables, 75
  - ordering, 75
- Engel identities, 104
- exponent
  - leading, 61
- FGLM, 72
- function
  - polynomial, 14
- GAP, 3

Cambridge University Press

978-1-107-61253-2 - A First Course in Computational Algebraic Geometry

Wolfram Decker and Gerhard Pfister

Index

[More information](#)

116

*Index*

- general position, 90
- genus, 58
- global ordering, 62
- Gordan, 65
- Gröbner, 65
  - basis, 65
  - fan, 73
  - walk
    - algorithm, 73
- graded
  - ring, 57
- Grauert, 65
- Hilbert
  - Basis Theorem, 12
  - function, 58, 84
  - Nullstellensatz, 20–22, 53
  - polynomial, 58
    - of a projective algebraic set, 58
- Hilbert–Poincaré
  - series, 58
- Hironaka, 65
- homogeneous
  - coordinates, 51
  - ideal, 52
- homogenization
  - of a polynomial, 54
  - of an ideal, 55
- hypersurface, 14, 53
- ideal, 11
  - elimination, 33
  - leading, 65
  - maximal, 13
  - membership
    - problem, 21, 75
  - monomial, 12
  - primary, 90
  - prime, 13
  - proper, 13
  - quotient, 26, 79
  - radical, 20
  - vanishing, 19, 53
- independent
  - algebraically, 34
- integral, 42
  - equation, 42
  - extension, 42
- integrality
  - criterion, 80
- intersection
  - multiplicity, 48, 86
    - of ideals, 78
- irreducible
  - absolutely, 107
  - algebraic set, 23, 24, 53
  - components, 24, 53
- irredundant, 90
- isolated point, 47
- isomorphism, 30
- kernel of a ring map, 79
- Krull dimension, 45
- Kummer surface, 16
- leading
  - coefficient, 61
  - exponent, 61
  - ideal, 65
  - monomial, 61
  - term, 61
- lexicographical ordering, 62
- linear
  - subspace, 52
- local
  - degree reverse lexicographical ordering, 63
  - lexicographical ordering, 63
  - ordering, 62
- localization, 64
- Macaulay, 65
- MAGMA, 4
- MAPLE, 1
- matrix ordering, 63
- maximal
  - ideal, 13
  - independent set, 85, 93
- minimal
  - decomposition into irreducible components, 24
- mixed ordering, 62
- monomial, 12
  - ideal, 12
    - leading, 61
    - ordering, 61
- Mora’s tangent cone algorithm, 69
- morphism, 29
- mult  $(p \mid I)$ , 47
- multiplicatively closed, 64
- multiplicity, 47, 48, 87
- Nicomedes
  - conchoide, 56
- nilpotent, 101

Cambridge University Press

978-1-107-61253-2 - A First Course in Computational Algebraic Geometry

Wolfram Decker and Gerhard Pfister

Index

[More information](#)*Index*

117

- Noether
  - normalization, 43, 82
- Noetherian
  - induction, 24
  - ring, 13
- normal form, 67, 70
  - reduced, 68
  - weak, 70
- Nullstellensatz
  - proof of weak version, 40
- ordering
  - degree, 83
  - degree reverse lexicographical, 63
  - global, 62
  - lexicographical, 62
  - local, 62
  - local degree reverse lexicographical, 63
  - local lexicographical, 63
  - matrix, 63
  - mixed, 62
  - monomial, 61
  - product, 63
  - semigroup, 61
  - total or linear, 61
- parametrization
  - polynomial, 36, 37
- plane curves, 14
- point, 51
  - isolated, 47
- polynomial
  - function, 14, 30
  - map, 29
- polynomial parametrization, 36
- primary
  - decomposition, 90
  - ideal, 90
- prime
  - associated, 90
  - minimal, 90
  - ideal, 13
- procedure, 67
- product ordering, 63
- projection
  - canonical, 51
- Projection Theorem, 37
- projective
  - algebraic set, 52
  - closure, 55
  - line, 51
  - plane, 51
  - space, 51
- proper ideal, 13
- radical, 20
  - ideal, 20
  - membership, 22, 77
- rational
  - parametrization, 37
  - point, 107
- reduced
  - normal form, 68
  - standard basis, 66
- reducible, 23
- residue class, 30
- ring
  - extension, 42
  - graded, 57
  - Noetherian, 13
- s-polynomial, 66
- SAGE, 5
- saturation, 26
- semigroup ordering, 61
- set
  - affine algebraic, 14
  - projective algebraic, 52
- SINGULAR, 6
- solvable, 102
- square-free part, 20
- standard
  - basis, 65
  - reduced, 66
- standard representation, 70
- subalgebra membership, 83
- subvariety, 23, 53
- SURF, 9
- SURFER, 9
- Suzuki groups, 104
- Sylow subgroup, 3
- tail, 61
- term
  - leading, 61
- Theorem
  - Hasse–Weil, 107
  - Thompson, 101
- topology
  - Zariski, 18
- triangular decomposition, 25
- trick of Rabinowitsch, 22, 77
- twisted cubic curve, 17, 44

Cambridge University Press

978-1-107-61253-2 - A First Course in Computational Algebraic Geometry

Wolfram Decker and Gerhard Pfister

Index

[More information](#)

118

*Index*

vanishing

ideal, 19, 53

locus, 14, 52

weak normal form, 70

Whitney umbrella, 44

Zariski

topology, 18