

INDEX

- acute chest syndrome (ACS), sickle cell disease 188
 adrenaline, neonatal resuscitation 286
 advance directives 273
 air travel during pregnancy 316
 advice 317
 contraindications 316
 gestation of pregnancy and 316
 physiological and environmental effects 316
 risks/complications 316
 airway suctioning 286
 alcohol consumption in pregnancy 302
 adverse outcomes 302
 low levels of alcohol 303
 management 304
 guideline comparator 305
 recommendations 305
 prevalence 302
 screening 304
 amniocentesis 8
 before cervical cerclage 138
 CMV infection diagnosis 68, 69
 consent issues 9
 fetal haemolytic disease monitoring 22
 infection transmission risk 8
 multiple pregnancies 9
 procedure 8
 third-trimester 9
 toxoplasmosis diagnosis 71
 amnioinfusion 45
 PPROM and 128
 amnionity 35
 amnioreduction 43
 amniotic fluid 41
 abnormalities 41
 risks/complications 41
 see also oligohydramnios;
 polyhydramnios
 dynamics 41
 embolism, maternal collapse and 276
 management 280
 volume (AFV) 29, 30
 measurement 41
 amniotomy 237, 242
 anaemia
 blood transfusion prevention 271
 classification 171
 definition 171
 macrocytic 176
 megaloblastic 176
 non-megaloblastic 176
 malaria-related 85
 nonimmune hydrops fetalis and 10, 12
 postnatal anaemia 175
 postpartum anaemia 17
 prevalence 171
 risks/complications 171
 screening 94
 sickle cell disease 188
 see also haemolytic disease of the fetus and
 newborn (HDFN); iron deficiency
 anaemia
 anaesthesia
 anteartum haemorrhage 117
 anticoagulant therapy and 209
 caesarean section 232
 postpartum haemorrhage 266
 regional, infection related to 292
 sickle cell disease 189
 thromboprophylaxis and 202
 anal sphincter injury
 classification 258
 future deliveries 259
 identification of 258
 prevalence 258
 prevention 258
 repair 259
 consent 260
 postoperative management 259
 risks 260
 see also perineal trauma
 analgesia 241
 after operative vaginal delivery 252
 anticoagulant therapy and 209
 induction of labour 237
 regional 241
 sickle cell disease 187, 189
 thromboprophylaxis and 202
 anaphylaxis, maternal collapse and 276
 management 280
 anorexia nervosa 217
 antenatal care 90
 antenatal information 91
 blood transfusion refusal and 273
 clinical examination 93
 diabetes mellitus 152, 153
 epilepsy 180
 fetal growth and wellbeing 96
 examination 96
 fetal heart 96
 ultrasound scan 96
 iron deficiency anaemia 173
 lifestyle considerations 92
 management of specific conditions 96
 breech presentation 96
 management of symptoms of
 pregnancy 93
 mental health issues 216
 obese patients 297, 298
 older mothers 314
 preterm labour prevention 132
 provision and organization of care 91
 renal condition and 169
 screening 94
 clinical conditions 95
 Down syndrome 94
 fetal structural anomalies 94
 haematological conditions 94
 infections 95
 sickle cell disease 186, 187, 188, 190
 teenage pregnancy 310
 thalassaemia 193, 195
 venous thromboembolism risk
 assessment 201
 see also specific conditions
 anteartum haemorrhage (APH) 114
 antenatal management 115
 ongoing care 116
 causes 114
 placenta accreta 123
 placenta increta 123
 placenta percreta 123
 placenta praevia 119
 placental abruption 118
 vasa praevia 124
 clinical assessment 114
 definition 114
 delivery management 116
 examination 115
 incidence 114
 intrapartum care 117
 anaesthesia 117
 fetal monitoring 175
 investigations 115
 fetal 115
 maternal 115
 maternal collapse and 276
 postpartum care 117
 neonatal care 117
 postnatal issues 117
 risks/complications 114
 severity 114
 anti-D immunoglobulin
 antenatal sensitizing events 25
 ectopic pregnancy and 25
 inadvertent transfusion 26
 miscarriage and 25
 threatened miscarriage 25
 postnatal prophylaxis 26, 289
 preparations 24
 rhesus D prophylaxis 20, 23, 24
 routine antenatal anti-D prophylaxis
 (RAADP) 24
 regimens 24
 termination of pregnancy and 25
 anti-thyroid drug (ATD) therapy 165
 antibiotic prophylaxis 146
 β thalassaemia 192
 endocarditis 158
 group B streptococcus 56
 intrapartum prophylaxis 56
 operative vaginal delivery 251
 PPROM 128, 146
 preterm labour 132, 145, 146
 cerebral palsy relationships 145
 sickle cell disease and 185
 antibiotic treatment 294
 anticoagulant therapy 208
 during labour and delivery 209
 LMWH 208
 therapy monitoring 196
 postnatal 210
 anticonvulsants, pre-eclampsia/eclampsia
 105, 106
 antidepressants 221, 223
 antiepileptic drugs (AEDs)
 breastfeeding and 181
 choice of in pregnancy 179

- antiepileptic drugs (AEDs) (cont.)
 - fetal and neonatal risks 178
 - haemorrhagic disease of the newborn 179
 - neural tube defects 179
 - pregnancy effects on 177
 - see also* epilepsy
- antihypertensive treatment 105, 106
 - see also* hypertension in pregnancy; pre-eclampsia
- anti-müllerian hormone (AMH), ovarian reserve testing 313
- antiphospholipid syndrome 196, 200
 - definition 200
- antipsychotics 220, 222
- antiretroviral therapy 49
 - neonatal 53
 - see also* HAART
- antithrombin deficiency 199
 - management 199
- antral follicle count (AFC) 313
- anxiety disorders 217, 221
- aortic dissection 156
- aortic stenosis 158
- Apgar score 245
- arterial occlusion/embolisation 269
- aspirin, pre-eclampsia management 100
 - prevention 101
- assisted reproductive technology (ART) 313
 - oocyte donation 313
 - oocyte storage 313
 - pre-implantation genetic screening 313
- asylum seekers 323
- asymptomatic bacteriuria 95
 - preterm labour association 132
- atopic eruption of pregnancy 213
- atosiban, tocolysis 140, 141
 - adverse effects 141
 - dose regimens 141
- autoimmune thyroid disease, miscarriage and 167
- backache 93
- bacterial sepsis
 - during pregnancy 87
 - antenatal care 88
 - complications 87
 - diagnostic criteria 87
 - intrapartum care 88
 - investigations 88
 - maternal collapse and 276
 - maternal management 88
 - neonatal care 89
 - prevalence 87
 - risk factors 87
 - signs and symptoms 87
 - transfer to ICU 88
 - following pregnancy 292
 - history and examination 293
 - hospitalization 293
 - illicit drug use and 294
 - investigations 293
 - maternal management 294
 - newborn 295
 - prevalence 292
 - prophylaxis for family/staff 295
 - risk factors 292
 - symptoms 293
 - transfer to ICU 294
 - infection control issues 294
- bacterial vaginosis 95
- barrier contraceptive methods 160
- benzodiazepines 223
- β thalassaemia 191
 - antenatal care 193, 195
 - antibiotic prophylaxis 192
 - chronic disease complications 192
 - delivery management 194
 - genetic screening 192
 - intrapartum care 194
 - medications review 192
 - postpartum care 194
 - preconception care 192
 - prevalence 191
 - risks/complications 191
 - transfusion regimen 193
 - vaccination 192
- betamethasone 142
- biophysical profile (BPP) 30
- bipolar disorder 217, 220
 - consequences of 218
- Bishop score 237
- blood components 267, 272
 - cryoprecipitate 272
 - fresh frozen plasma (FFP) 272
 - platelets 272
- blood conservation techniques 273
- blood film 173
- blood grouping 94
- blood pressure measurement 101
 - see also* hypertension in pregnancy; pre-eclampsia
- blood transfusion 271
 - β thalassaemia 193
 - blood components 272
 - general principles 272
 - iron deficiency anaemia and 175
 - postpartum haemorrhage 267
 - prevalence 271
 - prevention 271
 - refusal of 273
 - antenatal management 273
 - intrapartum management 274
 - legal issues 273
 - risks 271
 - sickle cell disease 186
 - indications for 186
 - vaginal birth after caesarean section 255
- body mass index 296
 - see also* obesity in pregnancy
- bone marrow iron 173
- breast cancer and pregnancy 318
 - diagnosis and staging 318
 - non-pregnant women 321
 - fertility preservation 321
 - treatment effects on fertility 321
 - pregnancy following breast cancer 320
 - impact of pregnancy on recurrence 320
 - outcome 320
 - planning 320
 - pregnancy management 319, 320
 - prevalence 318
 - treatment during pregnancy 318
- breastfeeding 290
 - antihypertensive treatment and 104
 - breast cancer patients 319, 320
 - diabetes and 154
 - engorgement 290
 - epilepsy and 181
 - mastitis 290
 - nipple pain 290
 - obese patients 299
- breech presentation 96, 226
 - external cephalic version (ECV) 227
 - preterm delivery 230
 - prevalence 226
 - risks/complications 226
 - to mother 226
 - to neonate 226
 - twin pregnancies 230
 - vaginal breech delivery 228
 - assessment for 228
 - difficult delivery management 229
 - induction of labour 228
 - intrapartum management 228
- bulimia nervosa 217, 221
- Burns–Marshall manoeuvre 229
- caesarean section (CS) 231
 - anaesthesia 232
 - antenatal corticosteroid indications 143
 - anticoagulant therapy and 209
 - classification of urgency 232
 - complications 126, 235
 - consent 235
 - placenta praevia and 126
 - factors affecting likelihood 231
 - follow-up 234
 - genital herpes and 61
 - HIV infected patients 51, 52
 - information provision 231
 - maternal request for 232
 - older women 315
 - perimortem, maternal collapse and 279
 - placenta praevia 126
 - planned CS (PCS) 231
 - indications 231
 - timing of 232
 - postoperative care 233
 - recovery following 234
 - shoulder dystocia prevention 262
 - subsequent pregnancy 234
 - induction of labour 236
 - surgical techniques 233
 - thromboprophylaxis 203
 - vaginal birth after *see* vaginal birth after caesarean section (VBAC)
- cannabis during pregnancy 92
- carbamazepine 223
 - pregnancy effects on 177
- carbetocin, postpartum haemorrhage prevention 265
- carboprost, postpartum haemorrhage management 268
- cardiac disease 156
 - β thalassaemia and 192
 - cardiac surgery 158
 - conditions in pregnancy 156
 - fetal monitoring 157
 - intrapartum care 159
 - management 158
 - antibiotics 158
 - thromboprophylaxis 158
 - maternal collapse and 276
 - management 280
 - nonimmune hydrops fetalis and 10
 - postpartum care 159
 - preconception assessment 157
 - examination 157
 - investigation 157
 - symptoms 157
 - prevalence 156
 - risks/complications 156

- cardiomyopathy (CMP) 156
- cardiotocography (CTG), reduced fetal movements 33, 34
- cerebral palsy (CP) following preterm birth
 - infection association 145
 - antenatal antibiotic effects 145
 - magnesium sulphate prophylaxis 144
 - dosing 144
 - maternal side effects 144
 - timing 144
- prevalence 144, 145
- cervical cerclage 135
 - cervical trauma and 136
 - complications 138
 - multiple pregnancies and 136
 - placenta praevia and 121
 - postoperative management 138
 - preterm labour prevention 132, 134, 135, 136, 137
 - procedures 134, 138
 - operative issues 138
 - preoperative investigations 138
- removal 139
 - PPROM and 139
- rescue cerclage 137
- timing 134
- transabdominal cerclage 137
 - preconceptual 137
- ultrasound-indicated cerclage 136
- uterine anomalies and 136
- cervical incompetence 134
 - prepregnancy diagnosis 134
- cervical trauma, preterm labour
 - prevention 136
- chemotherapy, breast cancer 318
 - effects on fertility 321
- chest compression 285
- chest X-ray, pulmonary embolism
 - diagnosis 207
- chickenpox in pregnancy 61, 76
 - delivery management 78
 - management 77
 - occupational exposure 60
 - prevalence 76
 - risks/complications 76
 - fetal/neonatal 76
 - maternal 76
 - prenatal diagnosis of fetal risks 78
 - vaccine 60, 77
 - see also* varicella zoster virus (VZV)
- cholelithiasis, β thalassaemia and 192
- cholestasis *see* obstetric cholestasis (OC)
- chorionic villus sampling (CVS) 8
 - infection transmission risk 8
 - multiple pregnancies 9
- chorionicity 35
 - determination 36
- chromosomal abnormalities
 - nonimmune hydrops fetalis and 10
 - screening 2
 - small for gestational age fetuses 29
- cognitive behavioural therapy 224
- colic 291
- combined contraceptive pill 160
- complementary therapies 92
- complex social issues 322
 - definition 322
 - domestic violence 325
 - migrants, asylum seekers and refugees 323
 - recommendations 322
 - care delivery 322
 - service organization 322
 - risks/complications 323
 - substance misuse 323
 - see also* teenage pregnancy
- compression duplex USS 207
- compression hosiery 205, 209
- computed tomography pulmonary angiogram (CTPA) 207
- condoms 160
- congenital heart disease (CHD) 156
- congenital malformations
 - maternal epilepsy risks 178
 - nonimmune hydrops fetalis and 10
 - screening 94
 - see also* fetal anomalies
- consent issues
 - amniocentesis 9
 - caesarean section 235
 - placenta praevia and 126
 - operative vaginal delivery 251, 253
 - perineal trauma repair 260
- constipation 93
 - newborn 291
 - postnatal care 289
- contraception 160, 289
 - breast cancer patients 319
 - epilepsy and 181
 - sickle cell disease and 189
 - teenagers 311
- cord prolapse *see* umbilical cord prolapse
- cordocentesis 22
 - CMV infection diagnosis 68
 - toxoplasmosis diagnosis 71
- corticosteroids
 - antepartum haemorrhage 115
 - PPROM 128
 - pre-eclampsia/eclampsia 105
 - preterm neonatal morbidity/mortality
 - reduction 142
 - benefits 142
 - contraindications 142
 - diabetes mellitus and 143
 - elective caesarean section and 143
 - fetal growth restriction and 143
 - indications 143
 - multiple pregnancy and 143
 - prophylactic steroids 143
 - repeat courses 142
 - safety 142
- COX inhibitors, tocolysis 140
 - adverse effects 141
- cryoprecipitate 272
- cryopreservation 321
- cytomegalovirus (CMV) in pregnancy 61, 67
 - congenital infection 67
 - diagnosis 67
 - fetal infection diagnosis 68, 69
 - amniocentesis 68, 69
 - cordocentesis 68
 - prognostic markers 68
 - USS 68, 69
 - management options 68
 - prevalence 67
 - vertical transmission risk 67
- D-dimer 207
- danaparoid 205
- debriefing 224
- deep vein thrombosis (DVT) 207
 - air travel advice 317
 - anticoagulant treatment 208
 - embolectomy 209
 - mobilization and compression therapy 209
 - post-thrombotic leg syndrome
 - prevention 210
 - postnatal prevention 288
 - see also* venous thromboembolism (VTE)
- defibrillation 278
- delivery management
 - antepartum haemorrhage 116
 - anticoagulant therapy 271
 - β thalassaemia 194
 - breast cancer patients 319
 - chickenpox and 78
 - cord prolapse and 282
 - diabetes and 154
 - gestational diabetes 112
 - eclampsia 106
 - epilepsy and 180
 - fetal haemolytic disease 22
 - HIV infected patients 52
 - caesarean section 52
 - vaginal delivery 52
 - hypertension in pregnancy 98
 - iron deficiency anaemia and 175
 - late intrauterine fetal death 16
 - future delivery 18
 - induction of labour 16
 - timing 16
 - nonimmune hydrops fetalis 13
 - obese patients 299
 - obstetric cholestasis 109
 - older women 315
 - oligohydramnios 45
 - operative delivery *see* operative vaginal delivery (OVD)
 - placenta praevia 122
 - PPROM 129
 - pre-eclampsia 103
 - timing 103
 - renal condition patients 170
 - shoulder dystocia prevention 263
 - first-line manoeuvres 263
 - second-line manoeuvres 264
 - third-line manoeuvres 264
 - sickle cell disease 189
 - small for gestational age fetuses 31
 - delivery mode 31
 - near term/term SGA fetus 31
 - preterm SGA fetus 31
 - thromboprophylaxis 202
 - twin pregnancies 37
 - monochorionic 40
 - see also* intrapartum care
- depression 217, 220
 - consequences of 218
 - treatment issues 221
- dexamethasone
 - obstetric cholestasis management 108
 - preterm neonatal morbidity/mortality
 - reduction 142
- dextran 205
- dextrose, neonatal resuscitation 286
- diabetes mellitus 111, 151
 - antenatal care 152, 153
 - corticosteroid indications 143
 - diabetes management 153
 - fetal monitoring 153
 - renal assessment 153
 - retinal assessment 153
 - β thalassaemia and 192
 - blood glucose management 153, 154

- diabetes mellitus (cont.)
 breastfeeding and 154
 guideline comparator 155
 intrapartum care 154
 medications 151
 neonatal care 154
 obese patients 299
 polyhydramnios and 42
 postnatal care 154
 pre-conception care 151
 preterm labour 154
 prevalence 151
 risks/complications 151
 screening performance effects 2
 see also gestational diabetes (GDM)
- diaphragm (contraceptive) 160
- diarrhoea, newborn 291
- dietary advice 91
 gestational diabetes and 110
 iron intake 174
 preterm labour prevention 132
 see also nutritional supplements
- disseminated intravascular coagulation (DIC) 272
- domestic violence 322, 325
 care delivery 326
 features of 325
 local protocol 326
 prevalence 325
 risks/complications 325
 service organisation 326
 training for health care practitioners 326
- Down syndrome screening 94
 biochemical markers 28
 recommendations 5
 twin pregnancies 36
- drug toxicity/overdose, maternal collapse and 276
 management 280
- ductus venosus (DV) Doppler, small for gestational age fetuses 30
- dyspareunia, postnatal care 289
- eating disorders 217, 221
- eclampsia 100
 management 106
 anticonvulsants 106
 antihypertensives 106
 critical care setting 105
 delivery 106
 maternal collapse and 276
 postnatal care 288
 prevalence 100
 risks/complications 100
 see also pre-eclampsia
- ectopic pregnancy
 anti-D prophylaxis 25
 smoking as risk factor 306
- electronic fetal monitoring (EFM) 247
 continuous 248
 first stage of labour 242
 record-keeping 247
 vaginal delivery after caesarean section 256
- endometritis, vaginal birth after caesarean section relationship 255
- entonox 241
- epidural analgesia 241
- epilepsy 177
 antenatal care 180
 antiepileptic drug choice 179
 breastfeeding and 181
 contraception and 181
 delivery management 180
 fetal and neonatal risks 178, 179
 adverse perinatal outcomes 178
 congenital malformations 178
 haemorrhagic disease of the newborn 179
 long-term developmental effects 178
 neural tube defects 179
 risk of developing epilepsy 179
 maternal risks 177
 neonatal care 181
 postnatal care 181
 pre-conceptual counselling 180
 pregnancy effects on antiepileptic drugs 177
 prevalence 177
- episiotomy 243
 operative vaginal delivery 251
- ergometrine, postpartum haemorrhage management 268
- erythema infectiosum 74
- erythropoietin, iron deficiency anaemia and 175
- erythrovirus infection, sickle cell disease 188
- exercise 92
- external cephalic version (ECV) 227
 contraindications 227
 factors affecting outcome 227
 methods to increase success 227
 procedure and risks 227
- factor V Leiden 199
- faecal incontinence, postnatal care 289
- fatigue, postnatal care 289
- ferritin 173, 183
- fertility
 alcohol effects 302
 breast cancer treatment effects 321
 fertility preservation 321
 decline with age 312, 313
 ovarian reserve testing 313
 see also assisted reproductive technology (ART)
- fetal alcohol spectrum disorders (FASD) 302, 303
 diagnosis 303
- fetal alcohol syndrome (FAS) 302, 303
 diagnosis 303
- fetal anomalies
 nonimmune hydrops fetalis and 10
 screening 94
 twin pregnancies 36
 ultrasound application 6, 7
 see also congenital malformations
- fetal blood sampling (FBS) 22, 248
- fetal death *see* intrauterine fetal death (IUFD)
- fetal echogenic bowel 28
- fetal fibronectin (fFN), preterm labour screening 131
- fetal growth
 alcohol consumption effects 302
 twin pregnancies 36
 see also intrauterine growth restriction (IUGR)
- fetal haemolytic disease *see* haemolytic disease of the fetus and newborn (HDFN)
- fetal heart assessment 96
 complicated labour 247
 first stage of labour 242
 second stage of labour 243
- fetal hydrops 10
 see also non-immune hydrops fetalis (NIHF)
- fetal macrosomia
 shoulder dystocia prevention 262, 264
 vaginal birth after caesarean section 257
- fetal movements (FM)
 assessment 32
 factors influencing perception of 32
 normal 32
 see also reduced fetal movements (RFM)
- feto-fetal transfusion syndrome (FFTS) 10, 36, 39
 diagnosis 39
 severe FFTS management 39
 staging 39
 surveillance 39
- fetomaternal hemorrhage (FMH) 24, 26
- fever, newborn 291
- fibrin sealants, PPROM 128
- fifth disease 74
- first trimester screening 3
 combined first and second trimester 4
 Down syndrome 5
 first trimester combined (FTC) 3
 first trimester ultrasound scan (USS) 6
 fetal anomaly detection 6, 7
 gestational dating 6
 multiple gestation 6
 termination and 6
- fluid management
 postpartum haemorrhage 267
 pre-eclampsia/eclampsia 105
- folic acid supplementation
 β thalassaemia 192
 maternal epilepsy 179
 obese patients 297
 sickle cell disease 185
- folinic acid, toxoplasmosis treatment 72
- follicle-stimulating hormone (FSH), ovarian reserve testing 313
- fondaparinux 205
- food-acquired infections 92
- forceps delivery 251
 consent 253
- fresh frozen plasma (FFP) 272
- full blood count (FBC) 173
- gastroenteritis 292
- generalized anxiety disorder (GAD) 217, 221
- genital herpes in pregnancy 60
 HIV positive women 61
 incidence 60
 management
 primary episode 61
 recurrent episode 61
 prevention 60
 screening 60
- genital mutilation 243
- genital tract sepsis, postnatal 288
- genital trauma following birth 245
- gestational dating 2, 91
 first trimester USS 6
- gestational diabetes (GDM) 95, 110
 antenatal care 111
 delivery management 112
 preterm labour 112
 guideline comparator 113
 ACOG 113
 SOGC 113
 monitoring 111
 NICE guidelines 111

- obese patients 298
- postnatal care 112
 - follow-up 112
 - maternal 112
 - neonatal 112
- prevalence 111
- risks 111
- gestational hypertension *see* hypertension in pregnancy
- GnRH analogues
 - breast cancer treatment 321
 - fertility preservation 321
- graduated elastic compression stockings 205
- Graves' disease 164, 166
- group B streptococcus (GBS) 55
 - guideline comparator 58
 - management recommendations 56
 - antenatal screening and prophylaxis 56
 - intrapartum antibiotic prophylaxis 56
 - neonatal management 57
 - prevalence 55
 - screening 95
 - risk factor based screening 55, 56
 - risks of 55
 - UK 55, 56, 58
 - universal bacteriological screening 55, 56
 - universal screening with antibodies 55
 - SOGC recommendations 58
 - US CDC recommendations 55, 58
- HAART 49
 - adverse effects 50
 - risks in pregnancy 48
 - see also* HIV in pregnancy
- haemoglobin structure 182
- haemoglobinopathies 182
 - screening 94, 183, 193
- sickle cell disease 182, 184
- thalassaemias 182, 191
- haemolytic disease of the fetus and newborn (HDFN) 19
 - antenatal screening 19
 - anti-D prophylaxis 20, 23, 24
 - causes 19
 - delivery management 22
 - early onset/severe HDN 23
 - fetal monitoring 21
 - amniocentesis 22
 - fetal blood sampling (FBS) 22
 - USS monitoring 21
 - future pregnancies 23
 - incidence 19
 - intrauterine transfusion (IUT) 22
 - maternal issues 23
 - maternal serological monitoring 21
 - neonatal care 23
 - paternal zygosity and fetal typing 20
 - referral to FMU 21
 - risks 19
- haemorrhagic disease of the newborn, antiepileptic drug risks 179
- haemorrhoids 93
 - postnatal care 289
- haemostatic suturing 269
- headache, postnatal care 289
- heart disease *see* cardiac disease
- heart rate, newborn life support 284
 - see also* fetal heart assessment
- heartburn 93
- heparin, unfractionated 205
- massive life-threatening pulmonary embolism 211
 - see also* low molecular weight heparin (LMWH); thromboprophylaxis
- hepatitis in pregnancy 54
 - hepatitis A 54
 - hepatitis B 54, 95
 - hepatitis C 54, 95
 - hepatitis E 54
- herpes infection in pregnancy 60
 - fetal infection 60
 - see also* genital herpes in pregnancy
- HIV in pregnancy 48
 - antenatal care 50
 - fetal 50
 - maternal 50
 - antenatal complications 51
 - PPROM 51
 - preterm labour 51
 - prolonged pregnancy 51
 - vaginal birth after caesarean section 51
 - women diagnosed in late pregnancy 51
- delivery management 52
 - caesarean section 52
 - vaginal delivery 52
 - women diagnosed with HIV during labour 52
- genital herpes and 61
- interventions 49
 - antiretroviral therapy 49
- management 49
 - maternal HIV 50
- mother-to-child transmission risk 48
- postpartum management 53
 - maternal 53
 - neonatal 53
- preconception management 48
- prevalence 48
- screening 49, 95
- hormonal contraception 160
- human chorionic gonadotropin (hCG) 161
- hydroxycarbamide 185
- hyperemesis gravidarum, hyperthyroidism and 167
- hypertension in pregnancy 97
 - chronic hypertension 148
 - antenatal monitoring 148
 - definition 148
 - intrapartum care 149
 - pre-pregnancy advice 148
 - timing of birth 149
 - treatment 148
 - complications 97
 - follow-up care 99
 - history 97
 - intrapartum care 99
 - investigations 97
 - mild hypertension 98, 99, 102
 - moderate hypertension 98, 99, 102
 - postnatal care 99, 149
 - prevalence 97
 - risk factors 97
 - severe hypertension 98, 99, 102
 - critical care setting 105
 - referral indications 105
 - timing of birth and 98
 - twin pregnancies 36
 - see also* eclampsia; pre-eclampsia
- hyperthyroidism 164
 - clinical features 165
 - differential diagnosis 165
 - hyperemesis gravidarum and 167
 - investigations 165
 - prevalence 164
 - risks/complications 164
 - treatment 165, 166
 - anti-thyroid drug (ATD) therapy 165
- hypoglycaemia, malaria-related 85
- hypoglycaemic agents 111
- hypothermia, therapeutic 286
- hypothyroidism 162
 - antenatal care 163
 - clinical features 162
 - fetal 166
 - investigations 162
 - postnatal care 163
 - prevalence 162
 - risks/complications 162
 - treatment 163
 - overt hypothyroidism 163
 - subclinical hypothyroidism 163
- hysterectomy, postpartum haemorrhage management 269
- impetigo herpetiformis 214
- Implanon 160
- indomethacin
 - polyhydramnios management 43
 - tocolysis 140
- induction of labour (IOL) 236
 - complications 238
 - cord prolapse 238
 - failed induction 238
 - indications 236
 - information and decision making 236
 - late intrauterine fetal death and 16
 - methods 237
 - amniotomy 237
 - membrane sweeping 237
 - pharmacological methods 237
 - monitoring 237
 - obese patients 299
 - obstetric cholestasis management 109
 - older women 315
 - pain relief 237
 - prevalence 236
 - shoulder dystocia prevention 262
 - vaginal birth after caesarean section 256
 - vaginal breech delivery 228
- infections
 - food-acquired 92
 - nonimmune hydrops fetalis association 10
 - polyhydramnios association 42
 - screening 95
 - see also* bacterial sepsis; *specific infections*
- infertility prevention 313
 - see also* assisted reproductive technology (ART); fertility
- inhalational analgesia 241
- integrated prenatal screening (IPS) 4, 5
- internal iliac artery ligation 269
- interpersonal psychotherapy 224
- intracranial haemorrhage, maternal collapse and 276
 - management 280
- intraoperative cell salvage (IOCS) 271
- intrapartum care 239
 - antepartum haemorrhage 117
 - anaesthesia 117
 - fetal monitoring 117
 - anticoagulant therapy 209
 - bacterial sepsis 88

- intrapartum care (cont.)
 β thalassaemia 194
 blood transfusion refusal and 274
 cardiac disease 159
 complicated labour 242, 243, 244
 electronic fetal monitoring (EFM)
 247, 248
 diabetes mellitus 154
 first stage of labour 242
 group B streptococcus antibiotic
 prophylaxis 56
 hypertension and 99
 chronic hypertension 149
 immediate postpartum care 245
 individual assessment indications 240
 late intrauterine fetal death 16
 antimicrobial therapy 16
 pain relief 16
 mental health 216
 obese patients 299
 pain management 241
 place of birth planning 239
 prevalence 239
 second stage of labour 243
 sickle cell disease 189
 teenage pregnancy 325
 third stage of labour 244
 transfer indications 240
 twin pregnancy 37
 vaginal birth after caesarean section 256
 vaginal breech delivery 228
 see also delivery management
- intrauterine balloon tamponade 268
- intrauterine contraceptive device (IUCD) 160
- intrauterine fetal death (IUFD) 14
 ante-partum haemorrhage and 116
 causes 14
 examination 14
 induction of labour 236
 monochorionic twin pregnancy 38
 management 38
 risks to survivor twin 38
 see also late intrauterine fetal death (IUFD)
- intrauterine growth restriction (IUGR)
 alcohol consumption association 302
 antenatal corticosteroid indications 143
 malaria-related 86
 pre-eclampsia and 101
 twin pregnancies 36
- intrauterine transfusion (IUT) 22, 23
- iodine nutrition during pregnancy 161
 see also thyroid disorders in pregnancy
- iron deficiency anaemia 171
 antenatal care 173
 clinical symptoms and signs 172
 delivery management 175
 investigations 173
 management 174
 blood transfusion 175
 dietary advice 174
 erythropoietin 171
 intramuscular preparations 175
 iron therapy trial 173
 oral supplements 174
 parenteral iron therapy 175
 postnatal anaemia 175
 prevention 172
 see also anaemia
- iron overload
 β thalassaemia 192
 chelation therapy 193
 sickle cell disease 184
- iron supplementation 172, 174
 iron therapy trial 173
 see also iron deficiency anaemia
- ischaemic heart disease (IHD) 156
- itch *see* pruritus in pregnancy
- jaundice, newborn 291
- Jehovah's Witnesses 273
- kidney disease *see* renal condition in pregnancy
- labour
 first stage 242
 second stage 243
 third stage 244
 see also delivery management; induction of labour (IOL); intrapartum care; pain management in labour
- lamotrigine 223
 pregnancy effects on 177
- late intrauterine fetal death (IUFD) 14
 complications 14
 delivery management 16
 induction of labour 16
 timing 16
 follow-up 18
 fertility issues 18
 timing 18
 intrapartum care 16
 antimicrobial therapy 16
 pain relief 16
 investigations 14
 fetal 15
 maternal 15
 postmortem examination (PME) 15
 postpartum care 17
 psychological/social care 17
 thromboprophylaxis 17
 see also intrauterine fetal death (IUFD)
- lepirudin 205
- levetiracetam, pregnancy effects on 177
- listening visits 224
- lithium 222
- liver iron concentration 184, 192
- low molecular weight heparin (LMWH)
 anticoagulation therapy 208
 postnatal 210
 therapy monitoring 208
 contraindications 206
 thromboprophylaxis 201, 205
 after delivery 203, 206
 during labour and delivery 202
 obese patients 298
 see also thromboprophylaxis
- lymphatic disturbance 10
- McRoberts' manoeuvre 263
- macrocytic anaemia 176
- maculopapular rashes *see* viral rash in pregnancy
- magnesium sulphate
 cerebral palsy prevention following preterm birth 144
 pre-eclampsia/eclampsia management 105, 106
- major blood loss (MBL) 272
 maternal collapse and 276
 see also ante-partum haemorrhage (APH); postpartum haemorrhage (PPH)
- malaria in pregnancy 81
 antenatal care 86
- fetal 86
 maternal 86
 neonatal 86
- chemoprophylaxis 83
- complications 81
- diagnosis 84
 differential diagnosis 84
 history 84
 investigations 84
- emergency standby treatment 83
- prevalence 81
- prevention 82
 awareness of risk 82
 bites prevention 82
- severity assessment 84
- treatment 85
 obstetric problems 85
 pregnancy-related complications 85
 recurrence 86
- malformations *see* congenital malformations
- mania 220
 see also bipolar disorder
- mastitis 290, 292
- maternal age, screening and 2, 3
 see also older women
- maternal collapse 275
 causes 275, 276
 continuing management 280
 initial management 277
 outcomes 275
 perimortem caesarean section 279
 prevalence 275
 prevention 275
- Mauriceau–Smellie–Veit manoeuvre 229
- measles in pregnancy 59, 80
 investigations 80
 management 80
 neonates 80
 occupational exposure 61
 risks/complications 80
- meconium-stained liquor (MSL)
 107, 246
 airway suctioning 286
 neonatal resuscitation 246
- medications during pregnancy 92
- mefloquine, malaria prophylaxis 83
- megaloblastic anaemia 176
- membrane sweeping 237
- mental health issues 215
 antenatal care 216
 antenatal booking visit 215
 anxiety disorders 217, 221
 depression 217, 218, 221
 eating disorders 217, 221
 intrapartum care 216
 pharmacological treatment risks 218
 balancing risks and benefits 219
 postnatal care 216, 288
 pre-pregnancy background 215
 prevention 218
 psychological treatments 219, 224
 psychosis 217, 218
 bipolar disorder 220
 schizophrenia 220
 psychotropic drugs 222, 223
 referrals 216
 risk factors for disorders 215
 risks/consequences of 215, 218
- middle cerebral artery (MCA) Doppler, small
 for gestational age fetuses 30
- migrants 323
- Mirena 160

- miscarriage
 - alcohol consumption association 302
 - anti-D prophylaxis 25
 - threatened miscarriage 25
 - autoimmune thyroid disease and 167
- misoprostrol, postpartum haemorrhage management 268
- mitral stenosis 158
- MMR vaccine 60, 289
- multiple pregnancy 6
 - amniocentesis/chorionic villus sampling 9
 - preterm labour
 - antenatal corticosteroid indications 143
 - prevention 136
 - tocolysis and 140
 - see also* twin pregnancy
- myocardial infarction (MI) 156
- nappy rash 291
- nasal bone screening 3
- nausea and vomiting 93
- necrotizing fasciitis 292
- neonatal care 290
 - antepartum haemorrhage and 117
 - bacterial sepsis and 295
 - epilepsy and 181
 - examination and screening 290
 - following caesarean section 233
 - group B streptococcus (GBS) disease 57
 - haemolytic disease of the fetus and newborn (HDFN) 23
 - health and wellbeing 291
 - HIV infection and 53
 - jaundice 291
 - malaria and 86
 - maternal diabetes and 154
 - hypoglycaemia prevention 154
 - maternal sepsis and 89
 - measles and 80
 - meconium-stained liquor and 246
 - newborn life support 284
 - nonimmune hydrops fetalis (NIHF) 13
 - safety issues 291
- neonatal varicella 76, 79
- nephrotic syndrome 170
- neural tube defects (NTDs) 2
 - antiepileptic drug risks 179
- newborn life support 284
 - airway suctioning 286
 - chest compression 285
 - drugs 286
 - therapeutic hypothermia 286
 - see also* neonatal care
- Nexplanon 160
- nicotine replacement therapy 307
- nifedipine, tocolysis 140, 141
 - adverse effects 141
 - dose regimens 141
- nipple pain 290
- nitroglycerine, tocolysis 140
- non-directive counselling 224
- non-English speaking patients 323
- nonimmune hydrops fetalis (NIHF) 10
 - causes 10
 - cardiovascular disorders 10
 - chromosomal abnormalities 10
 - congenital malformations 10
 - haematological disorders 10
 - infectious agents 10
 - lymphatic dysfunction 10
 - definition 11
- epidemiology 11
- fetal investigations 12
- fetal surveillance 12
- management 12
 - delivery 13
 - fetal therapy 12
 - infectious NIHF 12
 - neonatal care 13
 - non-infectious NIHF 12
- maternal investigations 11
- ultrasound diagnosis 11
- nuchal translucency (NT) 3
- nutritional advice 91
 - gestational diabetes and 110
 - iron intake 174
 - preterm labour prevention 132
- nutritional supplements 92, 132
 - folic acid 179, 185, 297
 - iron 172, 174
 - response to oral iron 174
- obese patients 297
- sickle cell disease and 185
- vitamin D 297
- obesity in pregnancy 296, 300
 - antenatal care 297, 298
 - definition 296
 - delivery management 299
 - diabetes and 299
 - information provision 297
 - intrapartum care 299
 - postnatal care 299
 - prepregnancy care 297
 - risks/complications 296
 - service provision 296
 - venous thromboembolism risk 200
 - thromboprophylaxis 298
- obsessive-compulsive disorder (OCD) 217, 221
- obstetric cholestasis (OC) 107
 - delivery management 109
 - differential diagnosis 107
 - follow-up 109
 - history 107
 - investigations 107
 - medical management 108
 - monitoring 108
 - fetus 108
 - maternal 108
 - postnatal care 109
 - prevalence 107
 - risks 107
- older women
 - antenatal care 314
 - delivery management 315
 - intrapartum complications 314
 - pregnancy complications 314
 - screening 2, 3
 - see also* reproductive ageing
- oligohydramnios (OH) 41, 44
 - delivery management 45
 - early OH 44
 - investigations 44
 - USS 44
 - isolated 44
 - late OH 44
 - management 45
 - amnioinfusion 45
 - maternal hydration 45
 - risks/complications 44
 - see also* amniotic fluid
- oocyte donation 313
- oocyte storage 313
- open neural tube defects (ONTDs) 2
 - antiepileptic drug risks 179
- operative vaginal delivery (OVD) 249
 - abandonment of 252
 - aftercare 252
 - classification for 249
 - consent 251, 253
 - contraindications 250
 - factors influencing failure 251
 - indications 250
 - instruments 251
 - sequential use of 252
 - prerequisite assessments 250
 - procedure 251
 - reduction strategies 249
 - risks/complications 249, 253
- opioids, pain relief during labour 241
- ovarian reserve testing 313
- oxcarbazepine, pregnancy effects on 177
- oxytocin 242, 243
 - postpartum haemorrhage prevention 265
- pain management in labour 241
 - information provision 241
 - late intrauterine fetal death and 16
 - strategies 241
 - see also* analgesia
- panic disorder 217, 221
- parvovirus infection in pregnancy 74
 - fetal infection 74
 - maternal infection 74
 - parvovirus B19 59, 61, 75
 - prevalence 74
- pemphigoid gestationis 213
- penicillin prophylaxis *see* antibiotic prophylaxis
- perinatal death, vaginal birth after caesarean section 289
- perineal trauma 245, 258
 - classification 258
 - future deliveries 259
 - identification of 258
 - postnatal care 289
 - prevalence 258
 - preventive interventions 243
 - repair 245, 259
 - consent 260
 - postoperative management 259
 - risks 260
- peripartum cardiomyopathy (CMP) 156
- pernicious anaemia 176
- PGE2, induction of labour 237
- pharyngitis 292
- phenytoin, pregnancy effects on 177
- place of birth planning 239
- placenta, retained 244
- placenta accreta 120, 123
- placenta increta 123
- placenta percreta 123
- placenta praevia 95, 114, 119
 - care bundle 122
 - definition 119
 - diagnosis 119
 - history 119
 - major placenta praevia 120
 - management 121
 - antenatal care 121
 - consent for caesarean section 126
 - delivery management 122
 - preparations before surgery 121
 - prevention 119
 - risk factors 119

- placental abruption 114, 118
 prevention 118
 risk factors 118
 platelets 272
 pneumonia, following pregnancy 292
 polyhydramnios (PH) 41, 42
 causes 42
 fetal infections 42
 maternal diabetes 42
 investigations 43
 management 43
 amnioreduction 43
 indomethacin 43
 monitoring 43
 prevalence 42
 referral to FMU 43
 risks/complications 42
see also amniotic fluid
 polymorphic eruption of pregnancy (PEP) 213
 post-thrombotic leg syndrome prevention 210
 post-traumatic stress disorder (PTSD) 217, 221
 postnatal care 288
 anaemia 175
 antepartum haemorrhage 117
 diabetes mellitus 154
 gestational diabetes 112
 epilepsy 181
 general health and wellbeing 289
 genital tract sepsis 288
 hypertenion in pregnancy 99, 149
 hypothyroidism 163
 immunization 289
 maternal health 288
 mental health 288
 obese patients 299
 obstetric cholestasis 109
 postpartum haemorrhage 288
 pre-eclampsia/eclampsia 103, 104, 288
 renal condition in pregnancy 170
 teenage pregnancy 311
 thromboembolism 210, 288
see also neonatal care
 postpartum anaemia 17
 postpartum haemorrhage (PPH) 265
 anaesthetic management 266
 definition 265
 management 266, 267
 antifibrinolytic drugs 267
 blood components 267
 blood transfusion 267
 communication 266
 fluid replacement 267
 interventional radiology 270
 patients who refuse blood
 transfusion 274
 recombinant factor VIIa 267
 resuscitation 266
 measures to arrest bleeding 268
 hysterectomy 269
 intrauterine balloon tamponade 268
 surgical haemostasis 269
 monitoring and investigation 266
 postnatal care 288
 postoperative care 269
 prevention 265
 risk factors 244, 265
 risk management 270
 secondary 270
 postpartum thyroiditis (PPT) 167
 pre-eclampsia 95, 100
 critical care setting 105
 indications for referral 105
 delivery mode 103
 fetal monitoring 102
 follow-up care 104
 investigations 101
 fetal 101
 maternal 101
 obese patients 298
 postnatal management 103, 104, 288
 breastfeeding 104
 community care 104
 postnatal review 104
 pregnancy management 102
 prevalence 100
 prevention 101
 risk factors 100
 risks/complications 100
 symptoms 101
 timing of birth 103
see also hypertension in pregnancy
 pre-implantation genetic screening (PGS) 313
 pregnancy induced hypertension (PIH) *see*
 hypertension in pregnancy
 prelabour rupture of membranes at term
 (PROM) 246
see also preterm prelabour rupture of
 membranes (PPROM)
 prenatal diagnosis 2
see also screening
 preterm birth (PTB)
 antenatal corticosteroids, neonatal
 morbidity/mortality reduction 142
 diabetes mellitus and 143
 elective caesarean section and 143
 fetal growth restriction and 143
 indications 143
 multiple pregnancy and 143
 prophylactic steroids 143
 antepartum haemorrhage and 116
 breech presentation 230
 cerebral palsy association 144, 145
 antenatal antibiotic effects 145
 antenatal magnesium sulphate
 prophylaxis 144
 obstetric cholestasis 107
 twin pregnancies 36
 vaginal birth after caesarean section 257
 preterm labour (PTL) 130
 alcohol consumption association 302
 diabetes and 154
 gestational diabetes 112
 expectant management 135
 HIV infected patients 51
 interventions 132
 antenatal educational programmes 132
 antibiotics 132, 145, 146
 cervical cerclage 132, 134, 135, 136, 137
 cervical trauma and 136
 lifestyle interventions 132
 multiple pregnancies and 136
 progesterone 133
 tocolysis 140
 uterine anomalies and 136
 prevalence 130
 prevention 130
 risk factors 130, 132
 risks of 130
 screening 131
 cervical funnelling 131
 cervicovaginal fetal fibronectin (fFN) 131
 USCL 131
 serial sonographic surveillance 135
see also preterm birth (PTB)
 preterm prelabour rupture of membranes
 (PPROM) 127
 antenatal monitoring 127
 fetal 127
 maternal 127
 cervical cerclage removal 139
 delivery timing 129
 history/examination 127
 HIV infected patients 51
 induction of labour 236
 investigations 127
 management 128
 amniocentesis 128
 corticosteroids 128
 fibrin sealants 128
 prophylactic antibiotics 128, 146
 tocolysis 128
 outpatient monitoring 128
 prevalence 127
 risks 127
 progesterone, preterm labour prevention 133
 progestogen depot 160
 progestogen implants 160
 progestogen-only pill (POP) 160
 propranolol, hyperthyroidism 166
 protein C deficiency 199
 protein S deficiency 199
 proteinuria 168
 assessment 101
 prothrombin G20210A variant 199
 pruritic folliculitis of pregnancy 213
 pruritus in pregnancy
 differential diagnosis 212
 history and examination 212
 management 212
 obstetric cholestasis 107
 pre-existing skin conditions 214
 prevalence 212
 pruritus with rash 213
see also viral rash in pregnancy
 risks 212
 psychodynamic psychotherapy 224
 psychosis 217
 antipsychotic treatment 220
 consequences of 218
 pulmonary embolism (PE)
 diagnosis 207
 massive life-threatening PE 211
 thrombolytic therapy 211
 unfractionated heparin therapy 202
 prevalence 196
 prevention 209
see also thromboprophylaxis; venous
 thromboembolism
 pulmonary hypertension, sickle cell
 disease 184
 pulmonary oedema
 malaria-related 85
 pre-eclampsia/eclampsia related 105
 pyrimethamine, toxoplasmosis treatment 72
 radioactive iodine (RAI) therapy 166
 radiotherapy, breast cancer 318
 rash
 with pruritus *see* pruritus in pregnancy
 without pruritus 214
see also viral rash in pregnancy
 recombinant factor VIIa 267
 red blood cell indices 173
 reduced fetal movements (RFM) 32, 33
 definition 32

- examination 33
- history 33
- investigations 33
 - CTG 33, 34
 - USS 33, 34
- management 34
- recurrent episode 34
- see also* fetal movements (FM)
- refugees 323
- renal condition in pregnancy 168
 - antenatal care 169
 - delivery management 170
 - dialysis patients 169
 - postnatal care 170
 - prepregnancy counselling 168
 - prevalence 168
 - risks/complications 168
 - transplant patients 169
- reproductive ageing 312
 - declining fertility 312, 313
 - infertility prevention 313
 - males 315
 - see also* assisted reproductive technology (ART); older women
- retained placenta 244
- retinal screening
 - diabetes mellitus 153
 - sickle cell disease 184
- rhesus D alloimmunization 24
 - see also* haemolytic disease of the fetus and newborn (HDFN)
- rheumatic heart disease 156
- ritodrine, tocolysis 140
 - adverse effects 141
- rofecoxib, tocolysis 140
- rubella in pregnancy 59, 61, 64
 - diagnosis 65
 - fetal infection 65
 - management 66
 - maternal manifestations 64
 - neonatal manifestations 64
 - prevalence 64
 - screening 95
 - vaccine 66
 - vertical transmission risk 64
- S adenosyl methionine, obstetric cholestasis
 - management 108
- schizophrenia 217, 220
 - consequences of 218
- screening 2, 94
 - clinical conditions 95
 - combined first and second trimester 4
 - contingent screening 4
 - Down syndrome 5, 28, 94
 - twin pregnancies 36
 - factors affecting performance 2
 - fetal structural anomalies 94
 - first trimester 3, 5
 - first trimester combined (FTC) 3
 - see also* first trimester ultrasound scan (USS)
 - haemoglobinopathies 94, 183, 193
 - sickle cell disease 94, 184
 - thalassaemias 94, 192
 - haemolytic disease of the fetus and newborn (HDFN) 19
 - infections 95
 - genital herpes 60
 - group B streptococcus (GBS) 55, 56, 95
 - HIV 49
 - integrated prenatal screening (IPS) 4, 5
 - maternal age and 2, 3
 - maternal alcohol consumption 304
 - multiple marker screening 2
 - obese patients 298
 - preimplantation genetic screening (PGS) 313
 - preterm labour 131
 - quadruple marker testing 4, 5
 - second trimester 4
 - sequential screening 4
 - serum integrated prenatal screening 4, 5
 - small for gestational age babies 27
 - thrombophilia 208
 - thyroid dysfunction 161
 - triple marker testing 4
 - vasa praevia 124
- second trimester screening 4
 - combined first and second trimester 4
- seizures 177, 178
 - see also* epilepsy
- sepsis *see* bacterial sepsis
- serum integrated prenatal screening 4, 5
- serum iron levels 173
- shingles 79
 - see also* varicella zoster virus (VZV)
- shoulder dystocia 262
 - delivery management 263
 - first-line manoeuvres 198
 - second-line manoeuvres 264
 - third-line manoeuvres 264
 - diagnosis 263
 - prediction 262
 - prevalence 262
 - prevention 262
 - risk factors for 262
 - risks of 262
- sickle cell disease 182, 184
 - acute anaemia 188
 - acute chest syndrome (ACS) 188
 - acute stroke 188
 - air travel advice 316
 - analgesia 187
 - antenatal care 186, 187, 188, 190
 - antibiotic prophylaxis 185
 - blood transfusion 186
 - indications 186
 - chronic disease complications 184
 - contraceptive advice 189
 - fluid balance 187
 - intrapartum care 189
 - medications review 185
 - monitoring 187
 - oxygen saturation 187
 - postpartum care 189
 - preconception care 184, 185
 - prevalence 184
 - risks/complications 184
 - screening 94, 184
 - vaccination 185
 - vitamin supplements 185
- skin and soft tissue infection 292
- skin care, newborn 291
- small for gestation age babies (SGA) 27
 - complications 27
 - delivery mode 31
 - delivery timing 31
 - near term/term SGA fetus 31
 - preterm SGA fetus 31
 - diagnosis 29
 - biometric tests 29
 - biophysical tests 29
 - incidence 27
- investigations for severe SGA 29
 - prevention 27
 - risk factors 27
 - screening 27
 - biochemical markers 28
 - clinical examination 28
 - fetal echogenic bowel 28
 - uterine artery Doppler (UtAD) 28
 - serial ultrasound scan 30
 - surveillance 30
 - amniotic fluid volume (AFV) 30
 - Doppler studies 30
- smoking in pregnancy 306
 - cessation, preterm labour prevention 132
 - management 307, 308
 - partners/household members 308
 - prevalence 306
 - risks/complications 306
- social issues *see* complex social issues
- sodium bicarbonate 286
- spinal–epidural analgesia 241
- spiramycin, toxoplasmosis treatment 72
- sterilization 160
- stillbirth 14
 - complications 14
 - future delivery management 18
 - obstetric cholestasis and 107, 109
 - older mothers 314
 - pregnancy following 18
 - prevalence 14
 - see also* late intrauterine fetal death (IUFD)
- stroke, sickle cell disease 188
- substance misuse 322, 323
 - care delivery 323
 - service organization 323
 - see also* alcohol consumption in pregnancy
- sulfadiazine, toxoplasmosis treatment 72
- suprapubic pressure 263
- symphysiotomy 264
- syntocinon, postpartum haemorrhage
 - management 268
- syphilis screening 95
- tamoxifen 317, 318
- teenage pregnancy 309, 324
 - antenatal care 310
 - care delivery 324
 - intrapartum care 310
 - management 310
 - postnatal care 311
 - prevalence 309
 - prevention 310
 - risk factors 309
 - risks/complications 309
 - service organization 324
 - termination 310
 - training for health care practitioners 324
- termination of pregnancy 6
 - anti-D prophylaxis 25
 - breast cancer and 319
 - feto-fetal transfusion syndrome 39
 - teenage pregnancy 310
- thalassaemias 182, 191
 - α thalassaemia 183, 191
 - antenatal care 195
 - screening 94, 192
 - thalassaemia intermedia 193
 - thalassaemia major 193
 - see also* β thalassaemia
- therapeutic hypothermia 286
- third-trimester amniocentesis 9
- thrombin 205

- thrombolytic therapy, pulmonary embolism 211
- thrombophilia 196, 197, 203
 acquired 200
 asymptomatic heritable thrombophilia 199
 screen 208
 testing for 198
- thromboprophylaxis 196, 198
 after delivery 203
 caesarean section 203
 operative vaginal delivery 252
 risk assessment 203
 after postpartum haemorrhage 269
 agents 205, 206
 postpartum thromboprophylaxis 206
 β thalassaemia 192, 193
 cardiac disease 158
 during labour and delivery 202
 late intrauterine fetal death 17
 obese patients 298
 placenta praevia 121
 timing 196
see also venous thromboembolism (VTE)
- thrush, newborn 291
- thyroid disorders in pregnancy 161
 autoimmune thyroid disease and miscarriage 167
 fetal 166
 hyperthyroidism 164
 hyperemesis gravidarum and 167
 hypothyroidism 162
 postpartum thyroiditis (PPT) 167
 screening 161
 thyroid nodules and cancer 167
- thyroid receptor antibodies (TRAbs) 164
- thyroid stimulating hormone (TSH) 161
- thyroidectomy 166
- thyrotoxicosis
 fetal 166
 gestational 165
- thyroxine (T4) 161
- tocolysis 140
 adverse effects 141
 fetal/neonatal 141
 maternal 141
 antepartum haemorrhage 115
 benefits of 140
 dose regimens 141
 indications 140
 multiple pregnancy 140
 placenta praevia 121
 PPRM 128
 threatened preterm labour 140
 tocolytic drug 140
- topical emollients, obstetric cholestasis management 108
- total iron binding capacity (TIBC) 173
- toxoplasmosis in pregnancy 70
 diagnosis 71
 maternal manifestations 70
 neonatal infection 70, 72
 prevalence 70
 screening 95
 treatment 72
 vertical transmission risk 70
- trastuzumab 317
- travel during pregnancy 92
see also air travel during pregnancy
- triiodothyronine (T3) 161
- triple marker testing 4
- twin pregnancy 35
- amnicornicity 35
- antenatal care 36
- breech presentation 230
- chorionicity 35
- delivery management 37, 40
- dizygotic 35
- Down syndrome screening 36
- fetal anomaly and growth scans 36
- fetal risks 35
- intrapartum care 37
- investigations 36
- maternal care 36
- maternal risks 35
- monochorionic 38
 delivery 40
 fetal death of co-twin 38
 fetal risks 38
 ultrasound monitoring 38
see also feto-fetal transfusion syndrome (FFTS)
- monozygotic 35
- preterm birth 36
- preterm labour prevention 136
- referral indications 36
- service provision 35
- vaginal birth after caesarean section 257
- zygosity 35
see also multiple pregnancy
- twin-to-twin transfusion syndrome
see feto-fetal transfusion syndrome (FFTS)
- ultrasound scan (USS)
 antenatal assessment 96
 β thalassaemia and 193
 biometry 29
 CMV infection diagnosis 68, 69
 compression duplex USS 207
 fetal haemolytic disease monitoring 21
 nonimmune hydrops fetalis diagnosis 11
 oligohydramnios investigation 44
 reduced fetal movements 33, 34
 toxoplasmosis diagnosis 71
 twin pregnancies 36
 monochorionic 38
 ultrasound-indicated cerclage 136
 vasa praevia 125
see also first trimester ultrasound scan
- umbilical artery Doppler (UmAD), small for gestational age fetuses 30
- umbilical cord prolapse 238, 281
 antenatal diagnosis 281
 clinical governance 283
 diagnosis 282
 management 282, 283
 delivery 282
 prevalence 281
 prevention 281
 risk factors 281
 risks/complications 281
- umbilical vein (UV) Doppler, small for gestational age fetuses 30
- urinary incontinence, postnatal 289
- urinary retention, postnatal 289
- urinary tract infection (UTI)
 following pregnancy 292
 preterm labour association 132
- ursodeoxycholic acid, obstetric cholestasis management 108
- uterine anomalies, preterm labour prevention 136
- uterine artery Doppler (UtAD), small for gestational age fetuses 28, 29
- uterine atony 268
- uterine hyperstimulation 238
- uterine rupture 238
 vaginal delivery after caesarean section 255, 256
- vaccination
 β thalassaemia and 192
 postnatal 289
 sickle cell disease and 185
- vacuum-assisted extraction 251
 consent 253
- vaginal birth after caesarean section (VBAC) 234, 254
 antenatal assessment and counselling 254
 contraindications 254
 factors associated with success 254
 fetal macrosomia and 257
 fetal risks and benefits 255
 HIV infected patients 51
 induction of labour 256
 intrapartum support 256
 maternal risks and benefits 255
 obese patients 299
 outcomes 254
 preterm birth 257
 short interdelivery period 257
 twin pregnancies 257
- vaginal bleeding *see* antepartum haemorrhage (APH)
- vaginal discharge 93
- valproate 223
- varicella zoster virus (VZV) 76
 neonatal varicella 76, 79
 vaccine 77
 varicella zoster immune globulin (VZIG) 77, 79
see also chickenpox in pregnancy
- varicose veins 93
- vasa praevia 124
 clinical features 124
 definition 124
 differentiation between fetal and maternal bleeding 124
 incidence 124
 management 125
 risk factors 124
 risks/complications 124
 screening 124
 USS diagnosis 125
- vena caval filter 209
- venous thromboembolism (VTE)
 anticoagulant treatment 208
 during labour and delivery 209
 initial blood tests 208
 LMWH 208
 postnatal 210
 thrombophilia screen 208
 diagnosis 207
 embolectomy 209
 investigations 207
 maternal collapse and 276
 mobilization and compression therapy 209
 obese patients 298
 postnatal prevention 288
 prevalence 196
 previous VTE 197, 203
 counselling 198

management 198	<i>see also</i> deep vein thrombosis (DVT);	referral to FMU 60
risk factor assessment 196,	pulmonary embolism (PE);	vitamin D 297
198, 200	thromboprophylaxis	vitamin K 291
antenatal assessment 201	ventilation–perfusion (V/Q) lung scan 207	obstetric cholestasis management
postnatal assessment 204	viral rash in pregnancy 59	108
thrombophilia-associated 197	advice and information 59	
acquired thrombophilia 200	contact 59	warfarin 205, 206
asymptomatic heritable	inadvertent immunization during	working during pregnancy 92
thrombophilia 199	pregnancy 60	
management 199, 200	investigations 59, 60	Xa inhibitors 205
thromboprophylaxis 198	maculopapular rashes 59	
LMWH dose 201	occupational exposure 60	Zavanelli manoeuvre 264
vena caval filter 209	pre-existing immunity 59	zygosity 35