

INDEX

*Some of the chief references are indicated in heavy type.
 F after page numbers indicates text-figures*

- A**bsorption: of water, **38-40**, 50; of salts, 40; of food by cotyledons, 29
- Achene, **172**, 177, 179, 184
- Adventitious roots, **11**, 26, 39 F, **41**, 114, 135
- Agrimony, fruit, 180-1 F
- Air: and germination, 30-34; in soil, **44**; source of carbon, 57-8; effect of plants on, 58, 107; how plants obtain, 92-101
- Air spaces of water plants, 94-100 F
- Alder, 121 F, 128 F, 165
- Amaryllidaceae, 192
- Anemone, **85** F, 125, **132** F, 136, 162, 186
- Animals and plants, 106
- Annual rings, 117
- Annuals, 5, **109**
- Anterior side of flower, 139-40
- Anther, 14 F, 139
- Apocarpous, 147
- Apple, 183-4 F, 190
- Aquatic plants, 93-100
- Arrowhead, 63, 97-8 F
- Arum, 63, 195
- Ash: seed, 20 F; leaf, 64 F; twigs, 121 F, 128 F; flower, 146; fruit, 172, 178 F
- Avens, fruit, **181** F
- Axil, **4**, 12, **63**
- Axile placentation, 148
- Axis of inflorescence, 139-40 F
- B**arberry, spines, 53
- Bark, 117
- Barley, 30, 33, 39 F
- Basal placentation, 148
- Bean: Broad, 15-19 F, 23-5 F, 28-9 F, **82-4** F, 86-8 F; Kidney, 25-7; Scarlet Runner, 73; family, 147, **188** F
- Beech, 117; twigs, 120, 128 F; nut, 172
- Bees and flowers, 15-16, 154-5, 158, **162-4**, 188
- Berry, 182 F
- Biennials, 109
- Bindweed, 72-3 F
- Birch: killed by water, 93 F; bark, 117; flowers, 146, 154, 165
- Bird's nest Orchid, 103
- Blackberry, 182-3 F
- Black Bryony, 73
- Black Poplar, 129
- Bladderwort, 97 F, 106 F
- Bluebell, 89 F, 114, 125, 137, 149-50 F, 192
- Bog Moss, 104 F
- Bracteoles, **66** F, 140, 167
- Bracts, **65-6** F, 139, 164
- Bramble, 51, 54, 76 F
- Branch, 4, 12, 125
- Brassica, 188
- Brooklime, 61 F
- Broom: flower, 188-9 F; pod, 176
- Broomrape, 102
- Buds: axillary, **4** F, 7, 11 F, 12; terminal, **7**, 118 F, 122 F; winter, 118-22 F, 132-3 F; opening, 8 F, 130-1 F; bulb, 114 F
- Bud-scales, 7, **122-3** F
- Bulbs, **114-15** F, 137
- Bulrush, 100, 179
- Burdock, 180-1 F
- Bur-Marigold, 180-1 F
- Burr-fruits, 180-1 F
- Buttercup, 64 F, **138-44** F, 169, 172; family, 186-7
- Butterflies and flowers, 162
- Butterwort, 105-6 F, 133

Cambridge University Press

978-1-107-61954-8 - Botany: A Junior Book for Schools

R. H. Yapp

Index

[More information](#)

200

Index

- C**abbage, 37, 188
 Cactus, 55
 Calyx, **138**, 146
 Campanula, 174
 Campion, fruit, 174–5 F
 Canary Creeper, 74–5 F
 Candytuft, 166 F
 Capitulum, **167** F, 192
 Capsule, **174–6** F
 Carbon, 37, 57; dioxide, 34, 57–60, 80–3, 99, 107; assimilation, **56–60**, 82–3
 Carpels, 139–44 F, **147–51** F, 169
 Carrot, 109, 115, 190
 Castor Oil seed, 22, 28
 Catkins, 145 F, 153–4 F, **165**
 Cauliflower, 188
 Celandine, Lesser, **135–7** F; petals of, 185 F
 Celery, 190
 Censer-mechanisms, 177–9 F
 Cherry, 182, 190
 Chickweed, 109, 167–8 F, 174–5 F
 Chlorophyll, **59–60**, 68, 101–3
 Cinquefoil, 190 F
 Cleavers, 76, 180–1 F
 Clematis, 75, 178–9 F
 Climbing plants, 72–8 F, 110
 Clover, 84 F, 90–1 F, 162–3, 190
 Cock's-foot Grass, **9–11** F, 51
 Coconut Palm, 180, **182**
 Coltsfoot, 192
 Columbine, 174, 186
 Combustion, 34, 81
 Competition, 71, 170
 Compositae, 192
 Compound leaves, 63–4 F
 Compound ovary, 147 F
 Conifers, 124, 129
 Cork, 117; Oak, 117
 Corms, **112–14** F, 137 F
 Corolla, **138**, 146
 Corymb, 165–6 F
 Cotton Grass, 179
 Cotyledons, **18–22** F, 24–29 F
 Cowslip, 191
 Creeping: plants, 110 F; Jenny, 164
 Cress, 188
 Crocus, 85 F, 112, 114, 136, 192
 Cross-pollination, **152**, 154, 159–60
 Crowberry, 52 F
 Cruciferae, 187
 Currant, 165, 182; flowering, 123 F
 Cymose inflorescences, 167–8 F
Daffodil, 90–1 F, 114–15 F; family, 192
 Dahlia, 115
 Daisy, 61 F, 69, **109–10** F, 163, **167** F, **177–8** F; family, 147, 192
 Dame's Violet, **13–15** F, 17, 164–5, 169, 187
 Dandelion: leaves, 62 F, 69, 110; pollination, **156–7** F, 160; fruits, 172, **178–9** F; family, 192
 Dead Nettle: flower, 146 F, 164; family, 191
 Deciduous trees, 124
 Dehiscent fruits, 172
 Desert plants, 55
 Dicotyledons, 21, 63, 66, 124, 146, **187**
 Dodder, 101–2 F
 Drupe and drupelet, 182–3 F
 Duckweed, 94 F, 97
Elder, 184
 Elm, 117, 130–1 F, 172, 179
 Embryo, 19–22 F
 Enchanter's Nightshade, 61 F, **66** F, 180
 Endocarp, 182 F
 Endosperm, 20–2 F, 28–9; endospermic, 22
 Energy, 59, **80–2**
 Epicalyx, 190 F
 Epicotyl, 25
 Epigeal, 27
 Epigynous, 150–1 F
 Etiolation, **32–3** F, 170
 Evergreens, 124, 129
 Eyebright, 102–3 F
False Acacia, 74 F
 Family, 186
 Ferns, 12, 78, 125
 Fertilization, 143–4
 Figwort: leaf, 61 F; flowers, 158 F, 160, 162, 191 F; fruit, 175 F
 Filament, 14, 159

Index

201

- Flixweed, 169, 188
 "Flora," use of a, 193
 Floral diagrams, 139-40 F
 Floral leaves, 13, 66, 138-9 F, **145-9 F**
 Flowering Rush, 98 F, 100 F, 180
 Flowers, 13-17, 138-68, 187-92 F
 Follicle, 173-4 F
 Food: in seeds, 19-22, 28-9, 37; making of, 56-60; special ways of obtaining, 101-7; use of, 79-83; definition of, 82; storage, 111-16, 135-7
 Fool's Parsley, 190
 Forget-me-not, 163, 181
 Foxglove, 51, 109, 147 F, 171, 191-2 F
 Free-central placentation, 148
 Frost, 137
 Fruits, 15, 17, 20, 142-3, 169-84 F
 Fuchsia, 57 F
 Fungi, 103 F
- G**ardening hints, 34-5, 46, 78, 170
 Genus, 186
 Geranium, 61 F, 173 F, 176
 Germination, 23-9 F; conditions necessary for, 30-5
 Gooseberry: prickles, 54-5 F; fruit, 182 F
 Gorse, 51-4 F, 176, 190
 Gout Weed, 65 F, 133 F
 Gravity, effect of, 87-9 F
 Groundsel, **1-5 F**, 41, 51, 138, 160, 179
 Growth, 36-7 F, 79; movements, 89-91 F
 Guelder Rose, 184
- H**abit, 109
 Habitats, 55
 Hairs, 54; root, 39-40 F
 Harebell, 66 F, 108-9 F
 Hawthorn: spines, 53-5 F; fruit, 184; flower, 190
 Hazel: habit, 108 F; flowers, 153 F, 165; fruit, 172
 Heath, 51-2, 154 F, 162-3
 Hemlock, 190
 Herbs, 108-16; in winter, 132-7
 Hilum, 18 F
- Hogweed, flowers and fruit, 150-1 F, 162, 166-7 F, 172-3 F
 Holly, 53-5 F, 129, 184
 Honey, 14-16, 154-5, 161-3; guides, 161
 Honeysuckle, 73, 163
 Hook scramblers, 76-7 F
 Hop, 72-3 F
 Horse Chestnut, 91 F, 120-1 F, 154
 House Leek, 55
 Humus, 44, 46
 Hyacinth, 39, 192
 Hypocotyl, 26-7
 Hypogeal, 27
 Hypogynous, 150 F
- I**ndehiscent fruits, 172
 Inflorescences, 13 F, **164-8 F**
 Insectivorous plants, 104-6 F.
 Insect-pollination, 142, **154-64**, 188
 Internodes, **1, 5, 9**; in corms, 112-3 F; in buds, 122; flowers, 144
 Involucre, **167**, 179
 Iridaceae, 192
 Iris, 100, 111-12; flowers, 150, **158-60 F**; family, 192
 Ivy, 77-8
- J**erusalem Artichoke, 112 F
- L**abiatae, 191
 Laburnum, 190
 Lady's Mantle, 64 F
 Larkspur, flowers and fruits, 148-9 F, 161-2 F, 164, 174 F, 186
 Lavender, 191
 Leaf: definition of, 66; parts of, 2-4 F, 9-11 F, 61-2 F; -base, 64-5 F, 123; -blade, 61-3 F; -veins, 4, 8 F, 9-11 F, 63; -fall, 127-8 F; -scars, 7, 118-21 F; mosaics, 70-1 F
 Leaflets, 63
 Leaves: 61-7; simple and compound, 63-4 F; arrangement of, 68-9; foliage, 61; scale, 65-6 F; winter, 129, 133-4 F; rolled, 52 F; of water plants, 93-9 F; work of, 56-60;

Cambridge University Press

978-1-107-61954-8 - Botany: A Junior Book for Schools

R. H. Yapp

Index

[More information](#)

202

Index

and light, 68–79 F; movements of, 70, **84–6** F
 Legume, **174** F, 188
 Leguminosae, 188–90 F; flower of, 15–17 F
 Lenticels, 92, 117
 Light: and germination, 30–2; and growth, 32–3 F, 170; and starch, 56–60; how obtained, 68–78; and movement, 84–7 F, 90–1 F; and water plants, 99
 Ligule, 9–11 F
 Lilac, 122–3 F
 Liliaceae, 192
 Lily of the Valley, 132 F
 Lime, 119–20 F, 124 F, 178–9 F
 Ling, 51–2 F
 Loculus, 148
 London Pride, 69
 Longitudinal section of flower, 139–42 F
 Lords and Ladies, 63, 136–7 F
 Lupin, 64 F, 190

Maize, 21–2 F, 26–9 F, 172
 Marjoram, 191
 Marram grass, 52
 Marsh: plants, 93, 100 F; Marigold, 174, 186; Violet, 61 F
 Meadow Sweet, 54, 100, 133 F; flowers, 150 F, 162
 Micropyle, 19
 Mineral salts, **40**, 50, 98, 170
 Mint, 78, 191; Water, 100
 Mistletoe, 102, 183
 Moisture, effect on roots, 89
 Monkey Flower, 158–60 F
 Monkshood, 162 F, 186
 Monocotyledons, 21, 63, 66, 146, **187**, 192
 Monopodial branching, 119; inflorescences, 164
 Montbretia, 66 F; corms, 112–14 F; family, 192
 Mosses, 12, 125
 Moths and flowers, 162
 Mountain Ash, 184
 Movements of plants, 70, **83–91** F
 Mullein, 54, 109, 191–2
 Mustard, 26–7, 170 F, 188

Names of plants, 186, 195
 nasturtium, 64, 75, 86 F, 137, **147** F, **173** F
 Nectaries or honey glands, 14 F, 139 F, 154, 161–2 F
 Node, 1, 5, 9, 12, 67
 Nut, 172

Oak, 27, 51, 64 F, 117, 121 F, 129 F, 154, 172
 Oat grass, 152 F
 Onion bulb, 114
 Orchids, 103, 136, 171, 176
 Ovary, 14–17 F, 139, **147–51** F, 169, 171, 183
 Ovules, 14 F, 139, 148–9 F, 169, 178 F
 Oxslip, 191
 Oxygen, **34**, 57–60, 80–3, 92–3, 99, 107

Pappus, 178–81 F
 Parasites, 101–3 F
 Parietal placentation, 148
 Parsley, 190
 Parsnip, 41, 115; family, 64, 190
 Pea: Garden, 74–5 F, 78; Meadow, 73–5 F; Sweet, 148, 160, 188–9 F; family, 188
 Pear, 184, 190
 Peat, 46
 Perennials, 6, **109**
 Perianth, 146
 Pericarp, **171–2**, 182–3
 Perigynous, 150 F
 Petals, 14, **138**, 146
 Petiole, 2, 62, 64
 Photosynthesis, **56–60**; and respiration, **82**, 107
 Pimpernel, 174–5 F, 191
 Pink, 147 F
 Placentation, 148
 Plane tree, 64, 117
 Plantain, 61 F, 110, 133 F, 165 F, 174
 Plum, 182 F, 190
 Plumed seeds and fruits, 177–9 F
 Plumule, 19; in germination, 24–9
 Pod, 174 F
 Pollen, 14, 142, 152–4 F
 Pollination, 142, **152–64**

Index

203

- Pondweed, 93–4 F, 98 F
 Poppy, 162, 171; fruit, **174–5 F**
 Posterior side of flower, 139–40 F
 Potato, 19, 78; tubers, 112; 137
 Primrose, 51, 148, **155 F**, 160, 164;
 family, 190
 Primulaceae, 190
 Privet, 70 F, 122
 Pruning and self pruning, 129 F
 Puff Balls, 103 F
 Purple Loosetrife, 100
- R**aceme, **165**, 168 F
 Racemose inflorescences, 164,
 168 F
 Radicle, 19; in germination, 24–9
 Radish, 188
 Ragworts, 192
 Ramsons, 136–7
 Ranunculaceae, 187
 Ranunculus, 186
 Raspberry, 183
 Receptacle of flower, **138**, 142, **149**
 Reedmace, 100
 Reeds, 96 F, 100
 Reproduction, 138
 Reproductive organs, 13, 138
 Respiration, 33–4, **79–83**, 92
 Response to stimuli, 84
 Rhizomes, 94, 111 F, 132 F
 Root: definition of, 43; -cap, 39;
 -hairs, 39–40 F; growing region,
 86 F, 39
 Root climbers, 77
 Roots; fibrous and tap, 41; adventi-
 tious, 11; origin of lateral, 42 F;
 arrangement of, 42; work of, 38–
 41; storage, 115, 135–6 F; effect
 of gravity and moisture on, 87–9
 Rosaceae, 190
 Rose, 54, 76–7 F, 162, 184 F; family,
 190
 Rosemary, 191
 Rosette plants, 109–10 F
 Runners, 110 F
- S**age, 191
 Samara, 172
 Saprophytes, 103 F
 Scale leaves, **65–6 F**, 111–12
 Scrophulariaceae, 191
 Seed dispersal, 169; by wind, 176–80;
 by water, 180; by animals, 180–3
 Seedlings, 24–9 F, 88
 Seeds: structure, 18–22 F; origin of,
 15, 17 F, 142–4 F; germination,
 23–8 F
 Self-pollination, 152, 157, 160
 Semi-parasites, 102
 Sensitive Plant, 84
 Sepals, 14, **138**, 146
 Sessile: leaves, 62; flowers, 165 F
 Sheathing leaf-base, 9–11 F, 64–5 F
 Sheep's Fescue, 51–2 F
 Shepherd's Purse, 188 F
 Shoot: **1**, 12, 19, **125**; branch or
 lateral, **4 F**, 12, 125
 Shoreweed, 94–5 F
 Shrubs, 108 F
 Silicula, 188 F
 Siliqua, 188
 Sleep movements, 84–5 F
 Sling-fruits, 176
 Sloe, 184
 Snapdragon, flowers, 147 F, **158–9 F**,
 163; family, 191
 Snowdrop, 134, 136
 Soil, 34, **44–47**, 51, 89
 Solomon's Seal, **111–12 F**, 192
 Sorrel Dock, 61 F
 Spearwort, Lesser, leaves, 134 F
 Species, 185
 Speedwell, flowers, **155–6 F**, 160–2,
 164, 191 F
 Spike, 165 F
 Spinach, 78
 Spiny plants, 52–5 F
 Spruce Fir, seeds, 177 F
 Stamens, 14 F, 139, 147
 Starch, 19, 28; test for, 19; making
 of, 56–60
 Stem, 1, 12, 125; woody and herba-
 ceous, 6, 108, 116; storing, 112–
 14 F; functions of, 71; effect of
 light on, 86 F
 Stigma, 14 F, 139, 147 F, 149, 163
 Stimulus, 84
 Stipules, **65–6 F**, 74 F, 124 F
 Stock, 188
 Stomata, **49**, 54–5, 92

Stone-crop, 55
 Storage organs, 111–15
 Strawberry, 110 F, 184 F, 190
 Style, 17, 139, 147 F, 181 F
 Subsoil, 46
 Succulent fruits, 171, 182–4 F
 Sugar, 59–60
 Sundew, 104 F, 106 F, 133
 Sun Spurge, 61 F
 Sycamore, 5–9 F; fruits and seeds, 20 F, 25 F, 173, 179; bark, 117; twigs and buds, 118 F, 122 F, 127 F
 Sympodial branching, 75–6 F, 111 F, 118–19 F; inflorescences, 167 F
 Syncarpous, 147

Tendrils, 73–6 F
 Tenda, 19, 22, 172, 182

Thistle, 53, 179, 192

Thyme, 191

Timber, 124

Tomato, 182

Toothwort, 102

Transpiration, 48–50 F, 67; control of, 51–4

Trees, 5–6 F, 108, 116–25 F; in winter, 126–31 F

Tubers, 112 F

Tulip, 114–15 F, 164, 192

Turnip, 115, 188

Twigs, 117–21 F

Twining plants, 72 F

Umbel, 166 F

Umbelliferae, 190

Vegetable Marrow, 137, 182

Vegetative: organs, 13; propagation, 110

Veins, 4, 8 F, 9–11 F, 63

Vetch: fruits, 169, 174 F, 176; family, 190

Violet: leaves, 61 F; flowers and fruits, 148, 149, 169, 174–6 F

Virginian Creeper, 75–6 F

Wallflower family, 187

Walnut, 182

Wasps and flowers, 162

Water: absorption of, 38–40; transpiration of, 47–50; economy, 51–5; -vessels, 48; -content of plants, 37; -storing plants, 54; and germination, 30–2; in soil, 44–7

Water plants, 93–100; Crowfoot, 94–5 F; Dropwort, 137; Lilies, 94, 96 F, 98 F; Lobelia, 94–95 F, 98 F; Milfoil, 94–5 F; Mint, 100; Violet, 191

Wheat, 23, 172

Whorl, 138

Willow, flowers, 145 F, 154, 160, 165

Willow-herb, 177–8 F

Wind-pollination, 152–4

Winged: fruits, 20 F, 172, 178–80 F; seeds, 177–8 F

Winter: Aconite, 134; buds of trees, 117–24 F, of herbs, 106 F, 132–3 F; conditions of plants, 126–38

Wood Sage, flowers, 157–8 F, 160, 162, 164

Wood Sanicle, 125

Wood Sorrel, 125, 171

Woodland Herbs, 125, 134–6 F

Woundwort, 173 F

Yellow: Rattle, 102, 177 F; Stone-crop, 55