

## INDEX

- Angiomatosis, meningo-cutaneous, association of, with hydrophthalmia and facial naevi, 198  
neuro-retinal contrasted with extra-neural vascular disorders, 206
- Angiomatous malformations, intra-cranial, associated with facial naevi and glaucoma, 202
- Angle of anterior chamber. *See under* Anterior chamber
- Angle of filtration in cases of glaucoma associated with facial naevi, 186
- Aniridia, appearances of (specimen), 100, 101  
glaucoma with, 1  
hydrophthalmia associated with, significance of meshwork of angle in, 240  
in congenital and adult glaucoma, 128, 129
- Anterior chamber, angle of, and ciliary region, appearance of, at 6 months, 57  
at 4 months and in adult, 61  
changes in, in chronic glaucoma, 142  
in congenital glaucoma, 143  
deepening of, development of, 53  
development of, 58, 59  
gonioscopic view of, 36  
incision of, in treatment of hydrophthalmia, 312  
in congenital glaucoma, appearances of, 106 *et seq.*  
in foetal eye at various stages of development, 54 *et seq.*  
meshwork in, significance of, in origin of hydrophthalmia, 236  
structure of, 72  
persistent or aberrant meshwork in, in congenital glaucoma, 143  
size of, and degree of distension in congenital glaucoma, 110 *et seq.*  
structure of, 62  
structures in region of, comparative anatomy of, 77  
evolution of, 77  
appearance of, in megalocornea, 35  
changes in, in congenital glaucoma, 141  
depth of, 11, 12, 16  
development of, 57  
persistent and aberrant mesoblastic tissue in and around, significance of, in origin of hydrophthalmia, 234
- Anterior staphylomata, differentiation from congenital glaucoma, 26
- Anticipation in heredity, 11, 15
- Arteries, persistent hyaloid, 10
- Astigmatism in congenital glaucoma, 102
- “Bändertrübung” of Haab, 122
- Blindness, hydrophthalmia as cause of, 5
- Blue sclerotics, cause of, considerations regarding, 119
- Bourneville, syndrome of, characteristics of, 158
- Buphthalmia, an unsuitable title, 2
- Canal of Schlemm. *See under* Schlemm
- Cardinal points of a hydrophthalmic eye, 103
- Cat, native (*Dasyurus*), comparative anatomy of tissues of eye in, 81, 82
- Cataract, after operative treatment of hydrophthalmia, 341  
lamellar, 10, 13
- Choroid, angioma of, in cases of glaucoma with facial naevi, 187  
changes in, in congenital glaucoma, 134  
neurofibroma of, 114  
state of, significance of, in causation of hydrophthalmia, 266
- Ciliary body, insertion of, presence and development of, in various mammals, 79  
presence and development of, in various mammals, 78
- Ciliary muscle, anterior attachment of, 75  
condition of, in congenital glaucoma, 132  
evolutionary consolidation, growth and forward spread of, 91  
foetal structure of, association of hydrophthalmia with, 154
- Ciliary neurofibromata, association with glaucoma, 167, 169
- Ciliary processes, condition of, in congenital glaucoma, 132  
presence and development of, in various mammals, 79
- Ciliary region, structures in, comparative anatomy of, 77  
evolution of, 77
- Cilio-scleral sinus, evolutionary modification of, 94
- Consanguinity, examples of, 14

- Cornea, changes in, in congenital glaucoma, 119  
of curvature, in congenital glaucoma, 121  
curvature of, development of, 52  
development of, 51  
*globosa semper lucida*, 30  
increase in size of, in congenital glaucoma, 119  
in congenital glaucoma, measurements of, 107, 108, 109  
in megalocornea, 34  
measurements of, 28  
opacities of, in congenital glaucoma, 120  
paracentesis of, in treatment of hydrophthalmia, 305  
size of, 51  
influence of, in visual prognosis in congenital glaucoma, 356  
steaminess of, from oedema, in congenital glaucoma, 122  
thinning of, in congenital glaucoma, 120
- Corneal defects, congenital, significance of, in origin of hydrophthalmia, 248
- Corneal diameter, 11
- Corneo-scleral junction in megalocornea, 35
- Corneo-scleral trephining, in treatment of hydrophthalmia, 316, 317, 323
- Cow, comparative anatomy of tissues of eye in, 86
- Cranial and intra-cranial lesions, in hydrophthalmia with facial naevi, 191 *et seq.*  
in neurofibromatosis, 172, 174
- Cyclodialysis, Heine's, in treatment of hydrophthalmia, 332  
reports of, in questionnaire, 4
- Dasyurus* (native cat), comparative anatomy of tissues of eye in, 81, 82, 90
- Descemet's membrane, development of, 54  
ruptures of, in congenital glaucoma, 122 *et seq.*  
tears in, in myopia, 22  
termination of, 73
- Distension of globe, 9
- Dog, comparative anatomy of tissues of eye in, 88
- Echidna* (spiny ant-eater), comparative anatomy of tissues of eye in, 79, 80
- Embryology and comparative anatomy of tissues involved in congenital glaucoma, 50
- Endocrine disorders in relation to origin of hydrophthalmia, 279
- Endophlebitis, significance of, in causation of hydrophthalmia, 268
- Enucleation of glaucomatous globes, 4
- Eserine in treatment of hydrophthalmia, 296
- Eye, foetal, at various stages of development, 54 *et seq.*  
normal, appearance of, 20
- Facial hemihypertrophy and atrophy, escape of the eye in, 176
- Facial naevi, and neurofibromatosis, association of, with hydrophthalmia, causes of, 211  
co-existence of hydrophthalmia with, 180  
cranial and intra-cranial lesions in, 191 *et seq.*  
disorders of growth in, 196  
hemihypertrophy associated with, 197  
intra-cranial angiomatous malformations associated with, 202  
meningo-cutaneous angiomatosis associated with, 198  
summary of specimens, 190
- Fistulisation, in treatment of hydrophthalmia, theory of, 314 *et seq.*
- Foetal eye, appearances of, at various ages, 54 *et seq.*  
development and comparative anatomy of, 50 *et seq.*
- Foetal structure of ciliary muscle, association of hydrophthalmia with, 154
- Fontana's spaces, 95
- Fundi, myopic, features of, 20
- Gigantophthalmos, 30
- Glaucoma, acute, differentiation from megalocornea, 28  
anticipation in, 11, 15  
congenital, age of onset, 7, 10  
alterations in structure in, 106  
analysis of cases with final vision of at least  $\frac{6}{12}$ , 358  
and megalocornea, points of difference between, 30 *et seq.*  
anterior chamber in, 11, 12, 16  
appearance of eye at 10 months, 104  
association with neurofibromatosis, discussion of problems involved, 166  
association with neurofibromatosis, summary of reported cases, 166  
bilateral incidence of, 5  
cardinal points of eye in, 103  
corneal diameter, 11  
definition of, 1  
delayed onset of, 7  
differentiation, from anterior staphylomata, 26  
from keratectasia, 27  
from keratoconus, 27

## INDEX

373

- Glaucoma, congenital, differentiation from myopia, 19  
 earliest reference to, 3  
 earliest specimens of, 3  
 familial tendency of, 13  
 final summary, 365 *et seq.*  
 hereditary tendency of, 6  
 incidence of, 4  
 incomplete separation of iris from cornea etc. (Fig. 70), 116  
 influence of age at operation on vision and tension, 355  
   of consanguinity, 14  
   of heredity, 11–14  
   of sex, 6, 14  
   of size of cornea on visual prognosis, 356  
 interference with function in, 99  
 in lower mammals, 259  
 juvenile mortality, 361  
 obsolete synonyms for, 2  
 operative treatment of, results in different series, 354  
 pathology of, 99  
 primary or secondary, 1  
 prognosis of, 347  
 relationship to juvenile glaucoma, 8  
 signs of inflammation in eye in, 105  
 similarities to juvenile glaucoma, 10  
 specimens of, summary of, 286  
 spontaneous arrest of, 348  
 structure and development of the involved tissues, 50  
 time of origin, 7  
 vision of unoperated and operated patients in later life, 354  
 with staphyloma due to corneal perforation (Fig. 73), 147  
*See also* Hydrophthalmia
- Glaucoma, hereditary, myopia in, relationship uncertain in, 23
- Glaucoma, juvenile, 4  
 age of onset of, 10  
 influence of heredity, 11, 12  
 influence of sex, 6  
 myopia in, 26  
 prognosis of, 11
- Globe, changes in, in congenital glaucoma, 106  
 distension of, 9  
 enlargement of, in congenital glaucoma, 106, 107
- Goat, comparative anatomy of tissues of eye in, 86
- Growth, disorders of, in hydrophthalmia with facial naevi, 196
- Haemangioblastomata. *See* Angiomatosis, neuro-retinal
- Halo and conus in congenital glaucoma, obscure origin of, 118
- Heine's cyclodialysis in treatment of hydrophthalmia, 332
- Hemihypertrophy, association of, with hydrophthalmia and facial naevi, 197  
 with neurofibromatosis, 175
- Heredity, influence of, 11 *et seq.*
- Hippopotamus, comparative anatomy of tissues of eye in, 87
- Holth's iridencleisis in treatment of hydrophthalmia, 330
- Holth's sclerectomy in treatment of hydrophthalmia, 322
- Horse, comparative anatomy of tissues of eye in, 86
- Hyaline tissue, presence of, in congenital glaucoma, 131
- Hydrophthalmia, 1  
 and facial naevi, co-existence of, 180  
   cranial and intra-cranial lesions in, 191 *et seq.*  
   disorders of growth in, 196  
   hemihypertrophy associated with, 197  
   intra-cranial angiomatous malformations associated with, 202  
   meningo-cutaneous angiomatosis associated with, 198  
   various ocular changes in, 189  
 and high myopia, contrasting forms of distension in, 24, 25  
 associated, 156  
 association of, with other anomalies, 153  
 causation of, inflammation and, 260  
   interstitial keratitis and, 273  
   significance of association with general disorders, 272  
   of endophlebitis in, 268  
   of lowered resistance of scleral coat, 267  
   of signs of ocular inflammation, 261  
   of state of choroid, 266  
   of state of vitreous in, 270  
 in association with facial naevi and fibromatosis, branches of trigeminal nerve concerned, 218  
 causes due to special conditions, 212  
 causes of, 211  
 mechanical theories of causation, 211  
 nervous origin of causation, 217  
 neuro-vascular theories of causation, 214  
 various theories of causation considered, 218 *et seq.*  
 incision of angle in treatment of, 312  
 non-ocular anomalies associated with, 155  
 old specimens of, problems connected with, 281

- Hydrophthalmia, origin of, developmental theory, 231  
 significance of "absent" Canal of Schlemm, 242  
 of association with non-ocular anomalies, 232  
 of congenital pupillary synechiae and congenital corneal defects—ulcus corneae internum, 248  
 of iris processes in, 244  
 of meshwork in the angle, 236  
 associated with neurofibromatosis and naevi, 239, 240  
 in cases associated with aniridia, 240  
 in cases associated with microphthalmia, 241  
 of ocular anomalies in, 232  
 of peripheral anterior synechiae in, 245  
 of persistent and aberrant mesoblastic tissue in and around anterior chamber in, 234  
 theories of, 230  
 theory of association with nervous and endocrine disorders, 279  
 pathogenesis of, 230  
 prognosis of, when associated with neurofibromatosis and facial naevi, 359  
 treatment of, 293  
 by anterior sclerotomy, 308  
 by corneo-scleral trephining, 316, 317, 323  
 by extraction of lens, 334  
 by fistulisation, theory of, 314 *et seq.*  
 by Heine's cyclodialysis, 332  
 by Holth's iridencleisis, 330  
 by Holth's sclerectomy, 322  
 by iridectomy, 299 *et seq.*  
 by iridotaxis, 332  
 by multiple operations, 337  
 by paracentesis of cornea, 305  
 by posterior sclerotomy, 306  
 by sclerecto-iridectomy, 316, 317  
 operative, 299  
 questions to be considered, 338  
 relative merits of various operations, 335  
 tension after, 340  
 time for, 338  
 treatment of complications, 341  
 two main types of, 280  
 unilateral, preponderance of myopia in "other" eye in, 20  
*See also under* Glaucoma, congenital
- Hydrophthalmos, 2  
 "Hydrophthalmus sanatus", 29  
 Hypertension, in congenital glaucoma, 3, 9  
 influence of, 9
- Inflammation, ocular, as a cause of hydrophthalmia, 260  
 significance of signs of, in causation of hydrophthalmia, 261
- Inheritance in relation to megalocornea, 38
- Intra-cranial angiomatous malformations associated with facial naevi and glaucoma, 202
- Intra-ocular haemorrhages, spontaneous, in congenital glaucoma, 134
- Intra-ocular pressure in congenital glaucoma, 105
- Iridectomy, in treatment of hydrophthalmia, 299 *et seq.*  
 reports of, in questionnaire, 4
- Iridencleisis, Holth's, in treatment of hydrophthalmia, 330  
 reports of, in questionnaire, 4
- Iridotaxis in treatment of hydrophthalmia, 332
- Iris, appearance of, in megalocornea, 35  
 changes in, in congenital glaucoma, 127  
 defects of, association of hydrophthalmia with, 154  
 presence and development of, in various mammals, 78
- Iris processes, significance of, in origin of hydrophthalmia, 244  
 structure of, 75
- Kangaroo, Grey, comparative anatomy of tissues of eye in, 82
- Keratectasia, differentiation from hydrophthalmia, 27
- Keratitis, interstitial, as cause of hydrophthalmia, 273  
 confused with congenital glaucoma, 4, 9, 11  
 early incidence of, 275
- Keratoconus, differentiation from hydrophthalmia, 27
- Keratoglobus pellucidus, 30
- Keratoglobus turbidus, 30
- Lens, alterations in position of, in congenital glaucoma, 137  
 in shape of, in congenital glaucoma, 136  
 aplasia of, in congenital glaucoma, 137  
 appearances of, in megalocornea, 36  
 defect of, with congenital glaucoma, 7  
 extraction of, treatment of hydrophthalmia, 334
- Lindau's syndrome, characteristics of, 158, 210
- Macacus Rhesus*, comparative anatomy of tissues of eye in, 88, 89
- Macrophthalmia, 45

## INDEX

375

- Mammals, lower, congenital glaucoma in, 259  
various, eyes of, comparative anatomy of, 78, 89
- Marsupials, comparative anatomy of tissues of eye in, 82
- Megalocornea, 2  
and congenital glaucoma, points of difference between, 30 *et seq.*  
angle in, gonioscopic view of, 36  
appearance of angle and anterior half of eye with, 31  
of anterior chamber in, 35  
of cornea in, 34  
of iris in, 35  
of lens in, 36  
of sclera of, 35  
classification of, 29  
clinical characteristics of, 34  
corneal measurements in, 28  
corneo-scleral junction in, 35  
differentiation from hydrophthalmia, 28  
incidence of, 37  
inheritance in relation to, 38  
in animals, ocular dimensions in, 109  
lustrous appearances in, 29, 30  
ocular tension in, 37  
origin of, theories of, 39 *et seq.*  
refraction in, 35  
vision of, 37
- Megalocornea "globosa", 29
- Megalophthalmia, 2, 45
- Meningo-cutaneous angiomatosis associated with hydrophthalmia and facial naevi, 198
- Mesoblastic tissue, persistent and aberrant, in and around anterior chamber, significance of, in origin of hydrophthalmia, 234
- Mesoderm, associated, development and retrogression of, 53 *et seq.*
- Microphthalmia, glaucoma with, 1  
hydrophthalmia associated with, significance of meshwork in angle in, 241
- Miotics, in treatment of hydrophthalmia, 295  
results of, 298
- Molluscum fibrosum, 159
- Monkey, comparative anatomy of tissues of eye in, 88  
(*Macacus Rhesus*) unusual appearance of Schlemm's canal in, 62
- Myopia, appearance of eye in, 21  
distinction from congenital glaucoma, 19  
does it predispose to glaucoma, 19  
features suggesting kinship with hydrophthalmia, 20  
high, and hydrophthalmia, contrasting forms of distension in, 24, 25
- Myopia in congenital glaucoma, 99  
degree of, reasons for, 100  
in hereditary glaucoma, relationship in, 23  
in juvenile glaucoma, frequency of, 26  
tears in Descemet's membrane in, 22
- Naevi, facial, co-existence of hydrophthalmia with, 180. *See also under* Facial naevi
- Nervous disorders in relation to origin of hydrophthalmia, 279
- Neurofibroma of choroid, 114
- Neurofibromata, ciliary, association with glaucoma, 167, 169
- Neurofibromatosis, 158  
and facial naevi, associated with hydrophthalmia, prognosis of, 359  
significance of meshwork of angle in, 239, 240  
association of, with fibromatosis, causes of, 211  
association of hemihypertrophy with, 175  
cranial and intra-cranial lesions in, 172, 174  
generalised, association with congenital glaucoma, discussion of problems involved, 166  
with congenital glaucoma, summary of reported cases, 166  
characteristics of, 159  
cutaneous manifestations, 161  
endocrine changes in, 162  
familial and heredo-family property of, 160  
incomplete forms of, characteristics of, 162  
neurological findings in, 161  
ocular lesions in, clinical manifestations, 161, 165  
onset and distribution of, 163  
psychotic changes in, 162  
skeletal changes in, 161  
specimens with, histological findings in, summary of, 172  
various ocular changes in, 179
- Neuro-retinal angiomatosis contrasted with extra-neural vascular disorders, 206
- Ocular anomalies, significance of, in origin of hydrophthalmia, 232
- Ocular defects associated with hydrophthalmia, 153
- Ocular lesions in neurofibromatosis, onset and distribution of, 163
- Ocular tension in megalocornea, 37
- Operative treatment as recorded in questionnaire, 4

- Ophthalmia neonatorum, as cause of blindness, 5
- Optic disc, state of, in congenital glaucoma, 140, 141
- Optic nerve, changes in, in congenital glaucoma, 139
- Orang-outang, aged, appearance of eye of, 63
- Orbit, changes in, in congenital glaucoma, 106
- Ornithorhynchus* (Platypus), comparative anatomy of tissues of eye in, 78, 80
- Paracentesis of cornea in treatment of hydrophthalmia, 305
- reports of, in questionnaire, 4
- Pectinate ligament, so-called, 72, 74
- “Phakomatoses”, 158
- Pig, comparative anatomy of tissues of eye in, 86, 87
- Pilocarpine in treatment of hydrophthalmia, 296
- Platypus (*Ornithorhynchus*), comparative anatomy of tissues of eye in, 78, 80
- Pressure, intra-ocular, in congenital glaucoma, 105
- Prognosis, 347
- Pseudochirus*, comparative anatomy of tissues of eye in, 82
- Pupillary membrane, persistent, 10
- Pupillary synechia, congenital, and corneal defects in congenital glaucoma, 126
- Questionnaire, results of, 3
- Rabbit, comparative anatomy of tissues of eye in, 83, 84
- Racial tendency in glaucoma, 12
- Refraction, in congenital glaucoma, 99
- in megalocornea, 35
- Retina, changes in, in congenital glaucoma, 139
- Retinal detachment, with congenital glaucoma, 5, 13
- Schlemm’s canal, absence of or defect in, in congenital glaucoma, analysis of specimens showing, 150, 151
- “absent”, significance of, in origin of hydrophthalmia, 242
- afferent arteriolar supply to, 70
- changes in, in congenital glaucoma, 143, 147
- development of, 56
- evolutionary emergence of, 92
- in juvenile glaucoma, 10
- posteriorly placed, in congenital glaucoma, 151
- structure of, 69
- “Schwannoma”, 159
- Sclera, appearance of, in megalocornea, 35
- changes in, in congenital glaucoma, 111 *et seq.*
- coat of, lowered resistance of, significance of, in causation of hydrophthalmia, 267
- development of, 50
- Scleral furrow, and scleral roll or spur, structure of, 63
- with its environment, 64
- Scleral or sclero-corneal meshwork, structure of, 72
- Scleral ring, 76
- Scleral spur, development of, 56
- evolutionary development of, 91
- functions of, 65
- rudimentary development of, in congenital glaucoma, 151
- types of, 67, 68
- Sclerecto-iridectomy in treatment of hydrophthalmia, 316, 317
- Sclero-corneal trabeculae, presence and development of, in various mammals, 79
- types of, 67
- Sclerotics, blue, cause of, considerations regarding, 119
- Sclerotomy, anterior, in treatment of hydrophthalmia, 308
- reports of, in questionnaire, 4
- Herbert’s, reports of, in questionnaire, 4
- posterior, in treatment of hydrophthalmia, 306
- Sheep, comparative anatomy of tissues of eye in, 85
- Spiny ant-eater (*Echidna*), comparative anatomy of tissues of eye in, 79, 80
- Staphylomata, anterior, 2, 9
- differentiation from congenital glaucoma, 26
- Sympathetic innervation of eye in relation to treatment of hydrophthalmia with miotics and mydriatics, 297
- Synechia, anterior, in congenital glaucoma, 148, 149, 152
- peripheral, significance of, in origin of hydrophthalmia, 245
- pupillary, congenital, significance of, in origin of hydrophthalmia, 248
- Syphilis, influence of, in causation of hydrophthalmia, 272
- Tarsius, eyes of, comparative anatomy of tissues of, 89
- side and front views of, showing size and shape of cornea, 45
- Tension after operative treatment of hydrophthalmia, 340

## INDEX

377

- Treatment of hydrophthalmia, 293  
 history of, 293  
 medical, 294  
 operative, 299  
 use of miotics in, 295
- Trephining, corneo-scleral, in questionnaire, reports of, 4  
 in treatment of hydrophthalmia, 316, 317, 323
- Trichosurus*, comparative anatomy of tissues of eye in, 82
- Trigeminal nerve, branches of, concerned in hydrophthalmia, in association with facial naevi and fibromatosis, 218
- Ulcus corneae internum, 126  
 significance of, in origin of hydrophthalmia, 248
- Uvea, vascular changes in, in cases of glaucoma with facial naevi, 186
- Uveal inflammation as cause of congenital glaucoma, 3
- Uveal meshwork, evolution of, 95
- Uveal meshwork, primitive structure of, 56, 58  
 structure of, 72, 74
- Uveal tissues of the angle, pressure and development of, in various mammals, 79
- Uveal tract, changes in, in congenital glaucoma, 127
- Veins, ciliary and vorticosae, in congenital glaucoma, 133
- Vision, in megalocornea, 37  
 of unoperated and operated patients in later life, 354  
 loss of, in congenital glaucoma, 104
- Vitreous, state of, significance of, in causation of hydrophthalmia, 270
- von Hippel, syndrome of, characteristics of 158
- von Recklinghausen's disease, 158. *See also under* Neurofibromatosis
- Wombat, comparative anatomy of tissues of eye in, 82