CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

Index

Note. Material in tables is indicated by the letter *t* after the page number. Figures are indicated by the letter *f* after the page number. Footnotes are indicated by n after the page number.

AA Tau, 69, 92
AB Aurigae, 69
accretion
  accretion disks in binaries, 61n
  accretion of mass by protostars, 9, 56, 71
  accretion rate as function of time, 79*f*
  accretion shock, 55*f*, 59–60
  as disk dispersion process, 275
  Hα emissions from accretion of disk gas, 71, 270
  layered accretion, 307
  meter-size barrier, 20, 306–9
  runaway accretion and FU Orionis stars, 71, 238–39
  runaway gas accretion by giant planets, 321–22
  viscous disk accretion models, 9, 70–73, 77–78, 308
  see also coagulation of dust; planetesimal accretion; protoplanetary disk structure and evolution
Acfer 094, 209*f*, 210–12, 213*t*, 214, 216, 281
achondrites
  angrites, 283–84
  chemical evolution, 319
  definition, 2
  eucrites, 283
  HED basaltic achondrites, 303, 319
  melting and planetary differentiation, 2, 283, 318
  oxygen isotope composition, 114–15, 115*f*
  pallasites, 301*f*, 319
  Vesta and basaltic achondrites, 18, 283, 303, 319, 324–25, 329
  volatile element depletion, 319
Adelaide, 211–12, 213*t*
AGB stars, see asymptotic giant branch (AGB) stars
ALHA77307, 209*f*, 210–11, 213–16, 218, 222
Allende, 116, 169, 182, 278, 280, 281
amino acids, 153–54
ammonium cyanate, 155
amoeboid olivine aggregates, see AOAs (amoeboid olivine aggregates)
analytical electron microscopy (AEM), 138–39, 146
angrites, 283–84
Antarctic micrometeorites (AMMs), 41, 43
AOAs (amoeboid olivine aggregates)
  appearance, 5*f*
  in chondrites, 3, 248
  composition, 4
  isotopic composition, 278–79
  melting, 245, 248
  oxygen isotopes in, 278
aqueous alteration
  carbide grains, 216
  chondritic meteorites, 2, 110, 166, 208, 211
  loss of organic matter, 153
  oxidizing conditions, 153
  polycyclic aromatic hydrocarbons (PAHs), 153–54
  silicate grains, 216
Asteroid Belt
  formation, 324–28
  gas drag, effect of, 322, 335
  heating source models, overview, 23
  mass depletion, 18, 300
  melting of pre-chondritic components, 16–17, 230
  oligarchic growth, 326
  runaway growth, 325–26
  size distribution for objects, 326, 327*f*, 328
  zones and regions, 193, 225, 300
asteroids
  age, 283
  C-type, 281, 300, 301*f*, 319
  chemical and isotopic composition, 300–302
  chemical evolution, 319–20
  classes and types, 193, 225
  crustal formation, 283, 284
  D-type, 300, 319
  differentiation, 300, 303

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

asteroids (cont.)
hydrothermal circulation in, 154
implantation of solar winds, 99, 282, 284, 287, 291
orbits, 324, 325*f*
physical properties, 300
S-type, 281, 300, 301*f*, 319
similarity to achondrites, 225
thermal metamorphism, 283, 319
Trojan asteroids, 300
volatile element depletion, 19, 89, 112, 253
Asuka 881394, 18, 283
asymptotic giant branch (AGB) stars
Cat's Eye Nebula, 49*f*
dust ejection from, 36–37, 142–43
He-shell burning, 49
presolar grains, 36–37, 49–52, 167
s-process (slow neutron capture), 39, 49, 50
silicon carbide (SiC) grains from, 37, 41*t*, 50, 185
stellar winds, 143–44, 147
Tc (technetium) stars, 45
third dredge-up (TDU), 49–50, 51
Atacama Large Millimeter/submillimeter Array (ALMA), 93, 206, 224

Barnard 68 dark cloud, 8*f*
Bishunpur, 210, 279*f*
Bremsstrahlung radiation, 164
brown dwarfs
crystalline silicate features of disks, 176, 233*f*, 237–38
disk properties, 21, 97, 206*f*
high-temperature products around cool stars, 237–38

C/2001 Q4 (NEAT), 148
CAIs (Ca–Al-rich inclusions)
age, 242, 279*f*, 281–82, 288–89, 303
in chondrites, 87–88
in Comet Wild 2, 148–49
compact CAIs, appearance, 5*f*
cooling and crystallization history, 16
drift lifetimes, 308
fluffy CAIs, appearance, 5*f*
formation, 87–88, 288–89
heating episodes, 87
isotopic composition, 41, 115, 121–22, 278
melting history, 16, 245
mineral composition, 3–4, 86–87, 336, 338*t*
oxygen isotopes in, 115, 116, 121–22, 278
processing and alteration in protoplanetary disk, 88, 110
texture, 244*f*
thermal processing, 16, 245–46, 280
transport by stellar winds, 149*f*
vaporization and condensation history, 87, 233
X-wind model, 89, 253–54
calcium–aluminum-rich inclusions (CAIs), see CAIs (Ca–Al-rich inclusions)
carbon monoxide (CO)
CO isotopomers in disk around LkCa 15, 102*f*
CO lines in studies of disk physics, 102
cold gas-phase chemistry, 106–8
cold gas studies through CO rotational lines, 17, 68
conversion into organic chemicals, 13, 149–52
efficient molecule formation, 29n, 60
gas dispersal studies through CO lines, 17, 68, 271, 272
interferometric studies, 102–3
selective isotopic photodissociation, 12, 102, 105, 117–18
self-shielding from photodissociation, 12, 105–6, 116–18
wavelength-dependent photodissociation of CO, 117–18
carbon-rich stars, 29–30, 29n, 40, 45, 185
carbon stars, 50
carbonaceous (C) chondrites
aqueous alteration, 2, 153, 154, 166
elemental composition, 163
heat sources in asteroids, 154
mineral composition, 210
organic material, 52, 153–54, 180
properties of matrix and rims, 212–13, 213*t*
similarity to solar photosphere, 13, 163, 166
thermal processing, 166
unequilibrated materials in, 210–12
volatile element depletion, 22, 163
see also chondritic meteorites
catalysis
effect of dust on synthesis of macromolecules, 152–55
Fischer–Tropsch-type (FTT) catalytic reactions, 149, 150*f*, 152, 216, 250
Haber–Bosch-type (HBT) catalytic reactions, 149, 150*f*, 152
olivine cosmic dust analogs (CDAs) catalytic activity, 154–55
self-perpetuating catalyst coating on dust grains, 13, 152
synthesis of hydrocarbons, 13, 149–52
synthesis of organic compounds on dust grains, 13, 149–52
synthesis of reduced nitrogen compounds, 13, 149–52
Cat's Eye Nebula, 49*f*
Ceres, 300, 325
Chainpur, 210
chemical evolution of protoplanetary disks
accretion shock, 55*f*, 59–60
associative detachment reactions, 107
astrochemical data sets and rate files, 106
chemical constraints on early Solar System materials, 110–11
chemical reactions active in disks, 107*t*
condensation fronts, 91
condensation sequences of elements, 22, 112–13
condensation sequences of minerals, 162–63, 166, 232–33
crystalline silicate grains in comets, 147–49

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

crystalline silicates in protoplanetary disks, 16, 235–36
D/H isotopic fractionation in solar nebula, 111–12
Dead Zone, 77, 104, 310
dissociative recombination reactions, 108, 110, 111
dust composition in protoplanetary disks, 161–62
evolutionary stages, 3*t*, 57–59, 100
FeO depletion of crystalline silicates in disks, 241
freeze-out of gas-phase molecules, 103, 108–9
infrared spectroscopy studies of disks, 103–4
inner zone, 11, 99, 100–101, 107*f*
interferometric studies, 15, 16, 98, 102–3, 204, 274
ionization by cosmic rays, 77, 100, 103, 305
ionization by X-rays, 77, 101
ion–neutral reactions, 107–8
irradiation chemistry, 12, 101
isotopic anomalies, 111–13, 117–18
molecular depletion through photodissociation and freeze-out, 103
molecular species in disks and clouds, 9, 98*t*, 101–4
nebular photoprocesses, 105–6
neutral–neutral reactions, 108
observational constraints on composition of gas and ices, 101–4
overview, 11–12, 59–62, 97–99, 122
photodesorption, 109
photodissociation, 12, 102, 103, 105, 117–18, 272
polycyclic aromatic hydrocarbon freeze-out, 204–5
prediction of large-scale nebular circulation, 147–49
radiative association reactions, 107, 109–10
selective isotopic photodissociation, 12, 102, 105, 117–18
self-shielding of CO from photodissociation, 12, 105–6, 116–18
shock annealing of silicates, 12
snowline, 19, 104, 148
surface formation of complex species, 109–10
thermal annealing of silicates, 12, 16, 140–42, 231–32
thermal evaporation, 109
water depletion in inner nebula, 91–92
zone of ices, 11, 99, 100, 107*f*
zone of molecules, 11, 99, 101, 107*f*
zone of radicals, 11, 99, 101, 107*f*
see also oxygen isotopes; particle dynamics; short-lived isotopes (SLI); solar nebula
chondritic meteorites
age, 241–42, 279*f*
amorphous silicate grain size in chondrite matrices, 212*f*, 214–16
aqueous alteration, 2, 110, 166, 208, 211
bulk isotopic compositions, 277–78, 301
carbide grain size in chondrite matrices, 216
carbonaceous grain size in chondrite matrices, 216–17
chemical evolution, 318–19
chemical evolution recorded in unequilibrated chondrites, 3, 210, 212
chondrule mass or volume fraction in chondrites, 230, 243*f*, 246
chondrule–matrix complementarity, 87–88
chondrules in enstatite chondrites, 282, 337–38
composition and components, 3–4, 5*f*, 15, 86–88, 166, 300–302
crystalline silicate grain size in chondrite matrices, 209*f*, 214, 215*f*
definition, 2, 208
dry thermal metamorphism, 2, 208, 318
fine-grained materials from early Solar System, 207
formation and structure, overview, 86–88, 206–7
grain size of nebular dust in chondrite matrices, 214–17
interstellar grain size in chondrite matrices, 217
iron metal and iron sulfide in, 209*f*, 211, 216, 282–83
matrices in primitive chondrites, 208, 209*f*
matrix composition, 4, 15, 87, 338
matrix evolution and mineralogy, 87–88
mid-plane formation, 14, 206*f*, 207, 217–18
overview, 206–7, 210–12, 241–45
oxidation states, 22, 302
oxygen isotope composition, 114–15, 115*f*, 301–2
properties of matrix and rims in pristine chondrites, 212–13, 213*t*
secondary processing, 208
sulfide grain size in chondrite matrices, 212*f*, 216
texture, 301*f*
thermal processing, 207, 241–45
unequilibrated ordinary chondrites (UOCs), 110, 210
volatile element depletion, 22, 163, 301
see also carbonaceous (C) chondrites; chondrules; matrix
chondrules
age, 277, 279*f*, 281–82, 289–90
aluminum-rich chondrules, composition, 4, 336–37
barred-olivine (BO) chondrules, 4
chondrule origin and processing, 15, 87
chondrule–matrix complementarity, 87–88
composition, 87, 336–38
cryptocrystalline (CC) chondrules, 4
drift lifetimes, 308
dust coagulation during chondrule formation, 219–21
in enstatite chondrites, 282, 337–38
ferromagnesian chondrules, composition, 4, 337
formation by flash heating by shock waves, 17, 22–23, 250, 252
formation by impacts on planetesimals, 254–55
formation by lightning in solar nebula, 17, 254, 280
formation by shock from X-ray flares, 17, 252–53
formation models, overview, 22–23
gas drag heating due to shock waves, 280, 285, 291

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

chondrules (cont.)
glassy, 4
granular (G, GO, GOP, GP) chondrules, 4
isotopic composition, 280–82
mass fraction in meteorites, 22
mass or volume fraction in chondrites, 230, 243*f*, 246
metals and sulfide in, 282–83, 337–38
mid-plane formation, 218
oxygen isotopes in, 115
precursors, 87, 218–19
properties, 87
radial-pyroxene (RP) chondrules, 4
relict grains, 219, 247, 281
textures, 4, 5*f*, 244*f*
thermal histories, 87, 243–45, 246–48
thermal processing of dust during formation, 207, 223, 224, 244–45
timing of dust coagulation, 217–19
transient heating processes, 17, 22–23, 87, 247–48, 280–81
transport by stellar winds, 149*f*
X-wind models, 17, 22–23, 253
see also chondritic meteorites
clearing of protoplanetary disks, see dispersal of protoplanetary disks
clouds, see molecular clouds
coagulation of dust
basic model of grain coagulation, 196–97
chondrule formation, 218–19
during chondrule formation, 219–21
cluster grains, 194
cluster–cluster aggregation (CCA), 196, 198
constraints from amorphous silicates, 219–21
different views by astrophysics and cosmochemistry, 192–93, 223–25
distribution functions, 195, 198–200
grain coagulation, definition, 193–94
grain size evolution in disks, overview, 14, 191–92
laboratory simulations of grain coagulation, 197–98
large and small particles, definition, 195–96
meter-size barrier, 20, 306–9
mid-infrared silicate features, 200–202
millimeter spectral slope, 203–4, 205*f*
monomer grains, 194
nomenclature and definitions, 193–96
observational tracers of grain coagulation, 198–206
particle growth, definition, 193
particle size distribution in interstellar medium, 31, 194–95, 198–200
particle–cluster aggregation (PCA), 196, 198
planet-forming zone in protoplanetary disk, 206
regions in which different techniques probe grain and particle sizes, 206*f*
remote observations of grains in disks, 14–15, 170–76, 192–93
replenishment of fine dust in disks, 15, 21
thermal processing of dust during chondrule formation, 207, 223, 224
timing of dust coagulation, 217–19, 221–23
very small grains and PAHs, 204–5
visible and infrared scattering, 202–3
see also interplanetary dust particles (IDPs); protoplanetary disk structure and evolution
cold dense clouds and neutral interstellar medium (CNM), 35–36, 38
comets
C/2001 Q4 (NEAT), 148
cometary dust grains, mineralogy, 61
cometary grains, transport history, 88–90, 255–56
Hale–Bopp, Ar/H_2O ratio, 320
Hale–Bopp, crystalline silicates, 88, 147, 170, 173, 284
Hale–Bopp, formamide, 154
Hale–Bopp, infrared spectra, 179*f*, 181, 284
Halley, carbonate, 184
Halley, crystalline silicates, 61, 88, 140, 147, 170, 284
Halley, infrared spectra, 179*f*, 284
Halley, sulfides, 184
infrared spectroscopy of cometary dust grains, 170, 171*f*, 173–74
Kuiper Belt, 129, 286
silicates in, 61, 88–89, 147–49
Tempel 1 (9*P*/Tempel 1), 61, 169–70, 177, 180, 183–84, 284
unequilibrated materials in, 6, 61, 129
volatile element depletion, 89, 253
see also Wild 2
condensation sequences
elements in the early solar nebula, 22, 113*t*
mineralogical composition of dust, 162–63, 166, 232–33
in molecular clouds and protoplanetary disks, 112–13
cool bottom processing (CBP), 50
cosmic rays
conversion of crystalline dust to amorphous structure, 128, 143, 148
cosmic-ray-induced desorption, 109
formamide formation on grain surfaces, 155
spallation by galactic cosmic rays, 287
Czochralski technique, 135

debris disks
ages, 9, 10*f*, 267, 290–91
gas observed in, 271, 272
spectral energy distribution (SED), 264, 265*f*
steady-state, photon-dominated chemistry, 101
transition from protoplanetary disks, 20–21
see also protoplanetary disk structure and evolution; transition disks
Deep Impact spacecraft, 169–70, 231
desorption, 109, 182
deuterium (D)
D/H enrichment in IDPs and meteoric insoluble organic matter, 52
D/H enrichment in molecular clouds, 111

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

D/H enrichment in protoplanetary disks, 103, 111
D/H isotopic fractionation in solar nebula, 111–12
enrichment in insoluble organic matter (IOM), 52
see also hydrogen (H)
diamonds, 14, 42, 181
dielectric function, 204, 346–48
dispersal of protoplanetary disks
accretion, 275
disk and stellar winds, 275
disk frequency vs. age, 265–67
dispersal processes, 274–77
dust dispersal timescales, 17, 264–69, 290–91
gas accretion rates, 270–71
gas dispersal studies through CO lines, 17, 68, 271, 272
gas dispersal timescales, 17, 269–73, 291
observed lifetime of protoplanetary disks, 263–74
overview, 17–18, 263–64, 288–92
photoevaporation, 79–80, 109, 273–74, 275–77
and stellar encounters, 275
timescale in Solar System, constraints from planet and satellite evidence, 18, 285–87, 289*f*
timescale in Solar System from chondritic evidence, 18, 277–85, 288–90
see also protoplanetary disk structure and evolution; transition disks
distribution of dust
distribution functions, 195, 198–200
inverse problem, 198–200
mid-infrared silicate features, 200–202
observational tracers of grain coagulation, 198–206
regions in which different techniques probe grain and particle sizes, 206*f*
visible and infrared scattering, 202–3
see also coagulation of dust; dust grains; interstellar dust
Donn, Bertram, 156
D'Orbigny, 283
dust, interstellar, see interstellar dust
dust grains
catalytic effect of dust on synthesis of macromolecules, 152–55
cluster grains, 194
composition in protoplanetary disks, 161–62
condensation sequences of minerals, 162–63, 232–33
definition, 194
fine-grained materials from early Solar System, 207
grain size of nebular dust in chondrite matrices, 214–17
ice mantle formation in molecular clouds, 9
interstellar grains in IDPs, 32
large and small particles, definition, 195–96
monomer grains, 194
particle size distribution, 31, 194–95, 198–200
self-perpetuating catalyst coating on dust grains, 13, 152
synthesis of organic compounds on dust grains, 13, 149–52
synthesis of reduced nitrogen compounds on dust grains, 13, 149–52
in transition disks, 240
see also coagulation of dust; distribution of dust; interplanetary dust particles (IDPs)

Earth
age, 304
chemical evolution, 320–21
differentiation, 300, 303–4
elemental abundances in mantle, 302*t*
giant impacts, 316
water in accreted material, 320
EET 92042, 209*f*
electron microprobes, 164
electron microscopy
analytical electron microscopy (AEM), 138–39, 146
scanning electron microscopy (SEM), 139, 146, 164, 168*f*, 209*f*, 216
scanning transmission electron microscopy (STEM), 209*f*, 212*f*, 215–16
transmission electron microscopy (TEM), 137, 139, 164–65, 184, 210, 215*f*
elemental abundances in Solar System objects, 302*t*
see also isotopic anomalies; *specific elements*
Epstein drag, 310
eucrites, 283
evolved disks, 264, 266, 273–74
extinction (starlight)
definition, 194n
interstellar extinction caused by dust, 27, 28–29, 31
interstellar extinction curve, 29–31, 194
extrasolar planets, 19–20, 66, 191, 317, 323

feeding zones, 67, 193, 313, 321
Fischer–Tropsch-type (FTT) catalytic reactions, 149, 150*f*, 152, 216, 250
floating-zone technique, 135
Forest Vale, 283
formamide, 154–55
Fourier-transform infrared (FTIR) spectroscopy, 140, 152, 182
FU Orionis stars (Fuors), 71, 238–39

gas drag
chondrule formation and heating due to shock waves, 280, 285, 291
effect on Asteroid Belt, 322, 335
particle dynamics, 20, 82–83, 91, 196
planetesimal accretion, 20, 306, 311–12, 313, 322, 335
protoplanetary disks, 20, 82–83, 91, 196
GEMS, see glass with embedded metals and sulfides
giant planets
core accretion model, 19, 321
effect on inner Solar System accretion, 19, 321–24

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

giant planets (cont.)
extrasolar giant planets, 19–20, 323
formation by gravitational instability, 19, 70, 322
formation during gas accretion, 271, 285
"hot Jupiter" extrasolar planets, 323
mean-motion resonance (MMR), 322–23, 328
Nice model, 285
runaway gas accretion, 321–22
and snowline, 19, 285
Type-II migration, 317
glass with embedded metals and sulfides (GEMS)
composition, 6, 33*f*, 178–79
in IDPs, 5–6, 32–33, 43, 178–79
infrared spectroscopy, 179
iron metal and iron sulfide in, 6, 33*f*, 178
oxygen isotope compositions, 33, 43, 178
graphite
from carbon-rich stars, 29–30, 50
interplanetary dust particles (IDPs), 180–81
in presolar grains, 43, 46, 143–44
from Type II supernovae, 41*t*
in young protoplanetary disks, 14
Greenberg, Mayo, 156

Haber–Bosch-type (HBT) catalytic reactions, 149, 150*f*, 152
Hale–Bopp
Ar/H_2O ratio, 320
crystalline silicates, 88, 147, 170, 173, 284
formamide, 154
infrared spectra, 179*f*, 181, 284
Halley
carbonate, 184
crystalline silicates, 61, 88, 140, 147, 170, 284
infrared spectra, 179*f*, 284
sulfides, 184
Herbig Ae/Be stars
diamonds in, 181
HD 100546, 170, 175
infrared spectroscopy, 170, 175, 179*f*, 181
spectral energy distributions (SEDs), 75
ultraviolet radiation intensity, 105
Herbig–Haro (HH) objects, 58–59
hot interstellar medium (HIM), 35–36, 38
hydrogen (H)
D/H isotopic fractionation in solar nebula, 111–12
hydrogen burning, 49
molecular hydrogen conversion into hydrocarbons on dust grains, 149–52
molecular hydrogen formation on dust surfaces, 109
selective isotopic photodissociation, 102, 117–18
see also deuterium (D)

Iapetus, 18, 270*f*, 286, 292
IDPs, see interplanetary dust particles (IDPs)
impact ionization mass spectrometers, 184
Infrared Array Camera (IRAC), 265, 266*f*, 267, 268
Infrared Astronomical Satellite (IRAS), 31, 268
infrared excess emission, 17, 79, 265*f*, 267, 270, 273
Infrared Space Observatory (ISO)
crystalline silicates, 38, 130, 147, 175, 239
disk evolution, 268
gas content of disks, 271
ices, silicates, and PAHs in disks, 11, 103
sensitivity and wavelength range, 173, 234
Infrared Spectrograph (IRS), 169, 173, 234, 236, 271, 273
see also Spitzer Space Telescope
infrared spectroscopy
analysis methods, 175–76
effect of grain size, 171*f*
effect of size and shape of cosmic dust grains, 170, 171*f*, 173–74
effects of grain processing in protoplanetary disks, 171–72
emissions from dust disks, 17
Fourier-transform infrared (FTIR) spectroscopy, 140, 152, 182
Hale–Bopp, 179*f*, 181, 284
Halley, 179*f*, 284
Herbig Ae/Be stars, 170, 175, 179*f*, 181
interplanetary dust particles, 165–66
limitations, 172, 173–75
magnesium silicate smoke samples, 141*f*
mid-infrared silicate features, 200–202
olivine, 38, 140
overview, 165–66, 170
polycyclic aromatic hydrocarbons (PAHs), 31, 104, 204
protoplanetary disk studies, 103–4
pyroxene, 38
and refractive index, 170, 171*f*
silicate dust, 30, 141*f*, 171–73, 200–202
techniques, 165–66
see also laboratory studies of dust; spectroscopy
insoluble organic matter (IOM), 52, 82
interplanetary dust particles (IDPs)
amorphous and graphite elemental carbon, 180–81
amorphous silicates, 178–80
asteroid and comet source, 5
carbonaceous dust composition, 180–84
carbonaceous dust particle sizes, 194
carbonates, 183–84
collection methods, 4, 167
composition, 13–14, 166–70, 177–85
crystalline silicates in dust particles, 38–39, 177–78
diamonds, 181
fine-grained materials from early Solar System, 207
GEMS (glass with embedded metal and sulfides), 5–6, 32–33, 178–79
hydrous particles, 32, 167
interstellar dust grains in, 32
isotopic anomalies, 167–68
laboratory studies of Solar System dust, 164–66
large and small particles, definition, 195–96
mineralogy, 5–6
organic components in, 52, 182–83
overview, 129–30

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

particle size, 4–5, 194–95
porous anhydrous particles, 32, 167, 168*f*
presolar grains in, 14, 32
processing history derived from composition, 185–86
silicon carbide, 185
as source of Earth's organic material, 153
structure, 32*f*
sulfides, 184–85
thermal processing, 249–50
in transition disks, 240
transmission electron microscope image of chondritic IDP, 164*f*
see also coagulation of dust
interstellar dust
amorphous silicates in interstellar grains, 12, 30, 38–39
from asymptotic giant branch (AGB) stars, 36–37, 142–43
composition, 11–13, 13, 30–33, 59–62
composition of interstellar grains by spectroscopy, 8–9, 163
depletion of refractory elements, 30
desorption processes, 109
destruction in the interstellar medium, 37–39
distribution functions, 195, 198–200
effect of size and shape on infrared spectroscopy, 170, 171*f*, 173–74
elemental abundances, 39–40
ice mantle formation on grains, 9
infrared spectra, 29–30
interstellar extinction, 27, 28–29, 31
interstellar grain size in chondrite matrices, 217
irradiation chemistry, 12
large and small particles, definition, 195–96
and metallicity of stars, 40, 40n, 50
MRN (Mathis, Rumpl, Nordsieck) model, 31, 38, 199
nature and origin of dust in interstellar medium, 29–33
organic material on grain surfaces, 13, 52
particle size distribution, 31, 194–95, 198–200
polarization of starlight, 31, 196, 202–3
polycyclic aromatic hydrocarbons (PAHs) in, 31
presolar grains in meteorites, 15, 28, 37, 41*t*, 166–67
production different stellar types, 34*f*, 36–37
role in protostar and planet formation, 27–28
scattering of starlight, 28–29, 31, 79, 105, 170, 195–96
sputtering, 37–38
stardust, definition, 37
stardust minerals observed in astrophysical environments, 42
stellar sources of dust, 36–37, 38, 49–52
from supernova explosions, 37
vaporization temperature and shock velocity required for vaporization, 60*t*
visible and infrared scattering, 202–3
interstellar medium (ISM)
amounts of dust, 27
catalysis on grain surfaces, 13
cold dense clouds and neutral interstellar medium (CNM), 35–36, 38
composition of interstellar grains by spectroscopy, 8–9, 163
distribution functions, 195, 198–200
dust destruction in the interstellar medium, 37–39
heavy element enrichment from stellar ejecta, 28
hot interstellar medium (HIM), 35–36, 38
ice mantle formation on grains, 9
interstellar extinction caused by dust, 27, 28–29, 31
interstellar extinction curve, 29–31, 194
interstellar signatures in meteorites, 28, 37
matter cycle between stars and ISM, 33–36, 38
metallicity, 39
mid-infrared silicate features, 200–202
nature and origin of dust, 29–33
organic material on grain surfaces, 13, 52
particle size distribution, 31, 194–95, 198–200
volatile element depletion in gas phase, 163
warm interstellar medium (WIM), 35–36, 38
see also interstellar dust; molecular clouds
inverse problem of dust distribution, 198–200
ion microprobes, 52, 281, 341
iron meteorites, 300, 301*f*
ISM, see interstellar medium (ISM)
isotopic anomalies
bulk isotopic compositions of chondrites, 277–78
CAIs, 41, 115, 121–22
interplanetary dust particles (IDPs), 167–68
in molecular clouds and protoplanetary disks, 111–13
oxygen isotopes in solar nebula, 117–18
presolar grains in primitive meteorites, 40, 166–67
presolar organic matter, 167
see also *specific elements*
isotopologs, 105, 106*f*, 116, 119

Jupiter
effect on inner Solar System accretion, 321–24, 326, 327*f*
formation, 285–86
inner core, 322
nitrogen isotope ratio, 42, 44*f*

Kuiper Belt, 68, 129, 186, 280, 285, 286

laboratory dust analog synthesis
advantages, 130, 161–62
Czochralski technique, 135
dust processing, 140–43
floating-zone technique, 135
grain production by electrical discharges, 132
grain production by laser pyrolysis, 133–34
laboratory conditions, 131–32, 150–51
melt solidification, 134
melt solidification of laboratory dust analogs, 134
overview, 12–13, 155–56
prebiotic reactions, 153–55

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

laboratory dust analog synthesis (cont.)
sol–gel reactions, 134–35
thermal annealing, 140–42, 232
vapor condensation, 132–34
laboratory studies of dust
analytical electron microscopy (AEM), 138–39, 146
catalytic effect of dust on synthesis of macromolecules, 152–55
composition of grains condensed from Fe–Mg–SiO–H_2–O_2 vapor, 146*f*
composition of interstellar grains by spectroscopy, 8–9, 163
dust annealing experiments, 232
elemental composition measurement techniques, 164–65
Fourier-transform infrared (FTIR) spectroscopy, 140, 152, 182
groups involved in studies, 130–31
infrared spectroscopy studies of disks, 103–4
infrared spectroscopy techniques, 165–66
ion irradiation, 12, 138, 142–43
isotopic analysis techniques, 165
laboratory conditions, 131–32, 150–51
laboratory simulations of grain coagulation, 197–98
metastable eutectic condensation and magnesium-rich minerals, 145–47
microprobes, 52, 164, 281, 341
mineral identification techniques, 165
olivine cosmic dust analogs (CDAs) catalytic activity, 154–55
overview and history, 128–29, 156
Raman spectroscopy, 137–38
scanning electron microscope (SEM), 139, 146, 164, 168*f*, 209*f*, 216
scanning transmission electron microscopy (STEM), 209*f*, 212*f*, 215–16
simulations predicting mineral abundance, 162–63
studies of Solar System dust, 164–66
system used to assess catalysis by amorphous iron silicate smokes, 151*f*
transmission electron microscopy (TEM), 137, 139, 164–65, 184, 210, 215*f*
transmission or absorption spectroscopy techniques, 136–37
X-ray absorption near-edge structure (XANES) spectroscopy, 163, 165, 181–83
X-ray fluorescence (XRF) spectroscopy, 139, 164
laser desorption laser ionization mass spectrometry, 182
laser pyrolysis, 133–34
light scattering
core-mantle grains, 345
discrete dipole approximation, 346
inhomogeneous particles, 345
light absorption and scattering theory, 343–48
of starlight by interstellar dust, 28–29, 31, 79, 105, 170, 195–96
theory of the dielectric function, 204, 346–48
visible and infrared scattering by dust, 202–3
see also spectroscopy

magneto-rotational instability (MRI), 23, 76–78, 273, 305, 307, 317
Mars
age, 304
differentiation, 303–4, 329
elemental abundances, 302*t*
isotope ratios, 315
mass, 300, 316
water, 320
mass spectrometry, 41–42, 165, 182, 184, 340–42
see also spectroscopy
matrix
amorphous and crystalline material in, 16
amorphous silicate grain size in chondrite matrices, 212*f*, 214–16
carbide grain size in chondrite matrices, 216
carbonaceous grain size in chondrite matrices, 216–17
chondrule–matrix complementarity, 87–88
composition in chondrites, 4, 15, 87, 338
crystalline silicate grain size in chondrite matrices, 209*f*, 214, 215*f*
evolution and mineralogy, 87–88
formation, 16, 88
interstellar grain size in chondrite matrices, 217
nebular dust grain size in chondrite matrices, 214–17
in primitive chondrites, 208, 209*f*
sulfide grain size in chondrite matrices, 212*f*, 216
thermal processing, 248–49
see also chondritic meteorites
matter cycle, 33, 34–36, 38, 39
mean-motion resonance (MMR), 322–23, 328
Mercury, 18, 300, 316, 320
MET 00426, 210, 211, 212, 213*t*, 216
metallicity, 35, 39, 40, 40n, 50
meteorites, general information
chemical evolution, 318–19
chondrule mass fraction in, 22
classification, 2, 4*f*
dry thermal metamorphism, 2, 208, 318
iron meteorites, 300, 301*f*
isotopic heterogeneity in meteorites, 11–12, 114–15
see also achondrites; carbonaceous (C) chondrites; chondritic meteorites
meteorites, individual
Acfer 094 (Unique Type 3), 209*f*, 210–12, 213*t*, 214, 216, 281
Adelaide (Unique Type 3), 211–12, 213*t*
ALHA77307 (CO3.0), 209*f*, 210–11, 213–16, 218, 222
Allende (CV3), 116, 169, 182, 278, 280, 281
Antarctic micrometeorites (AMMs), 41, 43
Asuka 881394, 18, 283

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

Bishunpur, 210, 279*f*
Chainpur, 210
D'Orbigny, 283
EET 92042 (CR), 209*f*
Forest Vale, 283
MET 00426 (CR3.0), 210, 211, 212, 213*t*, 216
Murchison, 43*f*, 153, 180
Murray, 153
Orgueil, 153, 180
QUE 99177 (CR3.0), 210, 211, 212, 216
Richardton, 283
Semarkona (LL3.0), 210, 243*f*, 279*f*, 281
Ste Marguerite, 283
Tagish Lake, 52, 180
Y81020 (CO3), 210, 281
Y-791198 (CM2), 211–12, 213*t*, 214–16, 218, 221, 222
micrometeorites, 5, 41, 43
see also interplanetary dust particles (IDPs)
microprobes, 52, 164, 281, 341
minimum mass solar nebula (MMSN) model, 10, 67–68
molecular clouds
angular momentum redistribution during collapse, 9, 54–56
Barnard 68 dark cloud, 8*f*
collapse, 9, 53–54
composition and evolution, 8–9
condensation sequences, 112–13
deuterium (D) enrichment in, 111
gravitational free-fall timescale (τ_{ff}), 53
ice mantle formation on dust grains, 9
isotopic anomalies, 111–13
isotopic fractionation of carbon, 9
protoplanetary disk formation, 9, 54–56
turbulence, 53, 305
see also interstellar medium (ISM); star formation
Moon, 300, 303–4
MRN (Mathis, Rumpl, Nordsieck) model, 31, 38, 199
Murchison, 43*f*, 153, 180
Murray, 153

nanodiamonds, 14, 42, 181
neon, 39, 40, 44, 272, 284, 287
Neptune, 285, 286
nitrogen
$^{15}N/^{14}N$ enrichment in IDPs, 52
in insoluble organic matter (IOM), 52
isotopic compositions of presolar grains, 42, 44, 45*f*, 180
reduced nitrogen compounds on dust grains, 13, 149–52
noble gases, 44, 284, 287
see also *specific elements*
nova sources of presolar grains, 51
nucleosynthesis
cool bottom processing (CBP), 50
heavy elements, 39
interstellar dust origins, 28, 37
s-process, 39, 44, 45, 46, 49, 50
see also stellar evolution

olivine
catalytic activity, 154–55
composition, 177, 337
crystal structure, 142*f*
infrared spectroscopy, 38, 140, 175
magnesium-rich crystalline silicates, 241
protection of biomolecules, 154
vaporization temperature, 149*f*
see also silicates
organic presolar compounds, 52, 167
Orgueil, 153, 180
oxide grains, see presolar grains
oxygen fugacity, 112, 308
oxygen isotopes
in achondrites, 114–15, 115*f*
anomalies in solar nebula, 117–18
in AOAs (amoeboid olivine aggregates), 278
in CAIs, 115, 116, 121–22, 278
chondritic meteorites, 114–15, 115*f*, 301–2
in chondritic meteorites, 114–15, 115*f*, 301–2
in chondrules, 115
CO self-shielding from photodissociation, 12, 105–6, 116–18
in CO_2 generated through UV photolysis of CO, 117, 118*f*
composition of various terrestrial and lunar reservoirs, 114*f*
fractionation due to oxidation on grain surfaces, 121–22
fractionation in ozone, 119–22, 120*f*
fractionation in silicates, 119–21
glass with embedded metals and sulfides (GEMS), 33, 43, 178
heterogeneity in meteorites, 11–12, 114–15
mass-fractionation line (MFL), 114, 114*f*
mass-independent fractionation, 116, 119–22, 278
in presolar grains, 47–48, 50
in silicates formed in smoke chambers, 119, 120*f*
in solar nebula and protoplanetary disks, 113–22
use of δ-notation, 113–14
in Vienna standard mean ocean water (VSMOW), 113–14
wavelength-dependent photodissociation of CO, 117–18
oxygen-rich stars
definition, 29n
dust from, 29–30, 37, 38, 46–49, 144, 185

PAH, see polycyclic aromatic hydrocarbons (PAHs)
pallasites, 301*f*
particle dynamics
decoupling of large particles from gas, 14
drift velocities of spherical particles, 83*f*
evaporation fronts, 90–91, 308
gas drag, 20, 82–83, 91, 196
layered accretion, 307
radial mixing in protoplanetary disks, 174, 178, 238, 308, 315
stopping times of particles, 80–81, 83

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

particle dynamics (cont.)
turbulent diffusion, 81–82, 109, 112
turbulent eddy turnover time, 81
vertical motions, 84–85
viscous accretion disk models, 9, 70–73, 77–78
see also chemical evolution of solar nebula; protoplanetary disk structure and evolution; solar nebula
photoevaporation, 79–80, 109, 273–74, 275–77
photolysis, 9, 105, 118*f*
photophoresis, 309
planet formation
astronomical constraints, 6, 7*f*
chemical evolution of rocky bodies, 318–21
dynamical friction, 312–13, 314
effect of giant planets on inner Solar System accretion, 19, 321–24
extrasolar planets, 19–20, 66, 191, 317, 323
feeding zone formation model, 67, 193, 313, 321
giant planet formation, 285–86
gravitational focusing, 312, 314
gravitational torques, 317–18
Lindblad resonances, 317–18
mean-motion resonance (MMR), 322–23, 328
Nice model, 285
oligarchic growth, 19, 286, 313–14, 321, 326, 329
overview, 299–300, 328–30
planet-forming zone in protoplanetary disk, 206
planetary embryos, 313–16, 321, 323–24, 326, 329
postoligarchic growth, 19, 314–16
radioisotopic dating, 6, 7*f*
runaway growth, 19, 286, 312, 326, 329
snowline, 19, 285, 307, 314*f*, 320, 321
Type I and Type II migration, 317
planetesimal accretion
astronomical constraints, 18–19
delayed accretion in turbulence, 20
dust depletion timescales with planetesimal formation, 86
formation by gravitational instability, 19, 20, 309–10, 322
gas drag, 20, 306, 311–12, 313, 322, 335
gravitationally bound clumps, 309, 310–12
magneto-rotational instability (MRI), 23, 76–78, 273, 305, 307, 317
meter-size barrier, 20, 306–9
overview, 18–19, 304–5
pairwise sticking, 306–8
particle concentration by turbulence, 310–12
phases of, 19
radial drift, 306–7, 308
shock wave model of heating, 250, 252
snowline, 19, 285, 307, 314*f*, 320, 321
See also accretion
Pluto, 68
polarization of light, 31, 170, 181, 196, 202–3
polycyclic aromatic hydrocarbons (PAHs)
aqueous alteration and amino acid synthesis, 153–54
freeze-out in protostellar envelopes, 204–5
infrared emission bands, 31, 104, 204
in interstellar dust, 31
in Wild 2 grains, 183
in zone of ices, 11
porphyritic texture, 4
Poynting–Robertson drag, 167
presolar grains
from AGB stars, 36–37, 49–52, 167
analytical techniques used to study, 41–42
$^{12}C/^{13}C$ ratios, 44, 45*f*, 46, 50
carbonaceous presolar dust, 44–46, 51
in chondritic meteorites, 8, 166–67
composition, 166–67
definition, 37n
diamonds in, 42
discovery, 40
efficiency of crystalline grain growth in stars, 143–44
graphite in, 43, 46, 143–44
ice mantle formation on grains in ISM, 9
in interplanetary dust particles (IDPs), 8, 14, 32, 43
isolation and identification, 40–42
isotopic composition, 40, 166–67, 277
metallicity and dust formation, 40n
in meteorites, 15, 28, 37, 41*t*, 166–67
minerals in, 41*t*, 42–44
nova sources of presolar grains, 51
organic matter, 13, 52
oxygen-rich dust, 46–48
properties, 111
s-process nucleosynthesis and, 44, 45, 46, 50
silicates in, 14, 42, 43–44, 46–48, 50
silicon nitride (Si_3N_4), 41*t*, 42, 46, 51
stardust minerals observed in astrophysical environments, 42
stellar sources of dust, 36–37, 38, 49–52
see also interplanetary dust particles (IDPs); interstellar dust; interstellar medium (ISM)
protoplanetary disk structure and evolution
accretion of protostellar disk mass by protostars, 9, 56, 71
accretion rate as function of time, 79*f*
accretion shock, 55*f*, 59–60
α parameter in viscosity models, 72, 75, 77–78
angular momentum transport mechanisms, 9, 54–56, 70, 76
clump formation, 69–70, 77, 83, 252
condensation fronts, 91
cosmic-ray irradiation, 100, 103–4, 109, 148, 305
crystalline silicates in protoplanetary disks, 16, 235–38
cylindrically symmetric hydrodynamic model, 55–56
Dead Zone, 77, 104, 310
density and temperature structure, 67
disk regions with evidence for thermal processing, 251*f*
dust composition, 161–62
dust depletion timescales with planetesimal formation, 86

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

dust distribution, 85–86
dust species in disks, 61–62, 61*t*
effects of grain processing on infrared spectroscopy, 171–72
elemental composition, 61*t*
evaporation fronts, 90–92
extreme ultraviolet (EUV) radiation of star, 79–80, 275–77
FeO depletion of crystalline silicates in disks, 241
flaring geometry, 10, 86, 235
flat geometry, 10, 75, 86, 235, 255
formation from molecular clouds, 9, 54–56
FU Orionis outbursts, 71, 239
gas drag, 20, 82–83, 91, 196
grain size evolution in disks, 14
graphite in young disks, 14
gravitational torques, 70, 77–78, 275, 305, 317
Hα emissions from accretion of disk gas, 71, 270
heating/cooling balance, 9
Herbig–Haro (HH) objects, 58–59
hydrodynamic turbulence, 305
infrared emissions from dust disks, 17
inner zone, 11, 99*f*, 100–101, 107*f*
ionization by X-rays, 77, 101
layered accretion, 307
lifetimes around young stellar objects, 9, 263–74
magneto-rotational instability (MRI), 23, 76–78, 273, 305, 307, 317
marginally unstable disks, 19, 70, 77, 83, 252
mass, 10, 67–68
mid-infrared silicate features, 16, 200–202, 233*f*, 235–37
millimeter spectral slope, 203–4, 205*f*
minimum mass solar nebula (MMSN) model, 10, 67–68
nanodiamonds in young disks, 14
observations of thermal processing, 234–41
overview, 9–10, 66–67, 92–93
photoevaporation, 79–80, 109, 273–74, 275–77
radial dependence of crystallinity, 236–37
radial mixing, 174, 178, 238, 308, 315
regions in which different techniques probe grain and particle sizes, 206*f*
remote observations of grains in disks, 14–15, 170–76, 192–93
runaway accretion and FU Orionis stars, 71, 238–39
shock wave model of heating, 250, 252
sizes of disks, 68–69, 102
snowline, 19, 91, 104, 148
spectral energy distributions (SEDs), 9–10, 75
stages of formation, 3*t*, 57–59, 100
stellar mass effect on disk properties, 21
structure, 9–10
temperatures, 10
transition disks, mid-infrared spectra, 240, 267, 273
turbulent viscosity of gas, 72, 305–6
types of primitive materials, 3*t*, 4*f*
vaporization temperature and shock velocity required for vaporization, 60*t*
vertical structure, 75–76
very small grains and PAHs, 204–5
viscosity, sources, 76–78
viscous disk accretion models, 9, 70–73, 77–78, 308
viscous disk structure calculations, 72–73
viscous evolution with photoevaporation, 78–80, 276–77
visible and infrared scattering, 202–3
water concentration variations with disk age, 91–92
water detection by Spitzer Space Telescope, 11, 92, 98, 103–4
X-ray sources, 101
zone of ices, 11, 99, 99*f*, 100
zone of molecules, 11, 99, 99*f*, 101
zone of radicals, 11, 99, 99*f*, 101
see also accretion; chemical evolution of solar nebula; coagulation of dust; dispersal of protoplanetary disks; particle dynamics; planetesimal accretion; solar nebula; transition disks; viscous disk models
protostars
accretion of protostellar disk mass by protostars, 9, 56, 71
classification of young stellar objects, 57, 100
gravitational collapse of molecular clouds, 9, 53–54
protostellar phases and classes, 57–59, 100
in star clusters, 52
time intervals of mass increase, 53–54
see also star formation; T Tauri stars
protostellar disks, see protoplanetary disk structure and evolution
pyroxene
calcic pyroxene, 278
Comet C/2001 Q4 (NEAT), 148
composition, 38, 177, 337
crystal structure, 142*f*
infrared spectroscopy, 38, 175
see also silicates

quartz, crystal structure, 142*f*
QUE 99177, 210, 211, 212, 216

r-process, 39
Raman spectroscopy, 137–38
red giant branch (RGB) stars, 49–50
refractive index, 170, 171*f*
refractory inclusions, 22, 86–87, 245–46
see also AOAs (amoeboid olivine aggregates); CAIs (Ca–Al-rich inclusions)
resonance ionization mass spectrometry (RIMS), 41–42, 342
Richardton, 283

s-process, 39, 44, 45, 46, 49, 50
Saturn
effect on inner Solar System accretion, 19, 321–24, 326, 327*f*
formation, 18, 277, 285–86, 291, 321–22

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

scanning electron microscopy (SEM), 139, 146, 164, 168*f*, 209*f*, 216
scanning transmission electron microscopy (STEM), 209*f*, 212*f*, 215–16
secondary ion mass spectrometry (SIMS), 41–42, 165, 340–42
Semarkona, 210, 243*f*, 279*f*, 281
short-lived isotopes (SLI) and supernovae, 6, 20
silicates
  amorphous, constraints on dust coagulation, 219–21
  amorphous, grain size in chondrite matrices, 212*f*, 214–16
  amorphous, in interplanetary dust particles, 178–80
  amorphous, in interstellar grains, 12, 30, 38–39
  amorphous/crystalline dust fraction, 16
  crystalline, conversion to amorphous structure, 128, 143, 148
  crystalline, grain size in chondrite matrices, 209*f*, 214, 215*f*
  crystalline, grains in comets, 147–49
  crystalline, grains in stellar winds, 147–49
  crystalline, in dust particles, 38–39, 177–78
  crystalline, in dust shells around stars, 38–39
  crystalline, in protoplanetary disks, 16, 235–38
  in dust from oxygen-rich stars, 29–30, 29n
  dust particle sizes, 194
  emission features around cool stars, 238
  FeO depletion of crystalline silicates in disks, 241
  GEMS (glass with embedded metals and sulfides), 5–6, 32–33, 178–79
  Hale–Bopp, crystalline silicates, 88, 147, 170, 173, 284
  Halley, crystalline silicates, 61, 88, 147, 284
  infrared spectra of magnesium silicate smoke samples, 141*f*
  infrared spectra of silicate dust, 30, 141*f*, 171–73, 200–202
  isotopic compositions in presolar grains, 46–48, 50
  magnesium-rich crystalline silicates, 241
  mid-infrared features of crystalline silicates, 14, 200–202, 232
  oxygen isotopic fractionation, 119–21
  phyllosilicate, 169, 225, 319, 338
  presolar grains in IDPs, 14, 43
  presolar grains in meteorites, 43
  presolar silicates, properties of, 42, 43–44, 46–48, 50
  radial redistribution in solar nebula, 14
  shock annealing, 12
  stellar sources, 50–51
  system used to assess catalysis by amorphous iron silicate smokes, 151*f*
  thermal annealing, 12, 16, 140–42, 231–32
  variation in amount of order in silicates, 142*f*
  see also olivine; pyroxene
silicon carbide (SiC)
  from asymptotic giant branch (AGB) stars, 37, 41*t*, 50, 185
  $^{12}C/^{13}C$ ratios in presolar SiC grains, 44, 45*f*, 50
  grain sizes, 217
  interplanetary dust particles (IDPs), 185
  isotopic ratios in presolar grains, 44–45
  in meteorites, 43*f*, 166, 185
  nitrogen isotopic ratios, 44, 45*f*
  populations of grains, 44–46
  in presolar grains, 42–44, 44, 166
  silicon isotopic ratios, 45
  stellar sources, 37, 40n, 50–51
silicon nitride (Si_3N_4), 41*t*, 42, 46, 51
silicon (Si), mass fractionation in meteorites, 116
SLI, see short-lived isotopes
solar nebula
  clump formation, 69–70
  condensation fronts, 91
  gravitational torques, 91
  hydrodynamic turbulence, 305
  marginally unstable disks, 19, 70, 77, 83, 252
  minimum mass solar nebula (MMSN) model, 10, 67–68
  nebular circulation and winds, 149*f*
  snowline, 19, 104, 148
  turbulence in the nebula, 305–6
  viscous disk accretion models, 9, 70–73, 77–78, 308
  see also chemical evolution of solar nebula; particle dynamics; protoplanetary disk structure and evolution
Solar System
  common minerals, 336–39
  constraints from Jovian and Neptunian planets, 285–86
  constraints from meteorite components, 18, 277–85
  cosmochemical timescale constraints, 303–4
  fine-grained materials from early Solar System, 207
  overview of formation, 256–57, 277
  small diameter, theories about, 68–69
  timing of events early in the Solar System, 303*t*
solar wind (SW)
  Genesis spacecraft samples, 116
  implantation in asteroids, 99, 282, 284, 287, 291
  noble gases in, 284, 287
  T Tauri star, 57–59
  see also stellar winds
sol–gel reactions, 134–35
spallation, 284, 287
spectral energy distributions (SEDs)
  Herbig Ae stars, 75
  and opacity, 199, 203
  optically thick dust disks around young stars, 264, 265*f*
  protoplanetary disk structure, 9–10, 75
  T Tauri stars, 75
  transition disks, 273–74
spectroscopy
  composition of interstellar grains by spectroscopy, 8–9, 163

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

Fourier-transform infrared (FTIR) spectroscopy, 140, 152, 182
light absorption and scattering theory, 343–48
phonon band range, 136
Raman spectroscopy, 137–38
transmission or absorption spectroscopy techniques, 136–37, 170–73
X-ray absorption near-edge structure (XANES) spectroscopy, 163, 165, 181–83
X-ray fluorescence (XRF) spectroscopy, 139, 164
see also infrared spectroscopy; light scattering; mass spectrometry
Spitzer Space Telescope
crystalline grains in disks, 202, 235–36
dispersal rates in disks, 17
effect of stellar mass, 21
emission lines in AA Tau protoplanetary disk, 92
Infrared Array Camera (IRAC), 265
Infrared Spectrograph (IRS), 169, 173, 234, 236, 271, 273
ionization in disks, 104
mid-infrared spectra of protoplanetary disks, 17, 202, 239
Multiband Imaging Photometer for Spitzer (MIPS) camera, 268
organic molecules in disks, 11, 92, 98, 103–4, 104*f*
silicate emission features around cool stars, 238
silicates in disks, 11, 98, 103–4
Spitzer Legacy Program, 266, 268
transition and evolved disks, 240, 264, 273
water in disks, 11, 92, 98, 103–4
sputtering, 37–38, 137
star formation
classification of young stellar objects, 57, 100
collapse of molecular clouds, 8–9
protostars and protostar collapse, 52–54
in star clusters, 52–54
stellar and disk parameters for young stars, 234*t*
see also molecular clouds; protostars; T Tauri stars
Stardust mission
crystalline silicates in dust particles, 230
goals, 88–89, 231
high-velocity aerogel capture, 5, 168–69
particle collection from comet Wild 2 coma, 5, 88, 129, 168–69
Stardust Mineralogy/Petrology Preliminary Examination Team (PET), 169, 170
see also Wild 2
Ste Marguerite, 283
stellar evolution
carbon stars, 50
dredge-up episodes, 49–50, 51
explosive helium burning, 49
helium burning, 49
hydrogen burning, 49
and presolar grain production, 49–52
stellar death, 33
third dredge-up (TDU), 49–50, 51
Type II supernovae, 50–51
stellar winds, 57–59, 143–44, 147–49, 275
see also solar wind (SW)
sulfides
in chondritic meteorites, 209*f*, 211, 216, 282–83
in chondrules, 282–83, 337–38
grain size in chondrite matrices, 212*f*, 216
in IDPs, 184–85
see also glass with embedded metals and sulfides (GEMS)
supernovae
dust formed from ejected mass, 37
and proto-solar nebula, 21–22
short-lived isotopes (SLI), 6, 20
short-lived radionuclides injected in Sun's environment, 6, 20
Type II, 41*t*, 46, 48, 50–51

T Tauri stars
chondrule formation, 282
as Class II and III objects, 57
disk dispersal, 265, 267, 269
evolution, 57
Herbig–Haro (HH) objects, 58–59
jets, 58–59
outflows and stellar winds, 57–59
polycyclic aromatic hydrocarbons (PAHs) in disks, 183
properties of Class II objects and their accretion disks, 58*t*
spectral energy distributions (SEDs), 75
ultraviolet radiation intensity, 101, 105
see also protostars; star formation
Tagish Lake, 52, 180
Tempel 1 (9*P*/Tempel 1), 61, 169–70, 177, 180, 183–84, 284
terrestrial planets
accretion models, 286–87
ages, 286–87
atmosphere acquisition, 313–14
chemical and isotopic composition, 300–302
chemical evolution of rocky bodies, 318–21
differentiation, 300
dynamical friction, 312–13, 314
effect of giant planets on inner Solar System accretion, 19, 321–24
elemental variation and partitioning into the core, 23
gravitational focusing, 312, 314
isotopic ratio differences from CI chondrites, 23
Mg/Si ratio differences from CI chondrites, 23
noble gas signatures, 287
oligarchic growth, 19, 286, 313–14, 321, 329
orbit circularization by gas, 272, 286
physical properties, 300
planetary embryos, 313–16, 321, 323–24, 326, 329
postoligarchic growth, 19, 314–16
runaway growth, 286, 312
Type-I migration, 317
volatile element depletion, 11, 24, 112–13

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

thermal processing
  carbonaceous chondrites, 166
  chondritic matrix, 248–49
  chondritic meteorites, 207, 241–45
  chondrules, 87, 243–45, 246–48
  crystalline silicates in protoplanetary disks, 16, 235–38
  disk regions with evidence for thermal processing, 251*f*
  of dust during chondrule formation, 207, 223, 224, 244–45
  enstatite chondrites, 2
  high-temperature products around cool stars, 237–38
  interplanetary dust particles (IDPs), 249–50
  melting mechanisms, 250–56
  observations in protoplanetary disks, 234–41
  outward transport of high-temperature materials, 255–56
  overview, 15–17, 230–31, 257–58
  peak temperatures and cooling rates for high-temperature products, 251*f*
  radial dependence of crystallinity, 236–37
  refractory inclusions, 245–46
  shock wave model of heating, 250, 252
  Solar System formation, overview, 256–57
  temperatures of metamorphism, 2
  in transition disks, 240
  see also transient heating events
third dredge-up (TDU), 49–50, 51
transient heating events
  chondrule formation in transient heating events, 17, 22–23, 87, 247–48, 280–81
  collisional mechanism for chondrule and CAI production, 23
  crystalline silicate grains in comets, 89–90
  refractory inclusions, 22
  see also thermal processing
transition disks
  definition, 264
  dust grains in, 240
  mid-infrared spectra, 240, 267, 273
  spectral energy distributions (SEDs), 273–74
  Spitzer Space Telescope observations, 240, 264, 273
  thermal processing, 240
  see also dispersal of protoplanetary disks; protoplanetary disk structure and evolution
transmission electron microscopy (TEM), 137, 139, 164–65, 184, 210, 215*f*
TW Hya, 102, 111, 237*f*, 266*f*

urea, 155

Venus, 270, 286, 287, 300, 316, 320
Very Large Telescope Interferometer (VLTI), 231, 236, 239, 240
Vesta, 18, 283, 303, 319, 324–25, 329
Vienna Standard Mean Ocean Water (VSMOW), 113–14
viscous disk models
  α parameter in viscosity models, 72, 75, 77–78
  sources of viscosity, 76–78
  turbulent viscosity of gas, 72, 305–6
  viscosity, sources, 76–78
  viscous disk accretion models, 9, 70–73, 77–78, 308
  viscous disk structure calculations, 72–73
  viscous dispersal timescale, 275
  viscous evolution with photoevaporation, 78–80, 276–77
  see also protoplanetary disk structure and evolution
volatile element depletion
  achondrites, 319
  asteroids, 19, 89, 112, 253
  CI chondrites, 22, 163
  comets, 89, 253
  gas phase depletion in ISM, 163
  inner Solar System, 11, 24, 112–13
  terrestrial planets, 11, 24, 112–13

warm interstellar medium (WIM), 35–36, 38
water
  accretion on terrestrial planets, 320
  depletion in inner solar nebula, 91–92
  detection by Spitzer Space Telescope, 11, 92, 98, 103–4
  in protoplanetary disk, 11, 91–92, 98, 103–4
  Vienna Standard Mean Ocean Water (VSMOW), 113–14
water ice, at snowline, 19, 91, 104, 308, 320
Wild 2
  CAIs in, 148–49, 253–54
  carbonate, 184
  CH chondrite-like fragments, 253–54, 255
  fine-grained materials from early Solar System, 207
  Inti refractory grain, 89
  isotopic composition, 284
  organic carbon, 182–83
  particle composition, 6, 88–90, 168–69
  polycyclic aromatic hydrocarbons (PAHs) in, 183
  presolar grains, 43
  silicates in, 88–89, 177, 180
  sulfides, 184
  un-equilibrated materials in, 6, 60–61, 129
  see also comets; Stardust mission
Wolf–Rayet (WR) stars, 21

X-ray absorption near-edge structure (XANES) spectroscopy, 163, 165, 181–83
X-ray flares, 17, 252–53
X-ray fluorescence (XRF) spectroscopy, 139, 164
X-ray ionization of protoplanetary disks, 77, 101
X-ray microprobes (XRMs), 164
X-ray sources in protoplanetary disks, 101

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-107-62942-4 - Protoplanetary Dust: Astrophysical and Cosmochemical Perspectives
Edited by Dániel Apai and Dante S. Lauretta.
Index
More information

X-wind model
  chondrule formation, 17, 22–23, 253
  disk winds and jets, 89
  heating mechanism for thermal processing, 17
  overview, 253–54
  particle transport to outer-disk regions, 185–86, 253, 308
  volatile depletion in comets and asteroids, 89
xenon (Xe), 40, 42, 44, 181
  see also noble gases

Y81020, 210, 281
Y-791198, 211–12, 213*t*, 214–16, 218, 221, 222

© in this web service Cambridge University Press www.cambridge.org